

District 1 - Labrador

(percentage of students who selected each response)

#001 - St. Peter's School, Black Tickle

Grades: K-12

Item	Key	School [N=7]				School Below Above District		District [N=98]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	28.6	57.1	14.3	0.0	q		37.8	43.9	9.2	9.2	q		37.7	39.4	10.0	12.9
2.	A	0.0	14.3	0.0	85.7	q		18.4	20.4	6.1	55.1	q		19.5	23.4	7.8	49.0
3.	C	0.0	0.0	42.9	57.1	q		5.1	3.1	69.4	22.5	q		3.9	2.8	77.9	15.5
4.	C	28.6	0.0	71.4	0.0		p	4.1	19.4	64.3	12.2		p	5.2	16.6	61.0	16.8
5.	D	14.3	0.0	57.1	28.6	q		9.2	16.3	25.5	49.0	q		11.7	18.5	21.1	48.6
6.	B	0.0	57.1	28.6	14.3	q		0.0	86.7	10.2	3.1	q		2.1	90.5	5.2	2.2
7.	D	0.0	14.3	14.3	71.4		p	5.1	19.4	11.2	64.3		p	7.2	13.2	8.5	70.8
8.	B	0.0	85.7	0.0	14.3	q		3.1	86.7	1.0	9.2	q		4.5	86.6	2.8	6.2
9.	C	0.0	42.9	57.1	0.0		p	3.1	38.8	49.0	9.2	q		4.5	25.9	60.3	9.1
10.	D	0.0	14.3	28.6	57.1		p	15.3	15.3	21.4	48.0		p	14.6	18.2	20.2	46.9
11.	D	0.0	28.6	14.3	57.1		p	12.2	37.8	4.1	45.9		p	10.2	45.8	6.6	37.4
12.	B	14.3	85.7	0.0	0.0		p	9.2	70.4	12.2	8.2		p	9.0	70.5	14.3	6.1
*13.	B,D	0.0	28.6	0.0	71.4		p	13.3	37.8	9.2	38.8		p	18.9	29.9	16.4	34.2
14.	C	42.9	0.0	0.0	57.1	q		25.5	13.3	36.7	22.5	q		23.7	16.1	39.0	20.9
15.	D	0.0	14.3	28.6	57.1	q		8.2	13.3	17.4	61.2		p	12.2	12.2	19.7	55.8
16.	D	14.3	28.6	0.0	57.1		p	27.6	8.2	11.2	53.1	q		21.7	8.2	11.4	58.6
17.	D	0.0	0.0	14.3	85.7		p	6.1	4.1	9.2	80.6		p	3.1	1.8	14.1	80.8
18.	D	0.0	28.6	0.0	71.4		p	3.1	35.7	4.1	57.1		p	7.0	35.6	7.6	49.7
19.	A	57.1	28.6	14.3	0.0		p	57.1	36.7	5.1	1.0		p	54.2	38.1	4.6	3.1
20.	D	28.6	0.0	14.3	57.1	q		9.2	4.1	25.5	61.2	q		12.7	2.6	23.9	60.8
21.	B	0.0	85.7	14.3	0.0		p	6.1	61.2	9.2	23.5		p	9.2	62.3	9.6	18.9
22.	A	57.1	42.9	0.0	0.0		p	37.8	54.1	8.2	0.0		p	48.5	45.4	4.3	1.6
23.	A	0.0	100.0	0.0	0.0	q		30.6	49.0	13.3	7.1	q		31.3	47.2	12.0	9.5
24.	D	28.6	57.1	0.0	14.3	q		5.1	42.9	9.2	42.9	q		3.1	38.1	10.4	48.3
25.	A	14.3	0.0	71.4	14.3	q		51.0	9.2	30.6	9.2	q		50.0	5.0	35.6	9.4
26.	D	28.6	42.9	28.6	0.0	q		16.3	23.5	22.5	37.8	q		20.2	22.1	18.3	39.3
27.	D	0.0	85.7	0.0	14.3	q		9.2	30.6	7.1	51.0	q		11.7	26.3	12.8	49.0
28.	B	0.0	57.1	42.9	0.0	q		13.3	59.2	23.5	4.1		p	11.5	56.2	23.1	9.0
29.	C	0.0	0.0	100.0	0.0		p	5.1	12.2	70.4	12.2		p	8.1	12.5	69.8	9.5
30.	B	0.0	100.0	0.0	0.0		p	1.0	92.9	5.1	1.0		p	4.3	85.0	9.4	1.2
31.	D	14.3	28.6	14.3	42.9		p	18.4	11.2	27.6	42.9	q		18.1	13.0	15.9	52.6
32.	D	0.0	0.0	0.0	100.0		p	3.1	14.3	5.1	77.6		p	6.0	8.3	11.2	74.4
33.	C	14.3	42.9	42.9	0.0	q		11.2	12.2	60.2	16.3	q		12.8	19.5	50.6	16.4
34.	C	0.0	0.0	71.4	28.6	q		0.0	2.0	87.8	10.2	q		4.9	1.6	86.6	6.9
35.	C	0.0	42.9	57.1	0.0	q		9.2	14.3	67.4	9.2	q		6.6	12.0	68.3	12.8
36.	B	0.0	100.0	0.0	0.0		p	3.1	89.8	4.1	3.1		p	2.7	90.0	5.1	2.2
37.	C	0.0	42.9	42.9	14.3	q		2.0	19.4	70.4	7.1	q		6.5	24.3	63.5	5.5
38.	A	71.4	14.3	14.3	0.0	q		74.5	10.2	9.2	6.1	q		77.3	7.1	9.9	5.6
39.	B	28.6	57.1	14.3	0.0	q		17.4	71.4	7.1	4.1	q		11.5	72.3	6.3	9.8
40.	C	0.0	0.0	100.0	0.0		p	6.1	11.2	78.6	4.1		p	5.2	12.7	78.5	3.7
41.	D	0.0	42.9	28.6	28.6	q		12.2	20.4	16.3	49.0	q		17.1	20.3	20.7	41.5
42.	B	0.0	100.0	0.0	0.0		p	3.1	88.8	8.2	0.0		p	9.3	84.1	3.7	2.8
43.	B	42.9	14.3	28.6	14.3	q		20.4	40.8	17.4	21.4	q		23.3	42.0	16.9	17.3
44.	C	0.0	14.3	71.4	14.3	q		3.1	14.3	77.6	5.1	q		7.1	10.7	72.8	9.2
45.	B	28.6	57.1	14.3	0.0		p	34.7	45.9	16.3	3.1		p	30.2	47.9	15.5	6.2
46.	B	14.3	57.1	28.6	0.0		p	21.4	56.1	10.2	11.2	q		16.9	64.4	9.2	9.2
47.	B	0.0	71.4	28.6	0.0		p	5.1	44.9	42.9	6.1		p	7.1	47.6	39.5	5.3
48.	B	0.0	100.0	0.0	0.0		p	6.1	77.6	11.2	4.1		p	3.8	85.0	6.8	4.2
49.	C	14.3	0.0	57.1	28.6	q		9.2	5.1	61.2	23.5	q		6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 1 - Labrador

(percentage of students who selected each response)

#007 - Amos Comenius Memorial School, Hopedale

Grades: K-12

Item	Key	School [N=3]				District [N=98]				Province [N=3,011]						
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	A	B	C	D
1.	A					q		37.8	43.9	9.2	9.2	q	37.7	39.4	10.0	12.9
2.	A	School data with 5 or fewer students withheld for reasons of confidentiality.				q		18.4	20.4	6.1	55.1	q	19.5	23.4	7.8	49.0
3.	C					p		5.1	3.1	69.4	22.5	p	3.9	2.8	77.9	15.5
4.	C					p		4.1	19.4	64.3	12.2	p	5.2	16.6	61.0	16.8
5.	D					q		9.2	16.3	25.5	49.0	q	11.7	18.5	21.1	48.6
6.	B					p		0.0	86.7	10.2	3.1	p	2.1	90.5	5.2	2.2
7.	D					p		5.1	19.4	11.2	64.3	p	7.2	13.2	8.5	70.8
8.	B					p		3.1	86.7	1.0	9.2	p	4.5	86.6	2.8	6.2
9.	C					p		3.1	38.8	49.0	9.2	p	4.5	25.9	60.3	9.1
10.	D					p		15.3	15.3	21.4	48.0	p	14.6	18.2	20.2	46.9
11.	D					q		12.2	37.8	4.1	45.9	q	10.2	45.8	6.6	37.4
12.	B					q		9.2	70.4	12.2	8.2	q	9.0	70.5	14.3	6.1
*13.	B,D					q		13.3	37.8	9.2	38.8	p	18.9	29.9	16.4	34.2
14.	C					q		25.5	13.3	36.7	22.5	q	23.7	16.1	39.0	20.9
15.	D					q		8.2	13.3	17.4	61.2	q	12.2	12.2	19.7	55.8
16.	D					q		27.6	8.2	11.2	53.1	q	21.7	8.2	11.4	58.6
17.	D					p		6.1	4.1	9.2	80.6	p	3.1	1.8	14.1	80.8
18.	D					q		3.1	35.7	4.1	57.1	q	7.0	35.6	7.6	49.7
19.	A					p		57.1	36.7	5.1	1.0	p	54.2	38.1	4.6	3.1
20.	D					q		9.2	4.1	25.5	61.2	q	12.7	2.6	23.9	60.8
21.	B					p		6.1	61.2	9.2	23.5	p	9.2	62.3	9.6	18.9
22.	A					p		37.8	54.1	8.2	0.0	p	48.5	45.4	4.3	1.6
23.	A					q		30.6	49.0	13.3	7.1	q	31.3	47.2	12.0	9.5
24.	D					q		5.1	42.9	9.2	42.9	q	3.1	38.1	10.4	48.3
25.	A					p		51.0	9.2	30.6	9.2	p	50.0	5.0	35.6	9.4
26.	D					q		16.3	23.5	22.5	37.8	q	20.2	22.1	18.3	39.3
27.	D					q		9.2	30.6	7.1	51.0	q	11.7	26.3	12.8	49.0
28.	B					q		13.3	59.2	23.5	4.1	q	11.5	56.2	23.1	9.0
29.	C					p		5.1	12.2	70.4	12.2	p	8.1	12.5	69.8	9.5
30.	B					p		1.0	92.9	5.1	1.0	p	4.3	85.0	9.4	1.2
31.	D					p		18.4	11.2	27.6	42.9	p	18.1	13.0	15.9	52.6
32.	D					p		3.1	14.3	5.1	77.6	p	6.0	8.3	11.2	74.4
33.	C					q		11.2	12.2	60.2	16.3	q	12.8	19.5	50.6	16.4
34.	C					q		0.0	2.0	87.8	10.2	q	4.9	1.6	86.6	6.9
35.	C					p		9.2	14.3	67.4	9.2	p	6.6	12.0	68.3	12.8
36.	B					q		3.1	89.8	4.1	3.1	q	2.7	90.0	5.1	2.2
37.	C					q		2.0	19.4	70.4	7.1	q	6.5	24.3	63.5	5.5
38.	A					q		74.5	10.2	9.2	6.1	q	77.3	7.1	9.9	5.6
39.	B					p		17.4	71.4	7.1	4.1	p	11.5	72.3	6.3	9.8
40.	C					q		6.1	11.2	78.6	4.1	q	5.2	12.7	78.5	3.7
41.	D					q		12.2	20.4	16.3	49.0	q	17.1	20.3	20.7	41.5
42.	B					p		3.1	88.8	8.2	0.0	p	9.3	84.1	3.7	2.8
43.	B					q		20.4	40.8	17.4	21.4	q	23.3	42.0	16.9	17.3
44.	C					p		3.1	14.3	77.6	5.1	p	7.1	10.7	72.8	9.2
45.	B					q		34.7	45.9	16.3	3.1	q	30.2	47.9	15.5	6.2
46.	B					q		21.4	56.1	10.2	11.2	q	16.9	64.4	9.2	9.2
47.	B					p		5.1	44.9	42.9	6.1	p	7.1	47.6	39.5	5.3
48.	B					p		6.1	77.6	11.2	4.1	p	3.8	85.0	6.8	4.2
49.	C					p		9.2	5.1	61.2	23.5	p	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 1 - Labrador

(percentage of students who selected each response)

#010 - Menihek High School, Labrador City

Grades: 8-12

Item	Key	School [N=35]				School Below Above District		District [N=98]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	42.9	34.3	5.7	17.1		P	37.8	43.9	9.2	9.2		P	37.7	39.4	10.0	12.9
2.	A	17.1	20.0	8.6	54.3		Q	18.4	20.4	6.1	55.1		Q	19.5	23.4	7.8	49.0
3.	C	2.9	2.9	68.6	25.7		Q	5.1	3.1	69.4	22.5		Q	3.9	2.8	77.9	15.5
4.	C	0.0	20.0	74.3	5.7		P	4.1	19.4	64.3	12.2		P	5.2	16.6	61.0	16.8
5.	D	8.6	11.4	34.3	45.7		Q	9.2	16.3	25.5	49.0		Q	11.7	18.5	21.1	48.6
6.	B	0.0	91.4	5.7	2.9		P	0.0	86.7	10.2	3.1		P	2.1	90.5	5.2	2.2
7.	D	2.9	14.3	11.4	71.4		P	5.1	19.4	11.2	64.3		P	7.2	13.2	8.5	70.8
8.	B	5.7	82.9	0.0	11.4		Q	3.1	86.7	1.0	9.2		Q	4.5	86.6	2.8	6.2
9.	C	2.9	51.4	37.1	8.6		Q	3.1	38.8	49.0	9.2		Q	4.5	25.9	60.3	9.1
10.	D	2.9	22.9	20.0	54.3		P	15.3	15.3	21.4	48.0		P	14.6	18.2	20.2	46.9
11.	D	14.3	25.7	2.9	57.1		P	12.2	37.8	4.1	45.9		P	10.2	45.8	6.6	37.4
12.	B	11.4	68.6	11.4	8.6		Q	9.2	70.4	12.2	8.2		Q	9.0	70.5	14.3	6.1
*13.	B,D	17.1	42.9	11.4	28.6		Q	13.3	37.8	9.2	38.8		P	18.9	29.9	16.4	34.2
14.	C	28.6	8.6	42.9	17.1		P	25.5	13.3	36.7	22.5		P	23.7	16.1	39.0	20.9
15.	D	14.3	14.3	20.0	51.4		Q	8.2	13.3	17.4	61.2		Q	12.2	12.2	19.7	55.8
16.	D	20.0	5.7	2.9	71.4		P	27.6	8.2	11.2	53.1		P	21.7	8.2	11.4	58.6
17.	D	5.7	2.9	5.7	85.7		P	6.1	4.1	9.2	80.6		P	3.1	1.8	14.1	80.8
18.	D	2.9	31.4	5.7	60.0		P	3.1	35.7	4.1	57.1		P	7.0	35.6	7.6	49.7
19.	A	65.7	28.6	5.7	0.0		P	57.1	36.7	5.1	1.0		P	54.2	38.1	4.6	3.1
20.	D	11.4	5.7	17.1	65.7		P	9.2	4.1	25.5	61.2		P	12.7	2.6	23.9	60.8
21.	B	8.6	65.7	2.9	22.9		P	6.1	61.2	9.2	23.5		P	9.2	62.3	9.6	18.9
22.	A	42.9	54.3	2.9	0.0		P	37.8	54.1	8.2	0.0		Q	48.5	45.4	4.3	1.6
23.	A	28.6	48.6	14.3	8.6		Q	30.6	49.0	13.3	7.1		Q	31.3	47.2	12.0	9.5
24.	D	0.0	28.6	14.3	57.1		P	5.1	42.9	9.2	42.9		P	3.1	38.1	10.4	48.3
25.	A	65.7	11.4	17.1	5.7		P	51.0	9.2	30.6	9.2		P	50.0	5.0	35.6	9.4
26.	D	11.4	17.1	17.1	54.3		P	16.3	23.5	22.5	37.8		P	20.2	22.1	18.3	39.3
27.	D	14.3	11.4	8.6	65.7		P	9.2	30.6	7.1	51.0		P	11.7	26.3	12.8	49.0
28.	B	17.1	62.9	14.3	5.7		P	13.3	59.2	23.5	4.1		P	11.5	56.2	23.1	9.0
29.	C	11.4	2.9	65.7	20.0		Q	5.1	12.2	70.4	12.2		Q	8.1	12.5	69.8	9.5
30.	B	2.9	91.4	5.7	0.0		Q	1.0	92.9	5.1	1.0		P	4.3	85.0	9.4	1.2
31.	D	22.9	8.6	25.7	42.9		P	18.4	11.2	27.6	42.9		Q	18.1	13.0	15.9	52.6
32.	D	0.0	17.1	2.9	80.0		P	3.1	14.3	5.1	77.6		P	6.0	8.3	11.2	74.4
33.	C	14.3	5.7	62.9	17.1		P	11.2	12.2	60.2	16.3		P	12.8	19.5	50.6	16.4
34.	C	0.0	2.9	91.4	5.7		P	0.0	2.0	87.8	10.2		P	4.9	1.6	86.6	6.9
35.	C	2.9	8.6	82.9	5.7		P	9.2	14.3	67.4	9.2		P	6.6	12.0	68.3	12.8
36.	B	5.7	88.6	2.9	2.9		Q	3.1	89.8	4.1	3.1		Q	2.7	90.0	5.1	2.2
37.	C	0.0	8.6	85.7	5.7		P	2.0	19.4	70.4	7.1		P	6.5	24.3	63.5	5.5
38.	A	71.4	11.4	11.4	5.7		Q	74.5	10.2	9.2	6.1		Q	77.3	7.1	9.9	5.6
39.	B	20.0	77.1	0.0	2.9		P	17.4	71.4	7.1	4.1		P	11.5	72.3	6.3	9.8
40.	C	5.7	2.9	91.4	0.0		P	6.1	11.2	78.6	4.1		P	5.2	12.7	78.5	3.7
41.	D	8.6	20.0	11.4	60.0		P	12.2	20.4	16.3	49.0		P	17.1	20.3	20.7	41.5
42.	B	0.0	85.7	14.3	0.0		Q	3.1	88.8	8.2	0.0		P	9.3	84.1	3.7	2.8
43.	B	20.0	51.4	5.7	22.9		P	20.4	40.8	17.4	21.4		P	23.3	42.0	16.9	17.3
44.	C	2.9	11.4	80.0	5.7		P	3.1	14.3	77.6	5.1		P	7.1	10.7	72.8	9.2
45.	B	28.6	54.3	11.4	5.7		P	34.7	45.9	16.3	3.1		P	30.2	47.9	15.5	6.2
46.	B	22.9	62.9	5.7	8.6		P	21.4	56.1	10.2	11.2		Q	16.9	64.4	9.2	9.2
47.	B	2.9	45.7	37.1	14.3		P	5.1	44.9	42.9	6.1		Q	7.1	47.6	39.5	5.3
48.	B	11.4	68.6	20.0	0.0		Q	6.1	77.6	11.2	4.1		Q	3.8	85.0	6.8	4.2
49.	C	5.7	2.9	65.7	25.7		P	9.2	5.1	61.2	23.5		P	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 1 - Labrador

(percentage of students who selected each response)

#012 - J.C. Erhardt Memorial School, Makkovik

Grades: K-12

Item	Key	School [N=2]				District [N=98]				School Below Above District Province [N=3,011]							
		A	B	C	D	Below	Above	A	B	C	D	Below	Above	A	B	C	D
1.	A					q		37.8	43.9	9.2	9.2	q		37.7	39.4	10.0	12.9
2.	A	School data with 5 or fewer students withheld for reasons of confidentiality.					p	18.4	20.4	6.1	55.1		p	19.5	23.4	7.8	49.0
3.	C						p	5.1	3.1	69.4	22.5		p	3.9	2.8	77.9	15.5
4.	C						q	4.1	19.4	64.3	12.2		q	5.2	16.6	61.0	16.8
5.	D						p	9.2	16.3	25.5	49.0		p	11.7	18.5	21.1	48.6
6.	B						p	0.0	86.7	10.2	3.1		p	2.1	90.5	5.2	2.2
7.	D						p	5.1	19.4	11.2	64.3		p	7.2	13.2	8.5	70.8
8.	B						p	3.1	86.7	1.0	9.2		p	4.5	86.6	2.8	6.2
9.	C						p	3.1	38.8	49.0	9.2		q	4.5	25.9	60.3	9.1
10.	D						p	15.3	15.3	21.4	48.0		p	14.6	18.2	20.2	46.9
11.	D						q	12.2	37.8	4.1	45.9		q	10.2	45.8	6.6	37.4
12.	B						p	9.2	70.4	12.2	8.2		p	9.0	70.5	14.3	6.1
*13.	B,D						q	13.3	37.8	9.2	38.8		q	18.9	29.9	16.4	34.2
14.	C						p	25.5	13.3	36.7	22.5		p	23.7	16.1	39.0	20.9
15.	D						q	8.2	13.3	17.4	61.2		q	12.2	12.2	19.7	55.8
16.	D						p	27.6	8.2	11.2	53.1		p	21.7	8.2	11.4	58.6
17.	D						p	6.1	4.1	9.2	80.6		p	3.1	1.8	14.1	80.8
18.	D						q	3.1	35.7	4.1	57.1		p	7.0	35.6	7.6	49.7
19.	A						q	57.1	36.7	5.1	1.0		q	54.2	38.1	4.6	3.1
20.	D						p	9.2	4.1	25.5	61.2		p	12.7	2.6	23.9	60.8
21.	B						q	6.1	61.2	9.2	23.5		q	9.2	62.3	9.6	18.9
22.	A						p	37.8	54.1	8.2	0.0		p	48.5	45.4	4.3	1.6
23.	A						p	30.6	49.0	13.3	7.1		p	31.3	47.2	12.0	9.5
24.	D						p	5.1	42.9	9.2	42.9		p	3.1	38.1	10.4	48.3
25.	A						p	51.0	9.2	30.6	9.2		p	50.0	5.0	35.6	9.4
26.	D						p	16.3	23.5	22.5	37.8		p	20.2	22.1	18.3	39.3
27.	D						q	9.2	30.6	7.1	51.0		p	11.7	26.3	12.8	49.0
28.	B						q	13.3	59.2	23.5	4.1		q	11.5	56.2	23.1	9.0
29.	C						p	5.1	12.2	70.4	12.2		p	8.1	12.5	69.8	9.5
30.	B						p	1.0	92.9	5.1	1.0		p	4.3	85.0	9.4	1.2
31.	D						p	18.4	11.2	27.6	42.9		q	18.1	13.0	15.9	52.6
32.	D						p	3.1	14.3	5.1	77.6		p	6.0	8.3	11.2	74.4
33.	C						q	11.2	12.2	60.2	16.3		q	12.8	19.5	50.6	16.4
34.	C						p	0.0	2.0	87.8	10.2		p	4.9	1.6	86.6	6.9
35.	C						p	9.2	14.3	67.4	9.2		p	6.6	12.0	68.3	12.8
36.	B						p	3.1	89.8	4.1	3.1		p	2.7	90.0	5.1	2.2
37.	C						p	2.0	19.4	70.4	7.1		p	6.5	24.3	63.5	5.5
38.	A						p	74.5	10.2	9.2	6.1		p	77.3	7.1	9.9	5.6
39.	B						p	17.4	71.4	7.1	4.1		p	11.5	72.3	6.3	9.8
40.	C						q	6.1	11.2	78.6	4.1		q	5.2	12.7	78.5	3.7
41.	D						p	12.2	20.4	16.3	49.0		p	17.1	20.3	20.7	41.5
42.	B						p	3.1	88.8	8.2	0.0		p	9.3	84.1	3.7	2.8
43.	B						q	20.4	40.8	17.4	21.4		q	23.3	42.0	16.9	17.3
44.	C						p	3.1	14.3	77.6	5.1		p	7.1	10.7	72.8	9.2
45.	B						p	34.7	45.9	16.3	3.1		p	30.2	47.9	15.5	6.2
46.	B						p	21.4	56.1	10.2	11.2		p	16.9	64.4	9.2	9.2
47.	B						p	5.1	44.9	42.9	6.1		p	7.1	47.6	39.5	5.3
48.	B						p	6.1	77.6	11.2	4.1		p	3.8	85.0	6.8	4.2
49.	C						q	9.2	5.1	61.2	23.5		q	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

#014 - Jens Haven Memorial, Nain

Grades: K-12

Item	Key	School [N=8]				School Below Above District		District [N=98]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	37.5	25.0	37.5	0.0	q		37.8	43.9	9.2	9.2	q		37.7	39.4	10.0	12.9
2.	A	12.5	37.5	25.0	25.0	q		18.4	20.4	6.1	55.1	q		19.5	23.4	7.8	49.0
3.	C	25.0	12.5	50.0	12.5	q		5.1	3.1	69.4	22.5	q		3.9	2.8	77.9	15.5
4.	C	0.0	12.5	75.0	12.5		p	4.1	19.4	64.3	12.2		p	5.2	16.6	61.0	16.8
5.	D	12.5	25.0	25.0	37.5	q		9.2	16.3	25.5	49.0	q		11.7	18.5	21.1	48.6
6.	B	0.0	75.0	25.0	0.0	q		0.0	86.7	10.2	3.1	q		2.1	90.5	5.2	2.2
7.	D	12.5	37.5	0.0	50.0	q		5.1	19.4	11.2	64.3	q		7.2	13.2	8.5	70.8
8.	B	0.0	87.5	0.0	12.5		p	3.1	86.7	1.0	9.2		p	4.5	86.6	2.8	6.2
9.	C	0.0	37.5	62.5	0.0		p	3.1	38.8	49.0	9.2		p	4.5	25.9	60.3	9.1
10.	D	37.5	0.0	0.0	62.5		p	15.3	15.3	21.4	48.0		p	14.6	18.2	20.2	46.9
11.	D	12.5	37.5	0.0	50.0		p	12.2	37.8	4.1	45.9		p	10.2	45.8	6.6	37.4
12.	B	0.0	50.0	25.0	25.0	q		9.2	70.4	12.2	8.2	q		9.0	70.5	14.3	6.1
*13.	B,D	0.0	50.0	0.0	50.0		p	13.3	37.8	9.2	38.8		p	18.9	29.9	16.4	34.2
14.	C	0.0	25.0	25.0	50.0	q		25.5	13.3	36.7	22.5	q		23.7	16.1	39.0	20.9
15.	D	0.0	25.0	12.5	62.5		p	8.2	13.3	17.4	61.2		p	12.2	12.2	19.7	55.8
16.	D	50.0	12.5	12.5	25.0	q		27.6	8.2	11.2	53.1	q		21.7	8.2	11.4	58.6
17.	D	25.0	0.0	37.5	37.5	q		6.1	4.1	9.2	80.6	q		3.1	1.8	14.1	80.8
18.	D	0.0	62.5	0.0	37.5	q		3.1	35.7	4.1	57.1	q		7.0	35.6	7.6	49.7
19.	A	75.0	25.0	0.0	0.0		p	57.1	36.7	5.1	1.0		p	54.2	38.1	4.6	3.1
20.	D	0.0	12.5	25.0	62.5		p	9.2	4.1	25.5	61.2		p	12.7	2.6	23.9	60.8
21.	B	0.0	50.0	12.5	37.5	q		6.1	61.2	9.2	23.5	q		9.2	62.3	9.6	18.9
22.	A	25.0	50.0	25.0	0.0	q		37.8	54.1	8.2	0.0	q		48.5	45.4	4.3	1.6
23.	A	75.0	12.5	12.5	0.0		p	30.6	49.0	13.3	7.1		p	31.3	47.2	12.0	9.5
24.	D	25.0	62.5	0.0	12.5	q		5.1	42.9	9.2	42.9	q		3.1	38.1	10.4	48.3
25.	A	50.0	12.5	25.0	12.5	q		51.0	9.2	30.6	9.2		p	50.0	5.0	35.6	9.4
26.	D	12.5	37.5	37.5	12.5	q		16.3	23.5	22.5	37.8	q		20.2	22.1	18.3	39.3
27.	D	12.5	50.0	0.0	37.5	q		9.2	30.6	7.1	51.0	q		11.7	26.3	12.8	49.0
28.	B	25.0	25.0	50.0	0.0	q		13.3	59.2	23.5	4.1	q		11.5	56.2	23.1	9.0
29.	C	0.0	37.5	50.0	12.5	q		5.1	12.2	70.4	12.2	q		8.1	12.5	69.8	9.5
30.	B	0.0	75.0	25.0	0.0	q		1.0	92.9	5.1	1.0	q		4.3	85.0	9.4	1.2
31.	D	37.5	12.5	25.0	25.0	q		18.4	11.2	27.6	42.9	q		18.1	13.0	15.9	52.6
32.	D	12.5	25.0	0.0	62.5	q		3.1	14.3	5.1	77.6	q		6.0	8.3	11.2	74.4
33.	C	0.0	12.5	75.0	12.5		p	11.2	12.2	60.2	16.3		p	12.8	19.5	50.6	16.4
34.	C	0.0	0.0	62.5	37.5	q		0.0	2.0	87.8	10.2	q		4.9	1.6	86.6	6.9
35.	C	12.5	37.5	25.0	25.0	q		9.2	14.3	67.4	9.2	q		6.6	12.0	68.3	12.8
36.	B	0.0	75.0	0.0	25.0	q		3.1	89.8	4.1	3.1	q		2.7	90.0	5.1	2.2
37.	C	0.0	50.0	37.5	12.5	q		2.0	19.4	70.4	7.1	q		6.5	24.3	63.5	5.5
38.	A	50.0	50.0	0.0	0.0	q		74.5	10.2	9.2	6.1	q		77.3	7.1	9.9	5.6
39.	B	25.0	50.0	25.0	0.0	q		17.4	71.4	7.1	4.1	q		11.5	72.3	6.3	9.8
40.	C	0.0	12.5	75.0	12.5	q		6.1	11.2	78.6	4.1	q		5.2	12.7	78.5	3.7
41.	D	25.0	50.0	12.5	12.5	q		12.2	20.4	16.3	49.0	q		17.1	20.3	20.7	41.5
42.	B	25.0	62.5	12.5	0.0	q		3.1	88.8	8.2	0.0	q		9.3	84.1	3.7	2.8
43.	B	12.5	50.0	25.0	12.5		p	20.4	40.8	17.4	21.4		p	23.3	42.0	16.9	17.3
44.	C	0.0	25.0	75.0	0.0	q		3.1	14.3	77.6	5.1		p	7.1	10.7	72.8	9.2
45.	B	50.0	12.5	37.5	0.0	q		34.7	45.9	16.3	3.1	q		30.2	47.9	15.5	6.2
46.	B	25.0	12.5	25.0	37.5	q		21.4	56.1	10.2	11.2	q		16.9	64.4	9.2	9.2
47.	B	37.5	37.5	25.0	0.0	q		5.1	44.9	42.9	6.1	q		7.1	47.6	39.5	5.3
48.	B	12.5	75.0	12.5	0.0	q		6.1	77.6	11.2	4.1	q		3.8	85.0	6.8	4.2
49.	C	0.0	12.5	62.5	25.0		p	9.2	5.1	61.2	23.5	q		6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

District 1 - Labrador

(percentage of students who selected each response)

#017 - Northern Lights Academy, Rigolet

Grades: K-12

Item	Key	School [N=2]				District [N=98]				School Below Above Province [N=3,011]							
		A	B	C	D	Below District	Above District	A	B	C	D	A	B	C	D		
1.	A						P	37.8	43.9	9.2	9.2		P	37.7	39.4	10.0	12.9
2.	A	School data with 5 or fewer students withheld for reasons of confidentiality.					q	18.4	20.4	6.1	55.1		q	19.5	23.4	7.8	49.0
3.	C						P	5.1	3.1	69.4	22.5		P	3.9	2.8	77.9	15.5
4.	C						q	4.1	19.4	64.3	12.2		q	5.2	16.6	61.0	16.8
5.	D						P	9.2	16.3	25.5	49.0		P	11.7	18.5	21.1	48.6
6.	B						P	0.0	86.7	10.2	3.1		P	2.1	90.5	5.2	2.2
7.	D						q	5.1	19.4	11.2	64.3		q	7.2	13.2	8.5	70.8
8.	B						P	3.1	86.7	1.0	9.2		P	4.5	86.6	2.8	6.2
9.	C						P	3.1	38.8	49.0	9.2		q	4.5	25.9	60.3	9.1
10.	D						P	15.3	15.3	21.4	48.0		P	14.6	18.2	20.2	46.9
11.	D						P	12.2	37.8	4.1	45.9		P	10.2	45.8	6.6	37.4
12.	B						q	9.2	70.4	12.2	8.2		q	9.0	70.5	14.3	6.1
*13.	B,D						P	13.3	37.8	9.2	38.8		P	18.9	29.9	16.4	34.2
14.	C						q	25.5	13.3	36.7	22.5		q	23.7	16.1	39.0	20.9
15.	D						q	8.2	13.3	17.4	61.2		q	12.2	12.2	19.7	55.8
16.	D						q	27.6	8.2	11.2	53.1		q	21.7	8.2	11.4	58.6
17.	D						q	6.1	4.1	9.2	80.6		q	3.1	1.8	14.1	80.8
18.	D						q	3.1	35.7	4.1	57.1		P	7.0	35.6	7.6	49.7
19.	A						P	57.1	36.7	5.1	1.0		P	54.2	38.1	4.6	3.1
20.	D						q	9.2	4.1	25.5	61.2		q	12.7	2.6	23.9	60.8
21.	B						q	6.1	61.2	9.2	23.5		q	9.2	62.3	9.6	18.9
22.	A						q	37.8	54.1	8.2	0.0		q	48.5	45.4	4.3	1.6
23.	A						P	30.6	49.0	13.3	7.1		P	31.3	47.2	12.0	9.5
24.	D						P	5.1	42.9	9.2	42.9		P	3.1	38.1	10.4	48.3
25.	A						P	51.0	9.2	30.6	9.2		P	50.0	5.0	35.6	9.4
26.	D						q	16.3	23.5	22.5	37.8		q	20.2	22.1	18.3	39.3
27.	D						P	9.2	30.6	7.1	51.0		P	11.7	26.3	12.8	49.0
28.	B						q	13.3	59.2	23.5	4.1		q	11.5	56.2	23.1	9.0
29.	C						P	5.1	12.2	70.4	12.2		P	8.1	12.5	69.8	9.5
30.	B						P	1.0	92.9	5.1	1.0		P	4.3	85.0	9.4	1.2
31.	D						P	18.4	11.2	27.6	42.9		q	18.1	13.0	15.9	52.6
32.	D						q	3.1	14.3	5.1	77.6		q	6.0	8.3	11.2	74.4
33.	C						P	11.2	12.2	60.2	16.3		P	12.8	19.5	50.6	16.4
34.	C						P	0.0	2.0	87.8	10.2		P	4.9	1.6	86.6	6.9
35.	C						q	9.2	14.3	67.4	9.2		q	6.6	12.0	68.3	12.8
36.	B						P	3.1	89.8	4.1	3.1		P	2.7	90.0	5.1	2.2
37.	C						q	2.0	19.4	70.4	7.1		q	6.5	24.3	63.5	5.5
38.	A						P	74.5	10.2	9.2	6.1		P	77.3	7.1	9.9	5.6
39.	B						q	17.4	71.4	7.1	4.1		q	11.5	72.3	6.3	9.8
40.	C						q	6.1	11.2	78.6	4.1		q	5.2	12.7	78.5	3.7
41.	D						q	12.2	20.4	16.3	49.0		q	17.1	20.3	20.7	41.5
42.	B						P	3.1	88.8	8.2	0.0		P	9.3	84.1	3.7	2.8
43.	B						q	20.4	40.8	17.4	21.4		q	23.3	42.0	16.9	17.3
44.	C						q	3.1	14.3	77.6	5.1		q	7.1	10.7	72.8	9.2
45.	B						P	34.7	45.9	16.3	3.1		P	30.2	47.9	15.5	6.2
46.	B						q	21.4	56.1	10.2	11.2		q	16.9	64.4	9.2	9.2
47.	B						P	5.1	44.9	42.9	6.1		P	7.1	47.6	39.5	5.3
48.	B						P	6.1	77.6	11.2	4.1		P	3.8	85.0	6.8	4.2
49.	C						P	9.2	5.1	61.2	23.5		P	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 1 - Labrador

(percentage of students who selected each response)

#018 - Peenamain McKenzie School, Sheshatshiu

Grades: K-12

Item	Key	School [N=2]				District [N=98]				Province [N=3,011]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	A					P		37.8	43.9	9.2	9.2	P		37.7	39.4	10.0	12.9
2.	A	School data with 5 or fewer students withheld for reasons of confidentiality.				q		18.4	20.4	6.1	55.1	q		19.5	23.4	7.8	49.0
3.	C					P		5.1	3.1	69.4	22.5	P		3.9	2.8	77.9	15.5
4.	C					q		4.1	19.4	64.3	12.2	q		5.2	16.6	61.0	16.8
5.	D					P		9.2	16.3	25.5	49.0	P		11.7	18.5	21.1	48.6
6.	B					P		0.0	86.7	10.2	3.1	P		2.1	90.5	5.2	2.2
7.	D					q		5.1	19.4	11.2	64.3	q		7.2	13.2	8.5	70.8
8.	B					P		3.1	86.7	1.0	9.2	P		4.5	86.6	2.8	6.2
9.	C					q		3.1	38.8	49.0	9.2	q		4.5	25.9	60.3	9.1
10.	D					q		15.3	15.3	21.4	48.0	q		14.6	18.2	20.2	46.9
11.	D					P		12.2	37.8	4.1	45.9	P		10.2	45.8	6.6	37.4
12.	B					P		9.2	70.4	12.2	8.2	P		9.0	70.5	14.3	6.1
*13.	B,D					q		13.3	37.8	9.2	38.8	q		18.9	29.9	16.4	34.2
14.	C					P		25.5	13.3	36.7	22.5	P		23.7	16.1	39.0	20.9
15.	D					P		8.2	13.3	17.4	61.2	P		12.2	12.2	19.7	55.8
16.	D					P		27.6	8.2	11.2	53.1	P		21.7	8.2	11.4	58.6
17.	D					P		6.1	4.1	9.2	80.6	P		3.1	1.8	14.1	80.8
18.	D					P		3.1	35.7	4.1	57.1	P		7.0	35.6	7.6	49.7
19.	A					q		57.1	36.7	5.1	1.0	q		54.2	38.1	4.6	3.1
20.	D					q		9.2	4.1	25.5	61.2	q		12.7	2.6	23.9	60.8
21.	B					P		6.1	61.2	9.2	23.5	P		9.2	62.3	9.6	18.9
22.	A					P		37.8	54.1	8.2	0.0	P		48.5	45.4	4.3	1.6
23.	A					P		30.6	49.0	13.3	7.1	P		31.3	47.2	12.0	9.5
24.	D					P		5.1	42.9	9.2	42.9	P		3.1	38.1	10.4	48.3
25.	A					q		51.0	9.2	30.6	9.2	P		50.0	5.0	35.6	9.4
26.	D					q		16.3	23.5	22.5	37.8	q		20.2	22.1	18.3	39.3
27.	D					q		9.2	30.6	7.1	51.0	P		11.7	26.3	12.8	49.0
28.	B					q		13.3	59.2	23.5	4.1	q		11.5	56.2	23.1	9.0
29.	C					P		5.1	12.2	70.4	12.2	P		8.1	12.5	69.8	9.5
30.	B					P		1.0	92.9	5.1	1.0	P		4.3	85.0	9.4	1.2
31.	D					P		18.4	11.2	27.6	42.9	P		18.1	13.0	15.9	52.6
32.	D					q		3.1	14.3	5.1	77.6	q		6.0	8.3	11.2	74.4
33.	C					q		11.2	12.2	60.2	16.3	q		12.8	19.5	50.6	16.4
34.	C					P		0.0	2.0	87.8	10.2	P		4.9	1.6	86.6	6.9
35.	C					q		9.2	14.3	67.4	9.2	q		6.6	12.0	68.3	12.8
36.	B					P		3.1	89.8	4.1	3.1	P		2.7	90.0	5.1	2.2
37.	C					P		2.0	19.4	70.4	7.1	P		6.5	24.3	63.5	5.5
38.	A					P		74.5	10.2	9.2	6.1	P		77.3	7.1	9.9	5.6
39.	B					P		17.4	71.4	7.1	4.1	P		11.5	72.3	6.3	9.8
40.	C					q		6.1	11.2	78.6	4.1	q		5.2	12.7	78.5	3.7
41.	D					P		12.2	20.4	16.3	49.0	P		17.1	20.3	20.7	41.5
42.	B					P		3.1	88.8	8.2	0.0	P		9.3	84.1	3.7	2.8
43.	B					q		20.4	40.8	17.4	21.4	q		23.3	42.0	16.9	17.3
44.	C					q		3.1	14.3	77.6	5.1	q		7.1	10.7	72.8	9.2
45.	B					q		34.7	45.9	16.3	3.1	q		30.2	47.9	15.5	6.2
46.	B					P		21.4	56.1	10.2	11.2	P		16.9	64.4	9.2	9.2
47.	B					P		5.1	44.9	42.9	6.1	P		7.1	47.6	39.5	5.3
48.	B					P		6.1	77.6	11.2	4.1	P		3.8	85.0	6.8	4.2
49.	C					P		9.2	5.1	61.2	23.5	P		6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 1 - Labrador

(percentage of students who selected each response)

#477 - Mealy Mountain Collegiate, Happy Valley-Goose Bay

Grades: 8-12

Item	Key	School [N=39]				School Below Above District		District [N=98]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	38.5	48.7	5.1	7.7		P	37.8	43.9	9.2	9.2		P	37.7	39.4	10.0	12.9
2.	A	25.6	15.4	0.0	59.0		P	18.4	20.4	6.1	55.1		P	19.5	23.4	7.8	49.0
3.	C	5.1	2.6	71.8	20.5		P	5.1	3.1	69.4	22.5		Q	3.9	2.8	77.9	15.5
4.	C	5.1	25.6	56.4	12.8		Q	4.1	19.4	64.3	12.2		Q	5.2	16.6	61.0	16.8
5.	D	7.7	23.1	15.4	53.9		P	9.2	16.3	25.5	49.0		P	11.7	18.5	21.1	48.6
6.	B	0.0	87.2	10.3	2.6		P	0.0	86.7	10.2	3.1		Q	2.1	90.5	5.2	2.2
7.	D	5.1	25.6	12.8	56.4		Q	5.1	19.4	11.2	64.3		Q	7.2	13.2	8.5	70.8
8.	B	2.6	87.2	2.6	7.7		P	3.1	86.7	1.0	9.2		P	4.5	86.6	2.8	6.2
9.	C	5.1	25.6	53.9	15.4		P	3.1	38.8	49.0	9.2		Q	4.5	25.9	60.3	9.1
10.	D	23.1	15.4	25.6	35.9		Q	15.3	15.3	21.4	48.0		Q	14.6	18.2	20.2	46.9
11.	D	12.8	46.2	5.1	35.9		Q	12.2	37.8	4.1	45.9		Q	10.2	45.8	6.6	37.4
12.	B	7.7	74.4	10.3	7.7		P	9.2	70.4	12.2	8.2		P	9.0	70.5	14.3	6.1
*13.	B,D	18.0	33.3	7.7	41.0		Q	13.3	37.8	9.2	38.8		P	18.9	29.9	16.4	34.2
14.	C	25.6	12.8	41.0	20.5		P	25.5	13.3	36.7	22.5		P	23.7	16.1	39.0	20.9
15.	D	5.1	10.3	12.8	71.8		P	8.2	13.3	17.4	61.2		P	12.2	12.2	19.7	55.8
16.	D	33.3	7.7	15.4	43.6		Q	27.6	8.2	11.2	53.1		Q	21.7	8.2	11.4	58.6
17.	D	5.1	5.1	7.7	82.1		P	6.1	4.1	9.2	80.6		P	3.1	1.8	14.1	80.8
18.	D	5.1	35.9	2.6	56.4		Q	3.1	35.7	4.1	57.1		P	7.0	35.6	7.6	49.7
19.	A	43.6	48.7	5.1	2.6		Q	57.1	36.7	5.1	1.0		Q	54.2	38.1	4.6	3.1
20.	D	2.6	2.6	30.8	64.1		P	9.2	4.1	25.5	61.2		P	12.7	2.6	23.9	60.8
21.	B	7.7	53.9	10.3	28.2		Q	6.1	61.2	9.2	23.5		Q	9.2	62.3	9.6	18.9
22.	A	30.8	56.4	12.8	0.0		Q	37.8	54.1	8.2	0.0		Q	48.5	45.4	4.3	1.6
23.	A	28.2	46.2	18.0	7.7		Q	30.6	49.0	13.3	7.1		Q	31.3	47.2	12.0	9.5
24.	D	2.6	51.3	10.3	35.9		Q	5.1	42.9	9.2	42.9		Q	3.1	38.1	10.4	48.3
25.	A	38.5	10.3	38.5	12.8		Q	51.0	9.2	30.6	9.2		Q	50.0	5.0	35.6	9.4
26.	D	18.0	18.0	23.1	41.0		P	16.3	23.5	22.5	37.8		P	20.2	22.1	18.3	39.3
27.	D	5.1	35.9	7.7	46.2		Q	9.2	30.6	7.1	51.0		Q	11.7	26.3	12.8	49.0
28.	B	12.8	66.7	15.4	5.1		P	13.3	59.2	23.5	4.1		P	11.5	56.2	23.1	9.0
29.	C	2.6	20.5	66.7	10.3		Q	5.1	12.2	70.4	12.2		Q	8.1	12.5	69.8	9.5
30.	B	0.0	94.9	2.6	2.6		P	1.0	92.9	5.1	1.0		P	4.3	85.0	9.4	1.2
31.	D	12.8	10.3	35.9	41.0		Q	18.4	11.2	27.6	42.9		Q	18.1	13.0	15.9	52.6
32.	D	5.1	12.8	7.7	74.4		Q	3.1	14.3	5.1	77.6		P	6.0	8.3	11.2	74.4
33.	C	12.8	12.8	61.5	12.8		P	11.2	12.2	60.2	16.3		P	12.8	19.5	50.6	16.4
34.	C	0.0	2.6	92.3	5.1		P	0.0	2.0	87.8	10.2		P	4.9	1.6	86.6	6.9
35.	C	18.0	7.7	64.1	10.3		Q	9.2	14.3	67.4	9.2		Q	6.6	12.0	68.3	12.8
36.	B	0.0	92.3	7.7	0.0		P	3.1	89.8	4.1	3.1		P	2.7	90.0	5.1	2.2
37.	C	2.6	18.0	71.8	5.1		P	2.0	19.4	70.4	7.1		P	6.5	24.3	63.5	5.5
38.	A	79.5	2.6	7.7	10.3		P	74.5	10.2	9.2	6.1		P	77.3	7.1	9.9	5.6
39.	B	15.4	69.2	10.3	5.1		Q	17.4	71.4	7.1	4.1		Q	11.5	72.3	6.3	9.8
40.	C	7.7	18.0	69.2	5.1		Q	6.1	11.2	78.6	4.1		Q	5.2	12.7	78.5	3.7
41.	D	12.8	12.8	18.0	53.9		P	12.2	20.4	16.3	49.0		P	17.1	20.3	20.7	41.5
42.	B	2.6	92.3	5.1	0.0		P	3.1	88.8	8.2	0.0		P	9.3	84.1	3.7	2.8
43.	B	12.8	41.0	20.5	25.6		P	20.4	40.8	17.4	21.4		Q	23.3	42.0	16.9	17.3
44.	C	5.1	15.4	76.9	2.6		Q	3.1	14.3	77.6	5.1		P	7.1	10.7	72.8	9.2
45.	B	35.9	43.6	18.0	2.6		Q	34.7	45.9	16.3	3.1		Q	30.2	47.9	15.5	6.2
46.	B	23.1	56.4	7.7	10.3		P	21.4	56.1	10.2	11.2		Q	16.9	64.4	9.2	9.2
47.	B	2.6	35.9	56.4	2.6		Q	5.1	44.9	42.9	6.1		Q	7.1	47.6	39.5	5.3
48.	B	2.6	76.9	7.7	10.3		Q	6.1	77.6	11.2	4.1		Q	3.8	85.0	6.8	4.2
49.	C	15.4	7.7	53.9	20.5		Q	9.2	5.1	61.2	23.5		Q	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT



District 2 - Western

(percentage of students who selected each response)

#022 - William Gillett Academy, Charlottetown, LAB

Grades: K-12

Item	Key	School [N=4]				District [N=566]				Province [N=3,011]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	A	B	C	D	
1.	A						P	39.6	38.2	10.1	12.2		P	37.7	39.4	10.0	12.9
2.	A	School data with 5 or fewer students withheld for reasons of confidentiality.					q	23.5	20.9	8.1	47.2		q	19.5	23.4	7.8	49.0
3.	C						q	5.0	3.2	74.7	17.1		q	3.9	2.8	77.9	15.5
4.	C						P	4.6	17.1	60.3	18.0		P	5.2	16.6	61.0	16.8
5.	D						q	12.2	14.0	21.6	52.3		q	11.7	18.5	21.1	48.6
6.	B						P	2.8	90.1	4.4	2.7		P	2.1	90.5	5.2	2.2
7.	D						q	5.0	11.1	6.5	77.2		P	7.2	13.2	8.5	70.8
8.	B						q	5.3	89.4	2.7	2.7		q	4.5	86.6	2.8	6.2
9.	C						q	4.1	27.7	59.0	9.0		q	4.5	25.9	60.3	9.1
10.	D						q	12.0	18.0	16.4	53.5		q	14.6	18.2	20.2	46.9
11.	D						P	10.3	40.8	6.4	42.6		P	10.2	45.8	6.6	37.4
12.	B						q	6.0	77.0	10.8	6.0		q	9.0	70.5	14.3	6.1
*13.	B,D						P	18.7	33.9	13.8	32.7		P	18.9	29.9	16.4	34.2
14.	C						q	20.0	17.7	41.9	20.3		q	23.7	16.1	39.0	20.9
15.	D						q	12.0	10.3	16.6	60.8		q	12.2	12.2	19.7	55.8
16.	D						P	16.8	5.0	13.8	64.5		P	21.7	8.2	11.4	58.6
17.	D						q	2.3	1.6	13.3	82.7		q	3.1	1.8	14.1	80.8
18.	D						q	7.8	28.8	6.5	56.9		q	7.0	35.6	7.6	49.7
19.	A						q	56.0	38.7	2.7	2.7		q	54.2	38.1	4.6	3.1
20.	D						P	14.0	1.9	19.3	64.8		P	12.7	2.6	23.9	60.8
21.	B						P	10.1	63.1	9.4	17.5		P	9.2	62.3	9.6	18.9
22.	A						q	54.2	41.3	3.4	1.1		q	48.5	45.4	4.3	1.6
23.	A						P	32.9	48.4	9.5	9.2		P	31.3	47.2	12.0	9.5
24.	D						q	2.7	36.0	8.3	52.7		P	3.1	38.1	10.4	48.3
25.	A						q	55.8	5.8	31.5	6.9		q	50.0	5.0	35.6	9.4
26.	D						P	18.7	21.9	14.8	44.5		P	20.2	22.1	18.3	39.3
27.	D						q	13.4	25.1	10.4	51.1		q	11.7	26.3	12.8	49.0
28.	B						P	10.8	59.2	21.4	8.5		P	11.5	56.2	23.1	9.0
29.	C						q	7.8	11.0	70.0	11.3		q	8.1	12.5	69.8	9.5
30.	B						P	2.3	86.4	10.1	1.2		P	4.3	85.0	9.4	1.2
31.	D						q	17.5	11.5	16.4	54.6		q	18.1	13.0	15.9	52.6
32.	D						q	5.1	8.5	12.0	74.0		q	6.0	8.3	11.2	74.4
33.	C						P	11.0	18.9	53.9	15.2		P	12.8	19.5	50.6	16.4
34.	C						q	4.6	0.7	88.7	6.0		q	4.9	1.6	86.6	6.9
35.	C						q	6.0	12.9	66.4	14.1		q	6.6	12.0	68.3	12.8
36.	B						q	1.9	92.6	3.7	1.8		q	2.7	90.0	5.1	2.2
37.	C						q	7.4	21.7	67.3	3.5		q	6.5	24.3	63.5	5.5
38.	A						q	77.7	7.8	9.2	5.3		q	77.3	7.1	9.9	5.6
39.	B						q	7.6	81.6	3.5	7.2		P	11.5	72.3	6.3	9.8
40.	C						P	4.6	12.2	79.9	3.4		P	5.2	12.7	78.5	3.7
41.	D						q	18.6	18.7	21.4	41.2		q	17.1	20.3	20.7	41.5
42.	B						q	6.9	89.1	2.5	1.6		q	9.3	84.1	3.7	2.8
43.	B						q	24.7	42.6	14.1	17.7		q	23.3	42.0	16.9	17.3
44.	C						q	7.1	9.5	75.6	7.6		q	7.1	10.7	72.8	9.2
45.	B						P	29.7	48.8	15.7	5.7		P	30.2	47.9	15.5	6.2
46.	B						q	17.0	68.0	6.7	8.3		q	16.9	64.4	9.2	9.2
47.	B						q	5.1	55.1	35.7	3.7		P	7.1	47.6	39.5	5.3
48.	B						q	3.4	84.8	6.7	4.8		q	3.8	85.0	6.8	4.2
49.	C						P	6.0	9.4	68.0	16.3		P	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 2 - Western

(percentage of students who selected each response)

#023 - Sacred Heart AG, Conche

Grades: 1-4,6-12

Item	Key	School [N=3]				District [N=566]				Province [N=3,011]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	A					q		39.6	38.2	10.1	12.2	q		37.7	39.4	10.0	12.9
2.	A	School data with 5 or fewer students withheld for reasons of confidentiality.					p	23.5	20.9	8.1	47.2		p	19.5	23.4	7.8	49.0
3.	C					q		5.0	3.2	74.7	17.1	q		3.9	2.8	77.9	15.5
4.	C						p	4.6	17.1	60.3	18.0		p	5.2	16.6	61.0	16.8
5.	D					q		12.2	14.0	21.6	52.3	q		11.7	18.5	21.1	48.6
6.	B						p	2.8	90.1	4.4	2.7		p	2.1	90.5	5.2	2.2
7.	D						p	5.0	11.1	6.5	77.2		p	7.2	13.2	8.5	70.8
8.	B						p	5.3	89.4	2.7	2.7		p	4.5	86.6	2.8	6.2
9.	C						p	4.1	27.7	59.0	9.0		p	4.5	25.9	60.3	9.1
10.	D					q		12.0	18.0	16.4	53.5	q		14.6	18.2	20.2	46.9
11.	D					q		10.3	40.8	6.4	42.6	q		10.2	45.8	6.6	37.4
12.	B						p	6.0	77.0	10.8	6.0		p	9.0	70.5	14.3	6.1
*13.	B,D					q		18.7	33.9	13.8	32.7	q		18.9	29.9	16.4	34.2
14.	C						p	20.0	17.7	41.9	20.3		p	23.7	16.1	39.0	20.9
15.	D						p	12.0	10.3	16.6	60.8		p	12.2	12.2	19.7	55.8
16.	D						p	16.8	5.0	13.8	64.5		p	21.7	8.2	11.4	58.6
17.	D						p	2.3	1.6	13.3	82.7		p	3.1	1.8	14.1	80.8
18.	D						p	7.8	28.8	6.5	56.9		p	7.0	35.6	7.6	49.7
19.	A						p	56.0	38.7	2.7	2.7		p	54.2	38.1	4.6	3.1
20.	D						p	14.0	1.9	19.3	64.8		p	12.7	2.6	23.9	60.8
21.	B						p	10.1	63.1	9.4	17.5		p	9.2	62.3	9.6	18.9
22.	A						p	54.2	41.3	3.4	1.1		p	48.5	45.4	4.3	1.6
23.	A					q		32.9	48.4	9.5	9.2	q		31.3	47.2	12.0	9.5
24.	D					q		2.7	36.0	8.3	52.7	q		3.1	38.1	10.4	48.3
25.	A						p	55.8	5.8	31.5	6.9		p	50.0	5.0	35.6	9.4
26.	D						p	18.7	21.9	14.8	44.5		p	20.2	22.1	18.3	39.3
27.	D						p	13.4	25.1	10.4	51.1		p	11.7	26.3	12.8	49.0
28.	B						p	10.8	59.2	21.4	8.5		p	11.5	56.2	23.1	9.0
29.	C					q		7.8	11.0	70.0	11.3	q		8.1	12.5	69.8	9.5
30.	B						p	2.3	86.4	10.1	1.2		p	4.3	85.0	9.4	1.2
31.	D						p	17.5	11.5	16.4	54.6		p	18.1	13.0	15.9	52.6
32.	D						p	5.1	8.5	12.0	74.0		p	6.0	8.3	11.2	74.4
33.	C						p	11.0	18.9	53.9	15.2		p	12.8	19.5	50.6	16.4
34.	C						p	4.6	0.7	88.7	6.0		p	4.9	1.6	86.6	6.9
35.	C						p	6.0	12.9	66.4	14.1		p	6.6	12.0	68.3	12.8
36.	B						p	1.9	92.6	3.7	1.8		p	2.7	90.0	5.1	2.2
37.	C					q		7.4	21.7	67.3	3.5		p	6.5	24.3	63.5	5.5
38.	A						p	77.7	7.8	9.2	5.3		p	77.3	7.1	9.9	5.6
39.	B						p	7.6	81.6	3.5	7.2		p	11.5	72.3	6.3	9.8
40.	C						p	4.6	12.2	79.9	3.4		p	5.2	12.7	78.5	3.7
41.	D					q		18.6	18.7	21.4	41.2	q		17.1	20.3	20.7	41.5
42.	B					q		6.9	89.1	2.5	1.6	q		9.3	84.1	3.7	2.8
43.	B					q		24.7	42.6	14.1	17.7	q		23.3	42.0	16.9	17.3
44.	C						p	7.1	9.5	75.6	7.6		p	7.1	10.7	72.8	9.2
45.	B						p	29.7	48.8	15.7	5.7		p	30.2	47.9	15.5	6.2
46.	B						p	17.0	68.0	6.7	8.3		p	16.9	64.4	9.2	9.2
47.	B						p	5.1	55.1	35.7	3.7		p	7.1	47.6	39.5	5.3
48.	B						p	3.4	84.8	6.7	4.8		p	3.8	85.0	6.8	4.2
49.	C					q		6.0	9.4	68.0	16.3		p	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 2 - Western

(percentage of students who selected each response)

#024 - James Cook Memorial, Cook's Harbour

Grades: K-12

Item	Key	School [N=3]				District [N=566]				School Below Above Province [N=3,011]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	A					p		39.6	38.2	10.1	12.2	p		37.7	39.4	10.0	12.9
2.	A	School data with 5 or fewer students withheld for reasons of confidentiality.				p		23.5	20.9	8.1	47.2	p		19.5	23.4	7.8	49.0
3.	C					q		5.0	3.2	74.7	17.1	q		3.9	2.8	77.9	15.5
4.	C					p		4.6	17.1	60.3	18.0	p		5.2	16.6	61.0	16.8
5.	D					p		12.2	14.0	21.6	52.3	p		11.7	18.5	21.1	48.6
6.	B					p		2.8	90.1	4.4	2.7	p		2.1	90.5	5.2	2.2
7.	D					p		5.0	11.1	6.5	77.2	p		7.2	13.2	8.5	70.8
8.	B					q		5.3	89.4	2.7	2.7	q		4.5	86.6	2.8	6.2
9.	C					q		4.1	27.7	59.0	9.0	q		4.5	25.9	60.3	9.1
10.	D					p		12.0	18.0	16.4	53.5	p		14.6	18.2	20.2	46.9
11.	D					q		10.3	40.8	6.4	42.6	q		10.2	45.8	6.6	37.4
12.	B					p		6.0	77.0	10.8	6.0	p		9.0	70.5	14.3	6.1
*13.	B,D					q		18.7	33.9	13.8	32.7	q		18.9	29.9	16.4	34.2
14.	C					p		20.0	17.7	41.9	20.3	p		23.7	16.1	39.0	20.9
15.	D					p		12.0	10.3	16.6	60.8	p		12.2	12.2	19.7	55.8
16.	D					p		16.8	5.0	13.8	64.5	p		21.7	8.2	11.4	58.6
17.	D					p		2.3	1.6	13.3	82.7	p		3.1	1.8	14.1	80.8
18.	D					p		7.8	28.8	6.5	56.9	p		7.0	35.6	7.6	49.7
19.	A					q		56.0	38.7	2.7	2.7	q		54.2	38.1	4.6	3.1
20.	D					p		14.0	1.9	19.3	64.8	p		12.7	2.6	23.9	60.8
21.	B					q		10.1	63.1	9.4	17.5	q		9.2	62.3	9.6	18.9
22.	A					p		54.2	41.3	3.4	1.1	p		48.5	45.4	4.3	1.6
23.	A					q		32.9	48.4	9.5	9.2	q		31.3	47.2	12.0	9.5
24.	D					q		2.7	36.0	8.3	52.7	q		3.1	38.1	10.4	48.3
25.	A					p		55.8	5.8	31.5	6.9	p		50.0	5.0	35.6	9.4
26.	D					q		18.7	21.9	14.8	44.5	q		20.2	22.1	18.3	39.3
27.	D					q		13.4	25.1	10.4	51.1	q		11.7	26.3	12.8	49.0
28.	B					p		10.8	59.2	21.4	8.5	p		11.5	56.2	23.1	9.0
29.	C					p		7.8	11.0	70.0	11.3	p		8.1	12.5	69.8	9.5
30.	B					q		2.3	86.4	10.1	1.2	q		4.3	85.0	9.4	1.2
31.	D					q		17.5	11.5	16.4	54.6	q		18.1	13.0	15.9	52.6
32.	D					p		5.1	8.5	12.0	74.0	p		6.0	8.3	11.2	74.4
33.	C					q		11.0	18.9	53.9	15.2	q		12.8	19.5	50.6	16.4
34.	C					q		4.6	0.7	88.7	6.0	q		4.9	1.6	86.6	6.9
35.	C					q		6.0	12.9	66.4	14.1	q		6.6	12.0	68.3	12.8
36.	B					p		1.9	92.6	3.7	1.8	p		2.7	90.0	5.1	2.2
37.	C					q		7.4	21.7	67.3	3.5	p		6.5	24.3	63.5	5.5
38.	A					q		77.7	7.8	9.2	5.3	q		77.3	7.1	9.9	5.6
39.	B					q		7.6	81.6	3.5	7.2	q		11.5	72.3	6.3	9.8
40.	C					p		4.6	12.2	79.9	3.4	p		5.2	12.7	78.5	3.7
41.	D					p		18.6	18.7	21.4	41.2	p		17.1	20.3	20.7	41.5
42.	B					p		6.9	89.1	2.5	1.6	p		9.3	84.1	3.7	2.8
43.	B					q		24.7	42.6	14.1	17.7	q		23.3	42.0	16.9	17.3
44.	C					p		7.1	9.5	75.6	7.6	p		7.1	10.7	72.8	9.2
45.	B					q		29.7	48.8	15.7	5.7	q		30.2	47.9	15.5	6.2
46.	B					p		17.0	68.0	6.7	8.3	p		16.9	64.4	9.2	9.2
47.	B					p		5.1	55.1	35.7	3.7	p		7.1	47.6	39.5	5.3
48.	B					p		3.4	84.8	6.7	4.8	p		3.8	85.0	6.8	4.2
49.	C					q		6.0	9.4	68.0	16.3	p		6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 2 - Western

(percentage of students who selected each response)

#025 - St. Joseph's All Grade, Croque

Grades: 1,3-5,8-12

Item	Key	School [N=2]				District [N=566]				School Below Above Province [N=3,011]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	A					q		39.6	38.2	10.1	12.2	q		37.7	39.4	10.0	12.9
2.	A	School data with 5 or fewer students withheld for reasons of confidentiality.					p	23.5	20.9	8.1	47.2		p	19.5	23.4	7.8	49.0
3.	C						p	5.0	3.2	74.7	17.1		p	3.9	2.8	77.9	15.5
4.	C					q		4.6	17.1	60.3	18.0	q		5.2	16.6	61.0	16.8
5.	D						p	12.2	14.0	21.6	52.3		p	11.7	18.5	21.1	48.6
6.	B						p	2.8	90.1	4.4	2.7		p	2.1	90.5	5.2	2.2
7.	D						p	5.0	11.1	6.5	77.2		p	7.2	13.2	8.5	70.8
8.	B						p	5.3	89.4	2.7	2.7		p	4.5	86.6	2.8	6.2
9.	C						p	4.1	27.7	59.0	9.0		p	4.5	25.9	60.3	9.1
10.	D						p	12.0	18.0	16.4	53.5		p	14.6	18.2	20.2	46.9
11.	D						p	10.3	40.8	6.4	42.6		p	10.2	45.8	6.6	37.4
12.	B						p	6.0	77.0	10.8	6.0		p	9.0	70.5	14.3	6.1
*13.	B,D					q		18.7	33.9	13.8	32.7	q		18.9	29.9	16.4	34.2
14.	C						p	20.0	17.7	41.9	20.3		p	23.7	16.1	39.0	20.9
15.	D						p	12.0	10.3	16.6	60.8		p	12.2	12.2	19.7	55.8
16.	D						p	16.8	5.0	13.8	64.5		p	21.7	8.2	11.4	58.6
17.	D						p	2.3	1.6	13.3	82.7		p	3.1	1.8	14.1	80.8
18.	D						p	7.8	28.8	6.5	56.9		p	7.0	35.6	7.6	49.7
19.	A						p	56.0	38.7	2.7	2.7		p	54.2	38.1	4.6	3.1
20.	D					q		14.0	1.9	19.3	64.8	q		12.7	2.6	23.9	60.8
21.	B						p	10.1	63.1	9.4	17.5		p	9.2	62.3	9.6	18.9
22.	A						p	54.2	41.3	3.4	1.1		p	48.5	45.4	4.3	1.6
23.	A						p	32.9	48.4	9.5	9.2		p	31.3	47.2	12.0	9.5
24.	D						p	2.7	36.0	8.3	52.7		p	3.1	38.1	10.4	48.3
25.	A						p	55.8	5.8	31.5	6.9		p	50.0	5.0	35.6	9.4
26.	D						p	18.7	21.9	14.8	44.5		p	20.2	22.1	18.3	39.3
27.	D						p	13.4	25.1	10.4	51.1		p	11.7	26.3	12.8	49.0
28.	B					q		10.8	59.2	21.4	8.5	q		11.5	56.2	23.1	9.0
29.	C						p	7.8	11.0	70.0	11.3		p	8.1	12.5	69.8	9.5
30.	B						p	2.3	86.4	10.1	1.2		p	4.3	85.0	9.4	1.2
31.	D					q		17.5	11.5	16.4	54.6	q		18.1	13.0	15.9	52.6
32.	D						p	5.1	8.5	12.0	74.0		p	6.0	8.3	11.2	74.4
33.	C						p	11.0	18.9	53.9	15.2		p	12.8	19.5	50.6	16.4
34.	C						p	4.6	0.7	88.7	6.0		p	4.9	1.6	86.6	6.9
35.	C						p	6.0	12.9	66.4	14.1		p	6.6	12.0	68.3	12.8
36.	B						p	1.9	92.6	3.7	1.8		p	2.7	90.0	5.1	2.2
37.	C						p	7.4	21.7	67.3	3.5		p	6.5	24.3	63.5	5.5
38.	A						p	77.7	7.8	9.2	5.3		p	77.3	7.1	9.9	5.6
39.	B						p	7.6	81.6	3.5	7.2		p	11.5	72.3	6.3	9.8
40.	C						p	4.6	12.2	79.9	3.4		p	5.2	12.7	78.5	3.7
41.	D					q		18.6	18.7	21.4	41.2	q		17.1	20.3	20.7	41.5
42.	B						p	6.9	89.1	2.5	1.6		p	9.3	84.1	3.7	2.8
43.	B						p	24.7	42.6	14.1	17.7		p	23.3	42.0	16.9	17.3
44.	C						p	7.1	9.5	75.6	7.6		p	7.1	10.7	72.8	9.2
45.	B						p	29.7	48.8	15.7	5.7		p	30.2	47.9	15.5	6.2
46.	B						p	17.0	68.0	6.7	8.3		p	16.9	64.4	9.2	9.2
47.	B						p	5.1	55.1	35.7	3.7		p	7.1	47.6	39.5	5.3
48.	B						p	3.4	84.8	6.7	4.8		p	3.8	85.0	6.8	4.2
49.	C						p	6.0	9.4	68.0	16.3		p	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 2 - Western

(percentage of students who selected each response)

#027 - Canon Richards High School, Flower's Cove

Grades: 7-12

Item	Key	School [N=16]				District [N=566]				Province [N=3,011]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	A	31.3	31.3	31.3	6.3	q		39.6	38.2	10.1	12.2	q		37.7	39.4	10.0	12.9
2.	A	56.3	12.5	0.0	31.3		p	23.5	20.9	8.1	47.2		p	19.5	23.4	7.8	49.0
3.	C	0.0	0.0	81.3	18.8		p	5.0	3.2	74.7	17.1		p	3.9	2.8	77.9	15.5
4.	C	0.0	12.5	81.3	6.3		p	4.6	17.1	60.3	18.0		p	5.2	16.6	61.0	16.8
5.	D	0.0	6.3	18.8	75.0		p	12.2	14.0	21.6	52.3		p	11.7	18.5	21.1	48.6
6.	B	6.3	87.5	6.3	0.0	q		2.8	90.1	4.4	2.7	q		2.1	90.5	5.2	2.2
7.	D	12.5	0.0	0.0	87.5		p	5.0	11.1	6.5	77.2		p	7.2	13.2	8.5	70.8
8.	B	6.3	87.5	0.0	6.3	q		5.3	89.4	2.7	2.7		p	4.5	86.6	2.8	6.2
9.	C	0.0	43.8	56.3	0.0	q		4.1	27.7	59.0	9.0	q		4.5	25.9	60.3	9.1
10.	D	0.0	25.0	6.3	68.8		p	12.0	18.0	16.4	53.5		p	14.6	18.2	20.2	46.9
11.	D	6.3	81.3	0.0	12.5	q		10.3	40.8	6.4	42.6	q		10.2	45.8	6.6	37.4
12.	B	6.3	93.8	0.0	0.0		p	6.0	77.0	10.8	6.0		p	9.0	70.5	14.3	6.1
*13.	B,D	6.3	18.8	25.0	50.0		p	18.7	33.9	13.8	32.7		p	18.9	29.9	16.4	34.2
14.	C	0.0	18.8	62.5	18.8		p	20.0	17.7	41.9	20.3		p	23.7	16.1	39.0	20.9
15.	D	0.0	18.8	12.5	68.8		p	12.0	10.3	16.6	60.8		p	12.2	12.2	19.7	55.8
16.	D	12.5	0.0	12.5	75.0		p	16.8	5.0	13.8	64.5		p	21.7	8.2	11.4	58.6
17.	D	0.0	0.0	0.0	100.0		p	2.3	1.6	13.3	82.7		p	3.1	1.8	14.1	80.8
18.	D	12.5	6.3	6.3	75.0		p	7.8	28.8	6.5	56.9		p	7.0	35.6	7.6	49.7
19.	A	62.5	31.3	6.3	0.0		p	56.0	38.7	2.7	2.7		p	54.2	38.1	4.6	3.1
20.	D	6.3	0.0	31.3	62.5	q		14.0	1.9	19.3	64.8		p	12.7	2.6	23.9	60.8
21.	B	0.0	93.8	0.0	6.3		p	10.1	63.1	9.4	17.5		p	9.2	62.3	9.6	18.9
22.	A	43.8	43.8	0.0	12.5	q		54.2	41.3	3.4	1.1	q		48.5	45.4	4.3	1.6
23.	A	75.0	25.0	0.0	0.0		p	32.9	48.4	9.5	9.2		p	31.3	47.2	12.0	9.5
24.	D	6.3	37.5	6.3	50.0	q		2.7	36.0	8.3	52.7		p	3.1	38.1	10.4	48.3
25.	A	62.5	0.0	37.5	0.0		p	55.8	5.8	31.5	6.9		p	50.0	5.0	35.6	9.4
26.	D	6.3	31.3	12.5	50.0		p	18.7	21.9	14.8	44.5		p	20.2	22.1	18.3	39.3
27.	D	6.3	25.0	6.3	62.5		p	13.4	25.1	10.4	51.1		p	11.7	26.3	12.8	49.0
28.	B	18.8	56.3	18.8	6.3	q		10.8	59.2	21.4	8.5		p	11.5	56.2	23.1	9.0
29.	C	6.3	0.0	93.8	0.0		p	7.8	11.0	70.0	11.3		p	8.1	12.5	69.8	9.5
30.	B	0.0	93.8	6.3	0.0		p	2.3	86.4	10.1	1.2		p	4.3	85.0	9.4	1.2
31.	D	12.5	18.8	18.8	50.0	q		17.5	11.5	16.4	54.6	q		18.1	13.0	15.9	52.6
32.	D	0.0	6.3	6.3	87.5		p	5.1	8.5	12.0	74.0		p	6.0	8.3	11.2	74.4
33.	C	18.8	6.3	62.5	12.5		p	11.0	18.9	53.9	15.2		p	12.8	19.5	50.6	16.4
34.	C	0.0	0.0	100.0	0.0		p	4.6	0.7	88.7	6.0		p	4.9	1.6	86.6	6.9
35.	C	6.3	6.3	75.0	12.5		p	6.0	12.9	66.4	14.1		p	6.6	12.0	68.3	12.8
36.	B	0.0	100.0	0.0	0.0		p	1.9	92.6	3.7	1.8		p	2.7	90.0	5.1	2.2
37.	C	12.5	6.3	81.3	0.0		p	7.4	21.7	67.3	3.5		p	6.5	24.3	63.5	5.5
38.	A	100.0	0.0	0.0	0.0		p	77.7	7.8	9.2	5.3		p	77.3	7.1	9.9	5.6
39.	B	0.0	81.3	6.3	12.5	q		7.6	81.6	3.5	7.2		p	11.5	72.3	6.3	9.8
40.	C	6.3	12.5	81.3	0.0		p	4.6	12.2	79.9	3.4		p	5.2	12.7	78.5	3.7
41.	D	25.0	12.5	12.5	50.0		p	18.6	18.7	21.4	41.2		p	17.1	20.3	20.7	41.5
42.	B	6.3	93.8	0.0	0.0		p	6.9	89.1	2.5	1.6		p	9.3	84.1	3.7	2.8
43.	B	25.0	62.5	6.3	6.3		p	24.7	42.6	14.1	17.7		p	23.3	42.0	16.9	17.3
44.	C	6.3	6.3	81.3	6.3		p	7.1	9.5	75.6	7.6		p	7.1	10.7	72.8	9.2
45.	B	37.5	50.0	12.5	0.0		p	29.7	48.8	15.7	5.7		p	30.2	47.9	15.5	6.2
46.	B	6.3	87.5	6.3	0.0		p	17.0	68.0	6.7	8.3		p	16.9	64.4	9.2	9.2
47.	B	6.3	56.3	37.5	0.0		p	5.1	55.1	35.7	3.7		p	7.1	47.6	39.5	5.3
48.	B	0.0	100.0	0.0	0.0		p	3.4	84.8	6.7	4.8		p	3.8	85.0	6.8	4.2
49.	C	0.0	6.3	68.8	25.0		p	6.0	9.4	68.0	16.3		p	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 2 - Western

(percentage of students who selected each response)

#030 - Mountain Feild Academy, Forteau

Grades: K-12

Item	Key	School [N=9]				School Below Above District	District [N=566]				School Below Above Province	Province [N=3,011]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	A	22.2	33.3	33.3	11.1	q	39.6	38.2	10.1	12.2	q	37.7	39.4	10.0	12.9
2.	A	11.1	11.1	11.1	66.7	q	23.5	20.9	8.1	47.2	q	19.5	23.4	7.8	49.0
3.	C	0.0	11.1	66.7	22.2	q	5.0	3.2	74.7	17.1	q	3.9	2.8	77.9	15.5
4.	C	0.0	11.1	55.6	33.3	q	4.6	17.1	60.3	18.0	q	5.2	16.6	61.0	16.8
5.	D	0.0	22.2	33.3	44.4	q	12.2	14.0	21.6	52.3	q	11.7	18.5	21.1	48.6
6.	B	0.0	77.8	22.2	0.0	q	2.8	90.1	4.4	2.7	q	2.1	90.5	5.2	2.2
7.	D	0.0	11.1	0.0	88.9	p	5.0	11.1	6.5	77.2	p	7.2	13.2	8.5	70.8
8.	B	0.0	100.0	0.0	0.0	p	5.3	89.4	2.7	2.7	p	4.5	86.6	2.8	6.2
9.	C	0.0	44.4	44.4	11.1	q	4.1	27.7	59.0	9.0	q	4.5	25.9	60.3	9.1
10.	D	0.0	33.3	22.2	44.4	q	12.0	18.0	16.4	53.5	q	14.6	18.2	20.2	46.9
11.	D	22.2	22.2	0.0	55.6	p	10.3	40.8	6.4	42.6	p	10.2	45.8	6.6	37.4
12.	B	0.0	100.0	0.0	0.0	p	6.0	77.0	10.8	6.0	p	9.0	70.5	14.3	6.1
*13.	B,D	0.0	55.6	11.1	33.3	p	18.7	33.9	13.8	32.7	p	18.9	29.9	16.4	34.2
14.	C	0.0	11.1	55.6	33.3	p	20.0	17.7	41.9	20.3	p	23.7	16.1	39.0	20.9
15.	D	11.1	0.0	11.1	77.8	p	12.0	10.3	16.6	60.8	p	12.2	12.2	19.7	55.8
16.	D	22.2	0.0	0.0	77.8	p	16.8	5.0	13.8	64.5	p	21.7	8.2	11.4	58.6
17.	D	0.0	0.0	11.1	77.8	q	2.3	1.6	13.3	82.7	q	3.1	1.8	14.1	80.8
18.	D	0.0	22.2	0.0	77.8	p	7.8	28.8	6.5	56.9	p	7.0	35.6	7.6	49.7
19.	A	33.3	66.7	0.0	0.0	q	56.0	38.7	2.7	2.7	q	54.2	38.1	4.6	3.1
20.	D	22.2	0.0	11.1	66.7	p	14.0	1.9	19.3	64.8	p	12.7	2.6	23.9	60.8
21.	B	0.0	66.7	11.1	22.2	p	10.1	63.1	9.4	17.5	p	9.2	62.3	9.6	18.9
22.	A	33.3	66.7	0.0	0.0	q	54.2	41.3	3.4	1.1	q	48.5	45.4	4.3	1.6
23.	A	55.6	33.3	11.1	0.0	p	32.9	48.4	9.5	9.2	p	31.3	47.2	12.0	9.5
24.	D	0.0	22.2	11.1	66.7	p	2.7	36.0	8.3	52.7	p	3.1	38.1	10.4	48.3
25.	A	55.6	0.0	22.2	22.2	q	55.8	5.8	31.5	6.9	p	50.0	5.0	35.6	9.4
26.	D	11.1	11.1	11.1	66.7	p	18.7	21.9	14.8	44.5	p	20.2	22.1	18.3	39.3
27.	D	11.1	33.3	0.0	55.6	p	13.4	25.1	10.4	51.1	p	11.7	26.3	12.8	49.0
28.	B	11.1	44.4	11.1	33.3	q	10.8	59.2	21.4	8.5	q	11.5	56.2	23.1	9.0
29.	C	11.1	11.1	77.8	0.0	p	7.8	11.0	70.0	11.3	p	8.1	12.5	69.8	9.5
30.	B	0.0	100.0	0.0	0.0	p	2.3	86.4	10.1	1.2	p	4.3	85.0	9.4	1.2
31.	D	22.2	0.0	22.2	55.6	p	17.5	11.5	16.4	54.6	p	18.1	13.0	15.9	52.6
32.	D	0.0	11.1	22.2	66.7	q	5.1	8.5	12.0	74.0	q	6.0	8.3	11.2	74.4
33.	C	11.1	11.1	55.6	22.2	p	11.0	18.9	53.9	15.2	p	12.8	19.5	50.6	16.4
34.	C	11.1	0.0	88.9	0.0	p	4.6	0.7	88.7	6.0	p	4.9	1.6	86.6	6.9
35.	C	0.0	0.0	88.9	11.1	p	6.0	12.9	66.4	14.1	p	6.6	12.0	68.3	12.8
36.	B	0.0	100.0	0.0	0.0	p	1.9	92.6	3.7	1.8	p	2.7	90.0	5.1	2.2
37.	C	11.1	33.3	55.6	0.0	q	7.4	21.7	67.3	3.5	q	6.5	24.3	63.5	5.5
38.	A	77.8	0.0	11.1	11.1	p	77.7	7.8	9.2	5.3	p	77.3	7.1	9.9	5.6
39.	B	11.1	88.9	0.0	0.0	p	7.6	81.6	3.5	7.2	p	11.5	72.3	6.3	9.8
40.	C	22.2	0.0	66.7	11.1	q	4.6	12.2	79.9	3.4	q	5.2	12.7	78.5	3.7
41.	D	0.0	22.2	0.0	77.8	p	18.6	18.7	21.4	41.2	p	17.1	20.3	20.7	41.5
42.	B	0.0	100.0	0.0	0.0	p	6.9	89.1	2.5	1.6	p	9.3	84.1	3.7	2.8
43.	B	33.3	33.3	0.0	22.2	q	24.7	42.6	14.1	17.7	q	23.3	42.0	16.9	17.3
44.	C	0.0	11.1	77.8	11.1	p	7.1	9.5	75.6	7.6	p	7.1	10.7	72.8	9.2
45.	B	55.6	22.2	22.2	0.0	q	29.7	48.8	15.7	5.7	q	30.2	47.9	15.5	6.2
46.	B	33.3	55.6	11.1	0.0	q	17.0	68.0	6.7	8.3	q	16.9	64.4	9.2	9.2
47.	B	0.0	88.9	11.1	0.0	p	5.1	55.1	35.7	3.7	p	7.1	47.6	39.5	5.3
48.	B	0.0	100.0	0.0	0.0	p	3.4	84.8	6.7	4.8	p	3.8	85.0	6.8	4.2
49.	C	0.0	11.1	77.8	11.1	p	6.0	9.4	68.0	16.3	p	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 2 - Western

(percentage of students who selected each response)

#039 - Mary Simms All-Grade, Main Brook

Grades: K,1,4-12

Item	Key	School [N=3]				District [N=566]				Province [N=3,011]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	A					q		39.6	38.2	10.1	12.2	q		37.7	39.4	10.0	12.9
2.	A	School data with 5 or fewer students withheld for reasons of confidentiality.				q		23.5	20.9	8.1	47.2	q		19.5	23.4	7.8	49.0
3.	C	School data with 5 or fewer students withheld for reasons of confidentiality.				q		5.0	3.2	74.7	17.1	q		3.9	2.8	77.9	15.5
4.	C	School data with 5 or fewer students withheld for reasons of confidentiality.					p	4.6	17.1	60.3	18.0		p	5.2	16.6	61.0	16.8
5.	D	School data with 5 or fewer students withheld for reasons of confidentiality.					p	12.2	14.0	21.6	52.3		p	11.7	18.5	21.1	48.6
6.	B	School data with 5 or fewer students withheld for reasons of confidentiality.					p	2.8	90.1	4.4	2.7		p	2.1	90.5	5.2	2.2
7.	D	School data with 5 or fewer students withheld for reasons of confidentiality.					p	5.0	11.1	6.5	77.2		p	7.2	13.2	8.5	70.8
8.	B	School data with 5 or fewer students withheld for reasons of confidentiality.					p	5.3	89.4	2.7	2.7		p	4.5	86.6	2.8	6.2
9.	C	School data with 5 or fewer students withheld for reasons of confidentiality.				q		4.1	27.7	59.0	9.0	q		4.5	25.9	60.3	9.1
10.	D	School data with 5 or fewer students withheld for reasons of confidentiality.					p	12.0	18.0	16.4	53.5		p	14.6	18.2	20.2	46.9
11.	D	School data with 5 or fewer students withheld for reasons of confidentiality.				q		10.3	40.8	6.4	42.6	q		10.2	45.8	6.6	37.4
12.	B	School data with 5 or fewer students withheld for reasons of confidentiality.					p	6.0	77.0	10.8	6.0		p	9.0	70.5	14.3	6.1
*13.	B,D	School data with 5 or fewer students withheld for reasons of confidentiality.					p	18.7	33.9	13.8	32.7		p	18.9	29.9	16.4	34.2
14.	C	School data with 5 or fewer students withheld for reasons of confidentiality.				q		20.0	17.7	41.9	20.3	q		23.7	16.1	39.0	20.9
15.	D	School data with 5 or fewer students withheld for reasons of confidentiality.					p	12.0	10.3	16.6	60.8		p	12.2	12.2	19.7	55.8
16.	D	School data with 5 or fewer students withheld for reasons of confidentiality.					p	16.8	5.0	13.8	64.5		p	21.7	8.2	11.4	58.6
17.	D	School data with 5 or fewer students withheld for reasons of confidentiality.					p	2.3	1.6	13.3	82.7		p	3.1	1.8	14.1	80.8
18.	D	School data with 5 or fewer students withheld for reasons of confidentiality.					p	7.8	28.8	6.5	56.9		p	7.0	35.6	7.6	49.7
19.	A	School data with 5 or fewer students withheld for reasons of confidentiality.					p	56.0	38.7	2.7	2.7		p	54.2	38.1	4.6	3.1
20.	D	School data with 5 or fewer students withheld for reasons of confidentiality.					p	14.0	1.9	19.3	64.8		p	12.7	2.6	23.9	60.8
21.	B	School data with 5 or fewer students withheld for reasons of confidentiality.				q		10.1	63.1	9.4	17.5	q		9.2	62.3	9.6	18.9
22.	A	School data with 5 or fewer students withheld for reasons of confidentiality.				q		54.2	41.3	3.4	1.1	q		48.5	45.4	4.3	1.6
23.	A	School data with 5 or fewer students withheld for reasons of confidentiality.				q		32.9	48.4	9.5	9.2	q		31.3	47.2	12.0	9.5
24.	D	School data with 5 or fewer students withheld for reasons of confidentiality.					p	2.7	36.0	8.3	52.7		p	3.1	38.1	10.4	48.3
25.	A	School data with 5 or fewer students withheld for reasons of confidentiality.					p	55.8	5.8	31.5	6.9		p	50.0	5.0	35.6	9.4
26.	D	School data with 5 or fewer students withheld for reasons of confidentiality.				q		18.7	21.9	14.8	44.5	q		20.2	22.1	18.3	39.3
27.	D	School data with 5 or fewer students withheld for reasons of confidentiality.				q		13.4	25.1	10.4	51.1	q		11.7	26.3	12.8	49.0
28.	B	School data with 5 or fewer students withheld for reasons of confidentiality.					p	10.8	59.2	21.4	8.5		p	11.5	56.2	23.1	9.0
29.	C	School data with 5 or fewer students withheld for reasons of confidentiality.				q		7.8	11.0	70.0	11.3	q		8.1	12.5	69.8	9.5
30.	B	School data with 5 or fewer students withheld for reasons of confidentiality.					p	2.3	86.4	10.1	1.2		p	4.3	85.0	9.4	1.2
31.	D	School data with 5 or fewer students withheld for reasons of confidentiality.					p	17.5	11.5	16.4	54.6		p	18.1	13.0	15.9	52.6
32.	D	School data with 5 or fewer students withheld for reasons of confidentiality.					p	5.1	8.5	12.0	74.0		p	6.0	8.3	11.2	74.4
33.	C	School data with 5 or fewer students withheld for reasons of confidentiality.					p	11.0	18.9	53.9	15.2		p	12.8	19.5	50.6	16.4
34.	C	School data with 5 or fewer students withheld for reasons of confidentiality.					p	4.6	0.7	88.7	6.0		p	4.9	1.6	86.6	6.9
35.	C	School data with 5 or fewer students withheld for reasons of confidentiality.				q		6.0	12.9	66.4	14.1	q		6.6	12.0	68.3	12.8
36.	B	School data with 5 or fewer students withheld for reasons of confidentiality.					p	1.9	92.6	3.7	1.8		p	2.7	90.0	5.1	2.2
37.	C	School data with 5 or fewer students withheld for reasons of confidentiality.					p	7.4	21.7	67.3	3.5		p	6.5	24.3	63.5	5.5
38.	A	School data with 5 or fewer students withheld for reasons of confidentiality.					p	77.7	7.8	9.2	5.3		p	77.3	7.1	9.9	5.6
39.	B	School data with 5 or fewer students withheld for reasons of confidentiality.					p	7.6	81.6	3.5	7.2		p	11.5	72.3	6.3	9.8
40.	C	School data with 5 or fewer students withheld for reasons of confidentiality.				q		4.6	12.2	79.9	3.4	q		5.2	12.7	78.5	3.7
41.	D	School data with 5 or fewer students withheld for reasons of confidentiality.				q		18.6	18.7	21.4	41.2	q		17.1	20.3	20.7	41.5
42.	B	School data with 5 or fewer students withheld for reasons of confidentiality.					p	6.9	89.1	2.5	1.6		p	9.3	84.1	3.7	2.8
43.	B	School data with 5 or fewer students withheld for reasons of confidentiality.				q		24.7	42.6	14.1	17.7	q		23.3	42.0	16.9	17.3
44.	C	School data with 5 or fewer students withheld for reasons of confidentiality.				q		7.1	9.5	75.6	7.6	q		7.1	10.7	72.8	9.2
45.	B	School data with 5 or fewer students withheld for reasons of confidentiality.					p	29.7	48.8	15.7	5.7		p	30.2	47.9	15.5	6.2
46.	B	School data with 5 or fewer students withheld for reasons of confidentiality.				q		17.0	68.0	6.7	8.3		p	16.9	64.4	9.2	9.2
47.	B	School data with 5 or fewer students withheld for reasons of confidentiality.					p	5.1	55.1	35.7	3.7		p	7.1	47.6	39.5	5.3
48.	B	School data with 5 or fewer students withheld for reasons of confidentiality.					p	3.4	84.8	6.7	4.8		p	3.8	85.0	6.8	4.2
49.	C	School data with 5 or fewer students withheld for reasons of confidentiality.				q		6.0	9.4	68.0	16.3	q		6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 2 - Western

(percentage of students who selected each response)

#040 - St. Mary's AG, Mary's Harbour

Grades: K-12

Item	Key	School [N=3]				District [N=566]				Province [N=3,011]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	A	B	C	D	
1.	A					q		39.6	38.2	10.1	12.2	q		37.7	39.4	10.0	12.9
2.	A	School data with 5 or fewer students withheld for reasons of confidentiality.				q		23.5	20.9	8.1	47.2	q		19.5	23.4	7.8	49.0
3.	C					p		5.0	3.2	74.7	17.1	p		3.9	2.8	77.9	15.5
4.	C					p		4.6	17.1	60.3	18.0	p		5.2	16.6	61.0	16.8
5.	D					q		12.2	14.0	21.6	52.3	q		11.7	18.5	21.1	48.6
6.	B					p		2.8	90.1	4.4	2.7	p		2.1	90.5	5.2	2.2
7.	D					q		5.0	11.1	6.5	77.2	q		7.2	13.2	8.5	70.8
8.	B					q		5.3	89.4	2.7	2.7	q		4.5	86.6	2.8	6.2
9.	C					p		4.1	27.7	59.0	9.0	p		4.5	25.9	60.3	9.1
10.	D					q		12.0	18.0	16.4	53.5	q		14.6	18.2	20.2	46.9
11.	D					p		10.3	40.8	6.4	42.6	p		10.2	45.8	6.6	37.4
12.	B					p		6.0	77.0	10.8	6.0	p		9.0	70.5	14.3	6.1
*13.	B,D					p		18.7	33.9	13.8	32.7	p		18.9	29.9	16.4	34.2
14.	C					q		20.0	17.7	41.9	20.3	q		23.7	16.1	39.0	20.9
15.	D					p		12.0	10.3	16.6	60.8	p		12.2	12.2	19.7	55.8
16.	D					q		16.8	5.0	13.8	64.5	q		21.7	8.2	11.4	58.6
17.	D					q		2.3	1.6	13.3	82.7	q		3.1	1.8	14.1	80.8
18.	D					q		7.8	28.8	6.5	56.9	q		7.0	35.6	7.6	49.7
19.	A					q		56.0	38.7	2.7	2.7	q		54.2	38.1	4.6	3.1
20.	D					q		14.0	1.9	19.3	64.8	q		12.7	2.6	23.9	60.8
21.	B					p		10.1	63.1	9.4	17.5	p		9.2	62.3	9.6	18.9
22.	A					p		54.2	41.3	3.4	1.1	p		48.5	45.4	4.3	1.6
23.	A					p		32.9	48.4	9.5	9.2	p		31.3	47.2	12.0	9.5
24.	D					q		2.7	36.0	8.3	52.7	q		3.1	38.1	10.4	48.3
25.	A					p		55.8	5.8	31.5	6.9	p		50.0	5.0	35.6	9.4
26.	D					p		18.7	21.9	14.8	44.5	p		20.2	22.1	18.3	39.3
27.	D					q		13.4	25.1	10.4	51.1	q		11.7	26.3	12.8	49.0
28.	B					p		10.8	59.2	21.4	8.5	p		11.5	56.2	23.1	9.0
29.	C					p		7.8	11.0	70.0	11.3	p		8.1	12.5	69.8	9.5
30.	B					p		2.3	86.4	10.1	1.2	p		4.3	85.0	9.4	1.2
31.	D					q		17.5	11.5	16.4	54.6	q		18.1	13.0	15.9	52.6
32.	D					q		5.1	8.5	12.0	74.0	q		6.0	8.3	11.2	74.4
33.	C					q		11.0	18.9	53.9	15.2	q		12.8	19.5	50.6	16.4
34.	C					q		4.6	0.7	88.7	6.0	q		4.9	1.6	86.6	6.9
35.	C					q		6.0	12.9	66.4	14.1	q		6.6	12.0	68.3	12.8
36.	B					q		1.9	92.6	3.7	1.8	q		2.7	90.0	5.1	2.2
37.	C					q		7.4	21.7	67.3	3.5	q		6.5	24.3	63.5	5.5
38.	A					q		77.7	7.8	9.2	5.3	q		77.3	7.1	9.9	5.6
39.	B					p		7.6	81.6	3.5	7.2	p		11.5	72.3	6.3	9.8
40.	C					q		4.6	12.2	79.9	3.4	q		5.2	12.7	78.5	3.7
41.	D					q		18.6	18.7	21.4	41.2	q		17.1	20.3	20.7	41.5
42.	B					p		6.9	89.1	2.5	1.6	p		9.3	84.1	3.7	2.8
43.	B					q		24.7	42.6	14.1	17.7	q		23.3	42.0	16.9	17.3
44.	C					q		7.1	9.5	75.6	7.6	q		7.1	10.7	72.8	9.2
45.	B					q		29.7	48.8	15.7	5.7	q		30.2	47.9	15.5	6.2
46.	B					q		17.0	68.0	6.7	8.3	q		16.9	64.4	9.2	9.2
47.	B					p		5.1	55.1	35.7	3.7	p		7.1	47.6	39.5	5.3
48.	B					p		3.4	84.8	6.7	4.8	p		3.8	85.0	6.8	4.2
49.	C					q		6.0	9.4	68.0	16.3	p		6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT



District 2 - Western

(percentage of students who selected each response)

#046 - D.C. Young School, Port Hope Simpson

Grades: K-12

Item	Key	School [N=2]				District [N=566]				School Below Above Province [N=3,011]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	A					q		39.6	38.2	10.1	12.2	q		37.7	39.4	10.0	12.9
2.	A	School data with 5 or fewer students withheld for reasons of confidentiality.				q		23.5	20.9	8.1	47.2	q		19.5	23.4	7.8	49.0
3.	C					p		5.0	3.2	74.7	17.1	p		3.9	2.8	77.9	15.5
4.	C					p		4.6	17.1	60.3	18.0	p		5.2	16.6	61.0	16.8
5.	D					p		12.2	14.0	21.6	52.3	p		11.7	18.5	21.1	48.6
6.	B					q		2.8	90.1	4.4	2.7	q		2.1	90.5	5.2	2.2
7.	D					q		5.0	11.1	6.5	77.2	q		7.2	13.2	8.5	70.8
8.	B					q		5.3	89.4	2.7	2.7	q		4.5	86.6	2.8	6.2
9.	C					p		4.1	27.7	59.0	9.0	p		4.5	25.9	60.3	9.1
10.	D					q		12.0	18.0	16.4	53.5	p		14.6	18.2	20.2	46.9
11.	D					q		10.3	40.8	6.4	42.6	q		10.2	45.8	6.6	37.4
12.	B					q		6.0	77.0	10.8	6.0	q		9.0	70.5	14.3	6.1
*13.	B,D					p		18.7	33.9	13.8	32.7	p		18.9	29.9	16.4	34.2
14.	C					q		20.0	17.7	41.9	20.3	q		23.7	16.1	39.0	20.9
15.	D					q		12.0	10.3	16.6	60.8	q		12.2	12.2	19.7	55.8
16.	D					q		16.8	5.0	13.8	64.5	q		21.7	8.2	11.4	58.6
17.	D					q		2.3	1.6	13.3	82.7	q		3.1	1.8	14.1	80.8
18.	D					q		7.8	28.8	6.5	56.9	p		7.0	35.6	7.6	49.7
19.	A					q		56.0	38.7	2.7	2.7	q		54.2	38.1	4.6	3.1
20.	D					q		14.0	1.9	19.3	64.8	q		12.7	2.6	23.9	60.8
21.	B					q		10.1	63.1	9.4	17.5	q		9.2	62.3	9.6	18.9
22.	A					q		54.2	41.3	3.4	1.1	q		48.5	45.4	4.3	1.6
23.	A					p		32.9	48.4	9.5	9.2	p		31.3	47.2	12.0	9.5
24.	D					q		2.7	36.0	8.3	52.7	p		3.1	38.1	10.4	48.3
25.	A					q		55.8	5.8	31.5	6.9	p		50.0	5.0	35.6	9.4
26.	D					p		18.7	21.9	14.8	44.5	p		20.2	22.1	18.3	39.3
27.	D					p		13.4	25.1	10.4	51.1	p		11.7	26.3	12.8	49.0
28.	B					p		10.8	59.2	21.4	8.5	p		11.5	56.2	23.1	9.0
29.	C					p		7.8	11.0	70.0	11.3	p		8.1	12.5	69.8	9.5
30.	B					p		2.3	86.4	10.1	1.2	p		4.3	85.0	9.4	1.2
31.	D					q		17.5	11.5	16.4	54.6	q		18.1	13.0	15.9	52.6
32.	D					q		5.1	8.5	12.0	74.0	q		6.0	8.3	11.2	74.4
33.	C					p		11.0	18.9	53.9	15.2	p		12.8	19.5	50.6	16.4
34.	C					p		4.6	0.7	88.7	6.0	p		4.9	1.6	86.6	6.9
35.	C					p		6.0	12.9	66.4	14.1	p		6.6	12.0	68.3	12.8
36.	B					p		1.9	92.6	3.7	1.8	p		2.7	90.0	5.1	2.2
37.	C					q		7.4	21.7	67.3	3.5	q		6.5	24.3	63.5	5.5
38.	A					q		77.7	7.8	9.2	5.3	q		77.3	7.1	9.9	5.6
39.	B					q		7.6	81.6	3.5	7.2	q		11.5	72.3	6.3	9.8
40.	C					q		4.6	12.2	79.9	3.4	q		5.2	12.7	78.5	3.7
41.	D					p		18.6	18.7	21.4	41.2	p		17.1	20.3	20.7	41.5
42.	B					p		6.9	89.1	2.5	1.6	p		9.3	84.1	3.7	2.8
43.	B					p		24.7	42.6	14.1	17.7	p		23.3	42.0	16.9	17.3
44.	C					p		7.1	9.5	75.6	7.6	p		7.1	10.7	72.8	9.2
45.	B					q		29.7	48.8	15.7	5.7	q		30.2	47.9	15.5	6.2
46.	B					p		17.0	68.0	6.7	8.3	p		16.9	64.4	9.2	9.2
47.	B					q		5.1	55.1	35.7	3.7	p		7.1	47.6	39.5	5.3
48.	B					p		3.4	84.8	6.7	4.8	p		3.8	85.0	6.8	4.2
49.	C					p		6.0	9.4	68.0	16.3	p		6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 2 - Western

(percentage of students who selected each response)

#047 - Roncalli Central High, Port Saunders

Grades: 7-12

Item	Key	School [N=21]				District [N=566]				Province [N=3,011]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	A	33.3	52.4	0.0	14.3	q		39.6	38.2	10.1	12.2	q		37.7	39.4	10.0	12.9
2.	A	33.3	23.8	9.5	33.3		p	23.5	20.9	8.1	47.2		p	19.5	23.4	7.8	49.0
3.	C	0.0	0.0	71.4	28.6	q		5.0	3.2	74.7	17.1	q		3.9	2.8	77.9	15.5
4.	C	4.8	4.8	85.7	4.8		p	4.6	17.1	60.3	18.0		p	5.2	16.6	61.0	16.8
5.	D	14.3	14.3	4.8	66.7		p	12.2	14.0	21.6	52.3		p	11.7	18.5	21.1	48.6
6.	B	9.5	85.7	4.8	0.0	q		2.8	90.1	4.4	2.7	q		2.1	90.5	5.2	2.2
7.	D	4.8	14.3	9.5	71.4	q		5.0	11.1	6.5	77.2		p	7.2	13.2	8.5	70.8
8.	B	0.0	95.2	0.0	4.8		p	5.3	89.4	2.7	2.7		p	4.5	86.6	2.8	6.2
9.	C	0.0	28.6	71.4	0.0		p	4.1	27.7	59.0	9.0		p	4.5	25.9	60.3	9.1
10.	D	0.0	9.5	9.5	81.0		p	12.0	18.0	16.4	53.5		p	14.6	18.2	20.2	46.9
11.	D	0.0	66.7	0.0	33.3	q		10.3	40.8	6.4	42.6	q		10.2	45.8	6.6	37.4
12.	B	4.8	81.0	9.5	4.8		p	6.0	77.0	10.8	6.0		p	9.0	70.5	14.3	6.1
*13.	B,D	28.6	38.1	0.0	33.3		p	18.7	33.9	13.8	32.7		p	18.9	29.9	16.4	34.2
14.	C	23.8	9.5	47.6	19.1		p	20.0	17.7	41.9	20.3		p	23.7	16.1	39.0	20.9
15.	D	14.3	23.8	0.0	61.9		p	12.0	10.3	16.6	60.8		p	12.2	12.2	19.7	55.8
16.	D	9.5	4.8	4.8	81.0		p	16.8	5.0	13.8	64.5		p	21.7	8.2	11.4	58.6
17.	D	9.5	0.0	9.5	81.0	q		2.3	1.6	13.3	82.7		p	3.1	1.8	14.1	80.8
18.	D	9.5	19.1	4.8	66.7		p	7.8	28.8	6.5	56.9		p	7.0	35.6	7.6	49.7
19.	A	52.4	47.6	0.0	0.0	q		56.0	38.7	2.7	2.7	q		54.2	38.1	4.6	3.1
20.	D	19.1	0.0	9.5	71.4		p	14.0	1.9	19.3	64.8		p	12.7	2.6	23.9	60.8
21.	B	4.8	57.1	9.5	28.6	q		10.1	63.1	9.4	17.5	q		9.2	62.3	9.6	18.9
22.	A	71.4	28.6	0.0	0.0		p	54.2	41.3	3.4	1.1		p	48.5	45.4	4.3	1.6
23.	A	61.9	38.1	0.0	0.0		p	32.9	48.4	9.5	9.2		p	31.3	47.2	12.0	9.5
24.	D	0.0	28.6	0.0	71.4		p	2.7	36.0	8.3	52.7		p	3.1	38.1	10.4	48.3
25.	A	66.7	0.0	33.3	0.0		p	55.8	5.8	31.5	6.9		p	50.0	5.0	35.6	9.4
26.	D	4.8	33.3	9.5	52.4		p	18.7	21.9	14.8	44.5		p	20.2	22.1	18.3	39.3
27.	D	14.3	4.8	9.5	71.4		p	13.4	25.1	10.4	51.1		p	11.7	26.3	12.8	49.0
28.	B	33.3	57.1	0.0	9.5	q		10.8	59.2	21.4	8.5		p	11.5	56.2	23.1	9.0
29.	C	0.0	4.8	76.2	19.1		p	7.8	11.0	70.0	11.3		p	8.1	12.5	69.8	9.5
30.	B	0.0	100.0	0.0	0.0		p	2.3	86.4	10.1	1.2		p	4.3	85.0	9.4	1.2
31.	D	9.5	4.8	9.5	76.2		p	17.5	11.5	16.4	54.6		p	18.1	13.0	15.9	52.6
32.	D	0.0	9.5	0.0	90.5		p	5.1	8.5	12.0	74.0		p	6.0	8.3	11.2	74.4
33.	C	0.0	9.5	71.4	19.1		p	11.0	18.9	53.9	15.2		p	12.8	19.5	50.6	16.4
34.	C	0.0	0.0	100.0	0.0		p	4.6	0.7	88.7	6.0		p	4.9	1.6	86.6	6.9
35.	C	0.0	4.8	76.2	19.1		p	6.0	12.9	66.4	14.1		p	6.6	12.0	68.3	12.8
36.	B	0.0	100.0	0.0	0.0		p	1.9	92.6	3.7	1.8		p	2.7	90.0	5.1	2.2
37.	C	9.5	19.1	61.9	9.5	q		7.4	21.7	67.3	3.5	q		6.5	24.3	63.5	5.5
38.	A	71.4	28.6	0.0	0.0	q		77.7	7.8	9.2	5.3	q		77.3	7.1	9.9	5.6
39.	B	4.8	90.5	0.0	4.8		p	7.6	81.6	3.5	7.2		p	11.5	72.3	6.3	9.8
40.	C	4.8	9.5	81.0	4.8		p	4.6	12.2	79.9	3.4		p	5.2	12.7	78.5	3.7
41.	D	4.8	0.0	28.6	66.7		p	18.6	18.7	21.4	41.2		p	17.1	20.3	20.7	41.5
42.	B	4.8	95.2	0.0	0.0		p	6.9	89.1	2.5	1.6		p	9.3	84.1	3.7	2.8
43.	B	23.8	52.4	23.8	0.0		p	24.7	42.6	14.1	17.7		p	23.3	42.0	16.9	17.3
44.	C	4.8	4.8	90.5	0.0		p	7.1	9.5	75.6	7.6		p	7.1	10.7	72.8	9.2
45.	B	33.3	52.4	9.5	4.8		p	29.7	48.8	15.7	5.7		p	30.2	47.9	15.5	6.2
46.	B	9.5	71.4	19.1	0.0		p	17.0	68.0	6.7	8.3		p	16.9	64.4	9.2	9.2
47.	B	0.0	57.1	33.3	9.5		p	5.1	55.1	35.7	3.7		p	7.1	47.6	39.5	5.3
48.	B	0.0	85.7	4.8	9.5		p	3.4	84.8	6.7	4.8		p	3.8	85.0	6.8	4.2
49.	C	4.8	9.5	71.4	14.3		p	6.0	9.4	68.0	16.3		p	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

#050 - Basque Memorial, Red Bay

Grades: K-12

Item	Key	School [N=1]				District [N=566]				School Below Above District				Province [N=3,011]										
		A	B	C	D	A	B	C	D	Below	Above	A	B	C	D									
1.	A									q		39.6	38.2	10.1	12.2	q		37.7	39.4	10.0	12.9			
2.	A	School data with 5 or fewer students withheld for reasons of confidentiality.								q		23.5	20.9	8.1	47.2	q		19.5	23.4	7.8	49.0			
3.	C												p		5.0	3.2	74.7	17.1	p		3.9	2.8	77.9	15.5
4.	C												p		4.6	17.1	60.3	18.0	p		5.2	16.6	61.0	16.8
5.	D												q		12.2	14.0	21.6	52.3	q		11.7	18.5	21.1	48.6
6.	B									p		2.8	90.1	4.4	2.7	p		2.1	90.5	5.2	2.2			
7.	D									q		5.0	11.1	6.5	77.2	q		7.2	13.2	8.5	70.8			
8.	B									p		5.3	89.4	2.7	2.7	p		4.5	86.6	2.8	6.2			
9.	C									p		4.1	27.7	59.0	9.0	p		4.5	25.9	60.3	9.1			
10.	D									p		12.0	18.0	16.4	53.5	p		14.6	18.2	20.2	46.9			
11.	D									p		10.3	40.8	6.4	42.6	p		10.2	45.8	6.6	37.4			
12.	B									p		6.0	77.0	10.8	6.0	p		9.0	70.5	14.3	6.1			
*13.	B,D									p		18.7	33.9	13.8	32.7	p		18.9	29.9	16.4	34.2			
14.	C									q		20.0	17.7	41.9	20.3	q		23.7	16.1	39.0	20.9			
15.	D									p		12.0	10.3	16.6	60.8	p		12.2	12.2	19.7	55.8			
16.	D									p		16.8	5.0	13.8	64.5	p		21.7	8.2	11.4	58.6			
17.	D									p		2.3	1.6	13.3	82.7	p		3.1	1.8	14.1	80.8			
18.	D									p		7.8	28.8	6.5	56.9	p		7.0	35.6	7.6	49.7			
19.	A									q		56.0	38.7	2.7	2.7	q		54.2	38.1	4.6	3.1			
20.	D									q		14.0	1.9	19.3	64.8	q		12.7	2.6	23.9	60.8			
21.	B									q		10.1	63.1	9.4	17.5	q		9.2	62.3	9.6	18.9			
22.	A									q		54.2	41.3	3.4	1.1	q		48.5	45.4	4.3	1.6			
23.	A									p		32.9	48.4	9.5	9.2	p		31.3	47.2	12.0	9.5			
24.	D									q		2.7	36.0	8.3	52.7	q		3.1	38.1	10.4	48.3			
25.	A									q		55.8	5.8	31.5	6.9	q		50.0	5.0	35.6	9.4			
26.	D									q		18.7	21.9	14.8	44.5	q		20.2	22.1	18.3	39.3			
27.	D									p		13.4	25.1	10.4	51.1	p		11.7	26.3	12.8	49.0			
28.	B									p		10.8	59.2	21.4	8.5	p		11.5	56.2	23.1	9.0			
29.	C									p		7.8	11.0	70.0	11.3	p		8.1	12.5	69.8	9.5			
30.	B									p		2.3	86.4	10.1	1.2	p		4.3	85.0	9.4	1.2			
31.	D									p		17.5	11.5	16.4	54.6	p		18.1	13.0	15.9	52.6			
32.	D									q		5.1	8.5	12.0	74.0	q		6.0	8.3	11.2	74.4			
33.	C									p		11.0	18.9	53.9	15.2	p		12.8	19.5	50.6	16.4			
34.	C									p		4.6	0.7	88.7	6.0	p		4.9	1.6	86.6	6.9			
35.	C									p		6.0	12.9	66.4	14.1	p		6.6	12.0	68.3	12.8			
36.	B									p		1.9	92.6	3.7	1.8	p		2.7	90.0	5.1	2.2			
37.	C									q		7.4	21.7	67.3	3.5	q		6.5	24.3	63.5	5.5			
38.	A									p		77.7	7.8	9.2	5.3	p		77.3	7.1	9.9	5.6			
39.	B									p		7.6	81.6	3.5	7.2	p		11.5	72.3	6.3	9.8			
40.	C									p		4.6	12.2	79.9	3.4	p		5.2	12.7	78.5	3.7			
41.	D									q		18.6	18.7	21.4	41.2	q		17.1	20.3	20.7	41.5			
42.	B									p		6.9	89.1	2.5	1.6	p		9.3	84.1	3.7	2.8			
43.	B									q		24.7	42.6	14.1	17.7	q		23.3	42.0	16.9	17.3			
44.	C									q		7.1	9.5	75.6	7.6	q		7.1	10.7	72.8	9.2			
45.	B									q		29.7	48.8	15.7	5.7	q		30.2	47.9	15.5	6.2			
46.	B									p		17.0	68.0	6.7	8.3	p		16.9	64.4	9.2	9.2			
47.	B									q		5.1	55.1	35.7	3.7	q		7.1	47.6	39.5	5.3			
48.	B									p		3.4	84.8	6.7	4.8	p		3.8	85.0	6.8	4.2			
49.	C									p		6.0	9.4	68.0	16.3	p		6.3	10.3	62.6	20.3			
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---			

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

District 2 - Western

(percentage of students who selected each response)

#052 - Harriot Curtis Collegiate, St. Anthony

Grades: 8-12

Item	Key	School [N=22]				School Below Above District		District [N=566]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	54.6	27.3	0.0	18.2		P	39.6	38.2	10.1	12.2		P	37.7	39.4	10.0	12.9
2.	A	50.0	13.6	9.1	27.3		P	23.5	20.9	8.1	47.2		P	19.5	23.4	7.8	49.0
3.	C	4.6	4.6	81.8	9.1		P	5.0	3.2	74.7	17.1		P	3.9	2.8	77.9	15.5
4.	C	4.6	27.3	45.5	22.7		Q	4.6	17.1	60.3	18.0		Q	5.2	16.6	61.0	16.8
5.	D	0.0	0.0	27.3	72.7		P	12.2	14.0	21.6	52.3		P	11.7	18.5	21.1	48.6
6.	B	4.6	95.5	0.0	0.0		P	2.8	90.1	4.4	2.7		P	2.1	90.5	5.2	2.2
7.	D	9.1	13.6	0.0	77.3		P	5.0	11.1	6.5	77.2		P	7.2	13.2	8.5	70.8
8.	B	0.0	95.5	4.6	0.0		P	5.3	89.4	2.7	2.7		P	4.5	86.6	2.8	6.2
9.	C	4.6	27.3	54.6	13.6		Q	4.1	27.7	59.0	9.0		Q	4.5	25.9	60.3	9.1
10.	D	22.7	4.6	13.6	59.1		P	12.0	18.0	16.4	53.5		P	14.6	18.2	20.2	46.9
11.	D	9.1	18.2	13.6	59.1		P	10.3	40.8	6.4	42.6		P	10.2	45.8	6.6	37.4
12.	B	4.6	81.8	9.1	4.6		P	6.0	77.0	10.8	6.0		P	9.0	70.5	14.3	6.1
*13.	B,D	27.3	27.3	13.6	31.8		Q	18.7	33.9	13.8	32.7		Q	18.9	29.9	16.4	34.2
14.	C	13.6	31.8	45.5	9.1		P	20.0	17.7	41.9	20.3		P	23.7	16.1	39.0	20.9
15.	D	18.2	0.0	36.4	45.5		Q	12.0	10.3	16.6	60.8		Q	12.2	12.2	19.7	55.8
16.	D	27.3	4.6	9.1	59.1		Q	16.8	5.0	13.8	64.5		P	21.7	8.2	11.4	58.6
17.	D	4.6	0.0	22.7	72.7		Q	2.3	1.6	13.3	82.7		Q	3.1	1.8	14.1	80.8
18.	D	0.0	13.6	13.6	72.7		P	7.8	28.8	6.5	56.9		P	7.0	35.6	7.6	49.7
19.	A	45.5	40.9	0.0	13.6		Q	56.0	38.7	2.7	2.7		Q	54.2	38.1	4.6	3.1
20.	D	27.3	4.6	13.6	54.6		Q	14.0	1.9	19.3	64.8		Q	12.7	2.6	23.9	60.8
21.	B	9.1	86.4	0.0	4.6		P	10.1	63.1	9.4	17.5		P	9.2	62.3	9.6	18.9
22.	A	54.6	40.9	4.6	0.0		P	54.2	41.3	3.4	1.1		P	48.5	45.4	4.3	1.6
23.	A	22.7	50.0	18.2	9.1		Q	32.9	48.4	9.5	9.2		Q	31.3	47.2	12.0	9.5
24.	D	4.6	27.3	9.1	59.1		P	2.7	36.0	8.3	52.7		P	3.1	38.1	10.4	48.3
25.	A	50.0	22.7	27.3	0.0		Q	55.8	5.8	31.5	6.9		P	50.0	5.0	35.6	9.4
26.	D	9.1	13.6	18.2	59.1		P	18.7	21.9	14.8	44.5		P	20.2	22.1	18.3	39.3
27.	D	18.2	18.2	18.2	45.5		Q	13.4	25.1	10.4	51.1		Q	11.7	26.3	12.8	49.0
28.	B	22.7	40.9	22.7	13.6		Q	10.8	59.2	21.4	8.5		Q	11.5	56.2	23.1	9.0
29.	C	4.6	0.0	90.9	4.6		P	7.8	11.0	70.0	11.3		P	8.1	12.5	69.8	9.5
30.	B	4.6	86.4	9.1	0.0		Q	2.3	86.4	10.1	1.2		P	4.3	85.0	9.4	1.2
31.	D	27.3	9.1	13.6	50.0		Q	17.5	11.5	16.4	54.6		Q	18.1	13.0	15.9	52.6
32.	D	9.1	9.1	0.0	81.8		P	5.1	8.5	12.0	74.0		P	6.0	8.3	11.2	74.4
33.	C	4.6	9.1	68.2	18.2		P	11.0	18.9	53.9	15.2		P	12.8	19.5	50.6	16.4
34.	C	9.1	0.0	86.4	4.6		Q	4.6	0.7	88.7	6.0		Q	4.9	1.6	86.6	6.9
35.	C	4.6	13.6	77.3	4.6		P	6.0	12.9	66.4	14.1		P	6.6	12.0	68.3	12.8
36.	B	4.6	86.4	9.1	0.0		Q	1.9	92.6	3.7	1.8		Q	2.7	90.0	5.1	2.2
37.	C	13.6	4.6	72.7	9.1		P	7.4	21.7	67.3	3.5		P	6.5	24.3	63.5	5.5
38.	A	77.3	4.6	18.2	0.0		Q	77.7	7.8	9.2	5.3		Q	77.3	7.1	9.9	5.6
39.	B	4.6	90.9	4.6	0.0		P	7.6	81.6	3.5	7.2		P	11.5	72.3	6.3	9.8
40.	C	4.6	22.7	72.7	0.0		Q	4.6	12.2	79.9	3.4		Q	5.2	12.7	78.5	3.7
41.	D	13.6	22.7	18.2	45.5		P	18.6	18.7	21.4	41.2		P	17.1	20.3	20.7	41.5
42.	B	4.6	86.4	4.6	4.6		Q	6.9	89.1	2.5	1.6		P	9.3	84.1	3.7	2.8
43.	B	9.1	59.1	18.2	13.6		P	24.7	42.6	14.1	17.7		P	23.3	42.0	16.9	17.3
44.	C	4.6	9.1	81.8	4.6		P	7.1	9.5	75.6	7.6		P	7.1	10.7	72.8	9.2
45.	B	13.6	72.7	4.6	9.1		P	29.7	48.8	15.7	5.7		P	30.2	47.9	15.5	6.2
46.	B	9.1	68.2	4.6	18.2		P	17.0	68.0	6.7	8.3		P	16.9	64.4	9.2	9.2
47.	B	13.6	45.5	40.9	0.0		Q	5.1	55.1	35.7	3.7		Q	7.1	47.6	39.5	5.3
48.	B	0.0	100.0	0.0	0.0		P	3.4	84.8	6.7	4.8		P	3.8	85.0	6.8	4.2
49.	C	0.0	0.0	77.3	22.7		P	6.0	9.4	68.0	16.3		P	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

District 2 - Western

(percentage of students who selected each response)

#054 - St. Lewis Academy, St. Lewis

Grades: K-1,3-12

Item	Key	School [N=4]				District [N=566]				School Below Above Province [N=3,011]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	A						P	39.6	38.2	10.1	12.2		P	37.7	39.4	10.0	12.9
2.	A	School data with 5 or fewer students withheld for reasons of confidentiality.					q	23.5	20.9	8.1	47.2		q	19.5	23.4	7.8	49.0
3.	C						P	5.0	3.2	74.7	17.1		q	3.9	2.8	77.9	15.5
4.	C						q	4.6	17.1	60.3	18.0		q	5.2	16.6	61.0	16.8
5.	D						q	12.2	14.0	21.6	52.3		q	11.7	18.5	21.1	48.6
6.	B						P	2.8	90.1	4.4	2.7		P	2.1	90.5	5.2	2.2
7.	D						q	5.0	11.1	6.5	77.2		q	7.2	13.2	8.5	70.8
8.	B						P	5.3	89.4	2.7	2.7		P	4.5	86.6	2.8	6.2
9.	C						P	4.1	27.7	59.0	9.0		P	4.5	25.9	60.3	9.1
10.	D						q	12.0	18.0	16.4	53.5		q	14.6	18.2	20.2	46.9
11.	D						P	10.3	40.8	6.4	42.6		P	10.2	45.8	6.6	37.4
12.	B						q	6.0	77.0	10.8	6.0		q	9.0	70.5	14.3	6.1
*13.	B,D						P	18.7	33.9	13.8	32.7		P	18.9	29.9	16.4	34.2
14.	C						P	20.0	17.7	41.9	20.3		P	23.7	16.1	39.0	20.9
15.	D						P	12.0	10.3	16.6	60.8		P	12.2	12.2	19.7	55.8
16.	D						q	16.8	5.0	13.8	64.5		q	21.7	8.2	11.4	58.6
17.	D						q	2.3	1.6	13.3	82.7		q	3.1	1.8	14.1	80.8
18.	D						P	7.8	28.8	6.5	56.9		P	7.0	35.6	7.6	49.7
19.	A						q	56.0	38.7	2.7	2.7		q	54.2	38.1	4.6	3.1
20.	D						q	14.0	1.9	19.3	64.8		q	12.7	2.6	23.9	60.8
21.	B						q	10.1	63.1	9.4	17.5		q	9.2	62.3	9.6	18.9
22.	A						q	54.2	41.3	3.4	1.1		q	48.5	45.4	4.3	1.6
23.	A						q	32.9	48.4	9.5	9.2		q	31.3	47.2	12.0	9.5
24.	D						q	2.7	36.0	8.3	52.7		q	3.1	38.1	10.4	48.3
25.	A						q	55.8	5.8	31.5	6.9		q	50.0	5.0	35.6	9.4
26.	D						P	18.7	21.9	14.8	44.5		P	20.2	22.1	18.3	39.3
27.	D						q	13.4	25.1	10.4	51.1		q	11.7	26.3	12.8	49.0
28.	B						q	10.8	59.2	21.4	8.5		q	11.5	56.2	23.1	9.0
29.	C						q	7.8	11.0	70.0	11.3		q	8.1	12.5	69.8	9.5
30.	B						q	2.3	86.4	10.1	1.2		q	4.3	85.0	9.4	1.2
31.	D						q	17.5	11.5	16.4	54.6		q	18.1	13.0	15.9	52.6
32.	D						q	5.1	8.5	12.0	74.0		q	6.0	8.3	11.2	74.4
33.	C						q	11.0	18.9	53.9	15.2		q	12.8	19.5	50.6	16.4
34.	C						q	4.6	0.7	88.7	6.0		q	4.9	1.6	86.6	6.9
35.	C						q	6.0	12.9	66.4	14.1		q	6.6	12.0	68.3	12.8
36.	B						P	1.9	92.6	3.7	1.8		P	2.7	90.0	5.1	2.2
37.	C						q	7.4	21.7	67.3	3.5		q	6.5	24.3	63.5	5.5
38.	A						q	77.7	7.8	9.2	5.3		q	77.3	7.1	9.9	5.6
39.	B						q	7.6	81.6	3.5	7.2		q	11.5	72.3	6.3	9.8
40.	C						q	4.6	12.2	79.9	3.4		q	5.2	12.7	78.5	3.7
41.	D						q	18.6	18.7	21.4	41.2		q	17.1	20.3	20.7	41.5
42.	B						P	6.9	89.1	2.5	1.6		P	9.3	84.1	3.7	2.8
43.	B						q	24.7	42.6	14.1	17.7		q	23.3	42.0	16.9	17.3
44.	C						P	7.1	9.5	75.6	7.6		P	7.1	10.7	72.8	9.2
45.	B						P	29.7	48.8	15.7	5.7		P	30.2	47.9	15.5	6.2
46.	B						q	17.0	68.0	6.7	8.3		q	16.9	64.4	9.2	9.2
47.	B						q	5.1	55.1	35.7	3.7		q	7.1	47.6	39.5	5.3
48.	B						P	3.4	84.8	6.7	4.8		P	3.8	85.0	6.8	4.2
49.	C						P	6.0	9.4	68.0	16.3		P	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 2 - Western

(percentage of students who selected each response)

#055 - Our Lady of Labrador, West St. Modeste

Grades: K-4,5-12

Item	Key	School [N=3]				District [N=566]				Province [N=3,011]								
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D	
1.	A					q		39.6	38.2	10.1	12.2	q		37.7	39.4	10.0	12.9	
2.	A	School data with 5 or fewer students withheld for reasons of confidentiality.					p	23.5	20.9	8.1	47.2		p	19.5	23.4	7.8	49.0	
3.	C						p	5.0	3.2	74.7	17.1		p	3.9	2.8	77.9	15.5	
4.	C						p	4.6	17.1	60.3	18.0		p	5.2	16.6	61.0	16.8	
5.	D						q	12.2	14.0	21.6	52.3		q	11.7	18.5	21.1	48.6	
6.	B						p	2.8	90.1	4.4	2.7		p	2.1	90.5	5.2	2.2	
7.	D						p	5.0	11.1	6.5	77.2		p	7.2	13.2	8.5	70.8	
8.	B						p	5.3	89.4	2.7	2.7		p	4.5	86.6	2.8	6.2	
9.	C						q	4.1	27.7	59.0	9.0		q	4.5	25.9	60.3	9.1	
10.	D						q	12.0	18.0	16.4	53.5		q	14.6	18.2	20.2	46.9	
11.	D						q	10.3	40.8	6.4	42.6		q	10.2	45.8	6.6	37.4	
12.	B						q	6.0	77.0	10.8	6.0		q	9.0	70.5	14.3	6.1	
*13.	B,D						q	18.7	33.9	13.8	32.7		q	18.9	29.9	16.4	34.2	
14.	C						q	20.0	17.7	41.9	20.3		q	23.7	16.1	39.0	20.9	
15.	D						p	12.0	10.3	16.6	60.8		p	12.2	12.2	19.7	55.8	
16.	D						p	16.8	5.0	13.8	64.5		p	21.7	8.2	11.4	58.6	
17.	D						p	2.3	1.6	13.3	82.7		p	3.1	1.8	14.1	80.8	
18.	D						q	7.8	28.8	6.5	56.9		q	7.0	35.6	7.6	49.7	
19.	A						p	56.0	38.7	2.7	2.7		p	54.2	38.1	4.6	3.1	
20.	D						p	14.0	1.9	19.3	64.8		p	12.7	2.6	23.9	60.8	
21.	B						p	10.1	63.1	9.4	17.5		p	9.2	62.3	9.6	18.9	
22.	A						p	54.2	41.3	3.4	1.1		p	48.5	45.4	4.3	1.6	
23.	A						q	32.9	48.4	9.5	9.2		q	31.3	47.2	12.0	9.5	
24.	D						p	2.7	36.0	8.3	52.7		p	3.1	38.1	10.4	48.3	
25.	A						p	55.8	5.8	31.5	6.9		p	50.0	5.0	35.6	9.4	
26.	D						p	18.7	21.9	14.8	44.5		p	20.2	22.1	18.3	39.3	
27.	D						q	13.4	25.1	10.4	51.1		q	11.7	26.3	12.8	49.0	
28.	B						q	10.8	59.2	21.4	8.5		q	11.5	56.2	23.1	9.0	
29.	C						p	7.8	11.0	70.0	11.3		p	8.1	12.5	69.8	9.5	
30.	B						p	2.3	86.4	10.1	1.2		p	4.3	85.0	9.4	1.2	
31.	D						p	17.5	11.5	16.4	54.6		p	18.1	13.0	15.9	52.6	
32.	D						q	5.1	8.5	12.0	74.0		q	6.0	8.3	11.2	74.4	
33.	C						p	11.0	18.9	53.9	15.2		p	12.8	19.5	50.6	16.4	
34.	C						p	4.6	0.7	88.7	6.0		p	4.9	1.6	86.6	6.9	
35.	C						p	6.0	12.9	66.4	14.1		p	6.6	12.0	68.3	12.8	
36.	B						p	1.9	92.6	3.7	1.8		p	2.7	90.0	5.1	2.2	
37.	C						q	7.4	21.7	67.3	3.5		p	6.5	24.3	63.5	5.5	
38.	A						p	77.7	7.8	9.2	5.3		p	77.3	7.1	9.9	5.6	
39.	B						p	7.6	81.6	3.5	7.2		p	11.5	72.3	6.3	9.8	
40.	C						p	4.6	12.2	79.9	3.4		p	5.2	12.7	78.5	3.7	
41.	D						p	18.6	18.7	21.4	41.2		p	17.1	20.3	20.7	41.5	
42.	B						p	6.9	89.1	2.5	1.6		p	9.3	84.1	3.7	2.8	
43.	B						p	24.7	42.6	14.1	17.7		p	23.3	42.0	16.9	17.3	
44.	C						q	7.1	9.5	75.6	7.6		q	7.1	10.7	72.8	9.2	
45.	B						p	29.7	48.8	15.7	5.7		p	30.2	47.9	15.5	6.2	
46.	B						q	17.0	68.0	6.7	8.3		p	16.9	64.4	9.2	9.2	
47.	B						q	5.1	55.1	35.7	3.7		q	7.1	47.6	39.5	5.3	
48.	B						q	3.4	84.8	6.7	4.8		q	3.8	85.0	6.8	4.2	
49.	C						q	6.0	9.4	68.0	16.3		q	6.3	10.3	62.6	20.3	
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

#063 - Herdman Collegiate, Corner Brook

Grades: 10-12

Item	Key	School [N=54]				School Below Above District		District [N=566]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	35.2	44.4	1.9	18.5		q	39.6	38.2	10.1	12.2		q	37.7	39.4	10.0	12.9
2.	A	14.8	20.4	1.9	63.0		q	23.5	20.9	8.1	47.2		q	19.5	23.4	7.8	49.0
3.	C	1.9	1.9	83.3	13.0		p	5.0	3.2	74.7	17.1		p	3.9	2.8	77.9	15.5
4.	C	11.1	16.7	50.0	22.2		q	4.6	17.1	60.3	18.0		q	5.2	16.6	61.0	16.8
5.	D	20.4	24.1	14.8	40.7		q	12.2	14.0	21.6	52.3		q	11.7	18.5	21.1	48.6
6.	B	1.9	88.9	3.7	5.6		q	2.8	90.1	4.4	2.7		q	2.1	90.5	5.2	2.2
7.	D	5.6	16.7	11.1	66.7		q	5.0	11.1	6.5	77.2		q	7.2	13.2	8.5	70.8
8.	B	3.7	94.4	0.0	1.9		p	5.3	89.4	2.7	2.7		p	4.5	86.6	2.8	6.2
9.	C	3.7	31.5	59.3	5.6		p	4.1	27.7	59.0	9.0		q	4.5	25.9	60.3	9.1
10.	D	13.0	14.8	22.2	50.0		q	12.0	18.0	16.4	53.5		p	14.6	18.2	20.2	46.9
11.	D	3.7	61.1	1.9	33.3		q	10.3	40.8	6.4	42.6		q	10.2	45.8	6.6	37.4
12.	B	1.9	88.9	7.4	1.9		p	6.0	77.0	10.8	6.0		p	9.0	70.5	14.3	6.1
*13.	B,D	11.1	29.6	18.5	40.7		p	18.7	33.9	13.8	32.7		p	18.9	29.9	16.4	34.2
14.	C	18.5	11.1	48.2	22.2		p	20.0	17.7	41.9	20.3		p	23.7	16.1	39.0	20.9
15.	D	9.3	9.3	14.8	64.8		p	12.0	10.3	16.6	60.8		p	12.2	12.2	19.7	55.8
16.	D	14.8	1.9	18.5	64.8		p	16.8	5.0	13.8	64.5		p	21.7	8.2	11.4	58.6
17.	D	3.7	0.0	14.8	81.5		q	2.3	1.6	13.3	82.7		p	3.1	1.8	14.1	80.8
18.	D	5.6	16.7	13.0	64.8		p	7.8	28.8	6.5	56.9		p	7.0	35.6	7.6	49.7
19.	A	50.0	42.6	1.9	5.6		q	56.0	38.7	2.7	2.7		q	54.2	38.1	4.6	3.1
20.	D	5.6	0.0	9.3	85.2		p	14.0	1.9	19.3	64.8		p	12.7	2.6	23.9	60.8
21.	B	13.0	59.3	13.0	14.8		q	10.1	63.1	9.4	17.5		q	9.2	62.3	9.6	18.9
22.	A	48.2	46.3	3.7	1.9		q	54.2	41.3	3.4	1.1		q	48.5	45.4	4.3	1.6
23.	A	29.6	55.6	3.7	11.1		q	32.9	48.4	9.5	9.2		q	31.3	47.2	12.0	9.5
24.	D	1.9	40.7	11.1	46.3		q	2.7	36.0	8.3	52.7		q	3.1	38.1	10.4	48.3
25.	A	50.0	0.0	35.2	14.8		q	55.8	5.8	31.5	6.9		p	50.0	5.0	35.6	9.4
26.	D	22.2	29.6	11.1	37.0		q	18.7	21.9	14.8	44.5		q	20.2	22.1	18.3	39.3
27.	D	9.3	18.5	13.0	59.3		p	13.4	25.1	10.4	51.1		p	11.7	26.3	12.8	49.0
28.	B	18.5	57.4	13.0	11.1		q	10.8	59.2	21.4	8.5		p	11.5	56.2	23.1	9.0
29.	C	9.3	13.0	55.6	22.2		q	7.8	11.0	70.0	11.3		q	8.1	12.5	69.8	9.5
30.	B	5.6	87.0	5.6	1.9		p	2.3	86.4	10.1	1.2		p	4.3	85.0	9.4	1.2
31.	D	18.5	18.5	24.1	38.9		q	17.5	11.5	16.4	54.6		q	18.1	13.0	15.9	52.6
32.	D	9.3	14.8	9.3	63.0		q	5.1	8.5	12.0	74.0		q	6.0	8.3	11.2	74.4
33.	C	5.6	24.1	53.7	14.8		q	11.0	18.9	53.9	15.2		p	12.8	19.5	50.6	16.4
34.	C	5.6	0.0	92.6	1.9		p	4.6	0.7	88.7	6.0		p	4.9	1.6	86.6	6.9
35.	C	7.4	5.6	74.1	13.0		p	6.0	12.9	66.4	14.1		p	6.6	12.0	68.3	12.8
36.	B	0.0	94.4	1.9	3.7		p	1.9	92.6	3.7	1.8		p	2.7	90.0	5.1	2.2
37.	C	1.9	13.0	79.6	5.6		p	7.4	21.7	67.3	3.5		p	6.5	24.3	63.5	5.5
38.	A	88.9	7.4	3.7	0.0		p	77.7	7.8	9.2	5.3		p	77.3	7.1	9.9	5.6
39.	B	9.3	83.3	0.0	7.4		p	7.6	81.6	3.5	7.2		p	11.5	72.3	6.3	9.8
40.	C	1.9	22.2	70.4	5.6		q	4.6	12.2	79.9	3.4		q	5.2	12.7	78.5	3.7
41.	D	14.8	16.7	29.6	38.9		q	18.6	18.7	21.4	41.2		q	17.1	20.3	20.7	41.5
42.	B	7.4	92.6	0.0	0.0		p	6.9	89.1	2.5	1.6		p	9.3	84.1	3.7	2.8
43.	B	33.3	25.9	16.7	22.2		q	24.7	42.6	14.1	17.7		q	23.3	42.0	16.9	17.3
44.	C	9.3	11.1	72.2	7.4		q	7.1	9.5	75.6	7.6		q	7.1	10.7	72.8	9.2
45.	B	29.6	51.9	13.0	5.6		p	29.7	48.8	15.7	5.7		p	30.2	47.9	15.5	6.2
46.	B	18.5	66.7	1.9	13.0		q	17.0	68.0	6.7	8.3		p	16.9	64.4	9.2	9.2
47.	B	3.7	59.3	29.6	7.4		p	5.1	55.1	35.7	3.7		p	7.1	47.6	39.5	5.3
48.	B	1.9	88.9	7.4	1.9		p	3.4	84.8	6.7	4.8		p	3.8	85.0	6.8	4.2
49.	C	5.6	9.3	68.5	16.7		p	6.0	9.4	68.0	16.3		p	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

District 2 - Western

(percentage of students who selected each response)

#068 - Regina High School, Corner Brook

Grades: 10-12

Item	Key	School [N=73]				School Below Above District		District [N=566]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	37.0	38.4	20.6	4.1	q		39.6	38.2	10.1	12.2	q		37.7	39.4	10.0	12.9
2.	A	31.5	13.7	5.5	49.3		p	23.5	20.9	8.1	47.2		p	19.5	23.4	7.8	49.0
3.	C	1.4	2.7	64.4	31.5	q		5.0	3.2	74.7	17.1	q		3.9	2.8	77.9	15.5
4.	C	2.7	19.2	58.9	19.2	q		4.6	17.1	60.3	18.0	q		5.2	16.6	61.0	16.8
5.	D	9.6	15.1	26.0	49.3	q		12.2	14.0	21.6	52.3		p	11.7	18.5	21.1	48.6
6.	B	1.4	93.2	2.7	2.7		p	2.8	90.1	4.4	2.7		p	2.1	90.5	5.2	2.2
7.	D	11.0	8.2	1.4	79.5		p	5.0	11.1	6.5	77.2		p	7.2	13.2	8.5	70.8
8.	B	8.2	86.3	1.4	4.1	q		5.3	89.4	2.7	2.7	q		4.5	86.6	2.8	6.2
9.	C	1.4	21.9	65.8	11.0		p	4.1	27.7	59.0	9.0		p	4.5	25.9	60.3	9.1
10.	D	12.3	20.6	20.6	46.6	q		12.0	18.0	16.4	53.5	q		14.6	18.2	20.2	46.9
11.	D	12.3	38.4	9.6	39.7	q		10.3	40.8	6.4	42.6		p	10.2	45.8	6.6	37.4
12.	B	6.9	74.0	13.7	5.5	q		6.0	77.0	10.8	6.0		p	9.0	70.5	14.3	6.1
*13.	B,D	20.6	37.0	11.0	28.8	q		18.7	33.9	13.8	32.7		p	18.9	29.9	16.4	34.2
14.	C	28.8	15.1	37.0	19.2	q		20.0	17.7	41.9	20.3	q		23.7	16.1	39.0	20.9
15.	D	2.7	19.2	15.1	63.0		p	12.0	10.3	16.6	60.8		p	12.2	12.2	19.7	55.8
16.	D	23.3	4.1	13.7	58.9	q		16.8	5.0	13.8	64.5		p	21.7	8.2	11.4	58.6
17.	D	4.1	1.4	15.1	79.5	q		2.3	1.6	13.3	82.7	q		3.1	1.8	14.1	80.8
18.	D	8.2	20.6	2.7	68.5		p	7.8	28.8	6.5	56.9		p	7.0	35.6	7.6	49.7
19.	A	42.5	50.7	5.5	1.4	q		56.0	38.7	2.7	2.7	q		54.2	38.1	4.6	3.1
20.	D	11.0	1.4	13.7	74.0		p	14.0	1.9	19.3	64.8		p	12.7	2.6	23.9	60.8
21.	B	6.9	68.5	5.5	19.2		p	10.1	63.1	9.4	17.5		p	9.2	62.3	9.6	18.9
22.	A	61.6	37.0	0.0	1.4		p	54.2	41.3	3.4	1.1		p	48.5	45.4	4.3	1.6
23.	A	38.4	46.6	9.6	5.5		p	32.9	48.4	9.5	9.2		p	31.3	47.2	12.0	9.5
24.	D	1.4	38.4	9.6	50.7	q		2.7	36.0	8.3	52.7		p	3.1	38.1	10.4	48.3
25.	A	42.5	1.4	49.3	6.9	q		55.8	5.8	31.5	6.9	q		50.0	5.0	35.6	9.4
26.	D	23.3	16.4	17.8	42.5	q		18.7	21.9	14.8	44.5		p	20.2	22.1	18.3	39.3
27.	D	1.4	26.0	8.2	64.4		p	13.4	25.1	10.4	51.1		p	11.7	26.3	12.8	49.0
28.	B	6.9	64.4	23.3	5.5		p	10.8	59.2	21.4	8.5		p	11.5	56.2	23.1	9.0
29.	C	2.7	16.4	72.6	8.2		p	7.8	11.0	70.0	11.3		p	8.1	12.5	69.8	9.5
30.	B	8.2	82.2	9.6	0.0	q		2.3	86.4	10.1	1.2	q		4.3	85.0	9.4	1.2
31.	D	19.2	12.3	12.3	56.2		p	17.5	11.5	16.4	54.6		p	18.1	13.0	15.9	52.6
32.	D	5.5	6.9	13.7	74.0	q		5.1	8.5	12.0	74.0	q		6.0	8.3	11.2	74.4
33.	C	11.0	26.0	50.7	12.3	q		11.0	18.9	53.9	15.2		p	12.8	19.5	50.6	16.4
34.	C	1.4	1.4	89.0	8.2		p	4.6	0.7	88.7	6.0		p	4.9	1.6	86.6	6.9
35.	C	9.6	9.6	58.9	20.6	q		6.0	12.9	66.4	14.1	q		6.6	12.0	68.3	12.8
36.	B	1.4	94.5	4.1	0.0		p	1.9	92.6	3.7	1.8		p	2.7	90.0	5.1	2.2
37.	C	8.2	32.9	58.9	0.0	q		7.4	21.7	67.3	3.5	q		6.5	24.3	63.5	5.5
38.	A	69.9	9.6	12.3	8.2	q		77.7	7.8	9.2	5.3	q		77.3	7.1	9.9	5.6
39.	B	6.9	76.7	4.1	12.3	q		7.6	81.6	3.5	7.2		p	11.5	72.3	6.3	9.8
40.	C	2.7	15.1	74.0	8.2	q		4.6	12.2	79.9	3.4	q		5.2	12.7	78.5	3.7
41.	D	26.0	17.8	24.7	31.5	q		18.6	18.7	21.4	41.2	q		17.1	20.3	20.7	41.5
42.	B	6.9	90.4	1.4	1.4		p	6.9	89.1	2.5	1.6		p	9.3	84.1	3.7	2.8
43.	B	16.4	52.1	17.8	12.3		p	24.7	42.6	14.1	17.7		p	23.3	42.0	16.9	17.3
44.	C	17.8	5.5	64.4	12.3	q		7.1	9.5	75.6	7.6	q		7.1	10.7	72.8	9.2
45.	B	32.9	35.6	26.0	4.1	q		29.7	48.8	15.7	5.7	q		30.2	47.9	15.5	6.2
46.	B	17.8	65.8	8.2	8.2	q		17.0	68.0	6.7	8.3		p	16.9	64.4	9.2	9.2
47.	B	2.7	54.8	37.0	4.1	q		5.1	55.1	35.7	3.7		p	7.1	47.6	39.5	5.3
48.	B	5.5	87.7	5.5	0.0		p	3.4	84.8	6.7	4.8		p	3.8	85.0	6.8	4.2
49.	C	5.5	11.0	65.8	15.1	q		6.0	9.4	68.0	16.3		p	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT



District 2 - Western

(percentage of students who selected each response)

#072 - Holy Cross All Grade School, Daniel's Harbour

Grades: K-2,4-12

Item	Key	School [N=11]				School Below Above District		District [N=566]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	18.2	54.6	27.3	0.0		q	39.6	38.2	10.1	12.2		q	37.7	39.4	10.0	12.9
2.	A	36.4	36.4	9.1	18.2		p	23.5	20.9	8.1	47.2		p	19.5	23.4	7.8	49.0
3.	C	9.1	9.1	81.8	0.0		p	5.0	3.2	74.7	17.1		p	3.9	2.8	77.9	15.5
4.	C	0.0	9.1	63.6	27.3		p	4.6	17.1	60.3	18.0		p	5.2	16.6	61.0	16.8
5.	D	9.1	9.1	18.2	63.6		p	12.2	14.0	21.6	52.3		p	11.7	18.5	21.1	48.6
6.	B	0.0	90.9	9.1	0.0		p	2.8	90.1	4.4	2.7		p	2.1	90.5	5.2	2.2
7.	D	0.0	36.4	0.0	63.6		q	5.0	11.1	6.5	77.2		q	7.2	13.2	8.5	70.8
8.	B	0.0	81.8	18.2	0.0		q	5.3	89.4	2.7	2.7		q	4.5	86.6	2.8	6.2
9.	C	9.1	18.2	45.5	27.3		q	4.1	27.7	59.0	9.0		q	4.5	25.9	60.3	9.1
10.	D	18.2	18.2	9.1	54.6		p	12.0	18.0	16.4	53.5		p	14.6	18.2	20.2	46.9
11.	D	9.1	72.7	0.0	18.2		q	10.3	40.8	6.4	42.6		q	10.2	45.8	6.6	37.4
12.	B	9.1	81.8	9.1	0.0		p	6.0	77.0	10.8	6.0		p	9.0	70.5	14.3	6.1
*13.	B,D	0.0	36.4	0.0	63.6		p	18.7	33.9	13.8	32.7		p	18.9	29.9	16.4	34.2
14.	C	9.1	45.5	36.4	9.1		q	20.0	17.7	41.9	20.3		q	23.7	16.1	39.0	20.9
15.	D	18.2	27.3	18.2	36.4		q	12.0	10.3	16.6	60.8		q	12.2	12.2	19.7	55.8
16.	D	27.3	0.0	9.1	63.6		q	16.8	5.0	13.8	64.5		p	21.7	8.2	11.4	58.6
17.	D	0.0	0.0	18.2	81.8		q	2.3	1.6	13.3	82.7		p	3.1	1.8	14.1	80.8
18.	D	0.0	18.2	0.0	81.8		p	7.8	28.8	6.5	56.9		p	7.0	35.6	7.6	49.7
19.	A	54.6	36.4	9.1	0.0		q	56.0	38.7	2.7	2.7		p	54.2	38.1	4.6	3.1
20.	D	18.2	0.0	36.4	45.5		q	14.0	1.9	19.3	64.8		q	12.7	2.6	23.9	60.8
21.	B	0.0	63.6	18.2	18.2		p	10.1	63.1	9.4	17.5		p	9.2	62.3	9.6	18.9
22.	A	72.7	18.2	9.1	0.0		p	54.2	41.3	3.4	1.1		p	48.5	45.4	4.3	1.6
23.	A	18.2	72.7	0.0	9.1		q	32.9	48.4	9.5	9.2		q	31.3	47.2	12.0	9.5
24.	D	0.0	36.4	9.1	54.6		p	2.7	36.0	8.3	52.7		p	3.1	38.1	10.4	48.3
25.	A	72.7	9.1	18.2	0.0		p	55.8	5.8	31.5	6.9		p	50.0	5.0	35.6	9.4
26.	D	9.1	27.3	18.2	45.5		p	18.7	21.9	14.8	44.5		p	20.2	22.1	18.3	39.3
27.	D	27.3	27.3	0.0	45.5		q	13.4	25.1	10.4	51.1		q	11.7	26.3	12.8	49.0
28.	B	9.1	63.6	27.3	0.0		p	10.8	59.2	21.4	8.5		p	11.5	56.2	23.1	9.0
29.	C	0.0	9.1	72.7	18.2		p	7.8	11.0	70.0	11.3		p	8.1	12.5	69.8	9.5
30.	B	0.0	90.9	9.1	0.0		p	2.3	86.4	10.1	1.2		p	4.3	85.0	9.4	1.2
31.	D	36.4	0.0	9.1	54.6		q	17.5	11.5	16.4	54.6		p	18.1	13.0	15.9	52.6
32.	D	0.0	9.1	45.5	45.5		q	5.1	8.5	12.0	74.0		q	6.0	8.3	11.2	74.4
33.	C	18.2	9.1	63.6	9.1		p	11.0	18.9	53.9	15.2		p	12.8	19.5	50.6	16.4
34.	C	9.1	0.0	72.7	18.2		q	4.6	0.7	88.7	6.0		q	4.9	1.6	86.6	6.9
35.	C	0.0	18.2	81.8	0.0		p	6.0	12.9	66.4	14.1		p	6.6	12.0	68.3	12.8
36.	B	9.1	90.9	0.0	0.0		q	1.9	92.6	3.7	1.8		p	2.7	90.0	5.1	2.2
37.	C	0.0	36.4	45.5	18.2		q	7.4	21.7	67.3	3.5		q	6.5	24.3	63.5	5.5
38.	A	63.6	27.3	9.1	0.0		q	77.7	7.8	9.2	5.3		q	77.3	7.1	9.9	5.6
39.	B	0.0	90.9	0.0	9.1		p	7.6	81.6	3.5	7.2		p	11.5	72.3	6.3	9.8
40.	C	0.0	18.2	81.8	0.0		p	4.6	12.2	79.9	3.4		p	5.2	12.7	78.5	3.7
41.	D	9.1	36.4	9.1	45.5		p	18.6	18.7	21.4	41.2		p	17.1	20.3	20.7	41.5
42.	B	9.1	90.9	0.0	0.0		p	6.9	89.1	2.5	1.6		p	9.3	84.1	3.7	2.8
43.	B	18.2	63.6	0.0	18.2		p	24.7	42.6	14.1	17.7		p	23.3	42.0	16.9	17.3
44.	C	0.0	0.0	100.0	0.0		p	7.1	9.5	75.6	7.6		p	7.1	10.7	72.8	9.2
45.	B	9.1	36.4	36.4	18.2		q	29.7	48.8	15.7	5.7		q	30.2	47.9	15.5	6.2
46.	B	36.4	54.6	0.0	9.1		q	17.0	68.0	6.7	8.3		q	16.9	64.4	9.2	9.2
47.	B	0.0	100.0	0.0	0.0		p	5.1	55.1	35.7	3.7		p	7.1	47.6	39.5	5.3
48.	B	0.0	90.9	0.0	9.1		p	3.4	84.8	6.7	4.8		p	3.8	85.0	6.8	4.2
49.	C	9.1	9.1	72.7	9.1		p	6.0	9.4	68.0	16.3		p	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 2 - Western

(percentage of students who selected each response)

#075 - Hampden Academy, Hampden

Grades: K-12

Item	Key	School [N=1]				District [N=566]				School Below Above District Province [N=3,011]				
		A	B	C	D	A	B	C	D	A	B	C	D	
1.	A													
2.	A	School data with 5 or fewer students withheld for reasons of confidentiality.												
3.	C													
4.	C													
5.	D													
6.	B													
7.	D													
8.	B													
9.	C													
10.	D													
11.	D													
12.	B													
*13.	B,D													
14.	C													
15.	D													
16.	D													
17.	D													
18.	D													
19.	A													
20.	D													
21.	B													
22.	A													
23.	A													
24.	D													
25.	A													
26.	D													
27.	D													
28.	B													
29.	C													
30.	B													
31.	D													
32.	D													
33.	C													
34.	C													
35.	C													
36.	B													
37.	C													
38.	A													
39.	B													
40.	C													
41.	D													
42.	B													
43.	B													
44.	C													
45.	B													
46.	B													
47.	B													
48.	B													
49.	C													
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 2 - Western

(percentage of students who selected each response)

#079 - St. James All Grade, Lark Harbour

Grades: K-12

Item	Key	School [N=5]				District [N=566]				School Below Above Province [N=3,011]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	A					P		39.6	38.2	10.1	12.2	P		37.7	39.4	10.0	12.9
2.	A	School data with 5 or fewer students withheld for reasons of confidentiality.				P		23.5	20.9	8.1	47.2	P		19.5	23.4	7.8	49.0
3.	C					P		5.0	3.2	74.7	17.1	P		3.9	2.8	77.9	15.5
4.	C					Q		4.6	17.1	60.3	18.0	Q		5.2	16.6	61.0	16.8
5.	D					Q		12.2	14.0	21.6	52.3	Q		11.7	18.5	21.1	48.6
6.	B					P		2.8	90.1	4.4	2.7	P		2.1	90.5	5.2	2.2
7.	D					Q		5.0	11.1	6.5	77.2	Q		7.2	13.2	8.5	70.8
8.	B					P		5.3	89.4	2.7	2.7	P		4.5	86.6	2.8	6.2
9.	C					P		4.1	27.7	59.0	9.0	P		4.5	25.9	60.3	9.1
10.	D					Q		12.0	18.0	16.4	53.5	Q		14.6	18.2	20.2	46.9
11.	D					P		10.3	40.8	6.4	42.6	P		10.2	45.8	6.6	37.4
12.	B					P		6.0	77.0	10.8	6.0	P		9.0	70.5	14.3	6.1
*13.	B,D					Q		18.7	33.9	13.8	32.7	Q		18.9	29.9	16.4	34.2
14.	C					Q		20.0	17.7	41.9	20.3	P		23.7	16.1	39.0	20.9
15.	D					P		12.0	10.3	16.6	60.8	P		12.2	12.2	19.7	55.8
16.	D					P		16.8	5.0	13.8	64.5	P		21.7	8.2	11.4	58.6
17.	D					P		2.3	1.6	13.3	82.7	P		3.1	1.8	14.1	80.8
18.	D					P		7.8	28.8	6.5	56.9	P		7.0	35.6	7.6	49.7
19.	A					P		56.0	38.7	2.7	2.7	P		54.2	38.1	4.6	3.1
20.	D					Q		14.0	1.9	19.3	64.8	Q		12.7	2.6	23.9	60.8
21.	B					P		10.1	63.1	9.4	17.5	P		9.2	62.3	9.6	18.9
22.	A					P		54.2	41.3	3.4	1.1	P		48.5	45.4	4.3	1.6
23.	A					Q		32.9	48.4	9.5	9.2	Q		31.3	47.2	12.0	9.5
24.	D					P		2.7	36.0	8.3	52.7	P		3.1	38.1	10.4	48.3
25.	A					P		55.8	5.8	31.5	6.9	P		50.0	5.0	35.6	9.4
26.	D					Q		18.7	21.9	14.8	44.5	P		20.2	22.1	18.3	39.3
27.	D					Q		13.4	25.1	10.4	51.1	Q		11.7	26.3	12.8	49.0
28.	B					P		10.8	59.2	21.4	8.5	P		11.5	56.2	23.1	9.0
29.	C					P		7.8	11.0	70.0	11.3	P		8.1	12.5	69.8	9.5
30.	B					P		2.3	86.4	10.1	1.2	P		4.3	85.0	9.4	1.2
31.	D					P		17.5	11.5	16.4	54.6	P		18.1	13.0	15.9	52.6
32.	D					P		5.1	8.5	12.0	74.0	P		6.0	8.3	11.2	74.4
33.	C					P		11.0	18.9	53.9	15.2	P		12.8	19.5	50.6	16.4
34.	C					P		4.6	0.7	88.7	6.0	P		4.9	1.6	86.6	6.9
35.	C					P		6.0	12.9	66.4	14.1	P		6.6	12.0	68.3	12.8
36.	B					P		1.9	92.6	3.7	1.8	P		2.7	90.0	5.1	2.2
37.	C					P		7.4	21.7	67.3	3.5	P		6.5	24.3	63.5	5.5
38.	A					P		77.7	7.8	9.2	5.3	P		77.3	7.1	9.9	5.6
39.	B					P		7.6	81.6	3.5	7.2	P		11.5	72.3	6.3	9.8
40.	C					P		4.6	12.2	79.9	3.4	P		5.2	12.7	78.5	3.7
41.	D					P		18.6	18.7	21.4	41.2	P		17.1	20.3	20.7	41.5
42.	B					P		6.9	89.1	2.5	1.6	P		9.3	84.1	3.7	2.8
43.	B					P		24.7	42.6	14.1	17.7	P		23.3	42.0	16.9	17.3
44.	C					P		7.1	9.5	75.6	7.6	P		7.1	10.7	72.8	9.2
45.	B					P		29.7	48.8	15.7	5.7	P		30.2	47.9	15.5	6.2
46.	B					P		17.0	68.0	6.7	8.3	P		16.9	64.4	9.2	9.2
47.	B					P		5.1	55.1	35.7	3.7	P		7.1	47.6	39.5	5.3
48.	B					Q		3.4	84.8	6.7	4.8	Q		3.8	85.0	6.8	4.2
49.	C					Q		6.0	9.4	68.0	16.3	Q		6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 2 - Western

(percentage of students who selected each response)

#080 - Templeton Academy, Meadows

Grades: K-12

Item	Key	School [N=19]				School Below Above District		District [N=566]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	26.3	52.6	0.0	21.1	q		39.6	38.2	10.1	12.2	q		37.7	39.4	10.0	12.9
2.	A	15.8	21.1	5.3	57.9	q		23.5	20.9	8.1	47.2	q		19.5	23.4	7.8	49.0
3.	C	21.1	5.3	42.1	31.6	q		5.0	3.2	74.7	17.1	q		3.9	2.8	77.9	15.5
4.	C	0.0	15.8	52.6	31.6	q		4.6	17.1	60.3	18.0	q		5.2	16.6	61.0	16.8
5.	D	21.1	15.8	5.3	57.9		p	12.2	14.0	21.6	52.3		p	11.7	18.5	21.1	48.6
6.	B	10.5	89.5	0.0	0.0	q		2.8	90.1	4.4	2.7	q		2.1	90.5	5.2	2.2
7.	D	5.3	0.0	15.8	79.0		p	5.0	11.1	6.5	77.2		p	7.2	13.2	8.5	70.8
8.	B	0.0	94.7	0.0	5.3		p	5.3	89.4	2.7	2.7		p	4.5	86.6	2.8	6.2
9.	C	5.3	26.3	68.4	0.0		p	4.1	27.7	59.0	9.0		p	4.5	25.9	60.3	9.1
10.	D	0.0	26.3	26.3	47.4	q		12.0	18.0	16.4	53.5		p	14.6	18.2	20.2	46.9
11.	D	21.1	21.1	5.3	52.6		p	10.3	40.8	6.4	42.6		p	10.2	45.8	6.6	37.4
12.	B	5.3	79.0	10.5	5.3		p	6.0	77.0	10.8	6.0		p	9.0	70.5	14.3	6.1
*13.	B,D	10.5	42.1	21.1	21.1	q		18.7	33.9	13.8	32.7	q		18.9	29.9	16.4	34.2
14.	C	21.1	36.8	21.1	21.1	q		20.0	17.7	41.9	20.3	q		23.7	16.1	39.0	20.9
15.	D	15.8	5.3	10.5	63.2		p	12.0	10.3	16.6	60.8		p	12.2	12.2	19.7	55.8
16.	D	15.8	5.3	5.3	73.7		p	16.8	5.0	13.8	64.5		p	21.7	8.2	11.4	58.6
17.	D	0.0	0.0	26.3	73.7	q		2.3	1.6	13.3	82.7	q		3.1	1.8	14.1	80.8
18.	D	15.8	21.1	5.3	57.9		p	7.8	28.8	6.5	56.9		p	7.0	35.6	7.6	49.7
19.	A	84.2	15.8	0.0	0.0		p	56.0	38.7	2.7	2.7		p	54.2	38.1	4.6	3.1
20.	D	5.3	0.0	21.1	73.7		p	14.0	1.9	19.3	64.8		p	12.7	2.6	23.9	60.8
21.	B	15.8	42.1	5.3	36.8	q		10.1	63.1	9.4	17.5	q		9.2	62.3	9.6	18.9
22.	A	42.1	52.6	5.3	0.0	q		54.2	41.3	3.4	1.1	q		48.5	45.4	4.3	1.6
23.	A	26.3	63.2	10.5	0.0	q		32.9	48.4	9.5	9.2	q		31.3	47.2	12.0	9.5
24.	D	0.0	36.8	5.3	57.9		p	2.7	36.0	8.3	52.7		p	3.1	38.1	10.4	48.3
25.	A	89.5	10.5	0.0	0.0		p	55.8	5.8	31.5	6.9		p	50.0	5.0	35.6	9.4
26.	D	10.5	21.1	15.8	52.6		p	18.7	21.9	14.8	44.5		p	20.2	22.1	18.3	39.3
27.	D	5.3	31.6	5.3	57.9		p	13.4	25.1	10.4	51.1		p	11.7	26.3	12.8	49.0
28.	B	10.5	73.7	15.8	0.0		p	10.8	59.2	21.4	8.5		p	11.5	56.2	23.1	9.0
29.	C	5.3	26.3	47.4	21.1	q		7.8	11.0	70.0	11.3	q		8.1	12.5	69.8	9.5
30.	B	0.0	89.5	10.5	0.0		p	2.3	86.4	10.1	1.2		p	4.3	85.0	9.4	1.2
31.	D	10.5	5.3	10.5	73.7		p	17.5	11.5	16.4	54.6		p	18.1	13.0	15.9	52.6
32.	D	5.3	10.5	21.1	63.2	q		5.1	8.5	12.0	74.0	q		6.0	8.3	11.2	74.4
33.	C	21.1	15.8	36.8	26.3	q		11.0	18.9	53.9	15.2	q		12.8	19.5	50.6	16.4
34.	C	0.0	0.0	94.7	5.3		p	4.6	0.7	88.7	6.0		p	4.9	1.6	86.6	6.9
35.	C	10.5	26.3	47.4	15.8	q		6.0	12.9	66.4	14.1	q		6.6	12.0	68.3	12.8
36.	B	5.3	94.7	0.0	0.0		p	1.9	92.6	3.7	1.8		p	2.7	90.0	5.1	2.2
37.	C	15.8	21.1	63.2	0.0	q		7.4	21.7	67.3	3.5	q		6.5	24.3	63.5	5.5
38.	A	57.9	5.3	21.1	15.8	q		77.7	7.8	9.2	5.3	q		77.3	7.1	9.9	5.6
39.	B	15.8	57.9	10.5	15.8	q		7.6	81.6	3.5	7.2	q		11.5	72.3	6.3	9.8
40.	C	5.3	5.3	89.5	0.0		p	4.6	12.2	79.9	3.4		p	5.2	12.7	78.5	3.7
41.	D	0.0	47.4	42.1	10.5	q		18.6	18.7	21.4	41.2	q		17.1	20.3	20.7	41.5
42.	B	15.8	84.2	0.0	0.0	q		6.9	89.1	2.5	1.6		p	9.3	84.1	3.7	2.8
43.	B	26.3	47.4	5.3	21.1		p	24.7	42.6	14.1	17.7		p	23.3	42.0	16.9	17.3
44.	C	0.0	21.1	57.9	21.1	q		7.1	9.5	75.6	7.6	q		7.1	10.7	72.8	9.2
45.	B	21.1	36.8	21.1	21.1	q		29.7	48.8	15.7	5.7	q		30.2	47.9	15.5	6.2
46.	B	26.3	57.9	5.3	10.5	q		17.0	68.0	6.7	8.3	q		16.9	64.4	9.2	9.2
47.	B	0.0	47.4	36.8	15.8	q		5.1	55.1	35.7	3.7	q		7.1	47.6	39.5	5.3
48.	B	10.5	68.4	10.5	10.5	q		3.4	84.8	6.7	4.8	q		3.8	85.0	6.8	4.2
49.	C	10.5	0.0	57.9	31.6	q		6.0	9.4	68.0	16.3	q		6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 2 - Western

(percentage of students who selected each response)

#083 - Pasadena Academy, Pasadena

Grades: 7-12

Item	Key	School [N=19]				School Below Above District	District [N=566]				School Below Above Province	Province [N=3,011]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	A	36.8	47.4	5.3	10.5	q	39.6	38.2	10.1	12.2	q	37.7	39.4	10.0	12.9
2.	A	31.6	31.6	0.0	36.8	p	23.5	20.9	8.1	47.2	p	19.5	23.4	7.8	49.0
3.	C	5.3	5.3	73.7	15.8	q	5.0	3.2	74.7	17.1	q	3.9	2.8	77.9	15.5
4.	C	5.3	5.3	84.2	5.3	p	4.6	17.1	60.3	18.0	p	5.2	16.6	61.0	16.8
5.	D	5.3	10.5	15.8	68.4	p	12.2	14.0	21.6	52.3	p	11.7	18.5	21.1	48.6
6.	B	0.0	84.2	10.5	5.3	q	2.8	90.1	4.4	2.7	q	2.1	90.5	5.2	2.2
7.	D	0.0	31.6	5.3	57.9	q	5.0	11.1	6.5	77.2	q	7.2	13.2	8.5	70.8
8.	B	5.3	84.2	5.3	5.3	q	5.3	89.4	2.7	2.7	q	4.5	86.6	2.8	6.2
9.	C	0.0	36.8	63.2	0.0	p	4.1	27.7	59.0	9.0	p	4.5	25.9	60.3	9.1
10.	D	5.3	10.5	10.5	73.7	p	12.0	18.0	16.4	53.5	p	14.6	18.2	20.2	46.9
11.	D	10.5	31.6	0.0	57.9	p	10.3	40.8	6.4	42.6	p	10.2	45.8	6.6	37.4
12.	B	0.0	79.0	15.8	5.3	p	6.0	77.0	10.8	6.0	p	9.0	70.5	14.3	6.1
*13.	B,D	10.5	47.4	10.5	31.6	p	18.7	33.9	13.8	32.7	p	18.9	29.9	16.4	34.2
14.	C	26.3	5.3	52.6	15.8	p	20.0	17.7	41.9	20.3	p	23.7	16.1	39.0	20.9
15.	D	10.5	15.8	5.3	68.4	p	12.0	10.3	16.6	60.8	p	12.2	12.2	19.7	55.8
16.	D	5.3	0.0	10.5	84.2	p	16.8	5.0	13.8	64.5	p	21.7	8.2	11.4	58.6
17.	D	0.0	0.0	10.5	89.5	p	2.3	1.6	13.3	82.7	p	3.1	1.8	14.1	80.8
18.	D	10.5	10.5	15.8	63.2	p	7.8	28.8	6.5	56.9	p	7.0	35.6	7.6	49.7
19.	A	63.2	31.6	5.3	0.0	p	56.0	38.7	2.7	2.7	p	54.2	38.1	4.6	3.1
20.	D	21.1	0.0	21.1	57.9	q	14.0	1.9	19.3	64.8	q	12.7	2.6	23.9	60.8
21.	B	5.3	68.4	5.3	21.1	p	10.1	63.1	9.4	17.5	p	9.2	62.3	9.6	18.9
22.	A	79.0	21.1	0.0	0.0	p	54.2	41.3	3.4	1.1	p	48.5	45.4	4.3	1.6
23.	A	31.6	57.9	5.3	5.3	q	32.9	48.4	9.5	9.2	p	31.3	47.2	12.0	9.5
24.	D	5.3	15.8	5.3	73.7	p	2.7	36.0	8.3	52.7	p	3.1	38.1	10.4	48.3
25.	A	79.0	5.3	15.8	0.0	p	55.8	5.8	31.5	6.9	p	50.0	5.0	35.6	9.4
26.	D	15.8	10.5	15.8	57.9	p	18.7	21.9	14.8	44.5	p	20.2	22.1	18.3	39.3
27.	D	21.1	21.1	0.0	57.9	p	13.4	25.1	10.4	51.1	p	11.7	26.3	12.8	49.0
28.	B	10.5	73.7	10.5	5.3	p	10.8	59.2	21.4	8.5	p	11.5	56.2	23.1	9.0
29.	C	0.0	5.3	84.2	10.5	p	7.8	11.0	70.0	11.3	p	8.1	12.5	69.8	9.5
30.	B	0.0	100.0	0.0	0.0	p	2.3	86.4	10.1	1.2	p	4.3	85.0	9.4	1.2
31.	D	26.3	5.3	26.3	42.1	q	17.5	11.5	16.4	54.6	q	18.1	13.0	15.9	52.6
32.	D	0.0	0.0	5.3	94.7	p	5.1	8.5	12.0	74.0	p	6.0	8.3	11.2	74.4
33.	C	15.8	5.3	79.0	0.0	p	11.0	18.9	53.9	15.2	p	12.8	19.5	50.6	16.4
34.	C	0.0	0.0	84.2	15.8	q	4.6	0.7	88.7	6.0	q	4.9	1.6	86.6	6.9
35.	C	10.5	15.8	57.9	15.8	q	6.0	12.9	66.4	14.1	q	6.6	12.0	68.3	12.8
36.	B	5.3	94.7	0.0	0.0	p	1.9	92.6	3.7	1.8	p	2.7	90.0	5.1	2.2
37.	C	0.0	5.3	94.7	0.0	p	7.4	21.7	67.3	3.5	p	6.5	24.3	63.5	5.5
38.	A	94.7	0.0	5.3	0.0	p	77.7	7.8	9.2	5.3	p	77.3	7.1	9.9	5.6
39.	B	10.5	73.7	15.8	0.0	q	7.6	81.6	3.5	7.2	p	11.5	72.3	6.3	9.8
40.	C	5.3	10.5	73.7	10.5	q	4.6	12.2	79.9	3.4	q	5.2	12.7	78.5	3.7
41.	D	36.8	10.5	5.3	47.4	p	18.6	18.7	21.4	41.2	p	17.1	20.3	20.7	41.5
42.	B	5.3	94.7	0.0	0.0	p	6.9	89.1	2.5	1.6	p	9.3	84.1	3.7	2.8
43.	B	10.5	42.1	15.8	31.6	q	24.7	42.6	14.1	17.7	p	23.3	42.0	16.9	17.3
44.	C	5.3	10.5	79.0	5.3	p	7.1	9.5	75.6	7.6	p	7.1	10.7	72.8	9.2
45.	B	15.8	79.0	0.0	5.3	p	29.7	48.8	15.7	5.7	p	30.2	47.9	15.5	6.2
46.	B	26.3	63.2	0.0	10.5	q	17.0	68.0	6.7	8.3	q	16.9	64.4	9.2	9.2
47.	B	0.0	94.7	5.3	0.0	p	5.1	55.1	35.7	3.7	p	7.1	47.6	39.5	5.3
48.	B	5.3	84.2	5.3	5.3	q	3.4	84.8	6.7	4.8	q	3.8	85.0	6.8	4.2
49.	C	0.0	15.8	79.0	5.3	p	6.0	9.4	68.0	16.3	p	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 2 - Western

(percentage of students who selected each response)

#086 - Gros Morne Academy, Rocky Harbour

Grades: K-12

Item	Key	School [N=7]				School Below Above District		District [N=566]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	42.9	42.9	14.3	0.0		P	39.6	38.2	10.1	12.2		P	37.7	39.4	10.0	12.9
2.	A	14.3	14.3	28.6	42.9		Q	23.5	20.9	8.1	47.2		Q	19.5	23.4	7.8	49.0
3.	C	14.3	28.6	42.9	14.3		Q	5.0	3.2	74.7	17.1		Q	3.9	2.8	77.9	15.5
4.	C	14.3	0.0	57.1	28.6		Q	4.6	17.1	60.3	18.0		Q	5.2	16.6	61.0	16.8
5.	D	0.0	14.3	42.9	42.9		Q	12.2	14.0	21.6	52.3		Q	11.7	18.5	21.1	48.6
6.	B	14.3	85.7	0.0	0.0		Q	2.8	90.1	4.4	2.7		Q	2.1	90.5	5.2	2.2
7.	D	0.0	0.0	0.0	100.0		P	5.0	11.1	6.5	77.2		P	7.2	13.2	8.5	70.8
8.	B	0.0	100.0	0.0	0.0		P	5.3	89.4	2.7	2.7		P	4.5	86.6	2.8	6.2
9.	C	14.3	42.9	42.9	0.0		Q	4.1	27.7	59.0	9.0		Q	4.5	25.9	60.3	9.1
10.	D	0.0	28.6	0.0	71.4		P	12.0	18.0	16.4	53.5		P	14.6	18.2	20.2	46.9
11.	D	14.3	71.4	0.0	14.3		Q	10.3	40.8	6.4	42.6		Q	10.2	45.8	6.6	37.4
12.	B	0.0	85.7	14.3	0.0		P	6.0	77.0	10.8	6.0		P	9.0	70.5	14.3	6.1
*13.	B,D	14.3	57.1	28.6	0.0		Q	18.7	33.9	13.8	32.7		Q	18.9	29.9	16.4	34.2
14.	C	14.3	14.3	42.9	28.6		P	20.0	17.7	41.9	20.3		P	23.7	16.1	39.0	20.9
15.	D	14.3	42.9	28.6	14.3		Q	12.0	10.3	16.6	60.8		Q	12.2	12.2	19.7	55.8
16.	D	14.3	28.6	28.6	28.6		Q	16.8	5.0	13.8	64.5		Q	21.7	8.2	11.4	58.6
17.	D	14.3	14.3	28.6	42.9		Q	2.3	1.6	13.3	82.7		Q	3.1	1.8	14.1	80.8
18.	D	0.0	0.0	0.0	100.0		P	7.8	28.8	6.5	56.9		P	7.0	35.6	7.6	49.7
19.	A	71.4	14.3	0.0	14.3		P	56.0	38.7	2.7	2.7		P	54.2	38.1	4.6	3.1
20.	D	14.3	0.0	42.9	42.9		Q	14.0	1.9	19.3	64.8		Q	12.7	2.6	23.9	60.8
21.	B	14.3	42.9	14.3	28.6		Q	10.1	63.1	9.4	17.5		Q	9.2	62.3	9.6	18.9
22.	A	28.6	71.4	0.0	0.0		Q	54.2	41.3	3.4	1.1		Q	48.5	45.4	4.3	1.6
23.	A	42.9	42.9	14.3	0.0		P	32.9	48.4	9.5	9.2		P	31.3	47.2	12.0	9.5
24.	D	0.0	42.9	14.3	42.9		Q	2.7	36.0	8.3	52.7		Q	3.1	38.1	10.4	48.3
25.	A	57.1	14.3	28.6	0.0		P	55.8	5.8	31.5	6.9		P	50.0	5.0	35.6	9.4
26.	D	28.6	14.3	14.3	42.9		Q	18.7	21.9	14.8	44.5		P	20.2	22.1	18.3	39.3
27.	D	28.6	14.3	14.3	42.9		Q	13.4	25.1	10.4	51.1		Q	11.7	26.3	12.8	49.0
28.	B	14.3	57.1	28.6	0.0		Q	10.8	59.2	21.4	8.5		P	11.5	56.2	23.1	9.0
29.	C	0.0	0.0	85.7	14.3		P	7.8	11.0	70.0	11.3		P	8.1	12.5	69.8	9.5
30.	B	0.0	100.0	0.0	0.0		P	2.3	86.4	10.1	1.2		P	4.3	85.0	9.4	1.2
31.	D	28.6	14.3	28.6	28.6		Q	17.5	11.5	16.4	54.6		Q	18.1	13.0	15.9	52.6
32.	D	14.3	14.3	0.0	71.4		Q	5.1	8.5	12.0	74.0		Q	6.0	8.3	11.2	74.4
33.	C	14.3	14.3	57.1	14.3		P	11.0	18.9	53.9	15.2		P	12.8	19.5	50.6	16.4
34.	C	0.0	0.0	57.1	42.9		Q	4.6	0.7	88.7	6.0		Q	4.9	1.6	86.6	6.9
35.	C	14.3	42.9	42.9	0.0		Q	6.0	12.9	66.4	14.1		Q	6.6	12.0	68.3	12.8
36.	B	0.0	100.0	0.0	0.0		P	1.9	92.6	3.7	1.8		P	2.7	90.0	5.1	2.2
37.	C	14.3	28.6	28.6	28.6		Q	7.4	21.7	67.3	3.5		Q	6.5	24.3	63.5	5.5
38.	A	57.1	14.3	28.6	0.0		Q	77.7	7.8	9.2	5.3		Q	77.3	7.1	9.9	5.6
39.	B	28.6	71.4	0.0	0.0		Q	7.6	81.6	3.5	7.2		Q	11.5	72.3	6.3	9.8
40.	C	0.0	0.0	100.0	0.0		P	4.6	12.2	79.9	3.4		P	5.2	12.7	78.5	3.7
41.	D	0.0	0.0	14.3	85.7		P	18.6	18.7	21.4	41.2		P	17.1	20.3	20.7	41.5
42.	B	14.3	71.4	14.3	0.0		Q	6.9	89.1	2.5	1.6		Q	9.3	84.1	3.7	2.8
43.	B	28.6	14.3	42.9	14.3		Q	24.7	42.6	14.1	17.7		Q	23.3	42.0	16.9	17.3
44.	C	0.0	28.6	71.4	0.0		Q	7.1	9.5	75.6	7.6		Q	7.1	10.7	72.8	9.2
45.	B	28.6	28.6	42.9	0.0		Q	29.7	48.8	15.7	5.7		Q	30.2	47.9	15.5	6.2
46.	B	14.3	71.4	0.0	14.3		P	17.0	68.0	6.7	8.3		P	16.9	64.4	9.2	9.2
47.	B	14.3	14.3	71.4	0.0		Q	5.1	55.1	35.7	3.7		Q	7.1	47.6	39.5	5.3
48.	B	0.0	42.9	42.9	14.3		Q	3.4	84.8	6.7	4.8		Q	3.8	85.0	6.8	4.2
49.	C	0.0	0.0	100.0	0.0		P	6.0	9.4	68.0	16.3		P	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 2 - Western

(percentage of students who selected each response)

#088 - Main River Academy, Pollard's Point

Grades: K-12

Item	Key	School [N=4]				District [N=566]				School Below Above Province [N=3,011]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	A	B	C	D	
1.	A					P		39.6	38.2	10.1	12.2	P		37.7	39.4	10.0	12.9
2.	A	School data with 5 or fewer students withheld for reasons of confidentiality.				P		23.5	20.9	8.1	47.2	P		19.5	23.4	7.8	49.0
3.	C					P		5.0	3.2	74.7	17.1	Q		3.9	2.8	77.9	15.5
4.	C					Q		4.6	17.1	60.3	18.0	Q		5.2	16.6	61.0	16.8
5.	D					Q		12.2	14.0	21.6	52.3	Q		11.7	18.5	21.1	48.6
6.	B					Q		2.8	90.1	4.4	2.7	Q		2.1	90.5	5.2	2.2
7.	D					P		5.0	11.1	6.5	77.2	P		7.2	13.2	8.5	70.8
8.	B					P		5.3	89.4	2.7	2.7	P		4.5	86.6	2.8	6.2
9.	C					P		4.1	27.7	59.0	9.0	P		4.5	25.9	60.3	9.1
10.	D					Q		12.0	18.0	16.4	53.5	Q		14.6	18.2	20.2	46.9
11.	D					P		10.3	40.8	6.4	42.6	P		10.2	45.8	6.6	37.4
12.	B					P		6.0	77.0	10.8	6.0	P		9.0	70.5	14.3	6.1
*13.	B,D					P		18.7	33.9	13.8	32.7	P		18.9	29.9	16.4	34.2
14.	C					Q		20.0	17.7	41.9	20.3	Q		23.7	16.1	39.0	20.9
15.	D					P		12.0	10.3	16.6	60.8	P		12.2	12.2	19.7	55.8
16.	D					P		16.8	5.0	13.8	64.5	P		21.7	8.2	11.4	58.6
17.	D					Q		2.3	1.6	13.3	82.7	Q		3.1	1.8	14.1	80.8
18.	D					Q		7.8	28.8	6.5	56.9	P		7.0	35.6	7.6	49.7
19.	A					P		56.0	38.7	2.7	2.7	P		54.2	38.1	4.6	3.1
20.	D					Q		14.0	1.9	19.3	64.8	Q		12.7	2.6	23.9	60.8
21.	B					Q		10.1	63.1	9.4	17.5	Q		9.2	62.3	9.6	18.9
22.	A					P		54.2	41.3	3.4	1.1	P		48.5	45.4	4.3	1.6
23.	A					P		32.9	48.4	9.5	9.2	P		31.3	47.2	12.0	9.5
24.	D					Q		2.7	36.0	8.3	52.7	Q		3.1	38.1	10.4	48.3
25.	A					P		55.8	5.8	31.5	6.9	P		50.0	5.0	35.6	9.4
26.	D					Q		18.7	21.9	14.8	44.5	Q		20.2	22.1	18.3	39.3
27.	D					Q		13.4	25.1	10.4	51.1	Q		11.7	26.3	12.8	49.0
28.	B					Q		10.8	59.2	21.4	8.5	Q		11.5	56.2	23.1	9.0
29.	C					Q		7.8	11.0	70.0	11.3	Q		8.1	12.5	69.8	9.5
30.	B					Q		2.3	86.4	10.1	1.2	Q		4.3	85.0	9.4	1.2
31.	D					P		17.5	11.5	16.4	54.6	P		18.1	13.0	15.9	52.6
32.	D					P		5.1	8.5	12.0	74.0	P		6.0	8.3	11.2	74.4
33.	C					P		11.0	18.9	53.9	15.2	P		12.8	19.5	50.6	16.4
34.	C					P		4.6	0.7	88.7	6.0	P		4.9	1.6	86.6	6.9
35.	C					P		6.0	12.9	66.4	14.1	P		6.6	12.0	68.3	12.8
36.	B					P		1.9	92.6	3.7	1.8	P		2.7	90.0	5.1	2.2
37.	C					Q		7.4	21.7	67.3	3.5	Q		6.5	24.3	63.5	5.5
38.	A					Q		77.7	7.8	9.2	5.3	Q		77.3	7.1	9.9	5.6
39.	B					P		7.6	81.6	3.5	7.2	P		11.5	72.3	6.3	9.8
40.	C					P		4.6	12.2	79.9	3.4	P		5.2	12.7	78.5	3.7
41.	D					P		18.6	18.7	21.4	41.2	P		17.1	20.3	20.7	41.5
42.	B					P		6.9	89.1	2.5	1.6	P		9.3	84.1	3.7	2.8
43.	B					Q		24.7	42.6	14.1	17.7	Q		23.3	42.0	16.9	17.3
44.	C					P		7.1	9.5	75.6	7.6	P		7.1	10.7	72.8	9.2
45.	B					P		29.7	48.8	15.7	5.7	P		30.2	47.9	15.5	6.2
46.	B					Q		17.0	68.0	6.7	8.3	Q		16.9	64.4	9.2	9.2
47.	B					Q		5.1	55.1	35.7	3.7	P		7.1	47.6	39.5	5.3
48.	B					Q		3.4	84.8	6.7	4.8	Q		3.8	85.0	6.8	4.2
49.	C					Q		6.0	9.4	68.0	16.3	Q		6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 2 - Western

(percentage of students who selected each response)

#089 - Jakeman All Grade, Trout River

Grades: K-12

Item	Key	School [N=7]				School Below Above District		District [N=566]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	28.6	57.1	14.3	0.0	q		39.6	38.2	10.1	12.2	q		37.7	39.4	10.0	12.9
2.	A	0.0	0.0	14.3	85.7	q		23.5	20.9	8.1	47.2	q		19.5	23.4	7.8	49.0
3.	C	28.6	0.0	57.1	14.3	q		5.0	3.2	74.7	17.1	q		3.9	2.8	77.9	15.5
4.	C	0.0	71.4	28.6	0.0	q		4.6	17.1	60.3	18.0	q		5.2	16.6	61.0	16.8
5.	D	0.0	0.0	57.1	42.9	q		12.2	14.0	21.6	52.3	q		11.7	18.5	21.1	48.6
6.	B	0.0	71.4	14.3	14.3	q		2.8	90.1	4.4	2.7	q		2.1	90.5	5.2	2.2
7.	D	0.0	28.6	0.0	71.4	q		5.0	11.1	6.5	77.2	p		7.2	13.2	8.5	70.8
8.	B	28.6	71.4	0.0	0.0	q		5.3	89.4	2.7	2.7	q		4.5	86.6	2.8	6.2
9.	C	0.0	28.6	57.1	14.3	q		4.1	27.7	59.0	9.0	q		4.5	25.9	60.3	9.1
10.	D	57.1	28.6	0.0	14.3	q		12.0	18.0	16.4	53.5	q		14.6	18.2	20.2	46.9
11.	D	28.6	28.6	28.6	14.3	q		10.3	40.8	6.4	42.6	q		10.2	45.8	6.6	37.4
12.	B	0.0	100.0	0.0	0.0		p	6.0	77.0	10.8	6.0		p	9.0	70.5	14.3	6.1
*13.	B,D	14.3	42.9	14.3	28.6		p	18.7	33.9	13.8	32.7		p	18.9	29.9	16.4	34.2
14.	C	42.9	28.6	28.6	0.0	q		20.0	17.7	41.9	20.3	q		23.7	16.1	39.0	20.9
15.	D	0.0	14.3	42.9	42.9	q		12.0	10.3	16.6	60.8	q		12.2	12.2	19.7	55.8
16.	D	42.9	14.3	14.3	28.6	q		16.8	5.0	13.8	64.5	q		21.7	8.2	11.4	58.6
17.	D	0.0	0.0	0.0	100.0		p	2.3	1.6	13.3	82.7		p	3.1	1.8	14.1	80.8
18.	D	0.0	14.3	14.3	71.4		p	7.8	28.8	6.5	56.9		p	7.0	35.6	7.6	49.7
19.	A	57.1	28.6	14.3	0.0		p	56.0	38.7	2.7	2.7		p	54.2	38.1	4.6	3.1
20.	D	14.3	0.0	14.3	71.4		p	14.0	1.9	19.3	64.8		p	12.7	2.6	23.9	60.8
21.	B	0.0	57.1	28.6	14.3	q		10.1	63.1	9.4	17.5	q		9.2	62.3	9.6	18.9
22.	A	42.9	57.1	0.0	0.0	q		54.2	41.3	3.4	1.1	q		48.5	45.4	4.3	1.6
23.	A	28.6	14.3	0.0	57.1	q		32.9	48.4	9.5	9.2	q		31.3	47.2	12.0	9.5
24.	D	0.0	57.1	28.6	14.3	q		2.7	36.0	8.3	52.7	q		3.1	38.1	10.4	48.3
25.	A	42.9	28.6	14.3	14.3	q		55.8	5.8	31.5	6.9	q		50.0	5.0	35.6	9.4
26.	D	14.3	28.6	28.6	28.6	q		18.7	21.9	14.8	44.5	q		20.2	22.1	18.3	39.3
27.	D	14.3	42.9	0.0	42.9	q		13.4	25.1	10.4	51.1	q		11.7	26.3	12.8	49.0
28.	B	28.6	28.6	28.6	14.3	q		10.8	59.2	21.4	8.5	q		11.5	56.2	23.1	9.0
29.	C	28.6	0.0	71.4	0.0		p	7.8	11.0	70.0	11.3		p	8.1	12.5	69.8	9.5
30.	B	0.0	42.9	42.9	14.3	q		2.3	86.4	10.1	1.2	q		4.3	85.0	9.4	1.2
31.	D	0.0	28.6	28.6	42.9	q		17.5	11.5	16.4	54.6	q		18.1	13.0	15.9	52.6
32.	D	14.3	28.6	42.9	14.3	q		5.1	8.5	12.0	74.0	q		6.0	8.3	11.2	74.4
33.	C	14.3	42.9	28.6	14.3	q		11.0	18.9	53.9	15.2	q		12.8	19.5	50.6	16.4
34.	C	0.0	14.3	85.7	0.0	q		4.6	0.7	88.7	6.0	q		4.9	1.6	86.6	6.9
35.	C	28.6	14.3	57.1	0.0	q		6.0	12.9	66.4	14.1	q		6.6	12.0	68.3	12.8
36.	B	0.0	85.7	14.3	0.0	q		1.9	92.6	3.7	1.8	q		2.7	90.0	5.1	2.2
37.	C	0.0	28.6	42.9	28.6	q		7.4	21.7	67.3	3.5	q		6.5	24.3	63.5	5.5
38.	A	71.4	14.3	0.0	14.3	q		77.7	7.8	9.2	5.3	q		77.3	7.1	9.9	5.6
39.	B	14.3	71.4	14.3	0.0	q		7.6	81.6	3.5	7.2	q		11.5	72.3	6.3	9.8
40.	C	28.6	28.6	42.9	0.0	q		4.6	12.2	79.9	3.4	q		5.2	12.7	78.5	3.7
41.	D	0.0	14.3	57.1	28.6	q		18.6	18.7	21.4	41.2	q		17.1	20.3	20.7	41.5
42.	B	28.6	71.4	0.0	0.0	q		6.9	89.1	2.5	1.6	q		9.3	84.1	3.7	2.8
43.	B	42.9	28.6	28.6	0.0	q		24.7	42.6	14.1	17.7	q		23.3	42.0	16.9	17.3
44.	C	28.6	0.0	57.1	14.3	q		7.1	9.5	75.6	7.6	q		7.1	10.7	72.8	9.2
45.	B	42.9	42.9	14.3	0.0	q		29.7	48.8	15.7	5.7	q		30.2	47.9	15.5	6.2
46.	B	42.9	28.6	0.0	28.6	q		17.0	68.0	6.7	8.3	q		16.9	64.4	9.2	9.2
47.	B	0.0	42.9	57.1	0.0	q		5.1	55.1	35.7	3.7	q		7.1	47.6	39.5	5.3
48.	B	28.6	57.1	14.3	0.0	q		3.4	84.8	6.7	4.8	q		3.8	85.0	6.8	4.2
49.	C	0.0	14.3	42.9	42.9	q		6.0	9.4	68.0	16.3	q		6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT



District 2 - Western

(percentage of students who selected each response)

#091 - Burgeo Academy, Burgeo

Grades: K-12

Item	Key	School [N=5]				District [N=566]				Province [N=3,011]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	A	B	C	D	
1.	A						P	39.6	38.2	10.1	12.2		P	37.7	39.4	10.0	12.9
2.	A	School data with 5 or fewer students withheld for reasons of confidentiality.					P	23.5	20.9	8.1	47.2		P	19.5	23.4	7.8	49.0
3.	C						P	5.0	3.2	74.7	17.1		P	3.9	2.8	77.9	15.5
4.	C						Q	4.6	17.1	60.3	18.0		Q	5.2	16.6	61.0	16.8
5.	D						Q	12.2	14.0	21.6	52.3		Q	11.7	18.5	21.1	48.6
6.	B						Q	2.8	90.1	4.4	2.7		Q	2.1	90.5	5.2	2.2
7.	D						Q	5.0	11.1	6.5	77.2		Q	7.2	13.2	8.5	70.8
8.	B						P	5.3	89.4	2.7	2.7		P	4.5	86.6	2.8	6.2
9.	C						P	4.1	27.7	59.0	9.0		P	4.5	25.9	60.3	9.1
10.	D						P	12.0	18.0	16.4	53.5		P	14.6	18.2	20.2	46.9
11.	D						Q	10.3	40.8	6.4	42.6		Q	10.2	45.8	6.6	37.4
12.	B						Q	6.0	77.0	10.8	6.0		Q	9.0	70.5	14.3	6.1
*13.	B,D						Q	18.7	33.9	13.8	32.7		Q	18.9	29.9	16.4	34.2
14.	C						Q	20.0	17.7	41.9	20.3		Q	23.7	16.1	39.0	20.9
15.	D						Q	12.0	10.3	16.6	60.8		Q	12.2	12.2	19.7	55.8
16.	D						Q	16.8	5.0	13.8	64.5		Q	21.7	8.2	11.4	58.6
17.	D						Q	2.3	1.6	13.3	82.7		Q	3.1	1.8	14.1	80.8
18.	D						Q	7.8	28.8	6.5	56.9		Q	7.0	35.6	7.6	49.7
19.	A						P	56.0	38.7	2.7	2.7		P	54.2	38.1	4.6	3.1
20.	D						P	14.0	1.9	19.3	64.8		P	12.7	2.6	23.9	60.8
21.	B						P	10.1	63.1	9.4	17.5		P	9.2	62.3	9.6	18.9
22.	A						Q	54.2	41.3	3.4	1.1		Q	48.5	45.4	4.3	1.6
23.	A						P	32.9	48.4	9.5	9.2		P	31.3	47.2	12.0	9.5
24.	D						Q	2.7	36.0	8.3	52.7		Q	3.1	38.1	10.4	48.3
25.	A						P	55.8	5.8	31.5	6.9		P	50.0	5.0	35.6	9.4
26.	D						Q	18.7	21.9	14.8	44.5		Q	20.2	22.1	18.3	39.3
27.	D						P	13.4	25.1	10.4	51.1		P	11.7	26.3	12.8	49.0
28.	B						Q	10.8	59.2	21.4	8.5		Q	11.5	56.2	23.1	9.0
29.	C						P	7.8	11.0	70.0	11.3		P	8.1	12.5	69.8	9.5
30.	B						P	2.3	86.4	10.1	1.2		P	4.3	85.0	9.4	1.2
31.	D						P	17.5	11.5	16.4	54.6		P	18.1	13.0	15.9	52.6
32.	D						Q	5.1	8.5	12.0	74.0		Q	6.0	8.3	11.2	74.4
33.	C						P	11.0	18.9	53.9	15.2		P	12.8	19.5	50.6	16.4
34.	C						Q	4.6	0.7	88.7	6.0		Q	4.9	1.6	86.6	6.9
35.	C						Q	6.0	12.9	66.4	14.1		Q	6.6	12.0	68.3	12.8
36.	B						Q	1.9	92.6	3.7	1.8		Q	2.7	90.0	5.1	2.2
37.	C						P	7.4	21.7	67.3	3.5		P	6.5	24.3	63.5	5.5
38.	A						P	77.7	7.8	9.2	5.3		P	77.3	7.1	9.9	5.6
39.	B						P	7.6	81.6	3.5	7.2		P	11.5	72.3	6.3	9.8
40.	C						P	4.6	12.2	79.9	3.4		P	5.2	12.7	78.5	3.7
41.	D						P	18.6	18.7	21.4	41.2		P	17.1	20.3	20.7	41.5
42.	B						P	6.9	89.1	2.5	1.6		P	9.3	84.1	3.7	2.8
43.	B						P	24.7	42.6	14.1	17.7		P	23.3	42.0	16.9	17.3
44.	C						P	7.1	9.5	75.6	7.6		P	7.1	10.7	72.8	9.2
45.	B						Q	29.7	48.8	15.7	5.7		Q	30.2	47.9	15.5	6.2
46.	B						P	17.0	68.0	6.7	8.3		P	16.9	64.4	9.2	9.2
47.	B						P	5.1	55.1	35.7	3.7		P	7.1	47.6	39.5	5.3
48.	B						P	3.4	84.8	6.7	4.8		P	3.8	85.0	6.8	4.2
49.	C						P	6.0	9.4	68.0	16.3		P	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 2 - Western

(percentage of students who selected each response)

#092 - Grandy's River Collegiate, Burnt Islands

Grades: K-12

Item	Key	School [N=13]				School Below Above District		District [N=566]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	53.9	30.8	0.0	15.4		P	39.6	38.2	10.1	12.2		P	37.7	39.4	10.0	12.9
2.	A	15.4	38.5	7.7	38.5		Q	23.5	20.9	8.1	47.2		Q	19.5	23.4	7.8	49.0
3.	C	0.0	0.0	76.9	23.1		P	5.0	3.2	74.7	17.1		Q	3.9	2.8	77.9	15.5
4.	C	0.0	0.0	76.9	23.1		P	4.6	17.1	60.3	18.0		P	5.2	16.6	61.0	16.8
5.	D	7.7	15.4	38.5	38.5		Q	12.2	14.0	21.6	52.3		Q	11.7	18.5	21.1	48.6
6.	B	0.0	100.0	0.0	0.0		P	2.8	90.1	4.4	2.7		P	2.1	90.5	5.2	2.2
7.	D	15.4	15.4	7.7	61.5		Q	5.0	11.1	6.5	77.2		Q	7.2	13.2	8.5	70.8
8.	B	0.0	84.6	15.4	0.0		Q	5.3	89.4	2.7	2.7		Q	4.5	86.6	2.8	6.2
9.	C	0.0	0.0	92.3	7.7		P	4.1	27.7	59.0	9.0		P	4.5	25.9	60.3	9.1
10.	D	23.1	30.8	7.7	38.5		Q	12.0	18.0	16.4	53.5		Q	14.6	18.2	20.2	46.9
11.	D	7.7	61.5	0.0	30.8		Q	10.3	40.8	6.4	42.6		Q	10.2	45.8	6.6	37.4
12.	B	15.4	46.2	23.1	15.4		Q	6.0	77.0	10.8	6.0		Q	9.0	70.5	14.3	6.1
*13.	B,D	30.8	15.4	15.4	38.5		Q	18.7	33.9	13.8	32.7		Q	18.9	29.9	16.4	34.2
14.	C	46.2	7.7	23.1	23.1		Q	20.0	17.7	41.9	20.3		Q	23.7	16.1	39.0	20.9
15.	D	0.0	7.7	23.1	69.2		P	12.0	10.3	16.6	60.8		P	12.2	12.2	19.7	55.8
16.	D	0.0	15.4	0.0	84.6		P	16.8	5.0	13.8	64.5		P	21.7	8.2	11.4	58.6
17.	D	0.0	0.0	23.1	76.9		Q	2.3	1.6	13.3	82.7		Q	3.1	1.8	14.1	80.8
18.	D	7.7	61.5	7.7	23.1		Q	7.8	28.8	6.5	56.9		Q	7.0	35.6	7.6	49.7
19.	A	53.9	46.2	0.0	0.0		Q	56.0	38.7	2.7	2.7		Q	54.2	38.1	4.6	3.1
20.	D	7.7	0.0	53.9	38.5		Q	14.0	1.9	19.3	64.8		Q	12.7	2.6	23.9	60.8
21.	B	15.4	38.5	15.4	30.8		Q	10.1	63.1	9.4	17.5		Q	9.2	62.3	9.6	18.9
22.	A	53.9	38.5	7.7	0.0		Q	54.2	41.3	3.4	1.1		P	48.5	45.4	4.3	1.6
23.	A	15.4	61.5	15.4	7.7		Q	32.9	48.4	9.5	9.2		Q	31.3	47.2	12.0	9.5
24.	D	0.0	46.2	0.0	53.9		P	2.7	36.0	8.3	52.7		P	3.1	38.1	10.4	48.3
25.	A	46.2	7.7	38.5	7.7		Q	55.8	5.8	31.5	6.9		Q	50.0	5.0	35.6	9.4
26.	D	30.8	30.8	30.8	7.7		Q	18.7	21.9	14.8	44.5		Q	20.2	22.1	18.3	39.3
27.	D	7.7	30.8	0.0	61.5		P	13.4	25.1	10.4	51.1		P	11.7	26.3	12.8	49.0
28.	B	7.7	46.2	30.8	15.4		Q	10.8	59.2	21.4	8.5		Q	11.5	56.2	23.1	9.0
29.	C	0.0	30.8	61.5	7.7		Q	7.8	11.0	70.0	11.3		Q	8.1	12.5	69.8	9.5
30.	B	0.0	92.3	7.7	0.0		P	2.3	86.4	10.1	1.2		P	4.3	85.0	9.4	1.2
31.	D	30.8	7.7	0.0	61.5		P	17.5	11.5	16.4	54.6		P	18.1	13.0	15.9	52.6
32.	D	15.4	7.7	7.7	69.2		Q	5.1	8.5	12.0	74.0		Q	6.0	8.3	11.2	74.4
33.	C	0.0	15.4	69.2	7.7		P	11.0	18.9	53.9	15.2		P	12.8	19.5	50.6	16.4
34.	C	15.4	0.0	84.6	0.0		Q	4.6	0.7	88.7	6.0		Q	4.9	1.6	86.6	6.9
35.	C	0.0	0.0	69.2	30.8		P	6.0	12.9	66.4	14.1		P	6.6	12.0	68.3	12.8
36.	B	7.7	92.3	0.0	0.0		Q	1.9	92.6	3.7	1.8		P	2.7	90.0	5.1	2.2
37.	C	23.1	15.4	61.5	0.0		Q	7.4	21.7	67.3	3.5		Q	6.5	24.3	63.5	5.5
38.	A	84.6	7.7	7.7	0.0		P	77.7	7.8	9.2	5.3		P	77.3	7.1	9.9	5.6
39.	B	0.0	69.2	15.4	15.4		Q	7.6	81.6	3.5	7.2		Q	11.5	72.3	6.3	9.8
40.	C	15.4	7.7	76.9	0.0		Q	4.6	12.2	79.9	3.4		Q	5.2	12.7	78.5	3.7
41.	D	15.4	23.1	23.1	38.5		Q	18.6	18.7	21.4	41.2		Q	17.1	20.3	20.7	41.5
42.	B	7.7	84.6	7.7	0.0		Q	6.9	89.1	2.5	1.6		P	9.3	84.1	3.7	2.8
43.	B	23.1	53.9	7.7	15.4		P	24.7	42.6	14.1	17.7		P	23.3	42.0	16.9	17.3
44.	C	0.0	15.4	84.6	0.0		P	7.1	9.5	75.6	7.6		P	7.1	10.7	72.8	9.2
45.	B	30.8	30.8	38.5	0.0		Q	29.7	48.8	15.7	5.7		Q	30.2	47.9	15.5	6.2
46.	B	23.1	69.2	7.7	0.0		P	17.0	68.0	6.7	8.3		P	16.9	64.4	9.2	9.2
47.	B	15.4	23.1	61.5	0.0		Q	5.1	55.1	35.7	3.7		Q	7.1	47.6	39.5	5.3
48.	B	0.0	100.0	0.0	0.0		P	3.4	84.8	6.7	4.8		P	3.8	85.0	6.8	4.2
49.	C	15.4	0.0	30.8	53.9		Q	6.0	9.4	68.0	16.3		Q	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

District 2 - Western

(percentage of students who selected each response)

#099 - St. James' Regional High School, Channel-Port Aux Basques

Grades: 7-12

Item	Key	School [N=33]				School Below Above District	District [N=566]				School Below Above Province	Province [N=3,011]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	A	24.2	48.5	9.1	18.2	q	39.6	38.2	10.1	12.2	q	37.7	39.4	10.0	12.9
2.	A	15.2	9.1	12.1	63.6	q	23.5	20.9	8.1	47.2	q	19.5	23.4	7.8	49.0
3.	C	6.1	3.0	66.7	24.2	q	5.0	3.2	74.7	17.1	q	3.9	2.8	77.9	15.5
4.	C	3.0	27.3	51.5	18.2	q	4.6	17.1	60.3	18.0	q	5.2	16.6	61.0	16.8
5.	D	21.2	21.2	21.2	36.4	q	12.2	14.0	21.6	52.3	q	11.7	18.5	21.1	48.6
6.	B	3.0	87.9	9.1	0.0	q	2.8	90.1	4.4	2.7	q	2.1	90.5	5.2	2.2
7.	D	0.0	6.1	9.1	84.9	p	5.0	11.1	6.5	77.2	p	7.2	13.2	8.5	70.8
8.	B	9.1	87.9	3.0	0.0	q	5.3	89.4	2.7	2.7	p	4.5	86.6	2.8	6.2
9.	C	0.0	36.4	60.6	3.0	p	4.1	27.7	59.0	9.0	p	4.5	25.9	60.3	9.1
10.	D	15.2	30.3	9.1	45.5	q	12.0	18.0	16.4	53.5	q	14.6	18.2	20.2	46.9
11.	D	21.2	33.3	6.1	39.4	q	10.3	40.8	6.4	42.6	p	10.2	45.8	6.6	37.4
12.	B	12.1	57.6	21.2	9.1	q	6.0	77.0	10.8	6.0	q	9.0	70.5	14.3	6.1
*13.	B,D	27.3	30.3	6.1	36.4	p	18.7	33.9	13.8	32.7	p	18.9	29.9	16.4	34.2
14.	C	9.1	12.1	51.5	27.3	p	20.0	17.7	41.9	20.3	p	23.7	16.1	39.0	20.9
15.	D	15.2	9.1	18.2	57.6	q	12.0	10.3	16.6	60.8	p	12.2	12.2	19.7	55.8
16.	D	6.1	15.2	6.1	72.7	p	16.8	5.0	13.8	64.5	p	21.7	8.2	11.4	58.6
17.	D	0.0	3.0	0.0	97.0	p	2.3	1.6	13.3	82.7	p	3.1	1.8	14.1	80.8
18.	D	9.1	51.5	3.0	36.4	q	7.8	28.8	6.5	56.9	q	7.0	35.6	7.6	49.7
19.	A	66.7	33.3	0.0	0.0	p	56.0	38.7	2.7	2.7	p	54.2	38.1	4.6	3.1
20.	D	18.2	3.0	15.2	63.6	q	14.0	1.9	19.3	64.8	p	12.7	2.6	23.9	60.8
21.	B	3.0	66.7	6.1	24.2	p	10.1	63.1	9.4	17.5	p	9.2	62.3	9.6	18.9
22.	A	63.6	30.3	6.1	0.0	p	54.2	41.3	3.4	1.1	p	48.5	45.4	4.3	1.6
23.	A	12.1	60.6	12.1	15.2	q	32.9	48.4	9.5	9.2	q	31.3	47.2	12.0	9.5
24.	D	0.0	18.2	6.1	75.8	p	2.7	36.0	8.3	52.7	p	3.1	38.1	10.4	48.3
25.	A	45.5	3.0	33.3	18.2	q	55.8	5.8	31.5	6.9	q	50.0	5.0	35.6	9.4
26.	D	12.1	21.2	15.2	51.5	p	18.7	21.9	14.8	44.5	p	20.2	22.1	18.3	39.3
27.	D	9.1	33.3	15.2	42.4	q	13.4	25.1	10.4	51.1	q	11.7	26.3	12.8	49.0
28.	B	3.0	63.6	24.2	9.1	p	10.8	59.2	21.4	8.5	p	11.5	56.2	23.1	9.0
29.	C	9.1	6.1	69.7	15.2	q	7.8	11.0	70.0	11.3	q	8.1	12.5	69.8	9.5
30.	B	0.0	87.9	12.1	0.0	p	2.3	86.4	10.1	1.2	p	4.3	85.0	9.4	1.2
31.	D	18.2	0.0	21.2	60.6	p	17.5	11.5	16.4	54.6	p	18.1	13.0	15.9	52.6
32.	D	9.1	3.0	21.2	66.7	q	5.1	8.5	12.0	74.0	q	6.0	8.3	11.2	74.4
33.	C	18.2	18.2	48.5	15.2	q	11.0	18.9	53.9	15.2	q	12.8	19.5	50.6	16.4
34.	C	3.0	0.0	90.9	6.1	p	4.6	0.7	88.7	6.0	p	4.9	1.6	86.6	6.9
35.	C	3.0	21.2	66.7	9.1	p	6.0	12.9	66.4	14.1	q	6.6	12.0	68.3	12.8
36.	B	0.0	97.0	3.0	0.0	p	1.9	92.6	3.7	1.8	p	2.7	90.0	5.1	2.2
37.	C	3.0	3.0	93.9	0.0	p	7.4	21.7	67.3	3.5	p	6.5	24.3	63.5	5.5
38.	A	84.9	0.0	9.1	6.1	p	77.7	7.8	9.2	5.3	p	77.3	7.1	9.9	5.6
39.	B	12.1	75.8	3.0	9.1	q	7.6	81.6	3.5	7.2	p	11.5	72.3	6.3	9.8
40.	C	0.0	15.2	84.9	0.0	p	4.6	12.2	79.9	3.4	p	5.2	12.7	78.5	3.7
41.	D	18.2	12.1	30.3	39.4	q	18.6	18.7	21.4	41.2	q	17.1	20.3	20.7	41.5
42.	B	6.1	87.9	6.1	0.0	q	6.9	89.1	2.5	1.6	p	9.3	84.1	3.7	2.8
43.	B	30.3	33.3	15.2	21.2	q	24.7	42.6	14.1	17.7	q	23.3	42.0	16.9	17.3
44.	C	3.0	18.2	69.7	9.1	q	7.1	9.5	75.6	7.6	q	7.1	10.7	72.8	9.2
45.	B	39.4	51.5	9.1	0.0	p	29.7	48.8	15.7	5.7	p	30.2	47.9	15.5	6.2
46.	B	21.2	69.7	6.1	3.0	p	17.0	68.0	6.7	8.3	p	16.9	64.4	9.2	9.2
47.	B	3.0	39.4	57.6	0.0	q	5.1	55.1	35.7	3.7	q	7.1	47.6	39.5	5.3
48.	B	3.0	84.9	9.1	3.0	p	3.4	84.8	6.7	4.8	q	3.8	85.0	6.8	4.2
49.	C	0.0	15.2	63.6	21.2	q	6.0	9.4	68.0	16.3	p	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 2 - Western

(percentage of students who selected each response)

#110 - Piccadilly Central High, Piccadilly

Grades: 9-12

Item	Key	School [N=19]				School Below Above District	District [N=566]				School Below Above Province	Province [N=3,011]					
		A	B	C	D		A	B	C	D		A	B	C	D		
1.	A	52.6	47.4	0.0	0.0		P	39.6	38.2	10.1	12.2		P	37.7	39.4	10.0	12.9
2.	A	31.6	26.3	0.0	36.8		P	23.5	20.9	8.1	47.2		P	19.5	23.4	7.8	49.0
3.	C	5.3	0.0	94.7	0.0		P	5.0	3.2	74.7	17.1		P	3.9	2.8	77.9	15.5
4.	C	0.0	21.1	63.2	15.8		P	4.6	17.1	60.3	18.0		P	5.2	16.6	61.0	16.8
5.	D	10.5	10.5	36.8	42.1		Q	12.2	14.0	21.6	52.3		Q	11.7	18.5	21.1	48.6
6.	B	0.0	100.0	0.0	0.0		P	2.8	90.1	4.4	2.7		P	2.1	90.5	5.2	2.2
7.	D	0.0	15.8	5.3	79.0		P	5.0	11.1	6.5	77.2		P	7.2	13.2	8.5	70.8
8.	B	5.3	84.2	0.0	10.5		Q	5.3	89.4	2.7	2.7		Q	4.5	86.6	2.8	6.2
9.	C	5.3	10.5	73.7	5.3		P	4.1	27.7	59.0	9.0		P	4.5	25.9	60.3	9.1
10.	D	10.5	10.5	10.5	68.4		P	12.0	18.0	16.4	53.5		P	14.6	18.2	20.2	46.9
11.	D	10.5	42.1	5.3	42.1		Q	10.3	40.8	6.4	42.6		P	10.2	45.8	6.6	37.4
12.	B	10.5	73.7	5.3	10.5		Q	6.0	77.0	10.8	6.0		P	9.0	70.5	14.3	6.1
*13.	B,D	42.1	31.6	5.3	21.1		Q	18.7	33.9	13.8	32.7		Q	18.9	29.9	16.4	34.2
14.	C	5.3	31.6	42.1	21.1		P	20.0	17.7	41.9	20.3		P	23.7	16.1	39.0	20.9
15.	D	15.8	5.3	15.8	63.2		P	12.0	10.3	16.6	60.8		P	12.2	12.2	19.7	55.8
16.	D	26.3	5.3	10.5	57.9		Q	16.8	5.0	13.8	64.5		Q	21.7	8.2	11.4	58.6
17.	D	0.0	0.0	0.0	100.0		P	2.3	1.6	13.3	82.7		P	3.1	1.8	14.1	80.8
18.	D	5.3	26.3	10.5	57.9		P	7.8	28.8	6.5	56.9		P	7.0	35.6	7.6	49.7
19.	A	36.8	57.9	0.0	5.3		Q	56.0	38.7	2.7	2.7		Q	54.2	38.1	4.6	3.1
20.	D	5.3	0.0	10.5	84.2		P	14.0	1.9	19.3	64.8		P	12.7	2.6	23.9	60.8
21.	B	26.3	63.2	5.3	5.3		P	10.1	63.1	9.4	17.5		P	9.2	62.3	9.6	18.9
22.	A	63.2	36.8	0.0	0.0		P	54.2	41.3	3.4	1.1		P	48.5	45.4	4.3	1.6
23.	A	26.3	36.8	31.6	5.3		Q	32.9	48.4	9.5	9.2		Q	31.3	47.2	12.0	9.5
24.	D	0.0	42.1	5.3	52.6		Q	2.7	36.0	8.3	52.7		P	3.1	38.1	10.4	48.3
25.	A	42.1	15.8	36.8	5.3		Q	55.8	5.8	31.5	6.9		Q	50.0	5.0	35.6	9.4
26.	D	15.8	21.1	15.8	47.4		P	18.7	21.9	14.8	44.5		P	20.2	22.1	18.3	39.3
27.	D	31.6	21.1	10.5	36.8		Q	13.4	25.1	10.4	51.1		Q	11.7	26.3	12.8	49.0
28.	B	0.0	84.2	10.5	0.0		P	10.8	59.2	21.4	8.5		P	11.5	56.2	23.1	9.0
29.	C	0.0	5.3	79.0	15.8		P	7.8	11.0	70.0	11.3		P	8.1	12.5	69.8	9.5
30.	B	0.0	73.7	26.3	0.0		Q	2.3	86.4	10.1	1.2		Q	4.3	85.0	9.4	1.2
31.	D	21.1	5.3	21.1	52.6		Q	17.5	11.5	16.4	54.6		P	18.1	13.0	15.9	52.6
32.	D	0.0	0.0	26.3	73.7		Q	5.1	8.5	12.0	74.0		Q	6.0	8.3	11.2	74.4
33.	C	5.3	26.3	47.4	21.1		Q	11.0	18.9	53.9	15.2		Q	12.8	19.5	50.6	16.4
34.	C	5.3	0.0	89.5	5.3		P	4.6	0.7	88.7	6.0		P	4.9	1.6	86.6	6.9
35.	C	5.3	5.3	73.7	15.8		P	6.0	12.9	66.4	14.1		P	6.6	12.0	68.3	12.8
36.	B	10.5	84.2	5.3	0.0		Q	1.9	92.6	3.7	1.8		Q	2.7	90.0	5.1	2.2
37.	C	10.5	26.3	57.9	5.3		Q	7.4	21.7	67.3	3.5		Q	6.5	24.3	63.5	5.5
38.	A	84.2	0.0	15.8	0.0		P	77.7	7.8	9.2	5.3		P	77.3	7.1	9.9	5.6
39.	B	10.5	79.0	0.0	10.5		Q	7.6	81.6	3.5	7.2		P	11.5	72.3	6.3	9.8
40.	C	0.0	21.1	79.0	0.0		Q	4.6	12.2	79.9	3.4		P	5.2	12.7	78.5	3.7
41.	D	0.0	10.5	42.1	47.4		P	18.6	18.7	21.4	41.2		P	17.1	20.3	20.7	41.5
42.	B	10.5	79.0	10.5	0.0		Q	6.9	89.1	2.5	1.6		Q	9.3	84.1	3.7	2.8
43.	B	52.6	42.1	0.0	5.3		Q	24.7	42.6	14.1	17.7		P	23.3	42.0	16.9	17.3
44.	C	0.0	0.0	100.0	0.0		P	7.1	9.5	75.6	7.6		P	7.1	10.7	72.8	9.2
45.	B	21.1	47.4	15.8	15.8		Q	29.7	48.8	15.7	5.7		Q	30.2	47.9	15.5	6.2
46.	B	10.5	73.7	5.3	10.5		P	17.0	68.0	6.7	8.3		P	16.9	64.4	9.2	9.2
47.	B	15.8	47.4	36.8	0.0		Q	5.1	55.1	35.7	3.7		Q	7.1	47.6	39.5	5.3
48.	B	0.0	79.0	10.5	10.5		Q	3.4	84.8	6.7	4.8		Q	3.8	85.0	6.8	4.2
49.	C	15.8	10.5	68.4	5.3		P	6.0	9.4	68.0	16.3		P	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 2 - Western

(percentage of students who selected each response)

#113 - St. Boniface All Grade, Ramea

Grades: K-6,8-12

Item	Key	School [N=1]				District [N=566]				School Below Above Province [N=3,011]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	A					P		39.6	38.2	10.1	12.2	P		37.7	39.4	10.0	12.9
2.	A	School data with 5 or fewer students withheld for reasons of confidentiality.				P		23.5	20.9	8.1	47.2	P		19.5	23.4	7.8	49.0
3.	C					P		5.0	3.2	74.7	17.1	P		3.9	2.8	77.9	15.5
4.	C					P		4.6	17.1	60.3	18.0	P		5.2	16.6	61.0	16.8
5.	D					P		12.2	14.0	21.6	52.3	P		11.7	18.5	21.1	48.6
6.	B					P		2.8	90.1	4.4	2.7	P		2.1	90.5	5.2	2.2
7.	D					P		5.0	11.1	6.5	77.2	P		7.2	13.2	8.5	70.8
8.	B					P		5.3	89.4	2.7	2.7	P		4.5	86.6	2.8	6.2
9.	C					P		4.1	27.7	59.0	9.0	P		4.5	25.9	60.3	9.1
10.	D					P		12.0	18.0	16.4	53.5	P		14.6	18.2	20.2	46.9
11.	D					q		10.3	40.8	6.4	42.6	q		10.2	45.8	6.6	37.4
12.	B					P		6.0	77.0	10.8	6.0	P		9.0	70.5	14.3	6.1
*13.	B,D					P		18.7	33.9	13.8	32.7	P		18.9	29.9	16.4	34.2
14.	C					P		20.0	17.7	41.9	20.3	P		23.7	16.1	39.0	20.9
15.	D					P		12.0	10.3	16.6	60.8	P		12.2	12.2	19.7	55.8
16.	D					P		16.8	5.0	13.8	64.5	P		21.7	8.2	11.4	58.6
17.	D					P		2.3	1.6	13.3	82.7	P		3.1	1.8	14.1	80.8
18.	D					q		7.8	28.8	6.5	56.9	q		7.0	35.6	7.6	49.7
19.	A					P		56.0	38.7	2.7	2.7	P		54.2	38.1	4.6	3.1
20.	D					P		14.0	1.9	19.3	64.8	P		12.7	2.6	23.9	60.8
21.	B					q		10.1	63.1	9.4	17.5	q		9.2	62.3	9.6	18.9
22.	A					P		54.2	41.3	3.4	1.1	P		48.5	45.4	4.3	1.6
23.	A					q		32.9	48.4	9.5	9.2	q		31.3	47.2	12.0	9.5
24.	D					P		2.7	36.0	8.3	52.7	P		3.1	38.1	10.4	48.3
25.	A					P		55.8	5.8	31.5	6.9	P		50.0	5.0	35.6	9.4
26.	D					P		18.7	21.9	14.8	44.5	P		20.2	22.1	18.3	39.3
27.	D					P		13.4	25.1	10.4	51.1	P		11.7	26.3	12.8	49.0
28.	B					q		10.8	59.2	21.4	8.5	q		11.5	56.2	23.1	9.0
29.	C					q		7.8	11.0	70.0	11.3	q		8.1	12.5	69.8	9.5
30.	B					P		2.3	86.4	10.1	1.2	P		4.3	85.0	9.4	1.2
31.	D					P		17.5	11.5	16.4	54.6	P		18.1	13.0	15.9	52.6
32.	D					P		5.1	8.5	12.0	74.0	P		6.0	8.3	11.2	74.4
33.	C					q		11.0	18.9	53.9	15.2	q		12.8	19.5	50.6	16.4
34.	C					P		4.6	0.7	88.7	6.0	P		4.9	1.6	86.6	6.9
35.	C					P		6.0	12.9	66.4	14.1	P		6.6	12.0	68.3	12.8
36.	B					P		1.9	92.6	3.7	1.8	P		2.7	90.0	5.1	2.2
37.	C					P		7.4	21.7	67.3	3.5	P		6.5	24.3	63.5	5.5
38.	A					P		77.7	7.8	9.2	5.3	P		77.3	7.1	9.9	5.6
39.	B					q		7.6	81.6	3.5	7.2	q		11.5	72.3	6.3	9.8
40.	C					P		4.6	12.2	79.9	3.4	P		5.2	12.7	78.5	3.7
41.	D					P		18.6	18.7	21.4	41.2	P		17.1	20.3	20.7	41.5
42.	B					P		6.9	89.1	2.5	1.6	P		9.3	84.1	3.7	2.8
43.	B					P		24.7	42.6	14.1	17.7	P		23.3	42.0	16.9	17.3
44.	C					P		7.1	9.5	75.6	7.6	P		7.1	10.7	72.8	9.2
45.	B					P		29.7	48.8	15.7	5.7	P		30.2	47.9	15.5	6.2
46.	B					P		17.0	68.0	6.7	8.3	P		16.9	64.4	9.2	9.2
47.	B					P		5.1	55.1	35.7	3.7	P		7.1	47.6	39.5	5.3
48.	B					P		3.4	84.8	6.7	4.8	P		3.8	85.0	6.8	4.2
49.	C					P		6.0	9.4	68.0	16.3	P		6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 2 - Western

(percentage of students who selected each response)

#116 - Appalachia High School, St. George's

Grades: 9-12

Item	Key	School [N=18]				School Below Above District		District [N=566]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	55.6	38.9	0.0	5.6		P	39.6	38.2	10.1	12.2		P	37.7	39.4	10.0	12.9
2.	A	27.8	22.2	5.6	44.4		P	23.5	20.9	8.1	47.2		P	19.5	23.4	7.8	49.0
3.	C	5.6	11.1	72.2	11.1		Q	5.0	3.2	74.7	17.1		Q	3.9	2.8	77.9	15.5
4.	C	5.6	22.2	44.4	27.8		Q	4.6	17.1	60.3	18.0		Q	5.2	16.6	61.0	16.8
5.	D	11.1	11.1	22.2	55.6		P	12.2	14.0	21.6	52.3		P	11.7	18.5	21.1	48.6
6.	B	16.7	77.8	0.0	5.6		Q	2.8	90.1	4.4	2.7		Q	2.1	90.5	5.2	2.2
7.	D	16.7	0.0	5.6	77.8		P	5.0	11.1	6.5	77.2		P	7.2	13.2	8.5	70.8
8.	B	0.0	100.0	0.0	0.0		P	5.3	89.4	2.7	2.7		P	4.5	86.6	2.8	6.2
9.	C	0.0	38.9	44.4	16.7		Q	4.1	27.7	59.0	9.0		Q	4.5	25.9	60.3	9.1
10.	D	5.6	0.0	27.8	66.7		P	12.0	18.0	16.4	53.5		P	14.6	18.2	20.2	46.9
11.	D	11.1	50.0	5.6	33.3		Q	10.3	40.8	6.4	42.6		Q	10.2	45.8	6.6	37.4
12.	B	5.6	72.2	16.7	5.6		Q	6.0	77.0	10.8	6.0		P	9.0	70.5	14.3	6.1
*13.	B,D	22.2	22.2	16.7	38.9		Q	18.7	33.9	13.8	32.7		Q	18.9	29.9	16.4	34.2
14.	C	16.7	16.7	27.8	38.9		Q	20.0	17.7	41.9	20.3		Q	23.7	16.1	39.0	20.9
15.	D	22.2	11.1	16.7	50.0		Q	12.0	10.3	16.6	60.8		Q	12.2	12.2	19.7	55.8
16.	D	22.2	0.0	22.2	55.6		Q	16.8	5.0	13.8	64.5		Q	21.7	8.2	11.4	58.6
17.	D	5.6	0.0	16.7	77.8		Q	2.3	1.6	13.3	82.7		Q	3.1	1.8	14.1	80.8
18.	D	5.6	61.1	22.2	11.1		Q	7.8	28.8	6.5	56.9		Q	7.0	35.6	7.6	49.7
19.	A	50.0	44.4	5.6	0.0		Q	56.0	38.7	2.7	2.7		Q	54.2	38.1	4.6	3.1
20.	D	11.1	0.0	5.6	83.3		P	14.0	1.9	19.3	64.8		P	12.7	2.6	23.9	60.8
21.	B	16.7	44.4	11.1	27.8		Q	10.1	63.1	9.4	17.5		Q	9.2	62.3	9.6	18.9
22.	A	66.7	27.8	0.0	5.6		P	54.2	41.3	3.4	1.1		P	48.5	45.4	4.3	1.6
23.	A	38.9	50.0	5.6	5.6		P	32.9	48.4	9.5	9.2		P	31.3	47.2	12.0	9.5
24.	D	0.0	27.8	11.1	55.6		P	2.7	36.0	8.3	52.7		P	3.1	38.1	10.4	48.3
25.	A	33.3	16.7	38.9	11.1		Q	55.8	5.8	31.5	6.9		Q	50.0	5.0	35.6	9.4
26.	D	11.1	16.7	16.7	55.6		P	18.7	21.9	14.8	44.5		P	20.2	22.1	18.3	39.3
27.	D	27.8	5.6	22.2	44.4		Q	13.4	25.1	10.4	51.1		Q	11.7	26.3	12.8	49.0
28.	B	5.6	61.1	22.2	11.1		P	10.8	59.2	21.4	8.5		P	11.5	56.2	23.1	9.0
29.	C	16.7	0.0	72.2	11.1		P	7.8	11.0	70.0	11.3		P	8.1	12.5	69.8	9.5
30.	B	0.0	88.9	11.1	0.0		P	2.3	86.4	10.1	1.2		P	4.3	85.0	9.4	1.2
31.	D	11.1	11.1	11.1	66.7		P	17.5	11.5	16.4	54.6		P	18.1	13.0	15.9	52.6
32.	D	0.0	5.6	0.0	94.4		P	5.1	8.5	12.0	74.0		P	6.0	8.3	11.2	74.4
33.	C	0.0	22.2	61.1	16.7		P	11.0	18.9	53.9	15.2		P	12.8	19.5	50.6	16.4
34.	C	0.0	0.0	100.0	0.0		P	4.6	0.7	88.7	6.0		P	4.9	1.6	86.6	6.9
35.	C	5.6	5.6	88.9	0.0		P	6.0	12.9	66.4	14.1		P	6.6	12.0	68.3	12.8
36.	B	0.0	100.0	0.0	0.0		P	1.9	92.6	3.7	1.8		P	2.7	90.0	5.1	2.2
37.	C	0.0	11.1	77.8	11.1		P	7.4	21.7	67.3	3.5		P	6.5	24.3	63.5	5.5
38.	A	72.2	16.7	11.1	0.0		Q	77.7	7.8	9.2	5.3		Q	77.3	7.1	9.9	5.6
39.	B	5.6	88.9	0.0	5.6		P	7.6	81.6	3.5	7.2		P	11.5	72.3	6.3	9.8
40.	C	0.0	0.0	100.0	0.0		P	4.6	12.2	79.9	3.4		P	5.2	12.7	78.5	3.7
41.	D	27.8	16.7	22.2	33.3		Q	18.6	18.7	21.4	41.2		Q	17.1	20.3	20.7	41.5
42.	B	5.6	94.4	0.0	0.0		P	6.9	89.1	2.5	1.6		P	9.3	84.1	3.7	2.8
43.	B	16.7	38.9	27.8	11.1		Q	24.7	42.6	14.1	17.7		Q	23.3	42.0	16.9	17.3
44.	C	5.6	22.2	72.2	0.0		Q	7.1	9.5	75.6	7.6		Q	7.1	10.7	72.8	9.2
45.	B	27.8	66.7	0.0	5.6		P	29.7	48.8	15.7	5.7		P	30.2	47.9	15.5	6.2
46.	B	11.1	88.9	0.0	0.0		P	17.0	68.0	6.7	8.3		P	16.9	64.4	9.2	9.2
47.	B	16.7	33.3	50.0	0.0		Q	5.1	55.1	35.7	3.7		Q	7.1	47.6	39.5	5.3
48.	B	5.6	55.6	16.7	16.7		Q	3.4	84.8	6.7	4.8		Q	3.8	85.0	6.8	4.2
49.	C	22.2	11.1	50.0	16.7		Q	6.0	9.4	68.0	16.3		Q	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 2 - Western

(percentage of students who selected each response)

#119 - Stephenville High, Stephenville

Grades: 9-12

Item	Key	School [N=63]				District [N=566]				Province [N=3,011]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	A	38.1	19.1	20.6	22.2	q		39.6	38.2	10.1	12.2	p		37.7	39.4	10.0	12.9
2.	A	7.9	33.3	12.7	44.4	q		23.5	20.9	8.1	47.2	q		19.5	23.4	7.8	49.0
3.	C	1.6	3.2	82.5	12.7		p	5.0	3.2	74.7	17.1		p	3.9	2.8	77.9	15.5
4.	C	6.4	12.7	66.7	14.3		p	4.6	17.1	60.3	18.0		p	5.2	16.6	61.0	16.8
5.	D	19.1	11.1	19.1	50.8	q		12.2	14.0	21.6	52.3		p	11.7	18.5	21.1	48.6
6.	B	0.0	93.7	3.2	3.2		p	2.8	90.1	4.4	2.7		p	2.1	90.5	5.2	2.2
7.	D	1.6	7.9	7.9	82.5		p	5.0	11.1	6.5	77.2		p	7.2	13.2	8.5	70.8
8.	B	6.4	88.9	3.2	1.6	q		5.3	89.4	2.7	2.7		p	4.5	86.6	2.8	6.2
9.	C	12.7	20.6	44.4	22.2	q		4.1	27.7	59.0	9.0	q		4.5	25.9	60.3	9.1
10.	D	19.1	11.1	17.5	52.4	q		12.0	18.0	16.4	53.5		p	14.6	18.2	20.2	46.9
11.	D	4.8	34.9	7.9	52.4		p	10.3	40.8	6.4	42.6		p	10.2	45.8	6.6	37.4
12.	B	4.8	76.2	7.9	11.1	q		6.0	77.0	10.8	6.0		p	9.0	70.5	14.3	6.1
*13.	B,D	25.4	31.8	15.9	27.0	q		18.7	33.9	13.8	32.7	q		18.9	29.9	16.4	34.2
14.	C	28.6	11.1	36.5	22.2	q		20.0	17.7	41.9	20.3	q		23.7	16.1	39.0	20.9
15.	D	12.7	9.5	20.6	57.1	q		12.0	10.3	16.6	60.8		p	12.2	12.2	19.7	55.8
16.	D	15.9	7.9	14.3	61.9	q		16.8	5.0	13.8	64.5		p	21.7	8.2	11.4	58.6
17.	D	0.0	1.6	22.2	76.2	q		2.3	1.6	13.3	82.7	q		3.1	1.8	14.1	80.8
18.	D	15.9	34.9	6.4	42.9	q		7.8	28.8	6.5	56.9	q		7.0	35.6	7.6	49.7
19.	A	63.5	31.8	1.6	3.2		p	56.0	38.7	2.7	2.7		p	54.2	38.1	4.6	3.1
20.	D	20.6	3.2	19.1	57.1	q		14.0	1.9	19.3	64.8	q		12.7	2.6	23.9	60.8
21.	B	9.5	68.3	7.9	14.3		p	10.1	63.1	9.4	17.5		p	9.2	62.3	9.6	18.9
22.	A	33.3	61.9	4.8	0.0	q		54.2	41.3	3.4	1.1	q		48.5	45.4	4.3	1.6
23.	A	42.9	41.3	9.5	6.4		p	32.9	48.4	9.5	9.2		p	31.3	47.2	12.0	9.5
24.	D	3.2	44.4	3.2	49.2	q		2.7	36.0	8.3	52.7		p	3.1	38.1	10.4	48.3
25.	A	63.5	3.2	28.6	4.8		p	55.8	5.8	31.5	6.9		p	50.0	5.0	35.6	9.4
26.	D	20.6	20.6	12.7	46.0		p	18.7	21.9	14.8	44.5		p	20.2	22.1	18.3	39.3
27.	D	20.6	22.2	9.5	47.6	q		13.4	25.1	10.4	51.1	q		11.7	26.3	12.8	49.0
28.	B	7.9	63.5	17.5	11.1		p	10.8	59.2	21.4	8.5		p	11.5	56.2	23.1	9.0
29.	C	12.7	7.9	66.7	12.7	q		7.8	11.0	70.0	11.3	q		8.1	12.5	69.8	9.5
30.	B	3.2	87.3	7.9	1.6		p	2.3	86.4	10.1	1.2		p	4.3	85.0	9.4	1.2
31.	D	19.1	12.7	3.2	65.1		p	17.5	11.5	16.4	54.6		p	18.1	13.0	15.9	52.6
32.	D	3.2	6.4	14.3	76.2		p	5.1	8.5	12.0	74.0		p	6.0	8.3	11.2	74.4
33.	C	7.9	19.1	50.8	17.5	q		11.0	18.9	53.9	15.2		p	12.8	19.5	50.6	16.4
34.	C	1.6	0.0	93.7	4.8		p	4.6	0.7	88.7	6.0		p	4.9	1.6	86.6	6.9
35.	C	1.6	6.4	79.4	12.7		p	6.0	12.9	66.4	14.1		p	6.6	12.0	68.3	12.8
36.	B	0.0	93.7	1.6	4.8		p	1.9	92.6	3.7	1.8		p	2.7	90.0	5.1	2.2
37.	C	7.9	17.5	74.6	0.0		p	7.4	21.7	67.3	3.5		p	6.5	24.3	63.5	5.5
38.	A	74.6	7.9	6.4	11.1	q		77.7	7.8	9.2	5.3	q		77.3	7.1	9.9	5.6
39.	B	1.6	93.7	1.6	3.2		p	7.6	81.6	3.5	7.2		p	11.5	72.3	6.3	9.8
40.	C	6.4	4.8	88.9	0.0		p	4.6	12.2	79.9	3.4		p	5.2	12.7	78.5	3.7
41.	D	19.1	17.5	15.9	46.0		p	18.6	18.7	21.4	41.2		p	17.1	20.3	20.7	41.5
42.	B	4.8	88.9	3.2	3.2	q		6.9	89.1	2.5	1.6		p	9.3	84.1	3.7	2.8
43.	B	20.6	39.7	19.1	20.6	q		24.7	42.6	14.1	17.7	q		23.3	42.0	16.9	17.3
44.	C	4.8	9.5	74.6	11.1	q		7.1	9.5	75.6	7.6		p	7.1	10.7	72.8	9.2
45.	B	28.6	57.1	14.3	0.0		p	29.7	48.8	15.7	5.7		p	30.2	47.9	15.5	6.2
46.	B	17.5	68.3	4.8	9.5		p	17.0	68.0	6.7	8.3		p	16.9	64.4	9.2	9.2
47.	B	4.8	58.7	27.0	7.9		p	5.1	55.1	35.7	3.7		p	7.1	47.6	39.5	5.3
48.	B	3.2	84.1	9.5	3.2	q		3.4	84.8	6.7	4.8	q		3.8	85.0	6.8	4.2
49.	C	3.2	12.7	76.2	7.9		p	6.0	9.4	68.0	16.3		p	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

District 2 - Western

(percentage of students who selected each response)

#387 - Bayview Regional Collegiate, St. Lunaire

Grades: 7-12

Item	Key	School [N=2]				District [N=566]				School Below Above Province [N=3,011]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	A					q		39.6	38.2	10.1	12.2	q		37.7	39.4	10.0	12.9
2.	A	School data with 5 or fewer students withheld for reasons of confidentiality.				q		23.5	20.9	8.1	47.2	q		19.5	23.4	7.8	49.0
3.	C						p	5.0	3.2	74.7	17.1		p	3.9	2.8	77.9	15.5
4.	C					q		4.6	17.1	60.3	18.0	q		5.2	16.6	61.0	16.8
5.	D						p	12.2	14.0	21.6	52.3		p	11.7	18.5	21.1	48.6
6.	B						p	2.8	90.1	4.4	2.7		p	2.1	90.5	5.2	2.2
7.	D					q		5.0	11.1	6.5	77.2	q		7.2	13.2	8.5	70.8
8.	B					q		5.3	89.4	2.7	2.7	q		4.5	86.6	2.8	6.2
9.	C					q		4.1	27.7	59.0	9.0	q		4.5	25.9	60.3	9.1
10.	D					q		12.0	18.0	16.4	53.5		p	14.6	18.2	20.2	46.9
11.	D					q		10.3	40.8	6.4	42.6	q		10.2	45.8	6.6	37.4
12.	B					q		6.0	77.0	10.8	6.0	q		9.0	70.5	14.3	6.1
*13.	B,D					q		18.7	33.9	13.8	32.7	q		18.9	29.9	16.4	34.2
14.	C						p	20.0	17.7	41.9	20.3		p	23.7	16.1	39.0	20.9
15.	D					q		12.0	10.3	16.6	60.8	q		12.2	12.2	19.7	55.8
16.	D						p	16.8	5.0	13.8	64.5		p	21.7	8.2	11.4	58.6
17.	D					q		2.3	1.6	13.3	82.7	q		3.1	1.8	14.1	80.8
18.	D					q		7.8	28.8	6.5	56.9	q		7.0	35.6	7.6	49.7
19.	A						p	56.0	38.7	2.7	2.7		p	54.2	38.1	4.6	3.1
20.	D						p	14.0	1.9	19.3	64.8		p	12.7	2.6	23.9	60.8
21.	B						p	10.1	63.1	9.4	17.5		p	9.2	62.3	9.6	18.9
22.	A					q		54.2	41.3	3.4	1.1	q		48.5	45.4	4.3	1.6
23.	A						p	32.9	48.4	9.5	9.2		p	31.3	47.2	12.0	9.5
24.	D					q		2.7	36.0	8.3	52.7	q		3.1	38.1	10.4	48.3
25.	A					q		55.8	5.8	31.5	6.9	q		50.0	5.0	35.6	9.4
26.	D					q		18.7	21.9	14.8	44.5	q		20.2	22.1	18.3	39.3
27.	D					q		13.4	25.1	10.4	51.1	q		11.7	26.3	12.8	49.0
28.	B					q		10.8	59.2	21.4	8.5	q		11.5	56.2	23.1	9.0
29.	C					q		7.8	11.0	70.0	11.3	q		8.1	12.5	69.8	9.5
30.	B					q		2.3	86.4	10.1	1.2	q		4.3	85.0	9.4	1.2
31.	D					q		17.5	11.5	16.4	54.6	q		18.1	13.0	15.9	52.6
32.	D					q		5.1	8.5	12.0	74.0	q		6.0	8.3	11.2	74.4
33.	C					q		11.0	18.9	53.9	15.2	q		12.8	19.5	50.6	16.4
34.	C					q		4.6	0.7	88.7	6.0	q		4.9	1.6	86.6	6.9
35.	C						p	6.0	12.9	66.4	14.1		p	6.6	12.0	68.3	12.8
36.	B					q		1.9	92.6	3.7	1.8	q		2.7	90.0	5.1	2.2
37.	C					q		7.4	21.7	67.3	3.5	q		6.5	24.3	63.5	5.5
38.	A					q		77.7	7.8	9.2	5.3	q		77.3	7.1	9.9	5.6
39.	B					q		7.6	81.6	3.5	7.2	q		11.5	72.3	6.3	9.8
40.	C					q		4.6	12.2	79.9	3.4	q		5.2	12.7	78.5	3.7
41.	D					q		18.6	18.7	21.4	41.2	q		17.1	20.3	20.7	41.5
42.	B					q		6.9	89.1	2.5	1.6	q		9.3	84.1	3.7	2.8
43.	B					q		24.7	42.6	14.1	17.7	q		23.3	42.0	16.9	17.3
44.	C					q		7.1	9.5	75.6	7.6	q		7.1	10.7	72.8	9.2
45.	B						p	29.7	48.8	15.7	5.7		p	30.2	47.9	15.5	6.2
46.	B					q		17.0	68.0	6.7	8.3	q		16.9	64.4	9.2	9.2
47.	B					q		5.1	55.1	35.7	3.7		p	7.1	47.6	39.5	5.3
48.	B						p	3.4	84.8	6.7	4.8		p	3.8	85.0	6.8	4.2
49.	C						p	6.0	9.4	68.0	16.3		p	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT



District 2 - Western

(percentage of students who selected each response)

#388 - Long Range Academy, Cow Head

Grades: K-12

Item	Key	School [N=10]				School Below Above District		District [N=566]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	20.0	40.0	10.0	30.0	q		39.6	38.2	10.1	12.2	q		37.7	39.4	10.0	12.9
2.	A	0.0	20.0	10.0	70.0	q		23.5	20.9	8.1	47.2	q		19.5	23.4	7.8	49.0
3.	C	0.0	0.0	90.0	10.0		p	5.0	3.2	74.7	17.1		p	3.9	2.8	77.9	15.5
4.	C	20.0	30.0	40.0	10.0	q		4.6	17.1	60.3	18.0	q		5.2	16.6	61.0	16.8
5.	D	20.0	0.0	40.0	40.0	q		12.2	14.0	21.6	52.3	q		11.7	18.5	21.1	48.6
6.	B	0.0	100.0	0.0	0.0		p	2.8	90.1	4.4	2.7		p	2.1	90.5	5.2	2.2
7.	D	10.0	0.0	0.0	90.0		p	5.0	11.1	6.5	77.2		p	7.2	13.2	8.5	70.8
8.	B	10.0	70.0	10.0	10.0	q		5.3	89.4	2.7	2.7	q		4.5	86.6	2.8	6.2
9.	C	0.0	50.0	30.0	20.0	q		4.1	27.7	59.0	9.0	q		4.5	25.9	60.3	9.1
10.	D	20.0	20.0	20.0	40.0	q		12.0	18.0	16.4	53.5	q		14.6	18.2	20.2	46.9
11.	D	0.0	40.0	10.0	50.0		p	10.3	40.8	6.4	42.6		p	10.2	45.8	6.6	37.4
12.	B	0.0	90.0	0.0	0.0		p	6.0	77.0	10.8	6.0		p	9.0	70.5	14.3	6.1
*13.	B,D	50.0	10.0	30.0	10.0	q		18.7	33.9	13.8	32.7	q		18.9	29.9	16.4	34.2
14.	C	20.0	20.0	30.0	30.0	q		20.0	17.7	41.9	20.3	q		23.7	16.1	39.0	20.9
15.	D	30.0	0.0	20.0	50.0	q		12.0	10.3	16.6	60.8	q		12.2	12.2	19.7	55.8
16.	D	10.0	20.0	10.0	60.0	q		16.8	5.0	13.8	64.5		p	21.7	8.2	11.4	58.6
17.	D	0.0	10.0	0.0	90.0		p	2.3	1.6	13.3	82.7		p	3.1	1.8	14.1	80.8
18.	D	10.0	10.0	0.0	80.0		p	7.8	28.8	6.5	56.9		p	7.0	35.6	7.6	49.7
19.	A	40.0	40.0	0.0	20.0	q		56.0	38.7	2.7	2.7	q		54.2	38.1	4.6	3.1
20.	D	10.0	0.0	20.0	70.0		p	14.0	1.9	19.3	64.8		p	12.7	2.6	23.9	60.8
21.	B	20.0	60.0	10.0	10.0	q		10.1	63.1	9.4	17.5	q		9.2	62.3	9.6	18.9
22.	A	50.0	50.0	0.0	0.0	q		54.2	41.3	3.4	1.1		p	48.5	45.4	4.3	1.6
23.	A	20.0	70.0	0.0	10.0	q		32.9	48.4	9.5	9.2	q		31.3	47.2	12.0	9.5
24.	D	10.0	40.0	10.0	40.0	q		2.7	36.0	8.3	52.7	q		3.1	38.1	10.4	48.3
25.	A	30.0	0.0	70.0	0.0	q		55.8	5.8	31.5	6.9	q		50.0	5.0	35.6	9.4
26.	D	40.0	30.0	10.0	20.0	q		18.7	21.9	14.8	44.5	q		20.2	22.1	18.3	39.3
27.	D	10.0	20.0	10.0	60.0		p	13.4	25.1	10.4	51.1		p	11.7	26.3	12.8	49.0
28.	B	10.0	70.0	10.0	10.0		p	10.8	59.2	21.4	8.5		p	11.5	56.2	23.1	9.0
29.	C	20.0	10.0	70.0	0.0		p	7.8	11.0	70.0	11.3		p	8.1	12.5	69.8	9.5
30.	B	0.0	80.0	10.0	10.0	q		2.3	86.4	10.1	1.2	q		4.3	85.0	9.4	1.2
31.	D	10.0	10.0	30.0	50.0	q		17.5	11.5	16.4	54.6	q		18.1	13.0	15.9	52.6
32.	D	10.0	0.0	10.0	80.0		p	5.1	8.5	12.0	74.0		p	6.0	8.3	11.2	74.4
33.	C	40.0	10.0	40.0	10.0	q		11.0	18.9	53.9	15.2	q		12.8	19.5	50.6	16.4
34.	C	0.0	0.0	80.0	20.0	q		4.6	0.7	88.7	6.0	q		4.9	1.6	86.6	6.9
35.	C	0.0	30.0	50.0	20.0	q		6.0	12.9	66.4	14.1	q		6.6	12.0	68.3	12.8
36.	B	0.0	80.0	20.0	0.0	q		1.9	92.6	3.7	1.8	q		2.7	90.0	5.1	2.2
37.	C	10.0	20.0	70.0	0.0		p	7.4	21.7	67.3	3.5		p	6.5	24.3	63.5	5.5
38.	A	90.0	0.0	10.0	0.0		p	77.7	7.8	9.2	5.3		p	77.3	7.1	9.9	5.6
39.	B	0.0	90.0	0.0	10.0		p	7.6	81.6	3.5	7.2		p	11.5	72.3	6.3	9.8
40.	C	0.0	10.0	80.0	10.0		p	4.6	12.2	79.9	3.4		p	5.2	12.7	78.5	3.7
41.	D	20.0	20.0	0.0	60.0		p	18.6	18.7	21.4	41.2		p	17.1	20.3	20.7	41.5
42.	B	10.0	80.0	10.0	0.0	q		6.9	89.1	2.5	1.6	q		9.3	84.1	3.7	2.8
43.	B	30.0	50.0	0.0	20.0		p	24.7	42.6	14.1	17.7		p	23.3	42.0	16.9	17.3
44.	C	10.0	20.0	70.0	0.0	q		7.1	9.5	75.6	7.6	q		7.1	10.7	72.8	9.2
45.	B	30.0	50.0	10.0	10.0		p	29.7	48.8	15.7	5.7		p	30.2	47.9	15.5	6.2
46.	B	0.0	90.0	10.0	0.0		p	17.0	68.0	6.7	8.3		p	16.9	64.4	9.2	9.2
47.	B	10.0	60.0	30.0	0.0		p	5.1	55.1	35.7	3.7		p	7.1	47.6	39.5	5.3
48.	B	10.0	80.0	10.0	0.0	q		3.4	84.8	6.7	4.8	q		3.8	85.0	6.8	4.2
49.	C	10.0	10.0	50.0	30.0	q		6.0	9.4	68.0	16.3	q		6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 2 - Western

(percentage of students who selected each response)

#390 - Elwood High School, Deer Lake

Grades: 10-12

Item	Key	School [N=45]				District [N=566]				Province [N=3,011]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	A	53.3	28.9	11.1	6.7		P	39.6	38.2	10.1	12.2		P	37.7	39.4	10.0	12.9
2.	A	28.9	15.6	15.6	40.0		P	23.5	20.9	8.1	47.2		P	19.5	23.4	7.8	49.0
3.	C	15.6	4.4	68.9	11.1		Q	5.0	3.2	74.7	17.1		Q	3.9	2.8	77.9	15.5
4.	C	2.2	20.0	64.4	13.3		P	4.6	17.1	60.3	18.0		P	5.2	16.6	61.0	16.8
5.	D	20.0	2.2	26.7	51.1		Q	12.2	14.0	21.6	52.3		P	11.7	18.5	21.1	48.6
6.	B	2.2	84.4	4.4	8.9		Q	2.8	90.1	4.4	2.7		Q	2.1	90.5	5.2	2.2
7.	D	2.2	11.1	4.4	82.2		P	5.0	11.1	6.5	77.2		P	7.2	13.2	8.5	70.8
8.	B	0.0	93.3	2.2	4.4		P	5.3	89.4	2.7	2.7		P	4.5	86.6	2.8	6.2
9.	C	2.2	35.6	57.8	4.4		Q	4.1	27.7	59.0	9.0		Q	4.5	25.9	60.3	9.1
10.	D	11.1	20.0	24.4	44.4		Q	12.0	18.0	16.4	53.5		Q	14.6	18.2	20.2	46.9
11.	D	8.9	28.9	4.4	57.8		P	10.3	40.8	6.4	42.6		P	10.2	45.8	6.6	37.4
12.	B	11.1	73.3	11.1	4.4		Q	6.0	77.0	10.8	6.0		P	9.0	70.5	14.3	6.1
*13.	B,D	13.3	46.7	11.1	28.9		P	18.7	33.9	13.8	32.7		P	18.9	29.9	16.4	34.2
14.	C	15.6	15.6	48.9	20.0		P	20.0	17.7	41.9	20.3		P	23.7	16.1	39.0	20.9
15.	D	22.2	0.0	8.9	68.9		P	12.0	10.3	16.6	60.8		P	12.2	12.2	19.7	55.8
16.	D	6.7	2.2	31.1	60.0		Q	16.8	5.0	13.8	64.5		P	21.7	8.2	11.4	58.6
17.	D	4.4	4.4	6.7	84.4		P	2.3	1.6	13.3	82.7		P	3.1	1.8	14.1	80.8
18.	D	11.1	35.6	4.4	48.9		Q	7.8	28.8	6.5	56.9		Q	7.0	35.6	7.6	49.7
19.	A	62.2	33.3	2.2	2.2		P	56.0	38.7	2.7	2.7		P	54.2	38.1	4.6	3.1
20.	D	20.0	4.4	28.9	46.7		Q	14.0	1.9	19.3	64.8		Q	12.7	2.6	23.9	60.8
21.	B	15.6	60.0	13.3	11.1		Q	10.1	63.1	9.4	17.5		Q	9.2	62.3	9.6	18.9
22.	A	68.9	31.1	0.0	0.0		P	54.2	41.3	3.4	1.1		P	48.5	45.4	4.3	1.6
23.	A	31.1	37.8	4.4	26.7		Q	32.9	48.4	9.5	9.2		Q	31.3	47.2	12.0	9.5
24.	D	2.2	48.9	15.6	33.3		Q	2.7	36.0	8.3	52.7		Q	3.1	38.1	10.4	48.3
25.	A	75.6	8.9	13.3	2.2		P	55.8	5.8	31.5	6.9		P	50.0	5.0	35.6	9.4
26.	D	20.0	20.0	13.3	46.7		P	18.7	21.9	14.8	44.5		P	20.2	22.1	18.3	39.3
27.	D	22.2	42.2	4.4	31.1		Q	13.4	25.1	10.4	51.1		Q	11.7	26.3	12.8	49.0
28.	B	13.3	37.8	42.2	6.7		Q	10.8	59.2	21.4	8.5		Q	11.5	56.2	23.1	9.0
29.	C	8.9	4.4	73.3	13.3		P	7.8	11.0	70.0	11.3		P	8.1	12.5	69.8	9.5
30.	B	0.0	80.0	17.8	2.2		Q	2.3	86.4	10.1	1.2		Q	4.3	85.0	9.4	1.2
31.	D	15.6	13.3	20.0	51.1		Q	17.5	11.5	16.4	54.6		Q	18.1	13.0	15.9	52.6
32.	D	2.2	13.3	11.1	73.3		Q	5.1	8.5	12.0	74.0		Q	6.0	8.3	11.2	74.4
33.	C	15.6	22.2	46.7	15.6		Q	11.0	18.9	53.9	15.2		Q	12.8	19.5	50.6	16.4
34.	C	6.7	2.2	75.6	15.6		Q	4.6	0.7	88.7	6.0		Q	4.9	1.6	86.6	6.9
35.	C	11.1	31.1	46.7	11.1		Q	6.0	12.9	66.4	14.1		Q	6.6	12.0	68.3	12.8
36.	B	4.4	84.4	6.7	4.4		Q	1.9	92.6	3.7	1.8		Q	2.7	90.0	5.1	2.2
37.	C	11.1	40.0	48.9	0.0		Q	7.4	21.7	67.3	3.5		Q	6.5	24.3	63.5	5.5
38.	A	82.2	2.2	11.1	4.4		P	77.7	7.8	9.2	5.3		P	77.3	7.1	9.9	5.6
39.	B	15.6	77.8	4.4	2.2		Q	7.6	81.6	3.5	7.2		P	11.5	72.3	6.3	9.8
40.	C	4.4	6.7	86.7	2.2		P	4.6	12.2	79.9	3.4		P	5.2	12.7	78.5	3.7
41.	D	26.7	26.7	17.8	28.9		Q	18.6	18.7	21.4	41.2		Q	17.1	20.3	20.7	41.5
42.	B	8.9	80.0	4.4	6.7		Q	6.9	89.1	2.5	1.6		Q	9.3	84.1	3.7	2.8
43.	B	24.4	31.1	13.3	31.1		Q	24.7	42.6	14.1	17.7		Q	23.3	42.0	16.9	17.3
44.	C	11.1	4.4	77.8	4.4		P	7.1	9.5	75.6	7.6		P	7.1	10.7	72.8	9.2
45.	B	44.4	35.6	13.3	6.7		Q	29.7	48.8	15.7	5.7		Q	30.2	47.9	15.5	6.2
46.	B	13.3	73.3	4.4	8.9		P	17.0	68.0	6.7	8.3		P	16.9	64.4	9.2	9.2
47.	B	4.4	40.0	53.3	2.2		Q	5.1	55.1	35.7	3.7		Q	7.1	47.6	39.5	5.3
48.	B	2.2	84.4	2.2	11.1		Q	3.4	84.8	6.7	4.8		Q	3.8	85.0	6.8	4.2
49.	C	4.4	6.7	75.6	13.3		P	6.0	9.4	68.0	16.3		P	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 2 - Western

(percentage of students who selected each response)

#393 - Bonne Bay Academy, Woody Point

Grades: K-12

Item	Key	School [N=5]				District [N=566]				Province [N=3,011]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	A	B	C	D	
1.	A						P	39.6	38.2	10.1	12.2		P	37.7	39.4	10.0	12.9
2.	A	School data with 5 or fewer students withheld for reasons of confidentiality.					q	23.5	20.9	8.1	47.2		P	19.5	23.4	7.8	49.0
3.	C						P	5.0	3.2	74.7	17.1		P	3.9	2.8	77.9	15.5
4.	C						q	4.6	17.1	60.3	18.0		q	5.2	16.6	61.0	16.8
5.	D						P	12.2	14.0	21.6	52.3		P	11.7	18.5	21.1	48.6
6.	B						q	2.8	90.1	4.4	2.7		q	2.1	90.5	5.2	2.2
7.	D						P	5.0	11.1	6.5	77.2		P	7.2	13.2	8.5	70.8
8.	B						P	5.3	89.4	2.7	2.7		P	4.5	86.6	2.8	6.2
9.	C						q	4.1	27.7	59.0	9.0		q	4.5	25.9	60.3	9.1
10.	D						q	12.0	18.0	16.4	53.5		q	14.6	18.2	20.2	46.9
11.	D						P	10.3	40.8	6.4	42.6		P	10.2	45.8	6.6	37.4
12.	B						P	6.0	77.0	10.8	6.0		P	9.0	70.5	14.3	6.1
*13.	B,D						q	18.7	33.9	13.8	32.7		q	18.9	29.9	16.4	34.2
14.	C						P	20.0	17.7	41.9	20.3		P	23.7	16.1	39.0	20.9
15.	D						P	12.0	10.3	16.6	60.8		P	12.2	12.2	19.7	55.8
16.	D						q	16.8	5.0	13.8	64.5		q	21.7	8.2	11.4	58.6
17.	D						q	2.3	1.6	13.3	82.7		q	3.1	1.8	14.1	80.8
18.	D						P	7.8	28.8	6.5	56.9		P	7.0	35.6	7.6	49.7
19.	A						q	56.0	38.7	2.7	2.7		q	54.2	38.1	4.6	3.1
20.	D						q	14.0	1.9	19.3	64.8		q	12.7	2.6	23.9	60.8
21.	B						q	10.1	63.1	9.4	17.5		q	9.2	62.3	9.6	18.9
22.	A						P	54.2	41.3	3.4	1.1		P	48.5	45.4	4.3	1.6
23.	A						q	32.9	48.4	9.5	9.2		q	31.3	47.2	12.0	9.5
24.	D						P	2.7	36.0	8.3	52.7		P	3.1	38.1	10.4	48.3
25.	A						P	55.8	5.8	31.5	6.9		P	50.0	5.0	35.6	9.4
26.	D						q	18.7	21.9	14.8	44.5		P	20.2	22.1	18.3	39.3
27.	D						P	13.4	25.1	10.4	51.1		P	11.7	26.3	12.8	49.0
28.	B						P	10.8	59.2	21.4	8.5		P	11.5	56.2	23.1	9.0
29.	C						q	7.8	11.0	70.0	11.3		q	8.1	12.5	69.8	9.5
30.	B						P	2.3	86.4	10.1	1.2		P	4.3	85.0	9.4	1.2
31.	D						P	17.5	11.5	16.4	54.6		P	18.1	13.0	15.9	52.6
32.	D						q	5.1	8.5	12.0	74.0		q	6.0	8.3	11.2	74.4
33.	C						q	11.0	18.9	53.9	15.2		q	12.8	19.5	50.6	16.4
34.	C						P	4.6	0.7	88.7	6.0		P	4.9	1.6	86.6	6.9
35.	C						q	6.0	12.9	66.4	14.1		q	6.6	12.0	68.3	12.8
36.	B						P	1.9	92.6	3.7	1.8		P	2.7	90.0	5.1	2.2
37.	C						q	7.4	21.7	67.3	3.5		q	6.5	24.3	63.5	5.5
38.	A						P	77.7	7.8	9.2	5.3		P	77.3	7.1	9.9	5.6
39.	B						q	7.6	81.6	3.5	7.2		P	11.5	72.3	6.3	9.8
40.	C						P	4.6	12.2	79.9	3.4		P	5.2	12.7	78.5	3.7
41.	D						q	18.6	18.7	21.4	41.2		q	17.1	20.3	20.7	41.5
42.	B						P	6.9	89.1	2.5	1.6		P	9.3	84.1	3.7	2.8
43.	B						q	24.7	42.6	14.1	17.7		q	23.3	42.0	16.9	17.3
44.	C						P	7.1	9.5	75.6	7.6		P	7.1	10.7	72.8	9.2
45.	B						q	29.7	48.8	15.7	5.7		q	30.2	47.9	15.5	6.2
46.	B						q	17.0	68.0	6.7	8.3		q	16.9	64.4	9.2	9.2
47.	B						P	5.1	55.1	35.7	3.7		P	7.1	47.6	39.5	5.3
48.	B						P	3.4	84.8	6.7	4.8		P	3.8	85.0	6.8	4.2
49.	C						q	6.0	9.4	68.0	16.3		q	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 2 - Western

(percentage of students who selected each response)

#394 - E.A. Butler, McKay's

Grades: 7-12

Item	Key	School [N=9]				School		District [N=566]				School		Province [N=3,011]			
		A	B	C	D	Below	Above	A	B	C	D	Below	Above	A	B	C	D
1.	A	44.4	44.4	0.0	11.1		P	39.6	38.2	10.1	12.2		P	37.7	39.4	10.0	12.9
2.	A	22.2	33.3	0.0	44.4		q	23.5	20.9	8.1	47.2		P	19.5	23.4	7.8	49.0
3.	C	0.0	0.0	100.0	0.0		P	5.0	3.2	74.7	17.1		P	3.9	2.8	77.9	15.5
4.	C	11.1	0.0	55.6	33.3		q	4.6	17.1	60.3	18.0		q	5.2	16.6	61.0	16.8
5.	D	0.0	22.2	0.0	77.8		P	12.2	14.0	21.6	52.3		P	11.7	18.5	21.1	48.6
6.	B	0.0	100.0	0.0	0.0		P	2.8	90.1	4.4	2.7		P	2.1	90.5	5.2	2.2
7.	D	0.0	11.1	22.2	66.7		q	5.0	11.1	6.5	77.2		q	7.2	13.2	8.5	70.8
8.	B	11.1	88.9	0.0	0.0		q	5.3	89.4	2.7	2.7		P	4.5	86.6	2.8	6.2
9.	C	0.0	22.2	77.8	0.0		P	4.1	27.7	59.0	9.0		P	4.5	25.9	60.3	9.1
10.	D	11.1	33.3	0.0	55.6		P	12.0	18.0	16.4	53.5		P	14.6	18.2	20.2	46.9
11.	D	0.0	44.4	11.1	44.4		P	10.3	40.8	6.4	42.6		P	10.2	45.8	6.6	37.4
12.	B	0.0	55.6	33.3	11.1		q	6.0	77.0	10.8	6.0		q	9.0	70.5	14.3	6.1
*13.	B,D	11.1	33.3	11.1	44.4		P	18.7	33.9	13.8	32.7		P	18.9	29.9	16.4	34.2
14.	C	33.3	11.1	33.3	22.2		q	20.0	17.7	41.9	20.3		q	23.7	16.1	39.0	20.9
15.	D	11.1	22.2	11.1	55.6		q	12.0	10.3	16.6	60.8		q	12.2	12.2	19.7	55.8
16.	D	11.1	11.1	11.1	66.7		P	16.8	5.0	13.8	64.5		P	21.7	8.2	11.4	58.6
17.	D	0.0	0.0	11.1	88.9		P	2.3	1.6	13.3	82.7		P	3.1	1.8	14.1	80.8
18.	D	0.0	77.8	0.0	22.2		q	7.8	28.8	6.5	56.9		q	7.0	35.6	7.6	49.7
19.	A	55.6	44.4	0.0	0.0		q	56.0	38.7	2.7	2.7		P	54.2	38.1	4.6	3.1
20.	D	22.2	0.0	22.2	55.6		q	14.0	1.9	19.3	64.8		q	12.7	2.6	23.9	60.8
21.	B	0.0	55.6	33.3	11.1		q	10.1	63.1	9.4	17.5		q	9.2	62.3	9.6	18.9
22.	A	33.3	55.6	11.1	0.0		q	54.2	41.3	3.4	1.1		q	48.5	45.4	4.3	1.6
23.	A	22.2	55.6	22.2	0.0		q	32.9	48.4	9.5	9.2		q	31.3	47.2	12.0	9.5
24.	D	0.0	11.1	11.1	77.8		P	2.7	36.0	8.3	52.7		P	3.1	38.1	10.4	48.3
25.	A	22.2	22.2	55.6	0.0		q	55.8	5.8	31.5	6.9		q	50.0	5.0	35.6	9.4
26.	D	22.2	11.1	44.4	22.2		q	18.7	21.9	14.8	44.5		q	20.2	22.1	18.3	39.3
27.	D	44.4	33.3	0.0	22.2		q	13.4	25.1	10.4	51.1		q	11.7	26.3	12.8	49.0
28.	B	22.2	66.7	11.1	0.0		P	10.8	59.2	21.4	8.5		P	11.5	56.2	23.1	9.0
29.	C	44.4	0.0	44.4	11.1		q	7.8	11.0	70.0	11.3		q	8.1	12.5	69.8	9.5
30.	B	0.0	88.9	11.1	0.0		P	2.3	86.4	10.1	1.2		P	4.3	85.0	9.4	1.2
31.	D	22.2	0.0	33.3	44.4		q	17.5	11.5	16.4	54.6		q	18.1	13.0	15.9	52.6
32.	D	0.0	0.0	0.0	100.0		P	5.1	8.5	12.0	74.0		P	6.0	8.3	11.2	74.4
33.	C	11.1	33.3	33.3	22.2		q	11.0	18.9	53.9	15.2		q	12.8	19.5	50.6	16.4
34.	C	0.0	0.0	100.0	0.0		P	4.6	0.7	88.7	6.0		P	4.9	1.6	86.6	6.9
35.	C	0.0	33.3	44.4	22.2		q	6.0	12.9	66.4	14.1		q	6.6	12.0	68.3	12.8
36.	B	0.0	100.0	0.0	0.0		P	1.9	92.6	3.7	1.8		P	2.7	90.0	5.1	2.2
37.	C	0.0	33.3	66.7	0.0		q	7.4	21.7	67.3	3.5		P	6.5	24.3	63.5	5.5
38.	A	77.8	22.2	0.0	0.0		P	77.7	7.8	9.2	5.3		P	77.3	7.1	9.9	5.6
39.	B	0.0	66.7	0.0	33.3		q	7.6	81.6	3.5	7.2		q	11.5	72.3	6.3	9.8
40.	C	11.1	55.6	33.3	0.0		q	4.6	12.2	79.9	3.4		q	5.2	12.7	78.5	3.7
41.	D	0.0	11.1	33.3	55.6		P	18.6	18.7	21.4	41.2		P	17.1	20.3	20.7	41.5
42.	B	0.0	100.0	0.0	0.0		P	6.9	89.1	2.5	1.6		P	9.3	84.1	3.7	2.8
43.	B	11.1	55.6	0.0	33.3		P	24.7	42.6	14.1	17.7		P	23.3	42.0	16.9	17.3
44.	C	0.0	0.0	88.9	11.1		P	7.1	9.5	75.6	7.6		P	7.1	10.7	72.8	9.2
45.	B	11.1	66.7	11.1	11.1		P	29.7	48.8	15.7	5.7		P	30.2	47.9	15.5	6.2
46.	B	22.2	66.7	11.1	0.0		q	17.0	68.0	6.7	8.3		P	16.9	64.4	9.2	9.2
47.	B	0.0	66.7	22.2	11.1		P	5.1	55.1	35.7	3.7		P	7.1	47.6	39.5	5.3
48.	B	0.0	100.0	0.0	0.0		P	3.4	84.8	6.7	4.8		P	3.8	85.0	6.8	4.2
49.	C	11.1	22.2	66.7	0.0		q	6.0	9.4	68.0	16.3		P	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 2 - Western

(percentage of students who selected each response)

#397 - Belanger Memorial School, Upper Ferry

Grades: K-12

Item	Key	School [N=12]				School Below Above District		District [N=566]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D	A	B	C	D		
1.	A	50.0	50.0	0.0	0.0		P	39.6	38.2	10.1	12.2		P	37.7	39.4	10.0	12.9
2.	A	16.7	16.7	16.7	50.0		Q	23.5	20.9	8.1	47.2		Q	19.5	23.4	7.8	49.0
3.	C	8.3	0.0	75.0	16.7		P	5.0	3.2	74.7	17.1		Q	3.9	2.8	77.9	15.5
4.	C	0.0	25.0	66.7	8.3		P	4.6	17.1	60.3	18.0		P	5.2	16.6	61.0	16.8
5.	D	8.3	8.3	25.0	58.3		P	12.2	14.0	21.6	52.3		P	11.7	18.5	21.1	48.6
6.	B	0.0	91.7	8.3	0.0		P	2.8	90.1	4.4	2.7		P	2.1	90.5	5.2	2.2
7.	D	0.0	16.7	0.0	83.3		P	5.0	11.1	6.5	77.2		P	7.2	13.2	8.5	70.8
8.	B	0.0	100.0	0.0	0.0		P	5.3	89.4	2.7	2.7		P	4.5	86.6	2.8	6.2
9.	C	0.0	50.0	41.7	8.3		Q	4.1	27.7	59.0	9.0		Q	4.5	25.9	60.3	9.1
10.	D	0.0	0.0	25.0	75.0		P	12.0	18.0	16.4	53.5		P	14.6	18.2	20.2	46.9
11.	D	0.0	25.0	16.7	58.3		P	10.3	40.8	6.4	42.6		P	10.2	45.8	6.6	37.4
12.	B	0.0	91.7	0.0	8.3		P	6.0	77.0	10.8	6.0		P	9.0	70.5	14.3	6.1
*13.	B,D	0.0	33.3	16.7	50.0		P	18.7	33.9	13.8	32.7		P	18.9	29.9	16.4	34.2
14.	C	8.3	41.7	41.7	8.3		Q	20.0	17.7	41.9	20.3		P	23.7	16.1	39.0	20.9
15.	D	8.3	0.0	25.0	66.7		P	12.0	10.3	16.6	60.8		P	12.2	12.2	19.7	55.8
16.	D	16.7	0.0	8.3	75.0		P	16.8	5.0	13.8	64.5		P	21.7	8.2	11.4	58.6
17.	D	8.3	0.0	16.7	75.0		Q	2.3	1.6	13.3	82.7		Q	3.1	1.8	14.1	80.8
18.	D	0.0	8.3	0.0	91.7		P	7.8	28.8	6.5	56.9		P	7.0	35.6	7.6	49.7
19.	A	83.3	16.7	0.0	0.0		P	56.0	38.7	2.7	2.7		P	54.2	38.1	4.6	3.1
20.	D	16.7	8.3	25.0	50.0		Q	14.0	1.9	19.3	64.8		Q	12.7	2.6	23.9	60.8
21.	B	16.7	75.0	0.0	8.3		P	10.1	63.1	9.4	17.5		P	9.2	62.3	9.6	18.9
22.	A	75.0	25.0	0.0	0.0		P	54.2	41.3	3.4	1.1		P	48.5	45.4	4.3	1.6
23.	A	41.7	33.3	16.7	8.3		P	32.9	48.4	9.5	9.2		P	31.3	47.2	12.0	9.5
24.	D	0.0	25.0	0.0	75.0		P	2.7	36.0	8.3	52.7		P	3.1	38.1	10.4	48.3
25.	A	66.7	0.0	25.0	8.3		P	55.8	5.8	31.5	6.9		P	50.0	5.0	35.6	9.4
26.	D	16.7	16.7	0.0	66.7		P	18.7	21.9	14.8	44.5		P	20.2	22.1	18.3	39.3
27.	D	8.3	33.3	8.3	50.0		Q	13.4	25.1	10.4	51.1		P	11.7	26.3	12.8	49.0
28.	B	0.0	83.3	8.3	8.3		P	10.8	59.2	21.4	8.5		P	11.5	56.2	23.1	9.0
29.	C	0.0	16.7	75.0	8.3		P	7.8	11.0	70.0	11.3		P	8.1	12.5	69.8	9.5
30.	B	0.0	91.7	8.3	0.0		P	2.3	86.4	10.1	1.2		P	4.3	85.0	9.4	1.2
31.	D	0.0	0.0	8.3	91.7		P	17.5	11.5	16.4	54.6		P	18.1	13.0	15.9	52.6
32.	D	0.0	16.7	0.0	83.3		P	5.1	8.5	12.0	74.0		P	6.0	8.3	11.2	74.4
33.	C	16.7	0.0	66.7	16.7		P	11.0	18.9	53.9	15.2		P	12.8	19.5	50.6	16.4
34.	C	0.0	0.0	100.0	0.0		P	4.6	0.7	88.7	6.0		P	4.9	1.6	86.6	6.9
35.	C	0.0	0.0	91.7	8.3		P	6.0	12.9	66.4	14.1		P	6.6	12.0	68.3	12.8
36.	B	0.0	100.0	0.0	0.0		P	1.9	92.6	3.7	1.8		P	2.7	90.0	5.1	2.2
37.	C	0.0	25.0	75.0	0.0		P	7.4	21.7	67.3	3.5		P	6.5	24.3	63.5	5.5
38.	A	75.0	0.0	8.3	16.7		Q	77.7	7.8	9.2	5.3		Q	77.3	7.1	9.9	5.6
39.	B	0.0	100.0	0.0	0.0		P	7.6	81.6	3.5	7.2		P	11.5	72.3	6.3	9.8
40.	C	8.3	16.7	66.7	8.3		Q	4.6	12.2	79.9	3.4		Q	5.2	12.7	78.5	3.7
41.	D	33.3	8.3	8.3	50.0		P	18.6	18.7	21.4	41.2		P	17.1	20.3	20.7	41.5
42.	B	8.3	91.7	0.0	0.0		P	6.9	89.1	2.5	1.6		P	9.3	84.1	3.7	2.8
43.	B	8.3	83.3	0.0	8.3		P	24.7	42.6	14.1	17.7		P	23.3	42.0	16.9	17.3
44.	C	8.3	8.3	66.7	16.7		Q	7.1	9.5	75.6	7.6		Q	7.1	10.7	72.8	9.2
45.	B	8.3	75.0	16.7	0.0		P	29.7	48.8	15.7	5.7		P	30.2	47.9	15.5	6.2
46.	B	8.3	75.0	16.7	0.0		P	17.0	68.0	6.7	8.3		P	16.9	64.4	9.2	9.2
47.	B	0.0	66.7	33.3	0.0		P	5.1	55.1	35.7	3.7		P	7.1	47.6	39.5	5.3
48.	B	8.3	91.7	0.0	0.0		P	3.4	84.8	6.7	4.8		P	3.8	85.0	6.8	4.2
49.	C	8.3	8.3	66.7	16.7		Q	6.0	9.4	68.0	16.3		P	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 2 - Western

(percentage of students who selected each response)

#474 - Cloud River Academy, Roddickton

Grades: K-12

Item	Key	School [N=24]				School Below Above District		District [N=566]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	45.8	37.5	4.2	12.5		P	39.6	38.2	10.1	12.2		P	37.7	39.4	10.0	12.9
2.	A	4.2	20.8	16.7	58.3		q	23.5	20.9	8.1	47.2		q	19.5	23.4	7.8	49.0
3.	C	8.3	0.0	75.0	16.7		P	5.0	3.2	74.7	17.1		q	3.9	2.8	77.9	15.5
4.	C	8.3	20.8	45.8	25.0		q	4.6	17.1	60.3	18.0		q	5.2	16.6	61.0	16.8
5.	D	0.0	8.3	20.8	70.8		P	12.2	14.0	21.6	52.3		P	11.7	18.5	21.1	48.6
6.	B	4.2	83.3	8.3	4.2		q	2.8	90.1	4.4	2.7		q	2.1	90.5	5.2	2.2
7.	D	4.2	16.7	8.3	70.8		q	5.0	11.1	6.5	77.2		P	7.2	13.2	8.5	70.8
8.	B	8.3	83.3	8.3	0.0		q	5.3	89.4	2.7	2.7		q	4.5	86.6	2.8	6.2
9.	C	0.0	29.2	54.2	16.7		q	4.1	27.7	59.0	9.0		q	4.5	25.9	60.3	9.1
10.	D	12.5	12.5	16.7	58.3		P	12.0	18.0	16.4	53.5		P	14.6	18.2	20.2	46.9
11.	D	12.5	37.5	20.8	29.2		q	10.3	40.8	6.4	42.6		q	10.2	45.8	6.6	37.4
12.	B	4.2	70.8	16.7	8.3		q	6.0	77.0	10.8	6.0		P	9.0	70.5	14.3	6.1
*13.	B,D	16.7	41.7	12.5	29.2		P	18.7	33.9	13.8	32.7		P	18.9	29.9	16.4	34.2
14.	C	25.0	29.2	41.7	4.2		q	20.0	17.7	41.9	20.3		P	23.7	16.1	39.0	20.9
15.	D	20.8	4.2	20.8	54.2		q	12.0	10.3	16.6	60.8		q	12.2	12.2	19.7	55.8
16.	D	37.5	4.2	12.5	45.8		q	16.8	5.0	13.8	64.5		q	21.7	8.2	11.4	58.6
17.	D	0.0	0.0	12.5	87.5		P	2.3	1.6	13.3	82.7		P	3.1	1.8	14.1	80.8
18.	D	16.7	37.5	8.3	37.5		q	7.8	28.8	6.5	56.9		q	7.0	35.6	7.6	49.7
19.	A	45.8	37.5	12.5	4.2		q	56.0	38.7	2.7	2.7		q	54.2	38.1	4.6	3.1
20.	D	12.5	4.2	33.3	50.0		q	14.0	1.9	19.3	64.8		q	12.7	2.6	23.9	60.8
21.	B	16.7	54.2	12.5	16.7		q	10.1	63.1	9.4	17.5		q	9.2	62.3	9.6	18.9
22.	A	29.2	62.5	4.2	4.2		q	54.2	41.3	3.4	1.1		q	48.5	45.4	4.3	1.6
23.	A	12.5	66.7	20.8	0.0		q	32.9	48.4	9.5	9.2		q	31.3	47.2	12.0	9.5
24.	D	8.3	41.7	16.7	33.3		q	2.7	36.0	8.3	52.7		q	3.1	38.1	10.4	48.3
25.	A	37.5	4.2	45.8	12.5		q	55.8	5.8	31.5	6.9		q	50.0	5.0	35.6	9.4
26.	D	29.2	25.0	12.5	33.3		q	18.7	21.9	14.8	44.5		q	20.2	22.1	18.3	39.3
27.	D	12.5	29.2	20.8	37.5		q	13.4	25.1	10.4	51.1		q	11.7	26.3	12.8	49.0
28.	B	8.3	33.3	50.0	8.3		q	10.8	59.2	21.4	8.5		q	11.5	56.2	23.1	9.0
29.	C	8.3	25.0	62.5	4.2		q	7.8	11.0	70.0	11.3		q	8.1	12.5	69.8	9.5
30.	B	4.2	62.5	29.2	4.2		q	2.3	86.4	10.1	1.2		q	4.3	85.0	9.4	1.2
31.	D	29.2	29.2	8.3	33.3		q	17.5	11.5	16.4	54.6		q	18.1	13.0	15.9	52.6
32.	D	0.0	8.3	4.2	87.5		P	5.1	8.5	12.0	74.0		P	6.0	8.3	11.2	74.4
33.	C	12.5	29.2	37.5	20.8		q	11.0	18.9	53.9	15.2		q	12.8	19.5	50.6	16.4
34.	C	12.5	0.0	87.5	0.0		q	4.6	0.7	88.7	6.0		P	4.9	1.6	86.6	6.9
35.	C	4.2	12.5	54.2	25.0		q	6.0	12.9	66.4	14.1		q	6.6	12.0	68.3	12.8
36.	B	0.0	79.2	12.5	8.3		q	1.9	92.6	3.7	1.8		q	2.7	90.0	5.1	2.2
37.	C	8.3	20.8	62.5	8.3		q	7.4	21.7	67.3	3.5		q	6.5	24.3	63.5	5.5
38.	A	70.8	8.3	12.5	8.3		q	77.7	7.8	9.2	5.3		q	77.3	7.1	9.9	5.6
39.	B	8.3	79.2	4.2	8.3		q	7.6	81.6	3.5	7.2		P	11.5	72.3	6.3	9.8
40.	C	4.2	12.5	75.0	8.3		q	4.6	12.2	79.9	3.4		q	5.2	12.7	78.5	3.7
41.	D	25.0	16.7	16.7	41.7		P	18.6	18.7	21.4	41.2		P	17.1	20.3	20.7	41.5
42.	B	8.3	83.3	0.0	8.3		q	6.9	89.1	2.5	1.6		q	9.3	84.1	3.7	2.8
43.	B	25.0	37.5	16.7	20.8		q	24.7	42.6	14.1	17.7		q	23.3	42.0	16.9	17.3
44.	C	4.2	12.5	75.0	8.3		q	7.1	9.5	75.6	7.6		P	7.1	10.7	72.8	9.2
45.	B	45.8	29.2	16.7	8.3		q	29.7	48.8	15.7	5.7		q	30.2	47.9	15.5	6.2
46.	B	12.5	58.3	16.7	12.5		q	17.0	68.0	6.7	8.3		q	16.9	64.4	9.2	9.2
47.	B	8.3	54.2	37.5	0.0		q	5.1	55.1	35.7	3.7		P	7.1	47.6	39.5	5.3
48.	B	4.2	66.7	20.8	8.3		q	3.4	84.8	6.7	4.8		q	3.8	85.0	6.8	4.2
49.	C	16.7	8.3	54.2	20.8		q	6.0	9.4	68.0	16.3		q	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 2 - Western

(percentage of students who selected each response)

#475 - Viking Trail Academy, Plum Point

Grades: K-12

Item	Key	School [N=11]				District [N=566]				Province [N=3,011]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	A	54.6	45.5	0.0	0.0		P	39.6	38.2	10.1	12.2		P	37.7	39.4	10.0	12.9
2.	A	54.6	9.1	0.0	36.4		P	23.5	20.9	8.1	47.2		P	19.5	23.4	7.8	49.0
3.	C	0.0	9.1	81.8	9.1		P	5.0	3.2	74.7	17.1		P	3.9	2.8	77.9	15.5
4.	C	0.0	0.0	81.8	18.2		P	4.6	17.1	60.3	18.0		P	5.2	16.6	61.0	16.8
5.	D	0.0	36.4	9.1	54.6		P	12.2	14.0	21.6	52.3		P	11.7	18.5	21.1	48.6
6.	B	0.0	100.0	0.0	0.0		P	2.8	90.1	4.4	2.7		P	2.1	90.5	5.2	2.2
7.	D	0.0	0.0	18.2	81.8		P	5.0	11.1	6.5	77.2		P	7.2	13.2	8.5	70.8
8.	B	27.3	72.7	0.0	0.0		Q	5.3	89.4	2.7	2.7		Q	4.5	86.6	2.8	6.2
9.	C	9.1	27.3	63.6	0.0		P	4.1	27.7	59.0	9.0		P	4.5	25.9	60.3	9.1
10.	D	0.0	9.1	9.1	81.8		P	12.0	18.0	16.4	53.5		P	14.6	18.2	20.2	46.9
11.	D	9.1	36.4	9.1	45.5		P	10.3	40.8	6.4	42.6		P	10.2	45.8	6.6	37.4
12.	B	0.0	81.8	9.1	9.1		P	6.0	77.0	10.8	6.0		P	9.0	70.5	14.3	6.1
*13.	B,D	27.3	18.2	9.1	45.5		Q	18.7	33.9	13.8	32.7		Q	18.9	29.9	16.4	34.2
14.	C	27.3	9.1	45.5	18.2		P	20.0	17.7	41.9	20.3		P	23.7	16.1	39.0	20.9
15.	D	0.0	9.1	18.2	72.7		P	12.0	10.3	16.6	60.8		P	12.2	12.2	19.7	55.8
16.	D	0.0	0.0	18.2	81.8		P	16.8	5.0	13.8	64.5		P	21.7	8.2	11.4	58.6
17.	D	0.0	9.1	9.1	81.8		Q	2.3	1.6	13.3	82.7		P	3.1	1.8	14.1	80.8
18.	D	0.0	72.7	0.0	27.3		Q	7.8	28.8	6.5	56.9		Q	7.0	35.6	7.6	49.7
19.	A	81.8	18.2	0.0	0.0		P	56.0	38.7	2.7	2.7		P	54.2	38.1	4.6	3.1
20.	D	0.0	0.0	9.1	90.9		P	14.0	1.9	19.3	64.8		P	12.7	2.6	23.9	60.8
21.	B	9.1	72.7	9.1	9.1		P	10.1	63.1	9.4	17.5		P	9.2	62.3	9.6	18.9
22.	A	72.7	9.1	18.2	0.0		P	54.2	41.3	3.4	1.1		P	48.5	45.4	4.3	1.6
23.	A	36.4	45.5	9.1	9.1		P	32.9	48.4	9.5	9.2		P	31.3	47.2	12.0	9.5
24.	D	9.1	36.4	0.0	54.6		P	2.7	36.0	8.3	52.7		P	3.1	38.1	10.4	48.3
25.	A	81.8	0.0	18.2	0.0		P	55.8	5.8	31.5	6.9		P	50.0	5.0	35.6	9.4
26.	D	18.2	36.4	0.0	45.5		P	18.7	21.9	14.8	44.5		P	20.2	22.1	18.3	39.3
27.	D	0.0	9.1	9.1	81.8		P	13.4	25.1	10.4	51.1		P	11.7	26.3	12.8	49.0
28.	B	0.0	72.7	27.3	0.0		P	10.8	59.2	21.4	8.5		P	11.5	56.2	23.1	9.0
29.	C	0.0	27.3	72.7	0.0		P	7.8	11.0	70.0	11.3		P	8.1	12.5	69.8	9.5
30.	B	0.0	100.0	0.0	0.0		P	2.3	86.4	10.1	1.2		P	4.3	85.0	9.4	1.2
31.	D	0.0	36.4	0.0	63.6		P	17.5	11.5	16.4	54.6		P	18.1	13.0	15.9	52.6
32.	D	0.0	9.1	9.1	81.8		P	5.1	8.5	12.0	74.0		P	6.0	8.3	11.2	74.4
33.	C	9.1	9.1	63.6	18.2		P	11.0	18.9	53.9	15.2		P	12.8	19.5	50.6	16.4
34.	C	0.0	9.1	81.8	9.1		Q	4.6	0.7	88.7	6.0		Q	4.9	1.6	86.6	6.9
35.	C	0.0	18.2	81.8	0.0		P	6.0	12.9	66.4	14.1		P	6.6	12.0	68.3	12.8
36.	B	0.0	100.0	0.0	0.0		P	1.9	92.6	3.7	1.8		P	2.7	90.0	5.1	2.2
37.	C	0.0	18.2	81.8	0.0		P	7.4	21.7	67.3	3.5		P	6.5	24.3	63.5	5.5
38.	A	72.7	18.2	9.1	0.0		Q	77.7	7.8	9.2	5.3		Q	77.3	7.1	9.9	5.6
39.	B	0.0	81.8	18.2	0.0		P	7.6	81.6	3.5	7.2		P	11.5	72.3	6.3	9.8
40.	C	0.0	0.0	100.0	0.0		P	4.6	12.2	79.9	3.4		P	5.2	12.7	78.5	3.7
41.	D	0.0	27.3	18.2	54.6		P	18.6	18.7	21.4	41.2		P	17.1	20.3	20.7	41.5
42.	B	0.0	100.0	0.0	0.0		P	6.9	89.1	2.5	1.6		P	9.3	84.1	3.7	2.8
43.	B	54.6	36.4	0.0	0.0		Q	24.7	42.6	14.1	17.7		Q	23.3	42.0	16.9	17.3
44.	C	18.2	9.1	72.7	0.0		Q	7.1	9.5	75.6	7.6		Q	7.1	10.7	72.8	9.2
45.	B	18.2	72.7	9.1	0.0		P	29.7	48.8	15.7	5.7		P	30.2	47.9	15.5	6.2
46.	B	0.0	72.7	0.0	27.3		P	17.0	68.0	6.7	8.3		P	16.9	64.4	9.2	9.2
47.	B	0.0	72.7	18.2	9.1		P	5.1	55.1	35.7	3.7		P	7.1	47.6	39.5	5.3
48.	B	0.0	90.9	0.0	9.1		P	3.4	84.8	6.7	4.8		P	3.8	85.0	6.8	4.2
49.	C	0.0	0.0	81.8	18.2		P	6.0	9.4	68.0	16.3		P	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 3 - Nova Central

(percentage of students who selected each response)

#125 - Baie Verte Collegiate, Baie Verte

Grades: 7-12

Item	Key	School [N=18]				School Below Above District		District [N=436]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	61.1	27.8	0.0	11.1		P	36.5	41.5	8.0	13.8		P	37.7	39.4	10.0	12.9
2.	A	11.1	33.3	16.7	38.9		Q	17.4	23.4	8.7	50.0		Q	19.5	23.4	7.8	49.0
3.	C	0.0	0.0	83.3	16.7		P	3.0	3.7	78.4	14.9		P	3.9	2.8	77.9	15.5
4.	C	5.6	16.7	61.1	16.7		P	3.9	19.0	60.1	16.3		P	5.2	16.6	61.0	16.8
5.	D	11.1	5.6	27.8	55.6		P	10.8	17.9	21.3	49.8		P	11.7	18.5	21.1	48.6
6.	B	0.0	100.0	0.0	0.0		P	1.4	91.1	5.3	2.3		P	2.1	90.5	5.2	2.2
7.	D	0.0	33.3	0.0	61.1		Q	5.5	15.8	5.5	72.5		Q	7.2	13.2	8.5	70.8
8.	B	0.0	94.4	0.0	5.6		P	1.6	87.6	2.8	8.0		P	4.5	86.6	2.8	6.2
9.	C	0.0	22.2	66.7	11.1		P	3.2	31.0	56.9	8.9		P	4.5	25.9	60.3	9.1
10.	D	5.6	11.1	61.1	22.2		Q	13.8	16.1	20.9	48.9		Q	14.6	18.2	20.2	46.9
11.	D	0.0	61.1	0.0	38.9		P	7.1	51.2	7.1	34.4		P	10.2	45.8	6.6	37.4
12.	B	0.0	77.8	22.2	0.0		P	7.6	74.8	13.3	4.4		P	9.0	70.5	14.3	6.1
*13.	B,D	22.2	27.8	16.7	33.3		Q	20.2	27.5	15.1	36.5		Q	18.9	29.9	16.4	34.2
14.	C	27.8	11.1	50.0	11.1		P	25.7	15.8	34.6	23.4		P	23.7	16.1	39.0	20.9
15.	D	11.1	27.8	11.1	50.0		Q	12.8	16.5	20.0	50.7		Q	12.2	12.2	19.7	55.8
16.	D	11.1	5.6	11.1	72.2		P	20.2	7.8	8.7	63.3		P	21.7	8.2	11.4	58.6
17.	D	5.6	0.0	5.6	88.9		P	3.7	1.8	15.1	79.4		P	3.1	1.8	14.1	80.8
18.	D	5.6	61.1	0.0	33.3		Q	4.8	40.6	6.2	48.4		Q	7.0	35.6	7.6	49.7
19.	A	61.1	38.9	0.0	0.0		P	55.1	39.0	3.9	2.1		P	54.2	38.1	4.6	3.1
20.	D	5.6	0.0	27.8	66.7		P	14.7	2.8	22.9	59.4		P	12.7	2.6	23.9	60.8
21.	B	0.0	88.9	5.6	5.6		P	8.7	67.0	8.3	16.1		P	9.2	62.3	9.6	18.9
22.	A	50.0	50.0	0.0	0.0		P	43.6	49.5	3.9	2.5		P	48.5	45.4	4.3	1.6
23.	A	5.6	66.7	11.1	16.7		Q	28.9	52.1	9.9	9.2		Q	31.3	47.2	12.0	9.5
24.	D	0.0	27.8	27.8	44.4		Q	2.5	36.5	8.9	52.1		Q	3.1	38.1	10.4	48.3
25.	A	77.8	0.0	22.2	0.0		P	55.5	3.7	32.1	8.7		P	50.0	5.0	35.6	9.4
26.	D	22.2	33.3	22.2	22.2		Q	21.8	19.7	17.9	40.6		Q	20.2	22.1	18.3	39.3
27.	D	22.2	22.2	27.8	27.8		Q	13.1	26.2	14.2	46.6		Q	11.7	26.3	12.8	49.0
28.	B	16.7	55.6	16.7	11.1		P	14.0	53.2	24.5	8.0		Q	11.5	56.2	23.1	9.0
29.	C	0.0	5.6	77.8	16.7		P	5.3	11.9	75.7	7.1		P	8.1	12.5	69.8	9.5
30.	B	0.0	100.0	0.0	0.0		P	3.4	86.9	8.5	1.2		P	4.3	85.0	9.4	1.2
31.	D	16.7	11.1	11.1	61.1		P	20.2	14.2	15.6	49.1		P	18.1	13.0	15.9	52.6
32.	D	0.0	0.0	11.1	88.9		P	6.2	7.1	11.2	75.5		P	6.0	8.3	11.2	74.4
33.	C	11.1	5.6	55.6	27.8		P	14.7	18.6	50.5	15.1		P	12.8	19.5	50.6	16.4
34.	C	5.6	0.0	77.8	16.7		Q	5.7	1.2	85.3	7.8		Q	4.9	1.6	86.6	6.9
35.	C	11.1	0.0	66.7	22.2		Q	6.2	13.8	68.1	11.5		Q	6.6	12.0	68.3	12.8
36.	B	5.6	88.9	5.6	0.0		P	3.4	88.8	5.5	2.3		Q	2.7	90.0	5.1	2.2
37.	C	5.6	33.3	55.6	5.6		Q	6.4	22.9	65.4	4.6		Q	6.5	24.3	63.5	5.5
38.	A	88.9	5.6	5.6	0.0		P	77.5	8.3	8.7	5.5		P	77.3	7.1	9.9	5.6
39.	B	0.0	77.8	0.0	22.2		P	11.7	71.6	4.6	12.2		P	11.5	72.3	6.3	9.8
40.	C	0.0	11.1	88.9	0.0		P	3.4	13.8	79.4	3.4		P	5.2	12.7	78.5	3.7
41.	D	5.6	27.8	5.6	61.1		P	16.7	18.6	19.0	45.6		P	17.1	20.3	20.7	41.5
42.	B	11.1	88.9	0.0	0.0		P	10.6	82.3	3.4	3.7		P	9.3	84.1	3.7	2.8
43.	B	22.2	38.9	22.2	16.7		Q	26.6	42.2	16.5	14.2		Q	23.3	42.0	16.9	17.3
44.	C	5.6	11.1	77.8	5.6		P	6.0	12.8	72.3	8.5		P	7.1	10.7	72.8	9.2
45.	B	50.0	27.8	16.7	5.6		Q	31.9	47.9	14.7	5.1		Q	30.2	47.9	15.5	6.2
46.	B	16.7	66.7	5.6	11.1		Q	14.7	69.5	7.6	7.8		P	16.9	64.4	9.2	9.2
47.	B	11.1	55.6	33.3	0.0		P	7.1	47.0	42.2	3.0		P	7.1	47.6	39.5	5.3
48.	B	0.0	88.9	0.0	11.1		P	2.8	85.6	7.3	4.4		P	3.8	85.0	6.8	4.2
49.	C	16.7	0.0	61.1	22.2		P	8.3	11.0	60.3	20.0		Q	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT



District 3 - Nova Central

(percentage of students who selected each response)

#128 - Long Island Academy, Beaumont

Grades: K-1,3-12

Item	Key	School [N=3]				District [N=436]				School Below Above Province [N=3,011]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	A					q		36.5	41.5	8.0	13.8	q		37.7	39.4	10.0	12.9
2.	A	School data with 5 or fewer students withheld for reasons of confidentiality.				q		17.4	23.4	8.7	50.0	q		19.5	23.4	7.8	49.0
3.	C					p		3.0	3.7	78.4	14.9	p		3.9	2.8	77.9	15.5
4.	C					p		3.9	19.0	60.1	16.3	p		5.2	16.6	61.0	16.8
5.	D					q		10.8	17.9	21.3	49.8	q		11.7	18.5	21.1	48.6
6.	B					p		1.4	91.1	5.3	2.3	p		2.1	90.5	5.2	2.2
7.	D					p		5.5	15.8	5.5	72.5	p		7.2	13.2	8.5	70.8
8.	B					p		1.6	87.6	2.8	8.0	p		4.5	86.6	2.8	6.2
9.	C					p		3.2	31.0	56.9	8.9	p		4.5	25.9	60.3	9.1
10.	D					p		13.8	16.1	20.9	48.9	p		14.6	18.2	20.2	46.9
11.	D					q		7.1	51.2	7.1	34.4	q		10.2	45.8	6.6	37.4
12.	B					p		7.6	74.8	13.3	4.4	p		9.0	70.5	14.3	6.1
*13.	B,D					q		20.2	27.5	15.1	36.5	q		18.9	29.9	16.4	34.2
14.	C					p		25.7	15.8	34.6	23.4	p		23.7	16.1	39.0	20.9
15.	D					p		12.8	16.5	20.0	50.7	p		12.2	12.2	19.7	55.8
16.	D					p		20.2	7.8	8.7	63.3	p		21.7	8.2	11.4	58.6
17.	D					q		3.7	1.8	15.1	79.4	q		3.1	1.8	14.1	80.8
18.	D					q		4.8	40.6	6.2	48.4	q		7.0	35.6	7.6	49.7
19.	A					p		55.1	39.0	3.9	2.1	p		54.2	38.1	4.6	3.1
20.	D					p		14.7	2.8	22.9	59.4	p		12.7	2.6	23.9	60.8
21.	B					p		8.7	67.0	8.3	16.1	p		9.2	62.3	9.6	18.9
22.	A					p		43.6	49.5	3.9	2.5	p		48.5	45.4	4.3	1.6
23.	A					p		28.9	52.1	9.9	9.2	p		31.3	47.2	12.0	9.5
24.	D					p		2.5	36.5	8.9	52.1	p		3.1	38.1	10.4	48.3
25.	A					p		55.5	3.7	32.1	8.7	p		50.0	5.0	35.6	9.4
26.	D					p		21.8	19.7	17.9	40.6	p		20.2	22.1	18.3	39.3
27.	D					q		13.1	26.2	14.2	46.6	q		11.7	26.3	12.8	49.0
28.	B					p		14.0	53.2	24.5	8.0	p		11.5	56.2	23.1	9.0
29.	C					p		5.3	11.9	75.7	7.1	p		8.1	12.5	69.8	9.5
30.	B					p		3.4	86.9	8.5	1.2	p		4.3	85.0	9.4	1.2
31.	D					p		20.2	14.2	15.6	49.1	p		18.1	13.0	15.9	52.6
32.	D					q		6.2	7.1	11.2	75.5	q		6.0	8.3	11.2	74.4
33.	C					q		14.7	18.6	50.5	15.1	q		12.8	19.5	50.6	16.4
34.	C					p		5.7	1.2	85.3	7.8	p		4.9	1.6	86.6	6.9
35.	C					p		6.2	13.8	68.1	11.5	p		6.6	12.0	68.3	12.8
36.	B					p		3.4	88.8	5.5	2.3	p		2.7	90.0	5.1	2.2
37.	C					p		6.4	22.9	65.4	4.6	p		6.5	24.3	63.5	5.5
38.	A					p		77.5	8.3	8.7	5.5	p		77.3	7.1	9.9	5.6
39.	B					p		11.7	71.6	4.6	12.2	p		11.5	72.3	6.3	9.8
40.	C					q		3.4	13.8	79.4	3.4	q		5.2	12.7	78.5	3.7
41.	D					p		16.7	18.6	19.0	45.6	p		17.1	20.3	20.7	41.5
42.	B					q		10.6	82.3	3.4	3.7	q		9.3	84.1	3.7	2.8
43.	B					q		26.6	42.2	16.5	14.2	q		23.3	42.0	16.9	17.3
44.	C					p		6.0	12.8	72.3	8.5	p		7.1	10.7	72.8	9.2
45.	B					q		31.9	47.9	14.7	5.1	q		30.2	47.9	15.5	6.2
46.	B					p		14.7	69.5	7.6	7.8	p		16.9	64.4	9.2	9.2
47.	B					q		7.1	47.0	42.2	3.0	q		7.1	47.6	39.5	5.3
48.	B					p		2.8	85.6	7.3	4.4	p		3.8	85.0	6.8	4.2
49.	C					p		8.3	11.0	60.3	20.0	p		6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 3 - Nova Central

(percentage of students who selected each response)

#132 - Botwood Collegiate, Botwood

Grades: 7-12

Item	Key	School [N=26]				School		District [N=436]				School		Province [N=3,011]			
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	A	26.9	50.0	11.5	11.5	q		36.5	41.5	8.0	13.8	q		37.7	39.4	10.0	12.9
2.	A	23.1	3.9	7.7	61.5		p	17.4	23.4	8.7	50.0		p	19.5	23.4	7.8	49.0
3.	C	3.9	3.9	88.5	3.9		p	3.0	3.7	78.4	14.9		p	3.9	2.8	77.9	15.5
4.	C	0.0	23.1	53.9	23.1	q		3.9	19.0	60.1	16.3	q		5.2	16.6	61.0	16.8
5.	D	19.2	15.4	30.8	34.6	q		10.8	17.9	21.3	49.8	q		11.7	18.5	21.1	48.6
6.	B	0.0	92.3	3.9	3.9		p	1.4	91.1	5.3	2.3		p	2.1	90.5	5.2	2.2
7.	D	3.9	15.4	3.9	76.9		p	5.5	15.8	5.5	72.5		p	7.2	13.2	8.5	70.8
8.	B	7.7	69.2	7.7	15.4	q		1.6	87.6	2.8	8.0	q		4.5	86.6	2.8	6.2
9.	C	0.0	30.8	57.7	11.5		p	3.2	31.0	56.9	8.9	q		4.5	25.9	60.3	9.1
10.	D	15.4	19.2	19.2	46.2	q		13.8	16.1	20.9	48.9	q		14.6	18.2	20.2	46.9
11.	D	3.9	57.7	7.7	30.8	q		7.1	51.2	7.1	34.4	q		10.2	45.8	6.6	37.4
12.	B	11.5	73.1	15.4	0.0	q		7.6	74.8	13.3	4.4		p	9.0	70.5	14.3	6.1
*13.	B,D	26.9	19.2	15.4	38.5	q		20.2	27.5	15.1	36.5	q		18.9	29.9	16.4	34.2
14.	C	23.1	19.2	30.8	26.9	q		25.7	15.8	34.6	23.4	q		23.7	16.1	39.0	20.9
15.	D	15.4	15.4	23.1	46.2	q		12.8	16.5	20.0	50.7	q		12.2	12.2	19.7	55.8
16.	D	23.1	0.0	0.0	76.9		p	20.2	7.8	8.7	63.3		p	21.7	8.2	11.4	58.6
17.	D	3.9	0.0	30.8	65.4	q		3.7	1.8	15.1	79.4	q		3.1	1.8	14.1	80.8
18.	D	0.0	38.5	3.9	57.7		p	4.8	40.6	6.2	48.4		p	7.0	35.6	7.6	49.7
19.	A	61.5	34.6	3.9	0.0		p	55.1	39.0	3.9	2.1		p	54.2	38.1	4.6	3.1
20.	D	19.2	0.0	26.9	53.9	q		14.7	2.8	22.9	59.4	q		12.7	2.6	23.9	60.8
21.	B	11.5	50.0	7.7	30.8	q		8.7	67.0	8.3	16.1	q		9.2	62.3	9.6	18.9
22.	A	42.3	38.5	11.5	3.9	q		43.6	49.5	3.9	2.5	q		48.5	45.4	4.3	1.6
23.	A	26.9	46.2	23.1	3.9	q		28.9	52.1	9.9	9.2	q		31.3	47.2	12.0	9.5
24.	D	7.7	38.5	7.7	46.2	q		2.5	36.5	8.9	52.1	q		3.1	38.1	10.4	48.3
25.	A	53.9	3.9	30.8	11.5	q		55.5	3.7	32.1	8.7		p	50.0	5.0	35.6	9.4
26.	D	15.4	7.7	30.8	46.2		p	21.8	19.7	17.9	40.6		p	20.2	22.1	18.3	39.3
27.	D	7.7	38.5	23.1	30.8	q		13.1	26.2	14.2	46.6	q		11.7	26.3	12.8	49.0
28.	B	34.6	34.6	19.2	7.7	q		14.0	53.2	24.5	8.0	q		11.5	56.2	23.1	9.0
29.	C	3.9	7.7	80.8	7.7		p	5.3	11.9	75.7	7.1		p	8.1	12.5	69.8	9.5
30.	B	7.7	76.9	7.7	7.7	q		3.4	86.9	8.5	1.2	q		4.3	85.0	9.4	1.2
31.	D	19.2	26.9	15.4	38.5	q		20.2	14.2	15.6	49.1	q		18.1	13.0	15.9	52.6
32.	D	3.9	7.7	19.2	69.2	q		6.2	7.1	11.2	75.5	q		6.0	8.3	11.2	74.4
33.	C	26.9	23.1	34.6	11.5	q		14.7	18.6	50.5	15.1	q		12.8	19.5	50.6	16.4
34.	C	3.9	3.9	80.8	11.5	q		5.7	1.2	85.3	7.8	q		4.9	1.6	86.6	6.9
35.	C	7.7	23.1	53.9	11.5	q		6.2	13.8	68.1	11.5	q		6.6	12.0	68.3	12.8
36.	B	3.9	80.8	7.7	7.7	q		3.4	88.8	5.5	2.3	q		2.7	90.0	5.1	2.2
37.	C	7.7	23.1	65.4	3.9		p	6.4	22.9	65.4	4.6		p	6.5	24.3	63.5	5.5
38.	A	61.5	7.7	11.5	19.2	q		77.5	8.3	8.7	5.5	q		77.3	7.1	9.9	5.6
39.	B	15.4	61.5	3.9	19.2	q		11.7	71.6	4.6	12.2	q		11.5	72.3	6.3	9.8
40.	C	3.9	23.1	69.2	3.9	q		3.4	13.8	79.4	3.4	q		5.2	12.7	78.5	3.7
41.	D	26.9	15.4	11.5	46.2		p	16.7	18.6	19.0	45.6		p	17.1	20.3	20.7	41.5
42.	B	3.9	88.5	0.0	7.7		p	10.6	82.3	3.4	3.7		p	9.3	84.1	3.7	2.8
43.	B	26.9	46.2	11.5	15.4		p	26.6	42.2	16.5	14.2		p	23.3	42.0	16.9	17.3
44.	C	11.5	11.5	65.4	7.7	q		6.0	12.8	72.3	8.5	q		7.1	10.7	72.8	9.2
45.	B	53.9	38.5	0.0	7.7	q		31.9	47.9	14.7	5.1	q		30.2	47.9	15.5	6.2
46.	B	11.5	65.4	7.7	15.4	q		14.7	69.5	7.6	7.8		p	16.9	64.4	9.2	9.2
47.	B	7.7	46.2	38.5	3.9	q		7.1	47.0	42.2	3.0	q		7.1	47.6	39.5	5.3
48.	B	0.0	84.6	11.5	3.9	q		2.8	85.6	7.3	4.4	q		3.8	85.0	6.8	4.2
49.	C	15.4	7.7	38.5	34.6	q		8.3	11.0	60.3	20.0	q		6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 3 - Nova Central

(percentage of students who selected each response)

#138 - Victoria Academy, Gaultois

Grades: 1-4,6-12

Item	Key	School [N=1]				District [N=436]				School Below Above District [N=3,011]					
		A	B	C	D	A	B	C	D	A	B	C	D		
1.	A					q	36.5	41.5	8.0	13.8	q	37.7	39.4	10.0	12.9
2.	A	School data with 5 or fewer students withheld for reasons of confidentiality.				q	17.4	23.4	8.7	50.0	q	19.5	23.4	7.8	49.0
3.	C					q	3.0	3.7	78.4	14.9	q	3.9	2.8	77.9	15.5
4.	C					p	3.9	19.0	60.1	16.3	p	5.2	16.6	61.0	16.8
5.	D					p	10.8	17.9	21.3	49.8	p	11.7	18.5	21.1	48.6
6.	B					p	1.4	91.1	5.3	2.3	p	2.1	90.5	5.2	2.2
7.	D					q	5.5	15.8	5.5	72.5	q	7.2	13.2	8.5	70.8
8.	B					p	1.6	87.6	2.8	8.0	p	4.5	86.6	2.8	6.2
9.	C					q	3.2	31.0	56.9	8.9	q	4.5	25.9	60.3	9.1
10.	D					q	13.8	16.1	20.9	48.9	q	14.6	18.2	20.2	46.9
11.	D					p	7.1	51.2	7.1	34.4	p	10.2	45.8	6.6	37.4
12.	B					q	7.6	74.8	13.3	4.4	q	9.0	70.5	14.3	6.1
*13.	B,D					q	20.2	27.5	15.1	36.5	q	18.9	29.9	16.4	34.2
14.	C					q	25.7	15.8	34.6	23.4	q	23.7	16.1	39.0	20.9
15.	D					p	12.8	16.5	20.0	50.7	p	12.2	12.2	19.7	55.8
16.	D					q	20.2	7.8	8.7	63.3	q	21.7	8.2	11.4	58.6
17.	D					p	3.7	1.8	15.1	79.4	p	3.1	1.8	14.1	80.8
18.	D					q	4.8	40.6	6.2	48.4	q	7.0	35.6	7.6	49.7
19.	A					q	55.1	39.0	3.9	2.1	q	54.2	38.1	4.6	3.1
20.	D					q	14.7	2.8	22.9	59.4	q	12.7	2.6	23.9	60.8
21.	B					p	8.7	67.0	8.3	16.1	p	9.2	62.3	9.6	18.9
22.	A					q	43.6	49.5	3.9	2.5	q	48.5	45.4	4.3	1.6
23.	A					q	28.9	52.1	9.9	9.2	q	31.3	47.2	12.0	9.5
24.	D					p	2.5	36.5	8.9	52.1	p	3.1	38.1	10.4	48.3
25.	A					q	55.5	3.7	32.1	8.7	q	50.0	5.0	35.6	9.4
26.	D					p	21.8	19.7	17.9	40.6	p	20.2	22.1	18.3	39.3
27.	D					p	13.1	26.2	14.2	46.6	p	11.7	26.3	12.8	49.0
28.	B					q	14.0	53.2	24.5	8.0	q	11.5	56.2	23.1	9.0
29.	C					q	5.3	11.9	75.7	7.1	q	8.1	12.5	69.8	9.5
30.	B					p	3.4	86.9	8.5	1.2	p	4.3	85.0	9.4	1.2
31.	D					q	20.2	14.2	15.6	49.1	q	18.1	13.0	15.9	52.6
32.	D					q	6.2	7.1	11.2	75.5	q	6.0	8.3	11.2	74.4
33.	C					q	14.7	18.6	50.5	15.1	q	12.8	19.5	50.6	16.4
34.	C					p	5.7	1.2	85.3	7.8	p	4.9	1.6	86.6	6.9
35.	C					q	6.2	13.8	68.1	11.5	q	6.6	12.0	68.3	12.8
36.	B					p	3.4	88.8	5.5	2.3	p	2.7	90.0	5.1	2.2
37.	C					q	6.4	22.9	65.4	4.6	q	6.5	24.3	63.5	5.5
38.	A					p	77.5	8.3	8.7	5.5	p	77.3	7.1	9.9	5.6
39.	B					q	11.7	71.6	4.6	12.2	q	11.5	72.3	6.3	9.8
40.	C					p	3.4	13.8	79.4	3.4	p	5.2	12.7	78.5	3.7
41.	D					p	16.7	18.6	19.0	45.6	p	17.1	20.3	20.7	41.5
42.	B					q	10.6	82.3	3.4	3.7	q	9.3	84.1	3.7	2.8
43.	B					p	26.6	42.2	16.5	14.2	p	23.3	42.0	16.9	17.3
44.	C					p	6.0	12.8	72.3	8.5	p	7.1	10.7	72.8	9.2
45.	B					q	31.9	47.9	14.7	5.1	q	30.2	47.9	15.5	6.2
46.	B					p	14.7	69.5	7.6	7.8	p	16.9	64.4	9.2	9.2
47.	B					p	7.1	47.0	42.2	3.0	p	7.1	47.6	39.5	5.3
48.	B					p	2.8	85.6	7.3	4.4	p	3.8	85.0	6.8	4.2
49.	C					p	8.3	11.0	60.3	20.0	p	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 3 - Nova Central

(percentage of students who selected each response)

#149 - King Academy, Harbour Breton

Grades: 7-12

Item	Key	School [N=7]				School Below Above District		District [N=436]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	28.6	57.1	0.0	14.3	q		36.5	41.5	8.0	13.8	q		37.7	39.4	10.0	12.9
2.	A	28.6	28.6	0.0	42.9		p	17.4	23.4	8.7	50.0		p	19.5	23.4	7.8	49.0
3.	C	0.0	0.0	100.0	0.0		p	3.0	3.7	78.4	14.9		p	3.9	2.8	77.9	15.5
4.	C	0.0	14.3	85.7	0.0		p	3.9	19.0	60.1	16.3		p	5.2	16.6	61.0	16.8
5.	D	0.0	42.9	28.6	28.6	q		10.8	17.9	21.3	49.8	q		11.7	18.5	21.1	48.6
6.	B	0.0	100.0	0.0	0.0		p	1.4	91.1	5.3	2.3		p	2.1	90.5	5.2	2.2
7.	D	0.0	0.0	0.0	100.0		p	5.5	15.8	5.5	72.5		p	7.2	13.2	8.5	70.8
8.	B	0.0	85.7	14.3	0.0	q		1.6	87.6	2.8	8.0	q		4.5	86.6	2.8	6.2
9.	C	0.0	42.9	42.9	14.3	q		3.2	31.0	56.9	8.9	q		4.5	25.9	60.3	9.1
10.	D	42.9	14.3	0.0	42.9	q		13.8	16.1	20.9	48.9	q		14.6	18.2	20.2	46.9
11.	D	0.0	85.7	0.0	14.3	q		7.1	51.2	7.1	34.4	q		10.2	45.8	6.6	37.4
12.	B	14.3	71.4	14.3	0.0	q		7.6	74.8	13.3	4.4		p	9.0	70.5	14.3	6.1
*13.	B,D	0.0	42.9	14.3	42.9		p	20.2	27.5	15.1	36.5		p	18.9	29.9	16.4	34.2
14.	C	28.6	0.0	42.9	28.6		p	25.7	15.8	34.6	23.4		p	23.7	16.1	39.0	20.9
15.	D	42.9	14.3	0.0	42.9	q		12.8	16.5	20.0	50.7	q		12.2	12.2	19.7	55.8
16.	D	14.3	14.3	0.0	71.4		p	20.2	7.8	8.7	63.3		p	21.7	8.2	11.4	58.6
17.	D	0.0	0.0	0.0	100.0		p	3.7	1.8	15.1	79.4		p	3.1	1.8	14.1	80.8
18.	D	0.0	14.3	0.0	85.7		p	4.8	40.6	6.2	48.4		p	7.0	35.6	7.6	49.7
19.	A	0.0	85.7	14.3	0.0	q		55.1	39.0	3.9	2.1	q		54.2	38.1	4.6	3.1
20.	D	14.3	0.0	28.6	57.1	q		14.7	2.8	22.9	59.4	q		12.7	2.6	23.9	60.8
21.	B	14.3	85.7	0.0	0.0		p	8.7	67.0	8.3	16.1		p	9.2	62.3	9.6	18.9
22.	A	57.1	28.6	0.0	14.3		p	43.6	49.5	3.9	2.5		p	48.5	45.4	4.3	1.6
23.	A	28.6	57.1	14.3	0.0	q		28.9	52.1	9.9	9.2	q		31.3	47.2	12.0	9.5
24.	D	14.3	28.6	0.0	57.1		p	2.5	36.5	8.9	52.1		p	3.1	38.1	10.4	48.3
25.	A	14.3	0.0	57.1	28.6	q		55.5	3.7	32.1	8.7	q		50.0	5.0	35.6	9.4
26.	D	14.3	14.3	57.1	14.3	q		21.8	19.7	17.9	40.6	q		20.2	22.1	18.3	39.3
27.	D	14.3	42.9	0.0	42.9	q		13.1	26.2	14.2	46.6	q		11.7	26.3	12.8	49.0
28.	B	0.0	42.9	57.1	0.0	q		14.0	53.2	24.5	8.0	q		11.5	56.2	23.1	9.0
29.	C	28.6	14.3	42.9	14.3	q		5.3	11.9	75.7	7.1	q		8.1	12.5	69.8	9.5
30.	B	0.0	100.0	0.0	0.0		p	3.4	86.9	8.5	1.2		p	4.3	85.0	9.4	1.2
31.	D	42.9	14.3	14.3	28.6	q		20.2	14.2	15.6	49.1	q		18.1	13.0	15.9	52.6
32.	D	0.0	0.0	14.3	85.7		p	6.2	7.1	11.2	75.5		p	6.0	8.3	11.2	74.4
33.	C	42.9	28.6	14.3	14.3	q		14.7	18.6	50.5	15.1	q		12.8	19.5	50.6	16.4
34.	C	28.6	0.0	57.1	14.3	q		5.7	1.2	85.3	7.8	q		4.9	1.6	86.6	6.9
35.	C	0.0	42.9	28.6	28.6	q		6.2	13.8	68.1	11.5	q		6.6	12.0	68.3	12.8
36.	B	0.0	85.7	14.3	0.0	q		3.4	88.8	5.5	2.3	q		2.7	90.0	5.1	2.2
37.	C	0.0	57.1	42.9	0.0	q		6.4	22.9	65.4	4.6	q		6.5	24.3	63.5	5.5
38.	A	57.1	42.9	0.0	0.0	q		77.5	8.3	8.7	5.5	q		77.3	7.1	9.9	5.6
39.	B	0.0	57.1	0.0	42.9	q		11.7	71.6	4.6	12.2	q		11.5	72.3	6.3	9.8
40.	C	14.3	14.3	71.4	0.0	q		3.4	13.8	79.4	3.4	q		5.2	12.7	78.5	3.7
41.	D	0.0	57.1	0.0	42.9	q		16.7	18.6	19.0	45.6		p	17.1	20.3	20.7	41.5
42.	B	0.0	71.4	14.3	14.3	q		10.6	82.3	3.4	3.7	q		9.3	84.1	3.7	2.8
43.	B	14.3	28.6	0.0	57.1	q		26.6	42.2	16.5	14.2	q		23.3	42.0	16.9	17.3
44.	C	0.0	28.6	57.1	14.3	q		6.0	12.8	72.3	8.5	q		7.1	10.7	72.8	9.2
45.	B	42.9	42.9	14.3	0.0	q		31.9	47.9	14.7	5.1	q		30.2	47.9	15.5	6.2
46.	B	42.9	57.1	0.0	0.0	q		14.7	69.5	7.6	7.8	q		16.9	64.4	9.2	9.2
47.	B	14.3	28.6	42.9	14.3	q		7.1	47.0	42.2	3.0	q		7.1	47.6	39.5	5.3
48.	B	0.0	85.7	0.0	14.3		p	2.8	85.6	7.3	4.4		p	3.8	85.0	6.8	4.2
49.	C	14.3	0.0	57.1	28.6	q		8.3	11.0	60.3	20.0	q		6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 3 - Nova Central

(percentage of students who selected each response)

#151 - John Watkins Academy, Hermitage

Grades: K-12

Item	Key	School [N=5]				District [N=436]				School Below Above District				Province [N=3,011]			
		A	B	C	D	A	B	C	D	Below	Above	A	B	C	D		
1.	A						36.5	41.5	8.0	13.8		p		37.7	39.4	10.0	12.9
2.	A	School data with 5 or fewer students withheld for reasons of confidentiality.					17.4	23.4	8.7	50.0		p		19.5	23.4	7.8	49.0
3.	C						3.0	3.7	78.4	14.9		p		3.9	2.8	77.9	15.5
4.	C						3.9	19.0	60.1	16.3		q		5.2	16.6	61.0	16.8
5.	D						10.8	17.9	21.3	49.8		p		11.7	18.5	21.1	48.6
6.	B						1.4	91.1	5.3	2.3		q		2.1	90.5	5.2	2.2
7.	D						5.5	15.8	5.5	72.5		p		7.2	13.2	8.5	70.8
8.	B						1.6	87.6	2.8	8.0		q		4.5	86.6	2.8	6.2
9.	C						3.2	31.0	56.9	8.9		p		4.5	25.9	60.3	9.1
10.	D						13.8	16.1	20.9	48.9		q		14.6	18.2	20.2	46.9
11.	D						7.1	51.2	7.1	34.4		p		10.2	45.8	6.6	37.4
12.	B						7.6	74.8	13.3	4.4		p		9.0	70.5	14.3	6.1
*13.	B,D						20.2	27.5	15.1	36.5		p		18.9	29.9	16.4	34.2
14.	C						25.7	15.8	34.6	23.4		p		23.7	16.1	39.0	20.9
15.	D						12.8	16.5	20.0	50.7		q		12.2	12.2	19.7	55.8
16.	D						20.2	7.8	8.7	63.3		q		21.7	8.2	11.4	58.6
17.	D						3.7	1.8	15.1	79.4		q		3.1	1.8	14.1	80.8
18.	D						4.8	40.6	6.2	48.4		q		7.0	35.6	7.6	49.7
19.	A						55.1	39.0	3.9	2.1		p		54.2	38.1	4.6	3.1
20.	D						14.7	2.8	22.9	59.4		p		12.7	2.6	23.9	60.8
21.	B						8.7	67.0	8.3	16.1		q		9.2	62.3	9.6	18.9
22.	A						43.6	49.5	3.9	2.5		q		48.5	45.4	4.3	1.6
23.	A						28.9	52.1	9.9	9.2		p		31.3	47.2	12.0	9.5
24.	D						2.5	36.5	8.9	52.1		q		3.1	38.1	10.4	48.3
25.	A						55.5	3.7	32.1	8.7		p		50.0	5.0	35.6	9.4
26.	D						21.8	19.7	17.9	40.6		p		20.2	22.1	18.3	39.3
27.	D						13.1	26.2	14.2	46.6		q		11.7	26.3	12.8	49.0
28.	B						14.0	53.2	24.5	8.0		p		11.5	56.2	23.1	9.0
29.	C						5.3	11.9	75.7	7.1		q		8.1	12.5	69.8	9.5
30.	B						3.4	86.9	8.5	1.2		q		4.3	85.0	9.4	1.2
31.	D						20.2	14.2	15.6	49.1		q		18.1	13.0	15.9	52.6
32.	D						6.2	7.1	11.2	75.5		q		6.0	8.3	11.2	74.4
33.	C						14.7	18.6	50.5	15.1		q		12.8	19.5	50.6	16.4
34.	C						5.7	1.2	85.3	7.8		p		4.9	1.6	86.6	6.9
35.	C						6.2	13.8	68.1	11.5		q		6.6	12.0	68.3	12.8
36.	B						3.4	88.8	5.5	2.3		p		2.7	90.0	5.1	2.2
37.	C						6.4	22.9	65.4	4.6		q		6.5	24.3	63.5	5.5
38.	A						77.5	8.3	8.7	5.5		p		77.3	7.1	9.9	5.6
39.	B						11.7	71.6	4.6	12.2		q		11.5	72.3	6.3	9.8
40.	C						3.4	13.8	79.4	3.4		q		5.2	12.7	78.5	3.7
41.	D						16.7	18.6	19.0	45.6		q		17.1	20.3	20.7	41.5
42.	B						10.6	82.3	3.4	3.7		p		9.3	84.1	3.7	2.8
43.	B						26.6	42.2	16.5	14.2		q		23.3	42.0	16.9	17.3
44.	C						6.0	12.8	72.3	8.5		p		7.1	10.7	72.8	9.2
45.	B						31.9	47.9	14.7	5.1		p		30.2	47.9	15.5	6.2
46.	B						14.7	69.5	7.6	7.8		q		16.9	64.4	9.2	9.2
47.	B						7.1	47.0	42.2	3.0		q		7.1	47.6	39.5	5.3
48.	B						2.8	85.6	7.3	4.4		q		3.8	85.0	6.8	4.2
49.	C						8.3	11.0	60.3	20.0		p		6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 3 - Nova Central

(percentage of students who selected each response)

#152 - Valmont Academy, King's Point

Grades: K-12

Item	Key	School [N=6]				District [N=436]				Province [N=3,011]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	A	50.0	16.7	16.7	16.7		P	36.5	41.5	8.0	13.8		P	37.7	39.4	10.0	12.9
2.	A	50.0	16.7	0.0	33.3		P	17.4	23.4	8.7	50.0		P	19.5	23.4	7.8	49.0
3.	C	0.0	0.0	100.0	0.0		P	3.0	3.7	78.4	14.9		P	3.9	2.8	77.9	15.5
4.	C	0.0	50.0	50.0	0.0		Q	3.9	19.0	60.1	16.3		Q	5.2	16.6	61.0	16.8
5.	D	0.0	0.0	16.7	83.3		P	10.8	17.9	21.3	49.8		P	11.7	18.5	21.1	48.6
6.	B	0.0	83.3	16.7	0.0		Q	1.4	91.1	5.3	2.3		Q	2.1	90.5	5.2	2.2
7.	D	0.0	0.0	0.0	100.0		P	5.5	15.8	5.5	72.5		P	7.2	13.2	8.5	70.8
8.	B	0.0	100.0	0.0	0.0		P	1.6	87.6	2.8	8.0		P	4.5	86.6	2.8	6.2
9.	C	0.0	16.7	83.3	0.0		P	3.2	31.0	56.9	8.9		P	4.5	25.9	60.3	9.1
10.	D	16.7	16.7	16.7	50.0		P	13.8	16.1	20.9	48.9		P	14.6	18.2	20.2	46.9
11.	D	0.0	66.7	0.0	33.3		Q	7.1	51.2	7.1	34.4		Q	10.2	45.8	6.6	37.4
12.	B	0.0	100.0	0.0	0.0		P	7.6	74.8	13.3	4.4		P	9.0	70.5	14.3	6.1
*13.	B,D	16.7	16.7	0.0	66.7		P	20.2	27.5	15.1	36.5		P	18.9	29.9	16.4	34.2
14.	C	0.0	16.7	50.0	33.3		P	25.7	15.8	34.6	23.4		P	23.7	16.1	39.0	20.9
15.	D	16.7	16.7	0.0	66.7		P	12.8	16.5	20.0	50.7		P	12.2	12.2	19.7	55.8
16.	D	16.7	0.0	0.0	83.3		P	20.2	7.8	8.7	63.3		P	21.7	8.2	11.4	58.6
17.	D	0.0	0.0	16.7	83.3		P	3.7	1.8	15.1	79.4		P	3.1	1.8	14.1	80.8
18.	D	16.7	0.0	0.0	83.3		P	4.8	40.6	6.2	48.4		P	7.0	35.6	7.6	49.7
19.	A	16.7	66.7	16.7	0.0		Q	55.1	39.0	3.9	2.1		Q	54.2	38.1	4.6	3.1
20.	D	0.0	0.0	16.7	83.3		P	14.7	2.8	22.9	59.4		P	12.7	2.6	23.9	60.8
21.	B	0.0	66.7	0.0	33.3		Q	8.7	67.0	8.3	16.1		P	9.2	62.3	9.6	18.9
22.	A	100.0	0.0	0.0	0.0		P	43.6	49.5	3.9	2.5		P	48.5	45.4	4.3	1.6
23.	A	83.3	16.7	0.0	0.0		P	28.9	52.1	9.9	9.2		P	31.3	47.2	12.0	9.5
24.	D	0.0	50.0	0.0	50.0		Q	2.5	36.5	8.9	52.1		P	3.1	38.1	10.4	48.3
25.	A	66.7	0.0	16.7	16.7		P	55.5	3.7	32.1	8.7		P	50.0	5.0	35.6	9.4
26.	D	0.0	50.0	0.0	50.0		P	21.8	19.7	17.9	40.6		P	20.2	22.1	18.3	39.3
27.	D	0.0	50.0	0.0	50.0		P	13.1	26.2	14.2	46.6		P	11.7	26.3	12.8	49.0
28.	B	0.0	50.0	16.7	33.3		Q	14.0	53.2	24.5	8.0		Q	11.5	56.2	23.1	9.0
29.	C	0.0	16.7	83.3	0.0		P	5.3	11.9	75.7	7.1		P	8.1	12.5	69.8	9.5
30.	B	0.0	83.3	16.7	0.0		Q	3.4	86.9	8.5	1.2		Q	4.3	85.0	9.4	1.2
31.	D	16.7	16.7	0.0	66.7		P	20.2	14.2	15.6	49.1		P	18.1	13.0	15.9	52.6
32.	D	0.0	16.7	0.0	83.3		P	6.2	7.1	11.2	75.5		P	6.0	8.3	11.2	74.4
33.	C	0.0	16.7	83.3	0.0		P	14.7	18.6	50.5	15.1		P	12.8	19.5	50.6	16.4
34.	C	16.7	0.0	83.3	0.0		Q	5.7	1.2	85.3	7.8		Q	4.9	1.6	86.6	6.9
35.	C	0.0	0.0	100.0	0.0		P	6.2	13.8	68.1	11.5		P	6.6	12.0	68.3	12.8
36.	B	0.0	100.0	0.0	0.0		P	3.4	88.8	5.5	2.3		P	2.7	90.0	5.1	2.2
37.	C	0.0	0.0	100.0	0.0		P	6.4	22.9	65.4	4.6		P	6.5	24.3	63.5	5.5
38.	A	83.3	16.7	0.0	0.0		P	77.5	8.3	8.7	5.5		P	77.3	7.1	9.9	5.6
39.	B	0.0	100.0	0.0	0.0		P	11.7	71.6	4.6	12.2		P	11.5	72.3	6.3	9.8
40.	C	0.0	0.0	100.0	0.0		P	3.4	13.8	79.4	3.4		P	5.2	12.7	78.5	3.7
41.	D	0.0	0.0	16.7	83.3		P	16.7	18.6	19.0	45.6		P	17.1	20.3	20.7	41.5
42.	B	0.0	100.0	0.0	0.0		P	10.6	82.3	3.4	3.7		P	9.3	84.1	3.7	2.8
43.	B	66.7	33.3	0.0	0.0		Q	26.6	42.2	16.5	14.2		Q	23.3	42.0	16.9	17.3
44.	C	0.0	0.0	83.3	16.7		P	6.0	12.8	72.3	8.5		P	7.1	10.7	72.8	9.2
45.	B	50.0	50.0	0.0	0.0		P	31.9	47.9	14.7	5.1		P	30.2	47.9	15.5	6.2
46.	B	0.0	83.3	0.0	16.7		P	14.7	69.5	7.6	7.8		P	16.9	64.4	9.2	9.2
47.	B	0.0	66.7	33.3	0.0		P	7.1	47.0	42.2	3.0		P	7.1	47.6	39.5	5.3
48.	B	0.0	83.3	0.0	16.7		Q	2.8	85.6	7.3	4.4		Q	3.8	85.0	6.8	4.2
49.	C	0.0	16.7	83.3	0.0		P	8.3	11.0	60.3	20.0		P	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 3 - Nova Central

(percentage of students who selected each response)

#153 - Cape John Collegiate, La Scie

Grades: 7-12

Item	Key	School [N=16]				School Below Above District		District [N=436]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	50.0	31.3	12.5	6.3		P	36.5	41.5	8.0	13.8		P	37.7	39.4	10.0	12.9
2.	A	25.0	25.0	0.0	50.0		P	17.4	23.4	8.7	50.0		P	19.5	23.4	7.8	49.0
3.	C	6.3	0.0	87.5	6.3		P	3.0	3.7	78.4	14.9		P	3.9	2.8	77.9	15.5
4.	C	6.3	18.8	68.8	6.3		P	3.9	19.0	60.1	16.3		P	5.2	16.6	61.0	16.8
5.	D	0.0	25.0	12.5	62.5		P	10.8	17.9	21.3	49.8		P	11.7	18.5	21.1	48.6
6.	B	0.0	93.8	6.3	0.0		P	1.4	91.1	5.3	2.3		P	2.1	90.5	5.2	2.2
7.	D	12.5	31.3	12.5	43.8		Q	5.5	15.8	5.5	72.5		Q	7.2	13.2	8.5	70.8
8.	B	6.3	87.5	6.3	0.0		Q	1.6	87.6	2.8	8.0		P	4.5	86.6	2.8	6.2
9.	C	0.0	25.0	68.8	6.3		P	3.2	31.0	56.9	8.9		P	4.5	25.9	60.3	9.1
10.	D	31.3	6.3	18.8	43.8		Q	13.8	16.1	20.9	48.9		Q	14.6	18.2	20.2	46.9
11.	D	6.3	56.3	6.3	31.3		Q	7.1	51.2	7.1	34.4		Q	10.2	45.8	6.6	37.4
12.	B	25.0	50.0	12.5	12.5		Q	7.6	74.8	13.3	4.4		Q	9.0	70.5	14.3	6.1
*13.	B,D	31.3	31.3	12.5	25.0		Q	20.2	27.5	15.1	36.5		Q	18.9	29.9	16.4	34.2
14.	C	37.5	12.5	37.5	12.5		P	25.7	15.8	34.6	23.4		Q	23.7	16.1	39.0	20.9
15.	D	0.0	6.3	12.5	81.3		P	12.8	16.5	20.0	50.7		P	12.2	12.2	19.7	55.8
16.	D	25.0	25.0	25.0	25.0		Q	20.2	7.8	8.7	63.3		Q	21.7	8.2	11.4	58.6
17.	D	0.0	6.3	18.8	75.0		Q	3.7	1.8	15.1	79.4		Q	3.1	1.8	14.1	80.8
18.	D	0.0	37.5	6.3	56.3		P	4.8	40.6	6.2	48.4		P	7.0	35.6	7.6	49.7
19.	A	50.0	50.0	0.0	0.0		Q	55.1	39.0	3.9	2.1		Q	54.2	38.1	4.6	3.1
20.	D	6.3	12.5	43.8	37.5		Q	14.7	2.8	22.9	59.4		Q	12.7	2.6	23.9	60.8
21.	B	0.0	62.5	12.5	25.0		Q	8.7	67.0	8.3	16.1		P	9.2	62.3	9.6	18.9
22.	A	18.8	62.5	0.0	18.8		Q	43.6	49.5	3.9	2.5		Q	48.5	45.4	4.3	1.6
23.	A	18.8	56.3	18.8	6.3		Q	28.9	52.1	9.9	9.2		Q	31.3	47.2	12.0	9.5
24.	D	0.0	56.3	0.0	43.8		Q	2.5	36.5	8.9	52.1		Q	3.1	38.1	10.4	48.3
25.	A	43.8	6.3	43.8	6.3		Q	55.5	3.7	32.1	8.7		Q	50.0	5.0	35.6	9.4
26.	D	31.3	18.8	25.0	25.0		Q	21.8	19.7	17.9	40.6		Q	20.2	22.1	18.3	39.3
27.	D	12.5	37.5	6.3	43.8		Q	13.1	26.2	14.2	46.6		Q	11.7	26.3	12.8	49.0
28.	B	12.5	56.3	25.0	6.3		P	14.0	53.2	24.5	8.0		P	11.5	56.2	23.1	9.0
29.	C	6.3	6.3	81.3	6.3		P	5.3	11.9	75.7	7.1		P	8.1	12.5	69.8	9.5
30.	B	0.0	87.5	12.5	0.0		P	3.4	86.9	8.5	1.2		P	4.3	85.0	9.4	1.2
31.	D	18.8	6.3	18.8	56.3		P	20.2	14.2	15.6	49.1		P	18.1	13.0	15.9	52.6
32.	D	18.8	0.0	0.0	81.3		P	6.2	7.1	11.2	75.5		P	6.0	8.3	11.2	74.4
33.	C	18.8	18.8	50.0	12.5		Q	14.7	18.6	50.5	15.1		Q	12.8	19.5	50.6	16.4
34.	C	0.0	0.0	93.8	6.3		P	5.7	1.2	85.3	7.8		P	4.9	1.6	86.6	6.9
35.	C	6.3	18.8	68.8	6.3		P	6.2	13.8	68.1	11.5		P	6.6	12.0	68.3	12.8
36.	B	0.0	100.0	0.0	0.0		P	3.4	88.8	5.5	2.3		P	2.7	90.0	5.1	2.2
37.	C	6.3	18.8	62.5	12.5		Q	6.4	22.9	65.4	4.6		Q	6.5	24.3	63.5	5.5
38.	A	87.5	6.3	0.0	6.3		P	77.5	8.3	8.7	5.5		P	77.3	7.1	9.9	5.6
39.	B	6.3	81.3	0.0	12.5		P	11.7	71.6	4.6	12.2		P	11.5	72.3	6.3	9.8
40.	C	6.3	12.5	75.0	6.3		Q	3.4	13.8	79.4	3.4		Q	5.2	12.7	78.5	3.7
41.	D	50.0	0.0	18.8	31.3		Q	16.7	18.6	19.0	45.6		Q	17.1	20.3	20.7	41.5
42.	B	0.0	100.0	0.0	0.0		P	10.6	82.3	3.4	3.7		P	9.3	84.1	3.7	2.8
43.	B	12.5	81.3	6.3	0.0		P	26.6	42.2	16.5	14.2		P	23.3	42.0	16.9	17.3
44.	C	6.3	12.5	75.0	6.3		P	6.0	12.8	72.3	8.5		P	7.1	10.7	72.8	9.2
45.	B	18.8	62.5	18.8	0.0		P	31.9	47.9	14.7	5.1		P	30.2	47.9	15.5	6.2
46.	B	18.8	75.0	0.0	6.3		P	14.7	69.5	7.6	7.8		P	16.9	64.4	9.2	9.2
47.	B	12.5	31.3	56.3	0.0		Q	7.1	47.0	42.2	3.0		Q	7.1	47.6	39.5	5.3
48.	B	0.0	93.8	0.0	6.3		P	2.8	85.6	7.3	4.4		P	3.8	85.0	6.8	4.2
49.	C	0.0	12.5	75.0	12.5		P	8.3	11.0	60.3	20.0		P	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 3 - Nova Central

(percentage of students who selected each response)

#158 - MSB Regional Academy, Middle Arm

Grades: K-12

Item	Key	School [N=2]				District [N=436]				School Below Above District				Province [N=3,011]											
		A	B	C	D	A	B	C	D	Below	Above	A	B	C	D										
1.	A										P	36.5	41.5	8.0	13.8		P	37.7	39.4	10.0	12.9				
2.	A	School data with 5 or fewer students withheld for reasons of confidentiality.										q	17.4	23.4	8.7	50.0		q	19.5	23.4	7.8	49.0			
3.	C														P	3.0	3.7	78.4	14.9		P	3.9	2.8	77.9	15.5
4.	C														q	3.9	19.0	60.1	16.3		q	5.2	16.6	61.0	16.8
5.	D														q	10.8	17.9	21.3	49.8		q	11.7	18.5	21.1	48.6
6.	B										P	1.4	91.1	5.3	2.3		P	2.1	90.5	5.2	2.2				
7.	D										P	5.5	15.8	5.5	72.5		P	7.2	13.2	8.5	70.8				
8.	B										P	1.6	87.6	2.8	8.0		P	4.5	86.6	2.8	6.2				
9.	C										q	3.2	31.0	56.9	8.9		q	4.5	25.9	60.3	9.1				
10.	D										P	13.8	16.1	20.9	48.9		P	14.6	18.2	20.2	46.9				
11.	D										q	7.1	51.2	7.1	34.4		q	10.2	45.8	6.6	37.4				
12.	B										P	7.6	74.8	13.3	4.4		P	9.0	70.5	14.3	6.1				
*13.	B,D										P	20.2	27.5	15.1	36.5		P	18.9	29.9	16.4	34.2				
14.	C										P	25.7	15.8	34.6	23.4		P	23.7	16.1	39.0	20.9				
15.	D										q	12.8	16.5	20.0	50.7		q	12.2	12.2	19.7	55.8				
16.	D										q	20.2	7.8	8.7	63.3		q	21.7	8.2	11.4	58.6				
17.	D										P	3.7	1.8	15.1	79.4		P	3.1	1.8	14.1	80.8				
18.	D										P	4.8	40.6	6.2	48.4		P	7.0	35.6	7.6	49.7				
19.	A										q	55.1	39.0	3.9	2.1		q	54.2	38.1	4.6	3.1				
20.	D										q	14.7	2.8	22.9	59.4		q	12.7	2.6	23.9	60.8				
21.	B										P	8.7	67.0	8.3	16.1		P	9.2	62.3	9.6	18.9				
22.	A										q	43.6	49.5	3.9	2.5		q	48.5	45.4	4.3	1.6				
23.	A										P	28.9	52.1	9.9	9.2		P	31.3	47.2	12.0	9.5				
24.	D										P	2.5	36.5	8.9	52.1		P	3.1	38.1	10.4	48.3				
25.	A										q	55.5	3.7	32.1	8.7		P	50.0	5.0	35.6	9.4				
26.	D										P	21.8	19.7	17.9	40.6		P	20.2	22.1	18.3	39.3				
27.	D										q	13.1	26.2	14.2	46.6		q	11.7	26.3	12.8	49.0				
28.	B										q	14.0	53.2	24.5	8.0		q	11.5	56.2	23.1	9.0				
29.	C										P	5.3	11.9	75.7	7.1		P	8.1	12.5	69.8	9.5				
30.	B										P	3.4	86.9	8.5	1.2		P	4.3	85.0	9.4	1.2				
31.	D										P	20.2	14.2	15.6	49.1		q	18.1	13.0	15.9	52.6				
32.	D										q	6.2	7.1	11.2	75.5		q	6.0	8.3	11.2	74.4				
33.	C										q	14.7	18.6	50.5	15.1		q	12.8	19.5	50.6	16.4				
34.	C										P	5.7	1.2	85.3	7.8		P	4.9	1.6	86.6	6.9				
35.	C										P	6.2	13.8	68.1	11.5		P	6.6	12.0	68.3	12.8				
36.	B										P	3.4	88.8	5.5	2.3		P	2.7	90.0	5.1	2.2				
37.	C										q	6.4	22.9	65.4	4.6		q	6.5	24.3	63.5	5.5				
38.	A										P	77.5	8.3	8.7	5.5		P	77.3	7.1	9.9	5.6				
39.	B										q	11.7	71.6	4.6	12.2		q	11.5	72.3	6.3	9.8				
40.	C										P	3.4	13.8	79.4	3.4		P	5.2	12.7	78.5	3.7				
41.	D										q	16.7	18.6	19.0	45.6		q	17.1	20.3	20.7	41.5				
42.	B										q	10.6	82.3	3.4	3.7		q	9.3	84.1	3.7	2.8				
43.	B										P	26.6	42.2	16.5	14.2		P	23.3	42.0	16.9	17.3				
44.	C										q	6.0	12.8	72.3	8.5		q	7.1	10.7	72.8	9.2				
45.	B										q	31.9	47.9	14.7	5.1		q	30.2	47.9	15.5	6.2				
46.	B										P	14.7	69.5	7.6	7.8		P	16.9	64.4	9.2	9.2				
47.	B										q	7.1	47.0	42.2	3.0		q	7.1	47.6	39.5	5.3				
48.	B										P	2.8	85.6	7.3	4.4		P	3.8	85.0	6.8	4.2				
49.	C										q	8.3	11.0	60.3	20.0		q	6.3	10.3	62.6	20.3				
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---				

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT



District 3 - Nova Central

(percentage of students who selected each response)

#162 - Dorset Collegiate, Pilley's Island

Grades: 7-12

Item	Key	School [N=10]				School Below Above District		District [N=436]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	50.0	50.0	0.0	0.0		P	36.5	41.5	8.0	13.8		P	37.7	39.4	10.0	12.9
2.	A	10.0	20.0	30.0	40.0	q		17.4	23.4	8.7	50.0	q		19.5	23.4	7.8	49.0
3.	C	0.0	0.0	100.0	0.0		P	3.0	3.7	78.4	14.9		P	3.9	2.8	77.9	15.5
4.	C	0.0	0.0	70.0	30.0		P	3.9	19.0	60.1	16.3		P	5.2	16.6	61.0	16.8
5.	D	0.0	0.0	40.0	60.0		P	10.8	17.9	21.3	49.8		P	11.7	18.5	21.1	48.6
6.	B	0.0	100.0	0.0	0.0		P	1.4	91.1	5.3	2.3		P	2.1	90.5	5.2	2.2
7.	D	0.0	20.0	0.0	80.0		P	5.5	15.8	5.5	72.5		P	7.2	13.2	8.5	70.8
8.	B	0.0	90.0	10.0	0.0		P	1.6	87.6	2.8	8.0		P	4.5	86.6	2.8	6.2
9.	C	10.0	30.0	50.0	10.0	q		3.2	31.0	56.9	8.9	q		4.5	25.9	60.3	9.1
10.	D	20.0	20.0	10.0	50.0		P	13.8	16.1	20.9	48.9		P	14.6	18.2	20.2	46.9
11.	D	0.0	70.0	0.0	30.0	q		7.1	51.2	7.1	34.4	q		10.2	45.8	6.6	37.4
12.	B	0.0	80.0	20.0	0.0		P	7.6	74.8	13.3	4.4		P	9.0	70.5	14.3	6.1
*13.	B,D	20.0	40.0	10.0	30.0		P	20.2	27.5	15.1	36.5		P	18.9	29.9	16.4	34.2
14.	C	20.0	30.0	20.0	30.0	q		25.7	15.8	34.6	23.4	q		23.7	16.1	39.0	20.9
15.	D	10.0	30.0	10.0	50.0	q		12.8	16.5	20.0	50.7	q		12.2	12.2	19.7	55.8
16.	D	10.0	0.0	40.0	50.0	q		20.2	7.8	8.7	63.3	q		21.7	8.2	11.4	58.6
17.	D	10.0	10.0	10.0	70.0	q		3.7	1.8	15.1	79.4	q		3.1	1.8	14.1	80.8
18.	D	0.0	60.0	0.0	40.0	q		4.8	40.6	6.2	48.4	q		7.0	35.6	7.6	49.7
19.	A	100.0	0.0	0.0	0.0		P	55.1	39.0	3.9	2.1		P	54.2	38.1	4.6	3.1
20.	D	20.0	0.0	20.0	60.0		P	14.7	2.8	22.9	59.4	q		12.7	2.6	23.9	60.8
21.	B	10.0	60.0	0.0	30.0	q		8.7	67.0	8.3	16.1	q		9.2	62.3	9.6	18.9
22.	A	50.0	50.0	0.0	0.0		P	43.6	49.5	3.9	2.5		P	48.5	45.4	4.3	1.6
23.	A	10.0	80.0	10.0	0.0	q		28.9	52.1	9.9	9.2	q		31.3	47.2	12.0	9.5
24.	D	0.0	60.0	0.0	40.0	q		2.5	36.5	8.9	52.1	q		3.1	38.1	10.4	48.3
25.	A	70.0	0.0	20.0	10.0		P	55.5	3.7	32.1	8.7		P	50.0	5.0	35.6	9.4
26.	D	10.0	20.0	10.0	60.0		P	21.8	19.7	17.9	40.6		P	20.2	22.1	18.3	39.3
27.	D	10.0	40.0	10.0	40.0	q		13.1	26.2	14.2	46.6	q		11.7	26.3	12.8	49.0
28.	B	10.0	70.0	10.0	10.0		P	14.0	53.2	24.5	8.0		P	11.5	56.2	23.1	9.0
29.	C	0.0	0.0	90.0	10.0		P	5.3	11.9	75.7	7.1		P	8.1	12.5	69.8	9.5
30.	B	0.0	90.0	10.0	0.0		P	3.4	86.9	8.5	1.2		P	4.3	85.0	9.4	1.2
31.	D	20.0	0.0	20.0	60.0		P	20.2	14.2	15.6	49.1		P	18.1	13.0	15.9	52.6
32.	D	0.0	0.0	20.0	80.0		P	6.2	7.1	11.2	75.5		P	6.0	8.3	11.2	74.4
33.	C	30.0	10.0	50.0	10.0	q		14.7	18.6	50.5	15.1	q		12.8	19.5	50.6	16.4
34.	C	0.0	0.0	90.0	10.0		P	5.7	1.2	85.3	7.8		P	4.9	1.6	86.6	6.9
35.	C	0.0	10.0	60.0	30.0	q		6.2	13.8	68.1	11.5	q		6.6	12.0	68.3	12.8
36.	B	0.0	100.0	0.0	0.0		P	3.4	88.8	5.5	2.3		P	2.7	90.0	5.1	2.2
37.	C	0.0	0.0	100.0	0.0		P	6.4	22.9	65.4	4.6		P	6.5	24.3	63.5	5.5
38.	A	100.0	0.0	0.0	0.0		P	77.5	8.3	8.7	5.5		P	77.3	7.1	9.9	5.6
39.	B	0.0	90.0	0.0	10.0		P	11.7	71.6	4.6	12.2		P	11.5	72.3	6.3	9.8
40.	C	0.0	0.0	100.0	0.0		P	3.4	13.8	79.4	3.4		P	5.2	12.7	78.5	3.7
41.	D	20.0	10.0	20.0	50.0		P	16.7	18.6	19.0	45.6		P	17.1	20.3	20.7	41.5
42.	B	0.0	100.0	0.0	0.0		P	10.6	82.3	3.4	3.7		P	9.3	84.1	3.7	2.8
43.	B	20.0	40.0	30.0	10.0	q		26.6	42.2	16.5	14.2	q		23.3	42.0	16.9	17.3
44.	C	0.0	0.0	70.0	20.0	q		6.0	12.8	72.3	8.5	q		7.1	10.7	72.8	9.2
45.	B	50.0	20.0	30.0	0.0	q		31.9	47.9	14.7	5.1	q		30.2	47.9	15.5	6.2
46.	B	20.0	70.0	10.0	0.0		P	14.7	69.5	7.6	7.8		P	16.9	64.4	9.2	9.2
47.	B	0.0	50.0	50.0	0.0		P	7.1	47.0	42.2	3.0		P	7.1	47.6	39.5	5.3
48.	B	0.0	80.0	10.0	10.0	q		2.8	85.6	7.3	4.4	q		3.8	85.0	6.8	4.2
49.	C	40.0	0.0	40.0	20.0	q		8.3	11.0	60.3	20.0	q		6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 3 - Nova Central

(percentage of students who selected each response)

#163 - Point Leamington Academy, Point Leamington

Grades: K-12

Item	Key	School [N=1]				District [N=436]				School Below Above Province [N=3,011]											
		A	B	C	D	Below	Above	District	A	B	C	D	Below	Above	Province	A	B	C	D		
1.	A																				
2.	A	School data with 5 or fewer students withheld for reasons of confidentiality.																			
3.	C																				
4.	C																				
5.	D																				
6.	B																				
7.	D																				
8.	B																				
9.	C																				
10.	D																				
11.	D																				
12.	B																				
*13.	B,D																				
14.	C																				
15.	D																				
16.	D																				
17.	D																				
18.	D																				
19.	A																				
20.	D																				
21.	B																				
22.	A																				
23.	A																				
24.	D																				
25.	A																				
26.	D																				
27.	D																				
28.	B																				
29.	C																				
30.	B																				
31.	D																				
32.	D																				
33.	C																				
34.	C																				
35.	C																				
36.	B																				
37.	C																				
38.	A																				
39.	B																				
40.	C																				
41.	D																				
42.	B																				
43.	B																				
44.	C																				
45.	B																				
46.	B																				
47.	B																				
48.	B																				
49.	C																				
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 3 - Nova Central

(percentage of students who selected each response)

#165 - St. Stephen's AG, Rencontre East

Grades: K-6

Item	Key	School [N=3]				District [N=436]				School Below Above District Province [N=3,011]					
		A	B	C	D	A	B	C	D	A	B	C	D		
1.	A					q	36.5	41.5	8.0	13.8	q	37.7	39.4	10.0	12.9
2.	A	School data with 5 or fewer students withheld for reasons of confidentiality.				q	17.4	23.4	8.7	50.0	q	19.5	23.4	7.8	49.0
3.	C					p	3.0	3.7	78.4	14.9	p	3.9	2.8	77.9	15.5
4.	C					p	3.9	19.0	60.1	16.3	p	5.2	16.6	61.0	16.8
5.	D					q	10.8	17.9	21.3	49.8	q	11.7	18.5	21.1	48.6
6.	B					p	1.4	91.1	5.3	2.3	p	2.1	90.5	5.2	2.2
7.	D					q	5.5	15.8	5.5	72.5	q	7.2	13.2	8.5	70.8
8.	B					q	1.6	87.6	2.8	8.0	q	4.5	86.6	2.8	6.2
9.	C					p	3.2	31.0	56.9	8.9	p	4.5	25.9	60.3	9.1
10.	D					q	13.8	16.1	20.9	48.9	q	14.6	18.2	20.2	46.9
11.	D					q	7.1	51.2	7.1	34.4	q	10.2	45.8	6.6	37.4
12.	B					q	7.6	74.8	13.3	4.4	q	9.0	70.5	14.3	6.1
*13.	B,D					p	20.2	27.5	15.1	36.5	p	18.9	29.9	16.4	34.2
14.	C					q	25.7	15.8	34.6	23.4	q	23.7	16.1	39.0	20.9
15.	D					q	12.8	16.5	20.0	50.7	q	12.2	12.2	19.7	55.8
16.	D					p	20.2	7.8	8.7	63.3	p	21.7	8.2	11.4	58.6
17.	D					p	3.7	1.8	15.1	79.4	p	3.1	1.8	14.1	80.8
18.	D					q	4.8	40.6	6.2	48.4	q	7.0	35.6	7.6	49.7
19.	A					p	55.1	39.0	3.9	2.1	p	54.2	38.1	4.6	3.1
20.	D					q	14.7	2.8	22.9	59.4	q	12.7	2.6	23.9	60.8
21.	B					q	8.7	67.0	8.3	16.1	q	9.2	62.3	9.6	18.9
22.	A					q	43.6	49.5	3.9	2.5	q	48.5	45.4	4.3	1.6
23.	A					q	28.9	52.1	9.9	9.2	q	31.3	47.2	12.0	9.5
24.	D					q	2.5	36.5	8.9	52.1	q	3.1	38.1	10.4	48.3
25.	A					p	55.5	3.7	32.1	8.7	p	50.0	5.0	35.6	9.4
26.	D					q	21.8	19.7	17.9	40.6	q	20.2	22.1	18.3	39.3
27.	D					q	13.1	26.2	14.2	46.6	q	11.7	26.3	12.8	49.0
28.	B					p	14.0	53.2	24.5	8.0	p	11.5	56.2	23.1	9.0
29.	C					q	5.3	11.9	75.7	7.1	q	8.1	12.5	69.8	9.5
30.	B					q	3.4	86.9	8.5	1.2	q	4.3	85.0	9.4	1.2
31.	D					q	20.2	14.2	15.6	49.1	q	18.1	13.0	15.9	52.6
32.	D					q	6.2	7.1	11.2	75.5	q	6.0	8.3	11.2	74.4
33.	C					q	14.7	18.6	50.5	15.1	q	12.8	19.5	50.6	16.4
34.	C					q	5.7	1.2	85.3	7.8	q	4.9	1.6	86.6	6.9
35.	C					q	6.2	13.8	68.1	11.5	q	6.6	12.0	68.3	12.8
36.	B					q	3.4	88.8	5.5	2.3	q	2.7	90.0	5.1	2.2
37.	C					q	6.4	22.9	65.4	4.6	q	6.5	24.3	63.5	5.5
38.	A					q	77.5	8.3	8.7	5.5	q	77.3	7.1	9.9	5.6
39.	B					q	11.7	71.6	4.6	12.2	q	11.5	72.3	6.3	9.8
40.	C					q	3.4	13.8	79.4	3.4	q	5.2	12.7	78.5	3.7
41.	D					q	16.7	18.6	19.0	45.6	q	17.1	20.3	20.7	41.5
42.	B					q	10.6	82.3	3.4	3.7	q	9.3	84.1	3.7	2.8
43.	B					q	26.6	42.2	16.5	14.2	q	23.3	42.0	16.9	17.3
44.	C					q	6.0	12.8	72.3	8.5	q	7.1	10.7	72.8	9.2
45.	B					q	31.9	47.9	14.7	5.1	q	30.2	47.9	15.5	6.2
46.	B					q	14.7	69.5	7.6	7.8	p	16.9	64.4	9.2	9.2
47.	B					q	7.1	47.0	42.2	3.0	q	7.1	47.6	39.5	5.3
48.	B					q	2.8	85.6	7.3	4.4	q	3.8	85.0	6.8	4.2
49.	C					q	8.3	11.0	60.3	20.0	q	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 3 - Nova Central

(percentage of students who selected each response)

#171 - Indian River High School, Springdale

Grades: 7-12

Item	Key	School [N=20]				School Below Above District		District [N=436]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	10.0	50.0	20.0	20.0	q		36.5	41.5	8.0	13.8	q		37.7	39.4	10.0	12.9
2.	A	5.0	25.0	10.0	60.0	q		17.4	23.4	8.7	50.0	q		19.5	23.4	7.8	49.0
3.	C	0.0	5.0	80.0	15.0		p	3.0	3.7	78.4	14.9		p	3.9	2.8	77.9	15.5
4.	C	0.0	35.0	55.0	10.0	q		3.9	19.0	60.1	16.3	q		5.2	16.6	61.0	16.8
5.	D	10.0	35.0	5.0	50.0		p	10.8	17.9	21.3	49.8		p	11.7	18.5	21.1	48.6
6.	B	0.0	95.0	5.0	0.0		p	1.4	91.1	5.3	2.3		p	2.1	90.5	5.2	2.2
7.	D	10.0	20.0	0.0	70.0	q		5.5	15.8	5.5	72.5	q		7.2	13.2	8.5	70.8
8.	B	0.0	95.0	0.0	5.0		p	1.6	87.6	2.8	8.0		p	4.5	86.6	2.8	6.2
9.	C	0.0	60.0	40.0	0.0	q		3.2	31.0	56.9	8.9	q		4.5	25.9	60.3	9.1
10.	D	10.0	10.0	10.0	70.0		p	13.8	16.1	20.9	48.9		p	14.6	18.2	20.2	46.9
11.	D	0.0	40.0	5.0	55.0		p	7.1	51.2	7.1	34.4		p	10.2	45.8	6.6	37.4
12.	B	5.0	90.0	5.0	0.0		p	7.6	74.8	13.3	4.4		p	9.0	70.5	14.3	6.1
*13.	B,D	30.0	20.0	20.0	30.0	q		20.2	27.5	15.1	36.5	q		18.9	29.9	16.4	34.2
14.	C	35.0	20.0	30.0	15.0	q		25.7	15.8	34.6	23.4	q		23.7	16.1	39.0	20.9
15.	D	0.0	10.0	35.0	55.0		p	12.8	16.5	20.0	50.7	q		12.2	12.2	19.7	55.8
16.	D	25.0	15.0	0.0	60.0	q		20.2	7.8	8.7	63.3		p	21.7	8.2	11.4	58.6
17.	D	0.0	0.0	5.0	95.0		p	3.7	1.8	15.1	79.4		p	3.1	1.8	14.1	80.8
18.	D	0.0	25.0	5.0	70.0		p	4.8	40.6	6.2	48.4		p	7.0	35.6	7.6	49.7
19.	A	50.0	40.0	10.0	0.0	q		55.1	39.0	3.9	2.1	q		54.2	38.1	4.6	3.1
20.	D	20.0	0.0	15.0	65.0		p	14.7	2.8	22.9	59.4		p	12.7	2.6	23.9	60.8
21.	B	5.0	65.0	10.0	20.0	q		8.7	67.0	8.3	16.1		p	9.2	62.3	9.6	18.9
22.	A	40.0	55.0	5.0	0.0	q		43.6	49.5	3.9	2.5	q		48.5	45.4	4.3	1.6
23.	A	30.0	50.0	10.0	10.0		p	28.9	52.1	9.9	9.2	q		31.3	47.2	12.0	9.5
24.	D	0.0	35.0	5.0	60.0		p	2.5	36.5	8.9	52.1		p	3.1	38.1	10.4	48.3
25.	A	35.0	5.0	45.0	15.0	q		55.5	3.7	32.1	8.7	q		50.0	5.0	35.6	9.4
26.	D	30.0	15.0	5.0	50.0		p	21.8	19.7	17.9	40.6		p	20.2	22.1	18.3	39.3
27.	D	25.0	10.0	10.0	55.0		p	13.1	26.2	14.2	46.6		p	11.7	26.3	12.8	49.0
28.	B	25.0	60.0	10.0	5.0		p	14.0	53.2	24.5	8.0		p	11.5	56.2	23.1	9.0
29.	C	5.0	20.0	70.0	5.0	q		5.3	11.9	75.7	7.1		p	8.1	12.5	69.8	9.5
30.	B	5.0	95.0	0.0	0.0		p	3.4	86.9	8.5	1.2		p	4.3	85.0	9.4	1.2
31.	D	25.0	15.0	20.0	40.0	q		20.2	14.2	15.6	49.1	q		18.1	13.0	15.9	52.6
32.	D	5.0	0.0	0.0	95.0		p	6.2	7.1	11.2	75.5		p	6.0	8.3	11.2	74.4
33.	C	15.0	5.0	70.0	10.0		p	14.7	18.6	50.5	15.1		p	12.8	19.5	50.6	16.4
34.	C	5.0	0.0	90.0	5.0		p	5.7	1.2	85.3	7.8		p	4.9	1.6	86.6	6.9
35.	C	0.0	20.0	75.0	5.0		p	6.2	13.8	68.1	11.5		p	6.6	12.0	68.3	12.8
36.	B	5.0	90.0	5.0	0.0		p	3.4	88.8	5.5	2.3		p	2.7	90.0	5.1	2.2
37.	C	0.0	25.0	65.0	10.0	q		6.4	22.9	65.4	4.6		p	6.5	24.3	63.5	5.5
38.	A	80.0	5.0	5.0	10.0		p	77.5	8.3	8.7	5.5		p	77.3	7.1	9.9	5.6
39.	B	15.0	80.0	0.0	5.0		p	11.7	71.6	4.6	12.2		p	11.5	72.3	6.3	9.8
40.	C	0.0	5.0	90.0	5.0		p	3.4	13.8	79.4	3.4		p	5.2	12.7	78.5	3.7
41.	D	5.0	10.0	15.0	70.0		p	16.7	18.6	19.0	45.6		p	17.1	20.3	20.7	41.5
42.	B	20.0	70.0	5.0	5.0	q		10.6	82.3	3.4	3.7	q		9.3	84.1	3.7	2.8
43.	B	10.0	45.0	15.0	30.0		p	26.6	42.2	16.5	14.2		p	23.3	42.0	16.9	17.3
44.	C	10.0	10.0	70.0	10.0	q		6.0	12.8	72.3	8.5	q		7.1	10.7	72.8	9.2
45.	B	25.0	50.0	20.0	5.0		p	31.9	47.9	14.7	5.1		p	30.2	47.9	15.5	6.2
46.	B	20.0	75.0	0.0	5.0		p	14.7	69.5	7.6	7.8		p	16.9	64.4	9.2	9.2
47.	B	0.0	65.0	30.0	5.0		p	7.1	47.0	42.2	3.0		p	7.1	47.6	39.5	5.3
48.	B	0.0	95.0	5.0	0.0		p	2.8	85.6	7.3	4.4		p	3.8	85.0	6.8	4.2
49.	C	15.0	15.0	60.0	10.0	q		8.3	11.0	60.3	20.0	q		6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 3 - Nova Central

(percentage of students who selected each response)

#174 - St. Peter's Academy, Westport

Grades: K-2,4-7,9-12

Item	Key	School [N=1]				District [N=436]				Province [N=3,011]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	A					q		36.5	41.5	8.0	13.8	q		37.7	39.4	10.0	12.9
2.	A	School data with 5 or fewer students withheld for reasons of confidentiality.				q		17.4	23.4	8.7	50.0	q		19.5	23.4	7.8	49.0
3.	C					q		3.0	3.7	78.4	14.9	q		3.9	2.8	77.9	15.5
4.	C						p	3.9	19.0	60.1	16.3		p	5.2	16.6	61.0	16.8
5.	D						p	10.8	17.9	21.3	49.8		p	11.7	18.5	21.1	48.6
6.	B					q		1.4	91.1	5.3	2.3	q		2.1	90.5	5.2	2.2
7.	D						p	5.5	15.8	5.5	72.5		p	7.2	13.2	8.5	70.8
8.	B					q		1.6	87.6	2.8	8.0	q		4.5	86.6	2.8	6.2
9.	C					q		3.2	31.0	56.9	8.9	q		4.5	25.9	60.3	9.1
10.	D					q		13.8	16.1	20.9	48.9	q		14.6	18.2	20.2	46.9
11.	D					q		7.1	51.2	7.1	34.4	q		10.2	45.8	6.6	37.4
12.	B						p	7.6	74.8	13.3	4.4		p	9.0	70.5	14.3	6.1
*13.	B,D					q		20.2	27.5	15.1	36.5	q		18.9	29.9	16.4	34.2
14.	C					q		25.7	15.8	34.6	23.4	q		23.7	16.1	39.0	20.9
15.	D						p	12.8	16.5	20.0	50.7		p	12.2	12.2	19.7	55.8
16.	D						p	20.2	7.8	8.7	63.3		p	21.7	8.2	11.4	58.6
17.	D						p	3.7	1.8	15.1	79.4		p	3.1	1.8	14.1	80.8
18.	D						p	4.8	40.6	6.2	48.4		p	7.0	35.6	7.6	49.7
19.	A						p	55.1	39.0	3.9	2.1		p	54.2	38.1	4.6	3.1
20.	D					q		14.7	2.8	22.9	59.4	q		12.7	2.6	23.9	60.8
21.	B					q		8.7	67.0	8.3	16.1	q		9.2	62.3	9.6	18.9
22.	A						p	43.6	49.5	3.9	2.5		p	48.5	45.4	4.3	1.6
23.	A					q		28.9	52.1	9.9	9.2	q		31.3	47.2	12.0	9.5
24.	D						p	2.5	36.5	8.9	52.1		p	3.1	38.1	10.4	48.3
25.	A						p	55.5	3.7	32.1	8.7		p	50.0	5.0	35.6	9.4
26.	D					q		21.8	19.7	17.9	40.6	q		20.2	22.1	18.3	39.3
27.	D						p	13.1	26.2	14.2	46.6		p	11.7	26.3	12.8	49.0
28.	B						p	14.0	53.2	24.5	8.0		p	11.5	56.2	23.1	9.0
29.	C					q		5.3	11.9	75.7	7.1	q		8.1	12.5	69.8	9.5
30.	B						p	3.4	86.9	8.5	1.2		p	4.3	85.0	9.4	1.2
31.	D						p	20.2	14.2	15.6	49.1		p	18.1	13.0	15.9	52.6
32.	D					q		6.2	7.1	11.2	75.5	q		6.0	8.3	11.2	74.4
33.	C					q		14.7	18.6	50.5	15.1	q		12.8	19.5	50.6	16.4
34.	C						p	5.7	1.2	85.3	7.8		p	4.9	1.6	86.6	6.9
35.	C					q		6.2	13.8	68.1	11.5	q		6.6	12.0	68.3	12.8
36.	B						p	3.4	88.8	5.5	2.3		p	2.7	90.0	5.1	2.2
37.	C					q		6.4	22.9	65.4	4.6	q		6.5	24.3	63.5	5.5
38.	A					q		77.5	8.3	8.7	5.5	q		77.3	7.1	9.9	5.6
39.	B						p	11.7	71.6	4.6	12.2		p	11.5	72.3	6.3	9.8
40.	C						p	3.4	13.8	79.4	3.4		p	5.2	12.7	78.5	3.7
41.	D					q		16.7	18.6	19.0	45.6	q		17.1	20.3	20.7	41.5
42.	B						p	10.6	82.3	3.4	3.7		p	9.3	84.1	3.7	2.8
43.	B						p	26.6	42.2	16.5	14.2		p	23.3	42.0	16.9	17.3
44.	C						p	6.0	12.8	72.3	8.5		p	7.1	10.7	72.8	9.2
45.	B					q		31.9	47.9	14.7	5.1	q		30.2	47.9	15.5	6.2
46.	B						p	14.7	69.5	7.6	7.8		p	16.9	64.4	9.2	9.2
47.	B					q		7.1	47.0	42.2	3.0	q		7.1	47.6	39.5	5.3
48.	B					q		2.8	85.6	7.3	4.4	q		3.8	85.0	6.8	4.2
49.	C						p	8.3	11.0	60.3	20.0		p	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 3 - Nova Central

(percentage of students who selected each response)

#178 - Carmanville School Complex, Carmanville

Grades: K-12

Item	Key	School [N=10]				School Below Above District		District [N=436]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	50.0	40.0	0.0	10.0		P	36.5	41.5	8.0	13.8		P	37.7	39.4	10.0	12.9
2.	A	30.0	20.0	10.0	40.0		P	17.4	23.4	8.7	50.0		P	19.5	23.4	7.8	49.0
3.	C	20.0	0.0	70.0	10.0		Q	3.0	3.7	78.4	14.9		Q	3.9	2.8	77.9	15.5
4.	C	10.0	0.0	50.0	40.0		Q	3.9	19.0	60.1	16.3		Q	5.2	16.6	61.0	16.8
5.	D	0.0	30.0	20.0	50.0		P	10.8	17.9	21.3	49.8		P	11.7	18.5	21.1	48.6
6.	B	10.0	70.0	10.0	10.0		Q	1.4	91.1	5.3	2.3		Q	2.1	90.5	5.2	2.2
7.	D	10.0	0.0	20.0	70.0		Q	5.5	15.8	5.5	72.5		Q	7.2	13.2	8.5	70.8
8.	B	0.0	90.0	10.0	0.0		P	1.6	87.6	2.8	8.0		P	4.5	86.6	2.8	6.2
9.	C	0.0	60.0	40.0	0.0		Q	3.2	31.0	56.9	8.9		Q	4.5	25.9	60.3	9.1
10.	D	10.0	0.0	20.0	70.0		P	13.8	16.1	20.9	48.9		P	14.6	18.2	20.2	46.9
11.	D	10.0	40.0	0.0	50.0		P	7.1	51.2	7.1	34.4		P	10.2	45.8	6.6	37.4
12.	B	10.0	90.0	0.0	0.0		P	7.6	74.8	13.3	4.4		P	9.0	70.5	14.3	6.1
*13.	B,D	30.0	30.0	10.0	30.0		Q	20.2	27.5	15.1	36.5		Q	18.9	29.9	16.4	34.2
14.	C	10.0	20.0	50.0	20.0		P	25.7	15.8	34.6	23.4		P	23.7	16.1	39.0	20.9
15.	D	10.0	20.0	10.0	60.0		P	12.8	16.5	20.0	50.7		P	12.2	12.2	19.7	55.8
16.	D	20.0	10.0	0.0	70.0		P	20.2	7.8	8.7	63.3		P	21.7	8.2	11.4	58.6
17.	D	0.0	0.0	0.0	100.0		P	3.7	1.8	15.1	79.4		P	3.1	1.8	14.1	80.8
18.	D	10.0	20.0	0.0	70.0		P	4.8	40.6	6.2	48.4		P	7.0	35.6	7.6	49.7
19.	A	50.0	50.0	0.0	0.0		Q	55.1	39.0	3.9	2.1		Q	54.2	38.1	4.6	3.1
20.	D	0.0	0.0	20.0	80.0		P	14.7	2.8	22.9	59.4		P	12.7	2.6	23.9	60.8
21.	B	0.0	90.0	10.0	0.0		P	8.7	67.0	8.3	16.1		P	9.2	62.3	9.6	18.9
22.	A	60.0	30.0	0.0	10.0		P	43.6	49.5	3.9	2.5		P	48.5	45.4	4.3	1.6
23.	A	40.0	20.0	10.0	30.0		P	28.9	52.1	9.9	9.2		P	31.3	47.2	12.0	9.5
24.	D	0.0	60.0	10.0	30.0		Q	2.5	36.5	8.9	52.1		Q	3.1	38.1	10.4	48.3
25.	A	60.0	0.0	20.0	20.0		P	55.5	3.7	32.1	8.7		P	50.0	5.0	35.6	9.4
26.	D	20.0	20.0	10.0	50.0		P	21.8	19.7	17.9	40.6		P	20.2	22.1	18.3	39.3
27.	D	10.0	20.0	10.0	60.0		P	13.1	26.2	14.2	46.6		P	11.7	26.3	12.8	49.0
28.	B	0.0	60.0	20.0	20.0		P	14.0	53.2	24.5	8.0		P	11.5	56.2	23.1	9.0
29.	C	0.0	10.0	80.0	10.0		P	5.3	11.9	75.7	7.1		P	8.1	12.5	69.8	9.5
30.	B	10.0	80.0	10.0	0.0		Q	3.4	86.9	8.5	1.2		Q	4.3	85.0	9.4	1.2
31.	D	20.0	10.0	0.0	70.0		P	20.2	14.2	15.6	49.1		P	18.1	13.0	15.9	52.6
32.	D	0.0	10.0	10.0	80.0		P	6.2	7.1	11.2	75.5		P	6.0	8.3	11.2	74.4
33.	C	20.0	0.0	50.0	20.0		Q	14.7	18.6	50.5	15.1		Q	12.8	19.5	50.6	16.4
34.	C	0.0	0.0	90.0	10.0		P	5.7	1.2	85.3	7.8		P	4.9	1.6	86.6	6.9
35.	C	20.0	10.0	50.0	20.0		Q	6.2	13.8	68.1	11.5		Q	6.6	12.0	68.3	12.8
36.	B	0.0	100.0	0.0	0.0		P	3.4	88.8	5.5	2.3		P	2.7	90.0	5.1	2.2
37.	C	0.0	10.0	90.0	0.0		P	6.4	22.9	65.4	4.6		P	6.5	24.3	63.5	5.5
38.	A	50.0	20.0	30.0	0.0		Q	77.5	8.3	8.7	5.5		Q	77.3	7.1	9.9	5.6
39.	B	0.0	100.0	0.0	0.0		P	11.7	71.6	4.6	12.2		P	11.5	72.3	6.3	9.8
40.	C	0.0	20.0	60.0	20.0		Q	3.4	13.8	79.4	3.4		Q	5.2	12.7	78.5	3.7
41.	D	40.0	10.0	20.0	30.0		Q	16.7	18.6	19.0	45.6		Q	17.1	20.3	20.7	41.5
42.	B	10.0	90.0	0.0	0.0		P	10.6	82.3	3.4	3.7		P	9.3	84.1	3.7	2.8
43.	B	40.0	60.0	0.0	0.0		P	26.6	42.2	16.5	14.2		P	23.3	42.0	16.9	17.3
44.	C	0.0	0.0	100.0	0.0		P	6.0	12.8	72.3	8.5		P	7.1	10.7	72.8	9.2
45.	B	10.0	60.0	20.0	10.0		P	31.9	47.9	14.7	5.1		P	30.2	47.9	15.5	6.2
46.	B	20.0	70.0	10.0	0.0		P	14.7	69.5	7.6	7.8		P	16.9	64.4	9.2	9.2
47.	B	0.0	40.0	60.0	0.0		Q	7.1	47.0	42.2	3.0		Q	7.1	47.6	39.5	5.3
48.	B	10.0	70.0	20.0	0.0		Q	2.8	85.6	7.3	4.4		Q	3.8	85.0	6.8	4.2
49.	C	10.0	0.0	80.0	10.0		P	8.3	11.0	60.3	20.0		P	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 3 - Nova Central

(percentage of students who selected each response)

#180 - A. R. Scammell Academy, Change Islands

Grades: K,2-12

Item	Key	School [N=1]				District [N=436]				Province [N=3,011]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	A						P	36.5	41.5	8.0	13.8		P	37.7	39.4	10.0	12.9
2.	A	School data with 5 or fewer students withheld for reasons of confidentiality.					q	17.4	23.4	8.7	50.0		q	19.5	23.4	7.8	49.0
3.	C	School data with 5 or fewer students withheld for reasons of confidentiality.					q	3.0	3.7	78.4	14.9		q	3.9	2.8	77.9	15.5
4.	C	School data with 5 or fewer students withheld for reasons of confidentiality.					P	3.9	19.0	60.1	16.3		P	5.2	16.6	61.0	16.8
5.	D	School data with 5 or fewer students withheld for reasons of confidentiality.					P	10.8	17.9	21.3	49.8		P	11.7	18.5	21.1	48.6
6.	B	School data with 5 or fewer students withheld for reasons of confidentiality.					P	1.4	91.1	5.3	2.3		P	2.1	90.5	5.2	2.2
7.	D	School data with 5 or fewer students withheld for reasons of confidentiality.					P	5.5	15.8	5.5	72.5		P	7.2	13.2	8.5	70.8
8.	B	School data with 5 or fewer students withheld for reasons of confidentiality.					P	1.6	87.6	2.8	8.0		P	4.5	86.6	2.8	6.2
9.	C	School data with 5 or fewer students withheld for reasons of confidentiality.					q	3.2	31.0	56.9	8.9		q	4.5	25.9	60.3	9.1
10.	D	School data with 5 or fewer students withheld for reasons of confidentiality.					P	13.8	16.1	20.9	48.9		P	14.6	18.2	20.2	46.9
11.	D	School data with 5 or fewer students withheld for reasons of confidentiality.					q	7.1	51.2	7.1	34.4		q	10.2	45.8	6.6	37.4
12.	B	School data with 5 or fewer students withheld for reasons of confidentiality.					P	7.6	74.8	13.3	4.4		P	9.0	70.5	14.3	6.1
*13.	B,D	School data with 5 or fewer students withheld for reasons of confidentiality.					P	20.2	27.5	15.1	36.5		P	18.9	29.9	16.4	34.2
14.	C	School data with 5 or fewer students withheld for reasons of confidentiality.					q	25.7	15.8	34.6	23.4		q	23.7	16.1	39.0	20.9
15.	D	School data with 5 or fewer students withheld for reasons of confidentiality.					P	12.8	16.5	20.0	50.7		P	12.2	12.2	19.7	55.8
16.	D	School data with 5 or fewer students withheld for reasons of confidentiality.					q	20.2	7.8	8.7	63.3		q	21.7	8.2	11.4	58.6
17.	D	School data with 5 or fewer students withheld for reasons of confidentiality.					P	3.7	1.8	15.1	79.4		P	3.1	1.8	14.1	80.8
18.	D	School data with 5 or fewer students withheld for reasons of confidentiality.					P	4.8	40.6	6.2	48.4		P	7.0	35.6	7.6	49.7
19.	A	School data with 5 or fewer students withheld for reasons of confidentiality.					q	55.1	39.0	3.9	2.1		q	54.2	38.1	4.6	3.1
20.	D	School data with 5 or fewer students withheld for reasons of confidentiality.					P	14.7	2.8	22.9	59.4		P	12.7	2.6	23.9	60.8
21.	B	School data with 5 or fewer students withheld for reasons of confidentiality.					P	8.7	67.0	8.3	16.1		P	9.2	62.3	9.6	18.9
22.	A	School data with 5 or fewer students withheld for reasons of confidentiality.					P	43.6	49.5	3.9	2.5		P	48.5	45.4	4.3	1.6
23.	A	School data with 5 or fewer students withheld for reasons of confidentiality.					q	28.9	52.1	9.9	9.2		q	31.3	47.2	12.0	9.5
24.	D	School data with 5 or fewer students withheld for reasons of confidentiality.					q	2.5	36.5	8.9	52.1		q	3.1	38.1	10.4	48.3
25.	A	School data with 5 or fewer students withheld for reasons of confidentiality.					q	55.5	3.7	32.1	8.7		q	50.0	5.0	35.6	9.4
26.	D	School data with 5 or fewer students withheld for reasons of confidentiality.					q	21.8	19.7	17.9	40.6		q	20.2	22.1	18.3	39.3
27.	D	School data with 5 or fewer students withheld for reasons of confidentiality.					P	13.1	26.2	14.2	46.6		P	11.7	26.3	12.8	49.0
28.	B	School data with 5 or fewer students withheld for reasons of confidentiality.					q	14.0	53.2	24.5	8.0		q	11.5	56.2	23.1	9.0
29.	C	School data with 5 or fewer students withheld for reasons of confidentiality.					P	5.3	11.9	75.7	7.1		P	8.1	12.5	69.8	9.5
30.	B	School data with 5 or fewer students withheld for reasons of confidentiality.					P	3.4	86.9	8.5	1.2		P	4.3	85.0	9.4	1.2
31.	D	School data with 5 or fewer students withheld for reasons of confidentiality.					P	20.2	14.2	15.6	49.1		P	18.1	13.0	15.9	52.6
32.	D	School data with 5 or fewer students withheld for reasons of confidentiality.					q	6.2	7.1	11.2	75.5		q	6.0	8.3	11.2	74.4
33.	C	School data with 5 or fewer students withheld for reasons of confidentiality.					q	14.7	18.6	50.5	15.1		q	12.8	19.5	50.6	16.4
34.	C	School data with 5 or fewer students withheld for reasons of confidentiality.					P	5.7	1.2	85.3	7.8		P	4.9	1.6	86.6	6.9
35.	C	School data with 5 or fewer students withheld for reasons of confidentiality.					P	6.2	13.8	68.1	11.5		P	6.6	12.0	68.3	12.8
36.	B	School data with 5 or fewer students withheld for reasons of confidentiality.					P	3.4	88.8	5.5	2.3		P	2.7	90.0	5.1	2.2
37.	C	School data with 5 or fewer students withheld for reasons of confidentiality.					q	6.4	22.9	65.4	4.6		q	6.5	24.3	63.5	5.5
38.	A	School data with 5 or fewer students withheld for reasons of confidentiality.					P	77.5	8.3	8.7	5.5		P	77.3	7.1	9.9	5.6
39.	B	School data with 5 or fewer students withheld for reasons of confidentiality.					P	11.7	71.6	4.6	12.2		P	11.5	72.3	6.3	9.8
40.	C	School data with 5 or fewer students withheld for reasons of confidentiality.					P	3.4	13.8	79.4	3.4		P	5.2	12.7	78.5	3.7
41.	D	School data with 5 or fewer students withheld for reasons of confidentiality.					q	16.7	18.6	19.0	45.6		q	17.1	20.3	20.7	41.5
42.	B	School data with 5 or fewer students withheld for reasons of confidentiality.					q	10.6	82.3	3.4	3.7		q	9.3	84.1	3.7	2.8
43.	B	School data with 5 or fewer students withheld for reasons of confidentiality.					q	26.6	42.2	16.5	14.2		q	23.3	42.0	16.9	17.3
44.	C	School data with 5 or fewer students withheld for reasons of confidentiality.					q	6.0	12.8	72.3	8.5		q	7.1	10.7	72.8	9.2
45.	B	School data with 5 or fewer students withheld for reasons of confidentiality.					q	31.9	47.9	14.7	5.1		q	30.2	47.9	15.5	6.2
46.	B	School data with 5 or fewer students withheld for reasons of confidentiality.					P	14.7	69.5	7.6	7.8		P	16.9	64.4	9.2	9.2
47.	B	School data with 5 or fewer students withheld for reasons of confidentiality.					q	7.1	47.0	42.2	3.0		q	7.1	47.6	39.5	5.3
48.	B	School data with 5 or fewer students withheld for reasons of confidentiality.					P	2.8	85.6	7.3	4.4		P	3.8	85.0	6.8	4.2
49.	C	School data with 5 or fewer students withheld for reasons of confidentiality.					P	8.3	11.0	60.3	20.0		P	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 3 - Nova Central

(percentage of students who selected each response)

#187 - Jane Collins Academy, Hare Bay

Grades: 9-12

Item	Key	School [N=17]				School Below Above District		District [N=436]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	35.3	41.2	17.7	5.9	q		36.5	41.5	8.0	13.8	q		37.7	39.4	10.0	12.9
2.	A	5.9	17.7	0.0	76.5	q		17.4	23.4	8.7	50.0	q		19.5	23.4	7.8	49.0
3.	C	0.0	5.9	70.6	23.5	q		3.0	3.7	78.4	14.9	q		3.9	2.8	77.9	15.5
4.	C	11.8	17.7	58.8	11.8	q		3.9	19.0	60.1	16.3	q		5.2	16.6	61.0	16.8
5.	D	5.9	0.0	47.1	47.1	q		10.8	17.9	21.3	49.8	q		11.7	18.5	21.1	48.6
6.	B	0.0	94.1	0.0	5.9		p	1.4	91.1	5.3	2.3		p	2.1	90.5	5.2	2.2
7.	D	0.0	35.3	0.0	64.7	q		5.5	15.8	5.5	72.5	q		7.2	13.2	8.5	70.8
8.	B	0.0	88.2	0.0	11.8		p	1.6	87.6	2.8	8.0		p	4.5	86.6	2.8	6.2
9.	C	11.8	35.3	52.9	0.0	q		3.2	31.0	56.9	8.9	q		4.5	25.9	60.3	9.1
10.	D	11.8	0.0	17.7	70.6		p	13.8	16.1	20.9	48.9		p	14.6	18.2	20.2	46.9
11.	D	11.8	47.1	5.9	35.3		p	7.1	51.2	7.1	34.4	q		10.2	45.8	6.6	37.4
12.	B	5.9	94.1	0.0	0.0		p	7.6	74.8	13.3	4.4		p	9.0	70.5	14.3	6.1
*13.	B,D	35.3	35.3	17.7	11.8	q		20.2	27.5	15.1	36.5	q		18.9	29.9	16.4	34.2
14.	C	35.3	17.7	11.8	35.3	q		25.7	15.8	34.6	23.4	q		23.7	16.1	39.0	20.9
15.	D	11.8	29.4	29.4	29.4	q		12.8	16.5	20.0	50.7	q		12.2	12.2	19.7	55.8
16.	D	29.4	5.9	5.9	58.8	q		20.2	7.8	8.7	63.3		p	21.7	8.2	11.4	58.6
17.	D	5.9	5.9	23.5	64.7	q		3.7	1.8	15.1	79.4	q		3.1	1.8	14.1	80.8
18.	D	0.0	41.2	0.0	58.8		p	4.8	40.6	6.2	48.4		p	7.0	35.6	7.6	49.7
19.	A	58.8	29.4	5.9	5.9		p	55.1	39.0	3.9	2.1		p	54.2	38.1	4.6	3.1
20.	D	11.8	5.9	52.9	29.4	q		14.7	2.8	22.9	59.4	q		12.7	2.6	23.9	60.8
21.	B	29.4	58.8	5.9	5.9	q		8.7	67.0	8.3	16.1	q		9.2	62.3	9.6	18.9
22.	A	41.2	58.8	0.0	0.0	q		43.6	49.5	3.9	2.5	q		48.5	45.4	4.3	1.6
23.	A	17.7	52.9	17.7	11.8	q		28.9	52.1	9.9	9.2	q		31.3	47.2	12.0	9.5
24.	D	5.9	47.1	11.8	35.3	q		2.5	36.5	8.9	52.1	q		3.1	38.1	10.4	48.3
25.	A	58.8	11.8	23.5	5.9		p	55.5	3.7	32.1	8.7		p	50.0	5.0	35.6	9.4
26.	D	23.5	41.2	5.9	29.4	q		21.8	19.7	17.9	40.6	q		20.2	22.1	18.3	39.3
27.	D	0.0	29.4	5.9	64.7		p	13.1	26.2	14.2	46.6		p	11.7	26.3	12.8	49.0
28.	B	11.8	41.2	47.1	0.0	q		14.0	53.2	24.5	8.0	q		11.5	56.2	23.1	9.0
29.	C	17.7	17.7	58.8	5.9	q		5.3	11.9	75.7	7.1	q		8.1	12.5	69.8	9.5
30.	B	0.0	88.2	11.8	0.0		p	3.4	86.9	8.5	1.2		p	4.3	85.0	9.4	1.2
31.	D	29.4	5.9	17.7	47.1	q		20.2	14.2	15.6	49.1	q		18.1	13.0	15.9	52.6
32.	D	5.9	29.4	0.0	64.7	q		6.2	7.1	11.2	75.5	q		6.0	8.3	11.2	74.4
33.	C	11.8	41.2	35.3	11.8	q		14.7	18.6	50.5	15.1	q		12.8	19.5	50.6	16.4
34.	C	5.9	0.0	94.1	0.0		p	5.7	1.2	85.3	7.8		p	4.9	1.6	86.6	6.9
35.	C	5.9	11.8	52.9	29.4	q		6.2	13.8	68.1	11.5	q		6.6	12.0	68.3	12.8
36.	B	5.9	82.4	5.9	5.9	q		3.4	88.8	5.5	2.3	q		2.7	90.0	5.1	2.2
37.	C	0.0	29.4	52.9	11.8	q		6.4	22.9	65.4	4.6	q		6.5	24.3	63.5	5.5
38.	A	58.8	5.9	29.4	5.9	q		77.5	8.3	8.7	5.5	q		77.3	7.1	9.9	5.6
39.	B	23.5	64.7	0.0	11.8	q		11.7	71.6	4.6	12.2	q		11.5	72.3	6.3	9.8
40.	C	0.0	23.5	70.6	5.9	q		3.4	13.8	79.4	3.4	q		5.2	12.7	78.5	3.7
41.	D	5.9	29.4	11.8	52.9		p	16.7	18.6	19.0	45.6		p	17.1	20.3	20.7	41.5
42.	B	17.7	76.5	0.0	5.9	q		10.6	82.3	3.4	3.7	q		9.3	84.1	3.7	2.8
43.	B	47.1	23.5	23.5	5.9	q		26.6	42.2	16.5	14.2	q		23.3	42.0	16.9	17.3
44.	C	5.9	23.5	70.6	0.0	q		6.0	12.8	72.3	8.5	q		7.1	10.7	72.8	9.2
45.	B	29.4	64.7	0.0	5.9		p	31.9	47.9	14.7	5.1		p	30.2	47.9	15.5	6.2
46.	B	0.0	94.1	5.9	0.0		p	14.7	69.5	7.6	7.8		p	16.9	64.4	9.2	9.2
47.	B	17.7	29.4	41.2	11.8	q		7.1	47.0	42.2	3.0	q		7.1	47.6	39.5	5.3
48.	B	0.0	70.6	11.8	17.7	q		2.8	85.6	7.3	4.4	q		3.8	85.0	6.8	4.2
49.	C	0.0	5.9	70.6	23.5		p	8.3	11.0	60.3	20.0		p	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT



District 3 - Nova Central

(percentage of students who selected each response)

#190 - Lewisporte Collegiate, Lewisporte

Grades: 10-12

Item	Key	School [N=44]				School Below Above District	District [N=436]				School Below Above Province	Province [N=3,011]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	A	29.6	52.3	9.1	9.1	q	36.5	41.5	8.0	13.8	q	37.7	39.4	10.0	12.9
2.	A	22.7	18.2	11.4	47.7	p	17.4	23.4	8.7	50.0	p	19.5	23.4	7.8	49.0
3.	C	0.0	2.3	84.1	13.6	p	3.0	3.7	78.4	14.9	p	3.9	2.8	77.9	15.5
4.	C	6.8	11.4	63.6	18.2	p	3.9	19.0	60.1	16.3	p	5.2	16.6	61.0	16.8
5.	D	15.9	11.4	18.2	54.6	p	10.8	17.9	21.3	49.8	p	11.7	18.5	21.1	48.6
6.	B	0.0	93.2	4.6	2.3	p	1.4	91.1	5.3	2.3	p	2.1	90.5	5.2	2.2
7.	D	2.3	18.2	0.0	79.6	p	5.5	15.8	5.5	72.5	p	7.2	13.2	8.5	70.8
8.	B	0.0	88.6	0.0	11.4	p	1.6	87.6	2.8	8.0	p	4.5	86.6	2.8	6.2
9.	C	0.0	31.8	63.6	4.6	p	3.2	31.0	56.9	8.9	p	4.5	25.9	60.3	9.1
10.	D	9.1	11.4	22.7	56.8	p	13.8	16.1	20.9	48.9	p	14.6	18.2	20.2	46.9
11.	D	4.6	61.4	6.8	27.3	q	7.1	51.2	7.1	34.4	q	10.2	45.8	6.6	37.4
12.	B	4.6	93.2	2.3	0.0	p	7.6	74.8	13.3	4.4	p	9.0	70.5	14.3	6.1
*13.	B,D	20.5	31.8	11.4	36.4	p	20.2	27.5	15.1	36.5	p	18.9	29.9	16.4	34.2
14.	C	20.5	6.8	45.5	27.3	p	25.7	15.8	34.6	23.4	p	23.7	16.1	39.0	20.9
15.	D	11.4	11.4	18.2	59.1	p	12.8	16.5	20.0	50.7	p	12.2	12.2	19.7	55.8
16.	D	25.0	6.8	9.1	59.1	q	20.2	7.8	8.7	63.3	p	21.7	8.2	11.4	58.6
17.	D	2.3	2.3	18.2	77.3	q	3.7	1.8	15.1	79.4	q	3.1	1.8	14.1	80.8
18.	D	11.4	38.6	6.8	43.2	q	4.8	40.6	6.2	48.4	q	7.0	35.6	7.6	49.7
19.	A	63.6	34.1	0.0	2.3	p	55.1	39.0	3.9	2.1	p	54.2	38.1	4.6	3.1
20.	D	27.3	0.0	18.2	54.6	q	14.7	2.8	22.9	59.4	q	12.7	2.6	23.9	60.8
21.	B	2.3	86.4	2.3	9.1	p	8.7	67.0	8.3	16.1	p	9.2	62.3	9.6	18.9
22.	A	38.6	59.1	2.3	0.0	q	43.6	49.5	3.9	2.5	q	48.5	45.4	4.3	1.6
23.	A	20.5	63.6	9.1	6.8	q	28.9	52.1	9.9	9.2	q	31.3	47.2	12.0	9.5
24.	D	0.0	34.1	4.6	61.4	p	2.5	36.5	8.9	52.1	p	3.1	38.1	10.4	48.3
25.	A	52.3	2.3	38.6	6.8	q	55.5	3.7	32.1	8.7	p	50.0	5.0	35.6	9.4
26.	D	20.5	20.5	13.6	45.5	p	21.8	19.7	17.9	40.6	p	20.2	22.1	18.3	39.3
27.	D	15.9	18.2	18.2	47.7	p	13.1	26.2	14.2	46.6	q	11.7	26.3	12.8	49.0
28.	B	13.6	63.6	18.2	4.6	p	14.0	53.2	24.5	8.0	p	11.5	56.2	23.1	9.0
29.	C	0.0	6.8	84.1	9.1	p	5.3	11.9	75.7	7.1	p	8.1	12.5	69.8	9.5
30.	B	4.6	93.2	2.3	0.0	p	3.4	86.9	8.5	1.2	p	4.3	85.0	9.4	1.2
31.	D	25.0	22.7	2.3	50.0	p	20.2	14.2	15.6	49.1	q	18.1	13.0	15.9	52.6
32.	D	2.3	2.3	6.8	88.6	p	6.2	7.1	11.2	75.5	p	6.0	8.3	11.2	74.4
33.	C	4.6	18.2	68.2	9.1	p	14.7	18.6	50.5	15.1	p	12.8	19.5	50.6	16.4
34.	C	6.8	0.0	79.6	13.6	q	5.7	1.2	85.3	7.8	q	4.9	1.6	86.6	6.9
35.	C	4.6	15.9	72.7	6.8	p	6.2	13.8	68.1	11.5	p	6.6	12.0	68.3	12.8
36.	B	6.8	88.6	4.6	0.0	q	3.4	88.8	5.5	2.3	q	2.7	90.0	5.1	2.2
37.	C	4.6	11.4	79.6	2.3	p	6.4	22.9	65.4	4.6	p	6.5	24.3	63.5	5.5
38.	A	86.4	4.6	4.6	4.6	p	77.5	8.3	8.7	5.5	p	77.3	7.1	9.9	5.6
39.	B	11.4	75.0	4.6	9.1	p	11.7	71.6	4.6	12.2	p	11.5	72.3	6.3	9.8
40.	C	2.3	0.0	95.5	2.3	p	3.4	13.8	79.4	3.4	p	5.2	12.7	78.5	3.7
41.	D	18.2	15.9	11.4	54.6	p	16.7	18.6	19.0	45.6	p	17.1	20.3	20.7	41.5
42.	B	9.1	81.8	2.3	6.8	q	10.6	82.3	3.4	3.7	q	9.3	84.1	3.7	2.8
43.	B	31.8	52.3	11.4	4.6	p	26.6	42.2	16.5	14.2	p	23.3	42.0	16.9	17.3
44.	C	2.3	13.6	72.7	11.4	p	6.0	12.8	72.3	8.5	q	7.1	10.7	72.8	9.2
45.	B	20.5	63.6	15.9	0.0	p	31.9	47.9	14.7	5.1	p	30.2	47.9	15.5	6.2
46.	B	15.9	65.9	4.6	13.6	q	14.7	69.5	7.6	7.8	p	16.9	64.4	9.2	9.2
47.	B	9.1	47.7	43.2	0.0	p	7.1	47.0	42.2	3.0	p	7.1	47.6	39.5	5.3
48.	B	2.3	93.2	4.6	0.0	p	2.8	85.6	7.3	4.4	p	3.8	85.0	6.8	4.2
49.	C	0.0	4.6	72.7	22.7	p	8.3	11.0	60.3	20.0	p	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 3 - Nova Central

(percentage of students who selected each response)

#192 - Lumsden School Complex, Lumsden

Grades: K-12

Item	Key	School [N=11]				School Below Above District	District [N=436]				School Below Above Province	Province [N=3,011]					
		A	B	C	D		A	B	C	D		A	B	C	D		
1.	A	45.5	36.4	9.1	9.1		P	36.5	41.5	8.0	13.8		P	37.7	39.4	10.0	12.9
2.	A	9.1	18.2	9.1	54.6		Q	17.4	23.4	8.7	50.0		Q	19.5	23.4	7.8	49.0
3.	C	0.0	0.0	90.9	9.1		P	3.0	3.7	78.4	14.9		P	3.9	2.8	77.9	15.5
4.	C	0.0	18.2	63.6	9.1		P	3.9	19.0	60.1	16.3		P	5.2	16.6	61.0	16.8
5.	D	9.1	45.5	18.2	27.3		Q	10.8	17.9	21.3	49.8		Q	11.7	18.5	21.1	48.6
6.	B	0.0	72.7	27.3	0.0		Q	1.4	91.1	5.3	2.3		Q	2.1	90.5	5.2	2.2
7.	D	9.1	18.2	9.1	63.6		Q	5.5	15.8	5.5	72.5		Q	7.2	13.2	8.5	70.8
8.	B	9.1	90.9	0.0	0.0		P	1.6	87.6	2.8	8.0		P	4.5	86.6	2.8	6.2
9.	C	0.0	9.1	81.8	9.1		P	3.2	31.0	56.9	8.9		P	4.5	25.9	60.3	9.1
10.	D	9.1	9.1	18.2	63.6		P	13.8	16.1	20.9	48.9		P	14.6	18.2	20.2	46.9
11.	D	0.0	54.6	9.1	36.4		P	7.1	51.2	7.1	34.4		Q	10.2	45.8	6.6	37.4
12.	B	0.0	81.8	9.1	9.1		P	7.6	74.8	13.3	4.4		P	9.0	70.5	14.3	6.1
*13.	B,D	27.3	27.3	0.0	36.4		Q	20.2	27.5	15.1	36.5		Q	18.9	29.9	16.4	34.2
14.	C	27.3	0.0	54.6	9.1		P	25.7	15.8	34.6	23.4		P	23.7	16.1	39.0	20.9
15.	D	0.0	18.2	18.2	63.6		P	12.8	16.5	20.0	50.7		P	12.2	12.2	19.7	55.8
16.	D	9.1	0.0	0.0	90.9		P	20.2	7.8	8.7	63.3		P	21.7	8.2	11.4	58.6
17.	D	9.1	0.0	18.2	72.7		Q	3.7	1.8	15.1	79.4		Q	3.1	1.8	14.1	80.8
18.	D	0.0	36.4	0.0	63.6		P	4.8	40.6	6.2	48.4		P	7.0	35.6	7.6	49.7
19.	A	72.7	27.3	0.0	0.0		P	55.1	39.0	3.9	2.1		P	54.2	38.1	4.6	3.1
20.	D	9.1	0.0	18.2	72.7		P	14.7	2.8	22.9	59.4		P	12.7	2.6	23.9	60.8
21.	B	0.0	63.6	0.0	36.4		Q	8.7	67.0	8.3	16.1		P	9.2	62.3	9.6	18.9
22.	A	45.5	54.6	0.0	0.0		P	43.6	49.5	3.9	2.5		Q	48.5	45.4	4.3	1.6
23.	A	36.4	54.6	0.0	9.1		P	28.9	52.1	9.9	9.2		P	31.3	47.2	12.0	9.5
24.	D	0.0	18.2	18.2	63.6		P	2.5	36.5	8.9	52.1		P	3.1	38.1	10.4	48.3
25.	A	36.4	0.0	54.6	9.1		Q	55.5	3.7	32.1	8.7		Q	50.0	5.0	35.6	9.4
26.	D	9.1	18.2	18.2	54.6		P	21.8	19.7	17.9	40.6		P	20.2	22.1	18.3	39.3
27.	D	0.0	18.2	36.4	45.5		Q	13.1	26.2	14.2	46.6		Q	11.7	26.3	12.8	49.0
28.	B	9.1	72.7	18.2	0.0		P	14.0	53.2	24.5	8.0		P	11.5	56.2	23.1	9.0
29.	C	0.0	9.1	81.8	9.1		P	5.3	11.9	75.7	7.1		P	8.1	12.5	69.8	9.5
30.	B	0.0	90.9	9.1	0.0		P	3.4	86.9	8.5	1.2		P	4.3	85.0	9.4	1.2
31.	D	0.0	9.1	9.1	81.8		P	20.2	14.2	15.6	49.1		P	18.1	13.0	15.9	52.6
32.	D	0.0	9.1	9.1	81.8		P	6.2	7.1	11.2	75.5		P	6.0	8.3	11.2	74.4
33.	C	9.1	9.1	63.6	9.1		P	14.7	18.6	50.5	15.1		P	12.8	19.5	50.6	16.4
34.	C	9.1	0.0	81.8	9.1		Q	5.7	1.2	85.3	7.8		Q	4.9	1.6	86.6	6.9
35.	C	0.0	18.2	81.8	0.0		P	6.2	13.8	68.1	11.5		P	6.6	12.0	68.3	12.8
36.	B	0.0	100.0	0.0	0.0		P	3.4	88.8	5.5	2.3		P	2.7	90.0	5.1	2.2
37.	C	0.0	0.0	90.9	0.0		P	6.4	22.9	65.4	4.6		P	6.5	24.3	63.5	5.5
38.	A	100.0	0.0	0.0	0.0		P	77.5	8.3	8.7	5.5		P	77.3	7.1	9.9	5.6
39.	B	9.1	90.9	0.0	0.0		P	11.7	71.6	4.6	12.2		P	11.5	72.3	6.3	9.8
40.	C	0.0	0.0	100.0	0.0		P	3.4	13.8	79.4	3.4		P	5.2	12.7	78.5	3.7
41.	D	0.0	0.0	27.3	72.7		P	16.7	18.6	19.0	45.6		P	17.1	20.3	20.7	41.5
42.	B	9.1	81.8	0.0	9.1		Q	10.6	82.3	3.4	3.7		Q	9.3	84.1	3.7	2.8
43.	B	45.5	36.4	18.2	0.0		Q	26.6	42.2	16.5	14.2		Q	23.3	42.0	16.9	17.3
44.	C	0.0	18.2	72.7	9.1		P	6.0	12.8	72.3	8.5		Q	7.1	10.7	72.8	9.2
45.	B	27.3	63.6	9.1	0.0		P	31.9	47.9	14.7	5.1		P	30.2	47.9	15.5	6.2
46.	B	0.0	81.8	18.2	0.0		P	14.7	69.5	7.6	7.8		P	16.9	64.4	9.2	9.2
47.	B	18.2	63.6	0.0	18.2		P	7.1	47.0	42.2	3.0		P	7.1	47.6	39.5	5.3
48.	B	0.0	90.9	9.1	0.0		P	2.8	85.6	7.3	4.4		P	3.8	85.0	6.8	4.2
49.	C	0.0	9.1	72.7	18.2		P	8.3	11.0	60.3	20.0		P	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 3 - Nova Central

(percentage of students who selected each response)

#196 - St. Gabriel's AG, St. Brendan's

Grades: K,1,3-7,9-12

Item	Key	School [N=2]				District [N=436]				Province [N=3,011]								
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D	
1.	A						P	36.5	41.5	8.0	13.8		P	37.7	39.4	10.0	12.9	
2.	A	School data with 5 or fewer students withheld for reasons of confidentiality.					q	17.4	23.4	8.7	50.0		q	19.5	23.4	7.8	49.0	
3.	C						P	3.0	3.7	78.4	14.9		P	3.9	2.8	77.9	15.5	
4.	C						P	3.9	19.0	60.1	16.3		P	5.2	16.6	61.0	16.8	
5.	D						P	10.8	17.9	21.3	49.8		P	11.7	18.5	21.1	48.6	
6.	B						P	1.4	91.1	5.3	2.3		P	2.1	90.5	5.2	2.2	
7.	D						q	5.5	15.8	5.5	72.5		q	7.2	13.2	8.5	70.8	
8.	B						q	1.6	87.6	2.8	8.0		q	4.5	86.6	2.8	6.2	
9.	C						q	3.2	31.0	56.9	8.9		q	4.5	25.9	60.3	9.1	
10.	D						P	13.8	16.1	20.9	48.9		P	14.6	18.2	20.2	46.9	
11.	D						P	7.1	51.2	7.1	34.4		P	10.2	45.8	6.6	37.4	
12.	B						P	7.6	74.8	13.3	4.4		P	9.0	70.5	14.3	6.1	
*13.	B,D						q	20.2	27.5	15.1	36.5		q	18.9	29.9	16.4	34.2	
14.	C						q	25.7	15.8	34.6	23.4		q	23.7	16.1	39.0	20.9	
15.	D						q	12.8	16.5	20.0	50.7		q	12.2	12.2	19.7	55.8	
16.	D						q	20.2	7.8	8.7	63.3		q	21.7	8.2	11.4	58.6	
17.	D						q	3.7	1.8	15.1	79.4		q	3.1	1.8	14.1	80.8	
18.	D						q	4.8	40.6	6.2	48.4		q	7.0	35.6	7.6	49.7	
19.	A						P	55.1	39.0	3.9	2.1		P	54.2	38.1	4.6	3.1	
20.	D						q	14.7	2.8	22.9	59.4		q	12.7	2.6	23.9	60.8	
21.	B						q	8.7	67.0	8.3	16.1		q	9.2	62.3	9.6	18.9	
22.	A						q	43.6	49.5	3.9	2.5		q	48.5	45.4	4.3	1.6	
23.	A						q	28.9	52.1	9.9	9.2		q	31.3	47.2	12.0	9.5	
24.	D						q	2.5	36.5	8.9	52.1		P	3.1	38.1	10.4	48.3	
25.	A						P	55.5	3.7	32.1	8.7		P	50.0	5.0	35.6	9.4	
26.	D						q	21.8	19.7	17.9	40.6		q	20.2	22.1	18.3	39.3	
27.	D						P	13.1	26.2	14.2	46.6		P	11.7	26.3	12.8	49.0	
28.	B						q	14.0	53.2	24.5	8.0		q	11.5	56.2	23.1	9.0	
29.	C						q	5.3	11.9	75.7	7.1		q	8.1	12.5	69.8	9.5	
30.	B						P	3.4	86.9	8.5	1.2		P	4.3	85.0	9.4	1.2	
31.	D						q	20.2	14.2	15.6	49.1		q	18.1	13.0	15.9	52.6	
32.	D						P	6.2	7.1	11.2	75.5		P	6.0	8.3	11.2	74.4	
33.	C						P	14.7	18.6	50.5	15.1		P	12.8	19.5	50.6	16.4	
34.	C						q	5.7	1.2	85.3	7.8		q	4.9	1.6	86.6	6.9	
35.	C						P	6.2	13.8	68.1	11.5		P	6.6	12.0	68.3	12.8	
36.	B						q	3.4	88.8	5.5	2.3		q	2.7	90.0	5.1	2.2	
37.	C						q	6.4	22.9	65.4	4.6		q	6.5	24.3	63.5	5.5	
38.	A						P	77.5	8.3	8.7	5.5		P	77.3	7.1	9.9	5.6	
39.	B						q	11.7	71.6	4.6	12.2		q	11.5	72.3	6.3	9.8	
40.	C						P	3.4	13.8	79.4	3.4		P	5.2	12.7	78.5	3.7	
41.	D						P	16.7	18.6	19.0	45.6		P	17.1	20.3	20.7	41.5	
42.	B						q	10.6	82.3	3.4	3.7		q	9.3	84.1	3.7	2.8	
43.	B						q	26.6	42.2	16.5	14.2		q	23.3	42.0	16.9	17.3	
44.	C						P	6.0	12.8	72.3	8.5		P	7.1	10.7	72.8	9.2	
45.	B						q	31.9	47.9	14.7	5.1		q	30.2	47.9	15.5	6.2	
46.	B						q	14.7	69.5	7.6	7.8		q	16.9	64.4	9.2	9.2	
47.	B						P	7.1	47.0	42.2	3.0		P	7.1	47.6	39.5	5.3	
48.	B						q	2.8	85.6	7.3	4.4		q	3.8	85.0	6.8	4.2	
49.	C						q	8.3	11.0	60.3	20.0		q	6.3	10.3	62.6	20.3	
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 3 - Nova Central

(percentage of students who selected each response)

#201 - J.M. Olds Collegiate, Twillingate

Grades: 7-12

Item	Key	School [N=5]				District [N=436]				Province [N=3,011]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	A					P		36.5	41.5	8.0	13.8	P		37.7	39.4	10.0	12.9
2.	A	School data with 5 or fewer students withheld for reasons of confidentiality.				P		17.4	23.4	8.7	50.0	P		19.5	23.4	7.8	49.0
3.	C	School data with 5 or fewer students withheld for reasons of confidentiality.				P		3.0	3.7	78.4	14.9	P		3.9	2.8	77.9	15.5
4.	C	School data with 5 or fewer students withheld for reasons of confidentiality.				P		3.9	19.0	60.1	16.3	P		5.2	16.6	61.0	16.8
5.	D					Q		10.8	17.9	21.3	49.8	Q		11.7	18.5	21.1	48.6
6.	B					P		1.4	91.1	5.3	2.3	P		2.1	90.5	5.2	2.2
7.	D					P		5.5	15.8	5.5	72.5	P		7.2	13.2	8.5	70.8
8.	B					Q		1.6	87.6	2.8	8.0	Q		4.5	86.6	2.8	6.2
9.	C					Q		3.2	31.0	56.9	8.9	Q		4.5	25.9	60.3	9.1
10.	D					Q		13.8	16.1	20.9	48.9	Q		14.6	18.2	20.2	46.9
11.	D					P		7.1	51.2	7.1	34.4	P		10.2	45.8	6.6	37.4
12.	B					P		7.6	74.8	13.3	4.4	P		9.0	70.5	14.3	6.1
*13.	B,D					P		20.2	27.5	15.1	36.5	P		18.9	29.9	16.4	34.2
14.	C					Q		25.7	15.8	34.6	23.4	Q		23.7	16.1	39.0	20.9
15.	D					P		12.8	16.5	20.0	50.7	P		12.2	12.2	19.7	55.8
16.	D					P		20.2	7.8	8.7	63.3	P		21.7	8.2	11.4	58.6
17.	D					P		3.7	1.8	15.1	79.4	P		3.1	1.8	14.1	80.8
18.	D					Q		4.8	40.6	6.2	48.4	Q		7.0	35.6	7.6	49.7
19.	A					P		55.1	39.0	3.9	2.1	P		54.2	38.1	4.6	3.1
20.	D					P		14.7	2.8	22.9	59.4	P		12.7	2.6	23.9	60.8
21.	B					P		8.7	67.0	8.3	16.1	P		9.2	62.3	9.6	18.9
22.	A					P		43.6	49.5	3.9	2.5	P		48.5	45.4	4.3	1.6
23.	A					Q		28.9	52.1	9.9	9.2	Q		31.3	47.2	12.0	9.5
24.	D					P		2.5	36.5	8.9	52.1	P		3.1	38.1	10.4	48.3
25.	A					Q		55.5	3.7	32.1	8.7	Q		50.0	5.0	35.6	9.4
26.	D					Q		21.8	19.7	17.9	40.6	P		20.2	22.1	18.3	39.3
27.	D					P		13.1	26.2	14.2	46.6	P		11.7	26.3	12.8	49.0
28.	B					P		14.0	53.2	24.5	8.0	P		11.5	56.2	23.1	9.0
29.	C					Q		5.3	11.9	75.7	7.1	Q		8.1	12.5	69.8	9.5
30.	B					Q		3.4	86.9	8.5	1.2	Q		4.3	85.0	9.4	1.2
31.	D					P		20.2	14.2	15.6	49.1	P		18.1	13.0	15.9	52.6
32.	D					P		6.2	7.1	11.2	75.5	P		6.0	8.3	11.2	74.4
33.	C					P		14.7	18.6	50.5	15.1	P		12.8	19.5	50.6	16.4
34.	C					P		5.7	1.2	85.3	7.8	P		4.9	1.6	86.6	6.9
35.	C					P		6.2	13.8	68.1	11.5	P		6.6	12.0	68.3	12.8
36.	B					P		3.4	88.8	5.5	2.3	P		2.7	90.0	5.1	2.2
37.	C					P		6.4	22.9	65.4	4.6	P		6.5	24.3	63.5	5.5
38.	A					P		77.5	8.3	8.7	5.5	P		77.3	7.1	9.9	5.6
39.	B					P		11.7	71.6	4.6	12.2	P		11.5	72.3	6.3	9.8
40.	C					P		3.4	13.8	79.4	3.4	P		5.2	12.7	78.5	3.7
41.	D					Q		16.7	18.6	19.0	45.6	Q		17.1	20.3	20.7	41.5
42.	B					Q		10.6	82.3	3.4	3.7	Q		9.3	84.1	3.7	2.8
43.	B					Q		26.6	42.2	16.5	14.2	Q		23.3	42.0	16.9	17.3
44.	C					P		6.0	12.8	72.3	8.5	P		7.1	10.7	72.8	9.2
45.	B					P		31.9	47.9	14.7	5.1	P		30.2	47.9	15.5	6.2
46.	B					P		14.7	69.5	7.6	7.8	P		16.9	64.4	9.2	9.2
47.	B					Q		7.1	47.0	42.2	3.0	Q		7.1	47.6	39.5	5.3
48.	B					Q		2.8	85.6	7.3	4.4	Q		3.8	85.0	6.8	4.2
49.	C					P		8.3	11.0	60.3	20.0	P		6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 3 - Nova Central

(percentage of students who selected each response)

#204 - Lester Pearson Memorial High, Wesleyville

Grades: 7-12

Item	Key	School [N=13]				School Below Above District		District [N=436]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	30.8	46.2	7.7	15.4	q		36.5	41.5	8.0	13.8	q		37.7	39.4	10.0	12.9
2.	A	46.2	30.8	7.7	15.4		p	17.4	23.4	8.7	50.0		p	19.5	23.4	7.8	49.0
3.	C	0.0	7.7	53.9	38.5	q		3.0	3.7	78.4	14.9	q		3.9	2.8	77.9	15.5
4.	C	0.0	38.5	53.9	7.7	q		3.9	19.0	60.1	16.3	q		5.2	16.6	61.0	16.8
5.	D	7.7	15.4	15.4	61.5		p	10.8	17.9	21.3	49.8		p	11.7	18.5	21.1	48.6
6.	B	0.0	84.6	15.4	0.0	q		1.4	91.1	5.3	2.3	q		2.1	90.5	5.2	2.2
7.	D	30.8	0.0	0.0	69.2	q		5.5	15.8	5.5	72.5	q		7.2	13.2	8.5	70.8
8.	B	0.0	100.0	0.0	0.0		p	1.6	87.6	2.8	8.0		p	4.5	86.6	2.8	6.2
9.	C	0.0	15.4	76.9	7.7		p	3.2	31.0	56.9	8.9		p	4.5	25.9	60.3	9.1
10.	D	7.7	46.2	15.4	30.8	q		13.8	16.1	20.9	48.9	q		14.6	18.2	20.2	46.9
11.	D	15.4	30.8	0.0	53.9		p	7.1	51.2	7.1	34.4		p	10.2	45.8	6.6	37.4
12.	B	0.0	84.6	7.7	7.7		p	7.6	74.8	13.3	4.4		p	9.0	70.5	14.3	6.1
*13.	B,D	23.1	7.7	7.7	61.5		p	20.2	27.5	15.1	36.5		p	18.9	29.9	16.4	34.2
14.	C	30.8	7.7	30.8	30.8	q		25.7	15.8	34.6	23.4	q		23.7	16.1	39.0	20.9
15.	D	15.4	23.1	7.7	53.9		p	12.8	16.5	20.0	50.7	q		12.2	12.2	19.7	55.8
16.	D	15.4	0.0	0.0	84.6		p	20.2	7.8	8.7	63.3		p	21.7	8.2	11.4	58.6
17.	D	0.0	0.0	15.4	84.6		p	3.7	1.8	15.1	79.4		p	3.1	1.8	14.1	80.8
18.	D	0.0	46.2	0.0	53.9		p	4.8	40.6	6.2	48.4		p	7.0	35.6	7.6	49.7
19.	A	53.9	38.5	0.0	7.7	q		55.1	39.0	3.9	2.1	q		54.2	38.1	4.6	3.1
20.	D	15.4	0.0	15.4	69.2		p	14.7	2.8	22.9	59.4		p	12.7	2.6	23.9	60.8
21.	B	7.7	76.9	7.7	7.7		p	8.7	67.0	8.3	16.1		p	9.2	62.3	9.6	18.9
22.	A	76.9	15.4	7.7	0.0		p	43.6	49.5	3.9	2.5		p	48.5	45.4	4.3	1.6
23.	A	30.8	53.9	0.0	15.4		p	28.9	52.1	9.9	9.2	q		31.3	47.2	12.0	9.5
24.	D	7.7	46.2	0.0	46.2	q		2.5	36.5	8.9	52.1	q		3.1	38.1	10.4	48.3
25.	A	53.9	0.0	46.2	0.0	q		55.5	3.7	32.1	8.7		p	50.0	5.0	35.6	9.4
26.	D	15.4	30.8	7.7	46.2		p	21.8	19.7	17.9	40.6		p	20.2	22.1	18.3	39.3
27.	D	7.7	15.4	15.4	61.5		p	13.1	26.2	14.2	46.6		p	11.7	26.3	12.8	49.0
28.	B	15.4	69.2	15.4	0.0		p	14.0	53.2	24.5	8.0		p	11.5	56.2	23.1	9.0
29.	C	7.7	7.7	69.2	15.4	q		5.3	11.9	75.7	7.1	q		8.1	12.5	69.8	9.5
30.	B	0.0	92.3	7.7	0.0		p	3.4	86.9	8.5	1.2		p	4.3	85.0	9.4	1.2
31.	D	30.8	7.7	15.4	46.2	q		20.2	14.2	15.6	49.1	q		18.1	13.0	15.9	52.6
32.	D	7.7	7.7	7.7	76.9		p	6.2	7.1	11.2	75.5		p	6.0	8.3	11.2	74.4
33.	C	15.4	15.4	61.5	7.7		p	14.7	18.6	50.5	15.1		p	12.8	19.5	50.6	16.4
34.	C	7.7	0.0	92.3	0.0		p	5.7	1.2	85.3	7.8		p	4.9	1.6	86.6	6.9
35.	C	7.7	7.7	76.9	7.7		p	6.2	13.8	68.1	11.5		p	6.6	12.0	68.3	12.8
36.	B	0.0	84.6	15.4	0.0	q		3.4	88.8	5.5	2.3	q		2.7	90.0	5.1	2.2
37.	C	7.7	15.4	76.9	0.0		p	6.4	22.9	65.4	4.6		p	6.5	24.3	63.5	5.5
38.	A	69.2	15.4	7.7	7.7	q		77.5	8.3	8.7	5.5	q		77.3	7.1	9.9	5.6
39.	B	7.7	61.5	7.7	23.1	q		11.7	71.6	4.6	12.2	q		11.5	72.3	6.3	9.8
40.	C	7.7	15.4	69.2	7.7	q		3.4	13.8	79.4	3.4	q		5.2	12.7	78.5	3.7
41.	D	15.4	7.7	30.8	46.2		p	16.7	18.6	19.0	45.6		p	17.1	20.3	20.7	41.5
42.	B	0.0	100.0	0.0	0.0		p	10.6	82.3	3.4	3.7		p	9.3	84.1	3.7	2.8
43.	B	30.8	30.8	23.1	15.4	q		26.6	42.2	16.5	14.2	q		23.3	42.0	16.9	17.3
44.	C	0.0	0.0	84.6	15.4		p	6.0	12.8	72.3	8.5		p	7.1	10.7	72.8	9.2
45.	B	38.5	30.8	15.4	7.7	q		31.9	47.9	14.7	5.1	q		30.2	47.9	15.5	6.2
46.	B	15.4	53.9	7.7	23.1	q		14.7	69.5	7.6	7.8	q		16.9	64.4	9.2	9.2
47.	B	0.0	53.9	46.2	0.0		p	7.1	47.0	42.2	3.0		p	7.1	47.6	39.5	5.3
48.	B	0.0	92.3	0.0	7.7		p	2.8	85.6	7.3	4.4		p	3.8	85.0	6.8	4.2
49.	C	7.7	7.7	69.2	15.4		p	8.3	11.0	60.3	20.0		p	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 3 - Nova Central

(percentage of students who selected each response)

#206 - Riverwood Academy, Wing's Point

Grades: K-12

Item	Key	School [N=8]				School Below Above District		District [N=436]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	12.5	25.0	12.5	50.0		q	36.5	41.5	8.0	13.8		q	37.7	39.4	10.0	12.9
2.	A	0.0	0.0	25.0	75.0		q	17.4	23.4	8.7	50.0		q	19.5	23.4	7.8	49.0
3.	C	25.0	12.5	50.0	12.5		q	3.0	3.7	78.4	14.9		q	3.9	2.8	77.9	15.5
4.	C	12.5	0.0	50.0	37.5		q	3.9	19.0	60.1	16.3		q	5.2	16.6	61.0	16.8
5.	D	0.0	0.0	50.0	50.0		p	10.8	17.9	21.3	49.8		p	11.7	18.5	21.1	48.6
6.	B	0.0	75.0	0.0	25.0		q	1.4	91.1	5.3	2.3		q	2.1	90.5	5.2	2.2
7.	D	0.0	12.5	37.5	50.0		q	5.5	15.8	5.5	72.5		q	7.2	13.2	8.5	70.8
8.	B	0.0	100.0	0.0	0.0		p	1.6	87.6	2.8	8.0		p	4.5	86.6	2.8	6.2
9.	C	12.5	37.5	50.0	0.0		q	3.2	31.0	56.9	8.9		q	4.5	25.9	60.3	9.1
10.	D	25.0	0.0	37.5	37.5		q	13.8	16.1	20.9	48.9		q	14.6	18.2	20.2	46.9
11.	D	25.0	37.5	25.0	12.5		q	7.1	51.2	7.1	34.4		q	10.2	45.8	6.6	37.4
12.	B	12.5	50.0	37.5	0.0		q	7.6	74.8	13.3	4.4		q	9.0	70.5	14.3	6.1
*13.	B,D	25.0	25.0	25.0	25.0		q	20.2	27.5	15.1	36.5		q	18.9	29.9	16.4	34.2
14.	C	37.5	0.0	37.5	25.0		p	25.7	15.8	34.6	23.4		q	23.7	16.1	39.0	20.9
15.	D	12.5	12.5	12.5	62.5		p	12.8	16.5	20.0	50.7		p	12.2	12.2	19.7	55.8
16.	D	37.5	12.5	37.5	12.5		q	20.2	7.8	8.7	63.3		q	21.7	8.2	11.4	58.6
17.	D	12.5	0.0	12.5	75.0		q	3.7	1.8	15.1	79.4		q	3.1	1.8	14.1	80.8
18.	D	0.0	50.0	25.0	25.0		q	4.8	40.6	6.2	48.4		q	7.0	35.6	7.6	49.7
19.	A	50.0	37.5	0.0	12.5		q	55.1	39.0	3.9	2.1		q	54.2	38.1	4.6	3.1
20.	D	12.5	0.0	0.0	87.5		p	14.7	2.8	22.9	59.4		p	12.7	2.6	23.9	60.8
21.	B	12.5	50.0	25.0	12.5		q	8.7	67.0	8.3	16.1		q	9.2	62.3	9.6	18.9
22.	A	25.0	75.0	0.0	0.0		q	43.6	49.5	3.9	2.5		q	48.5	45.4	4.3	1.6
23.	A	50.0	37.5	0.0	12.5		p	28.9	52.1	9.9	9.2		p	31.3	47.2	12.0	9.5
24.	D	0.0	37.5	25.0	37.5		q	2.5	36.5	8.9	52.1		q	3.1	38.1	10.4	48.3
25.	A	12.5	0.0	75.0	12.5		q	55.5	3.7	32.1	8.7		q	50.0	5.0	35.6	9.4
26.	D	25.0	50.0	25.0	0.0		q	21.8	19.7	17.9	40.6		q	20.2	22.1	18.3	39.3
27.	D	0.0	50.0	12.5	37.5		q	13.1	26.2	14.2	46.6		q	11.7	26.3	12.8	49.0
28.	B	12.5	25.0	50.0	12.5		q	14.0	53.2	24.5	8.0		q	11.5	56.2	23.1	9.0
29.	C	12.5	12.5	75.0	0.0		q	5.3	11.9	75.7	7.1		p	8.1	12.5	69.8	9.5
30.	B	12.5	87.5	0.0	0.0		p	3.4	86.9	8.5	1.2		p	4.3	85.0	9.4	1.2
31.	D	0.0	25.0	37.5	25.0		q	20.2	14.2	15.6	49.1		q	18.1	13.0	15.9	52.6
32.	D	12.5	12.5	0.0	75.0		q	6.2	7.1	11.2	75.5		p	6.0	8.3	11.2	74.4
33.	C	37.5	25.0	12.5	25.0		q	14.7	18.6	50.5	15.1		q	12.8	19.5	50.6	16.4
34.	C	12.5	0.0	75.0	12.5		q	5.7	1.2	85.3	7.8		q	4.9	1.6	86.6	6.9
35.	C	0.0	12.5	37.5	50.0		q	6.2	13.8	68.1	11.5		q	6.6	12.0	68.3	12.8
36.	B	12.5	87.5	0.0	0.0		q	3.4	88.8	5.5	2.3		q	2.7	90.0	5.1	2.2
37.	C	12.5	25.0	62.5	0.0		q	6.4	22.9	65.4	4.6		q	6.5	24.3	63.5	5.5
38.	A	12.5	50.0	37.5	0.0		q	77.5	8.3	8.7	5.5		q	77.3	7.1	9.9	5.6
39.	B	0.0	75.0	0.0	25.0		p	11.7	71.6	4.6	12.2		p	11.5	72.3	6.3	9.8
40.	C	12.5	0.0	87.5	0.0		p	3.4	13.8	79.4	3.4		p	5.2	12.7	78.5	3.7
41.	D	12.5	37.5	37.5	12.5		q	16.7	18.6	19.0	45.6		q	17.1	20.3	20.7	41.5
42.	B	37.5	50.0	12.5	0.0		q	10.6	82.3	3.4	3.7		q	9.3	84.1	3.7	2.8
43.	B	25.0	37.5	37.5	0.0		q	26.6	42.2	16.5	14.2		q	23.3	42.0	16.9	17.3
44.	C	0.0	0.0	100.0	0.0		p	6.0	12.8	72.3	8.5		p	7.1	10.7	72.8	9.2
45.	B	12.5	87.5	0.0	0.0		p	31.9	47.9	14.7	5.1		p	30.2	47.9	15.5	6.2
46.	B	12.5	62.5	12.5	12.5		q	14.7	69.5	7.6	7.8		q	16.9	64.4	9.2	9.2
47.	B	12.5	25.0	62.5	0.0		q	7.1	47.0	42.2	3.0		q	7.1	47.6	39.5	5.3
48.	B	0.0	50.0	37.5	12.5		q	2.8	85.6	7.3	4.4		q	3.8	85.0	6.8	4.2
49.	C	25.0	25.0	37.5	12.5		q	8.3	11.0	60.3	20.0		q	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 3 - Nova Central

(percentage of students who selected each response)

#402 - Leo Burke Academy, Bishop's Falls

Grades: 9-12

Item	Key	School [N=17]				School Below Above District		District [N=436]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	17.7	47.1	23.5	11.8		q	36.5	41.5	8.0	13.8		q	37.7	39.4	10.0	12.9
2.	A	11.8	35.3	0.0	52.9		q	17.4	23.4	8.7	50.0		q	19.5	23.4	7.8	49.0
3.	C	0.0	0.0	82.4	17.7		p	3.0	3.7	78.4	14.9		p	3.9	2.8	77.9	15.5
4.	C	5.9	23.5	47.1	17.7		q	3.9	19.0	60.1	16.3		q	5.2	16.6	61.0	16.8
5.	D	17.7	11.8	17.7	52.9		p	10.8	17.9	21.3	49.8		p	11.7	18.5	21.1	48.6
6.	B	0.0	94.1	5.9	0.0		p	1.4	91.1	5.3	2.3		p	2.1	90.5	5.2	2.2
7.	D	5.9	11.8	11.8	70.6		q	5.5	15.8	5.5	72.5		q	7.2	13.2	8.5	70.8
8.	B	0.0	88.2	0.0	11.8		p	1.6	87.6	2.8	8.0		p	4.5	86.6	2.8	6.2
9.	C	11.8	23.5	47.1	17.7		q	3.2	31.0	56.9	8.9		q	4.5	25.9	60.3	9.1
10.	D	11.8	17.7	29.4	35.3		q	13.8	16.1	20.9	48.9		q	14.6	18.2	20.2	46.9
11.	D	5.9	35.3	5.9	52.9		p	7.1	51.2	7.1	34.4		p	10.2	45.8	6.6	37.4
12.	B	0.0	64.7	29.4	5.9		q	7.6	74.8	13.3	4.4		q	9.0	70.5	14.3	6.1
*13.	B,D	29.4	11.8	17.7	35.3		q	20.2	27.5	15.1	36.5		q	18.9	29.9	16.4	34.2
14.	C	11.8	29.4	5.9	52.9		q	25.7	15.8	34.6	23.4		q	23.7	16.1	39.0	20.9
15.	D	41.2	0.0	17.7	41.2		q	12.8	16.5	20.0	50.7		q	12.2	12.2	19.7	55.8
16.	D	17.7	0.0	5.9	76.5		p	20.2	7.8	8.7	63.3		p	21.7	8.2	11.4	58.6
17.	D	5.9	0.0	17.7	76.5		q	3.7	1.8	15.1	79.4		q	3.1	1.8	14.1	80.8
18.	D	11.8	47.1	5.9	35.3		q	4.8	40.6	6.2	48.4		q	7.0	35.6	7.6	49.7
19.	A	35.3	52.9	11.8	0.0		q	55.1	39.0	3.9	2.1		q	54.2	38.1	4.6	3.1
20.	D	11.8	5.9	11.8	70.6		p	14.7	2.8	22.9	59.4		p	12.7	2.6	23.9	60.8
21.	B	17.7	70.6	5.9	5.9		p	8.7	67.0	8.3	16.1		p	9.2	62.3	9.6	18.9
22.	A	35.3	58.8	5.9	0.0		q	43.6	49.5	3.9	2.5		q	48.5	45.4	4.3	1.6
23.	A	47.1	41.2	11.8	0.0		p	28.9	52.1	9.9	9.2		p	31.3	47.2	12.0	9.5
24.	D	5.9	29.4	11.8	52.9		p	2.5	36.5	8.9	52.1		p	3.1	38.1	10.4	48.3
25.	A	52.9	0.0	23.5	23.5		q	55.5	3.7	32.1	8.7		p	50.0	5.0	35.6	9.4
26.	D	52.9	5.9	11.8	29.4		q	21.8	19.7	17.9	40.6		q	20.2	22.1	18.3	39.3
27.	D	11.8	29.4	5.9	52.9		p	13.1	26.2	14.2	46.6		p	11.7	26.3	12.8	49.0
28.	B	29.4	17.7	35.3	17.7		q	14.0	53.2	24.5	8.0		q	11.5	56.2	23.1	9.0
29.	C	11.8	17.7	64.7	5.9		q	5.3	11.9	75.7	7.1		q	8.1	12.5	69.8	9.5
30.	B	17.7	64.7	17.7	0.0		q	3.4	86.9	8.5	1.2		q	4.3	85.0	9.4	1.2
31.	D	17.7	11.8	11.8	58.8		p	20.2	14.2	15.6	49.1		p	18.1	13.0	15.9	52.6
32.	D	5.9	0.0	17.7	76.5		p	6.2	7.1	11.2	75.5		p	6.0	8.3	11.2	74.4
33.	C	17.7	17.7	35.3	23.5		q	14.7	18.6	50.5	15.1		q	12.8	19.5	50.6	16.4
34.	C	5.9	0.0	82.4	11.8		q	5.7	1.2	85.3	7.8		q	4.9	1.6	86.6	6.9
35.	C	0.0	17.7	64.7	17.7		q	6.2	13.8	68.1	11.5		q	6.6	12.0	68.3	12.8
36.	B	0.0	100.0	0.0	0.0		p	3.4	88.8	5.5	2.3		p	2.7	90.0	5.1	2.2
37.	C	0.0	17.7	76.5	5.9		p	6.4	22.9	65.4	4.6		p	6.5	24.3	63.5	5.5
38.	A	94.1	5.9	0.0	0.0		p	77.5	8.3	8.7	5.5		p	77.3	7.1	9.9	5.6
39.	B	0.0	64.7	5.9	29.4		q	11.7	71.6	4.6	12.2		q	11.5	72.3	6.3	9.8
40.	C	29.4	17.7	52.9	0.0		q	3.4	13.8	79.4	3.4		q	5.2	12.7	78.5	3.7
41.	D	5.9	17.7	23.5	52.9		p	16.7	18.6	19.0	45.6		p	17.1	20.3	20.7	41.5
42.	B	11.8	82.4	0.0	5.9		p	10.6	82.3	3.4	3.7		q	9.3	84.1	3.7	2.8
43.	B	23.5	35.3	17.7	23.5		q	26.6	42.2	16.5	14.2		q	23.3	42.0	16.9	17.3
44.	C	5.9	17.7	64.7	11.8		q	6.0	12.8	72.3	8.5		q	7.1	10.7	72.8	9.2
45.	B	35.3	47.1	11.8	0.0		q	31.9	47.9	14.7	5.1		q	30.2	47.9	15.5	6.2
46.	B	29.4	70.6	0.0	0.0		p	14.7	69.5	7.6	7.8		p	16.9	64.4	9.2	9.2
47.	B	0.0	58.8	35.3	0.0		p	7.1	47.0	42.2	3.0		p	7.1	47.6	39.5	5.3
48.	B	0.0	70.6	11.8	17.7		q	2.8	85.6	7.3	4.4		q	3.8	85.0	6.8	4.2
49.	C	11.8	17.7	52.9	17.7		q	8.3	11.0	60.3	20.0		q	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

District 3 - Nova Central

(percentage of students who selected each response)

#403 - Lakeside Academy, Buchans

Grades: K-12

Item	Key	School [N=3]				District [N=436]				School Below Above Province [N=3,011]								
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	A	B	C	D		
1.	A					q		36.5	41.5	8.0	13.8	q		37.7	39.4	10.0	12.9	
2.	A	School data with 5 or fewer students withheld for reasons of confidentiality.					p	17.4	23.4	8.7	50.0		p	19.5	23.4	7.8	49.0	
3.	C						q	3.0	3.7	78.4	14.9		q	3.9	2.8	77.9	15.5	
4.	C						p	3.9	19.0	60.1	16.3		p	5.2	16.6	61.0	16.8	
5.	D						p	10.8	17.9	21.3	49.8		p	11.7	18.5	21.1	48.6	
6.	B						p	1.4	91.1	5.3	2.3		p	2.1	90.5	5.2	2.2	
7.	D						p	5.5	15.8	5.5	72.5		p	7.2	13.2	8.5	70.8	
8.	B						p	1.6	87.6	2.8	8.0		p	4.5	86.6	2.8	6.2	
9.	C					q		3.2	31.0	56.9	8.9	q		4.5	25.9	60.3	9.1	
10.	D					q		13.8	16.1	20.9	48.9	q		14.6	18.2	20.2	46.9	
11.	D					q		7.1	51.2	7.1	34.4	q		10.2	45.8	6.6	37.4	
12.	B					q		7.6	74.8	13.3	4.4	q		9.0	70.5	14.3	6.1	
*13.	B,D					q		20.2	27.5	15.1	36.5	q		18.9	29.9	16.4	34.2	
14.	C					q		25.7	15.8	34.6	23.4	q		23.7	16.1	39.0	20.9	
15.	D						p	12.8	16.5	20.0	50.7		p	12.2	12.2	19.7	55.8	
16.	D						p	20.2	7.8	8.7	63.3		p	21.7	8.2	11.4	58.6	
17.	D						p	3.7	1.8	15.1	79.4		p	3.1	1.8	14.1	80.8	
18.	D					q		4.8	40.6	6.2	48.4	q		7.0	35.6	7.6	49.7	
19.	A						p	55.1	39.0	3.9	2.1		p	54.2	38.1	4.6	3.1	
20.	D						p	14.7	2.8	22.9	59.4		p	12.7	2.6	23.9	60.8	
21.	B						p	8.7	67.0	8.3	16.1		p	9.2	62.3	9.6	18.9	
22.	A					q		43.6	49.5	3.9	2.5	q		48.5	45.4	4.3	1.6	
23.	A						p	28.9	52.1	9.9	9.2		p	31.3	47.2	12.0	9.5	
24.	D						p	2.5	36.5	8.9	52.1		p	3.1	38.1	10.4	48.3	
25.	A						p	55.5	3.7	32.1	8.7		p	50.0	5.0	35.6	9.4	
26.	D						p	21.8	19.7	17.9	40.6		p	20.2	22.1	18.3	39.3	
27.	D					q		13.1	26.2	14.2	46.6	q		11.7	26.3	12.8	49.0	
28.	B					q		14.0	53.2	24.5	8.0	q		11.5	56.2	23.1	9.0	
29.	C						p	5.3	11.9	75.7	7.1		p	8.1	12.5	69.8	9.5	
30.	B					q		3.4	86.9	8.5	1.2	q		4.3	85.0	9.4	1.2	
31.	D						p	20.2	14.2	15.6	49.1		p	18.1	13.0	15.9	52.6	
32.	D					q		6.2	7.1	11.2	75.5	q		6.0	8.3	11.2	74.4	
33.	C						p	14.7	18.6	50.5	15.1		p	12.8	19.5	50.6	16.4	
34.	C						p	5.7	1.2	85.3	7.8		p	4.9	1.6	86.6	6.9	
35.	C					q		6.2	13.8	68.1	11.5	q		6.6	12.0	68.3	12.8	
36.	B						p	3.4	88.8	5.5	2.3		p	2.7	90.0	5.1	2.2	
37.	C						p	6.4	22.9	65.4	4.6		p	6.5	24.3	63.5	5.5	
38.	A						p	77.5	8.3	8.7	5.5		p	77.3	7.1	9.9	5.6	
39.	B					q		11.7	71.6	4.6	12.2	q		11.5	72.3	6.3	9.8	
40.	C					q		3.4	13.8	79.4	3.4	q		5.2	12.7	78.5	3.7	
41.	D					q		16.7	18.6	19.0	45.6	q		17.1	20.3	20.7	41.5	
42.	B						p	10.6	82.3	3.4	3.7		p	9.3	84.1	3.7	2.8	
43.	B					q		26.6	42.2	16.5	14.2	q		23.3	42.0	16.9	17.3	
44.	C						p	6.0	12.8	72.3	8.5		p	7.1	10.7	72.8	9.2	
45.	B						p	31.9	47.9	14.7	5.1		p	30.2	47.9	15.5	6.2	
46.	B						p	14.7	69.5	7.6	7.8		p	16.9	64.4	9.2	9.2	
47.	B						p	7.1	47.0	42.2	3.0		p	7.1	47.6	39.5	5.3	
48.	B						p	2.8	85.6	7.3	4.4		p	3.8	85.0	6.8	4.2	
49.	C						p	8.3	11.0	60.3	20.0		p	6.3	10.3	62.6	20.3	
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT



District 3 - Nova Central

(percentage of students who selected each response)

#405 - Cottrell's Cove Academy, Cottrell's Cove

Grades: K-10,12

Item	Key	School [N=1]				District [N=436]				School Below Above Province [N=3,011]									
		A	B	C	D	Below	Above	District	A	B	C	D	Below	Above	Province	A	B	C	D
1.	A					q			36.5	41.5	8.0	13.8	q			37.7	39.4	10.0	12.9
2.	A	School data with 5 or fewer students withheld for reasons of confidentiality.				q			17.4	23.4	8.7	50.0	q			19.5	23.4	7.8	49.0
3.	C						p		3.0	3.7	78.4	14.9		p		3.9	2.8	77.9	15.5
4.	C					q			3.9	19.0	60.1	16.3	q			5.2	16.6	61.0	16.8
5.	D					q			10.8	17.9	21.3	49.8	q			11.7	18.5	21.1	48.6
6.	B						p		1.4	91.1	5.3	2.3		p		2.1	90.5	5.2	2.2
7.	D						p		5.5	15.8	5.5	72.5		p		7.2	13.2	8.5	70.8
8.	B						p		1.6	87.6	2.8	8.0		p		4.5	86.6	2.8	6.2
9.	C					q			3.2	31.0	56.9	8.9	q			4.5	25.9	60.3	9.1
10.	D						p		13.8	16.1	20.9	48.9		p		14.6	18.2	20.2	46.9
11.	D					q			7.1	51.2	7.1	34.4	q			10.2	45.8	6.6	37.4
12.	B					q			7.6	74.8	13.3	4.4	q			9.0	70.5	14.3	6.1
*13.	B,D						p		20.2	27.5	15.1	36.5		p		18.9	29.9	16.4	34.2
14.	C						p		25.7	15.8	34.6	23.4		p		23.7	16.1	39.0	20.9
15.	D					q			12.8	16.5	20.0	50.7	q			12.2	12.2	19.7	55.8
16.	D						p		20.2	7.8	8.7	63.3		p		21.7	8.2	11.4	58.6
17.	D					q			3.7	1.8	15.1	79.4	q			3.1	1.8	14.1	80.8
18.	D					q			4.8	40.6	6.2	48.4	q			7.0	35.6	7.6	49.7
19.	A						p		55.1	39.0	3.9	2.1		p		54.2	38.1	4.6	3.1
20.	D						p		14.7	2.8	22.9	59.4		p		12.7	2.6	23.9	60.8
21.	B						p		8.7	67.0	8.3	16.1		p		9.2	62.3	9.6	18.9
22.	A						p		43.6	49.5	3.9	2.5		p		48.5	45.4	4.3	1.6
23.	A					q			28.9	52.1	9.9	9.2	q			31.3	47.2	12.0	9.5
24.	D					q			2.5	36.5	8.9	52.1	q			3.1	38.1	10.4	48.3
25.	A					q			55.5	3.7	32.1	8.7	q			50.0	5.0	35.6	9.4
26.	D					q			21.8	19.7	17.9	40.6	q			20.2	22.1	18.3	39.3
27.	D					q			13.1	26.2	14.2	46.6	q			11.7	26.3	12.8	49.0
28.	B						p		14.0	53.2	24.5	8.0		p		11.5	56.2	23.1	9.0
29.	C						p		5.3	11.9	75.7	7.1		p		8.1	12.5	69.8	9.5
30.	B						p		3.4	86.9	8.5	1.2		p		4.3	85.0	9.4	1.2
31.	D					q			20.2	14.2	15.6	49.1	q			18.1	13.0	15.9	52.6
32.	D					q			6.2	7.1	11.2	75.5	q			6.0	8.3	11.2	74.4
33.	C						p		14.7	18.6	50.5	15.1		p		12.8	19.5	50.6	16.4
34.	C						p		5.7	1.2	85.3	7.8		p		4.9	1.6	86.6	6.9
35.	C					q			6.2	13.8	68.1	11.5	q			6.6	12.0	68.3	12.8
36.	B						p		3.4	88.8	5.5	2.3		p		2.7	90.0	5.1	2.2
37.	C						p		6.4	22.9	65.4	4.6		p		6.5	24.3	63.5	5.5
38.	A						p		77.5	8.3	8.7	5.5		p		77.3	7.1	9.9	5.6
39.	B						p		11.7	71.6	4.6	12.2		p		11.5	72.3	6.3	9.8
40.	C						p		3.4	13.8	79.4	3.4		p		5.2	12.7	78.5	3.7
41.	D					q			16.7	18.6	19.0	45.6	q			17.1	20.3	20.7	41.5
42.	B						p		10.6	82.3	3.4	3.7		p		9.3	84.1	3.7	2.8
43.	B					q			26.6	42.2	16.5	14.2	q			23.3	42.0	16.9	17.3
44.	C						p		6.0	12.8	72.3	8.5		p		7.1	10.7	72.8	9.2
45.	B					q			31.9	47.9	14.7	5.1	q			30.2	47.9	15.5	6.2
46.	B					q			14.7	69.5	7.6	7.8	q			16.9	64.4	9.2	9.2
47.	B					q			7.1	47.0	42.2	3.0	q			7.1	47.6	39.5	5.3
48.	B						p		2.8	85.6	7.3	4.4		p		3.8	85.0	6.8	4.2
49.	C						p		8.3	11.0	60.3	20.0		p		6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT



District 3 - Nova Central

(percentage of students who selected each response)

#407 - Bay d'Espoir Academy, Milltown

Grades: K-12

Item	Key	School [N=13]				School		District [N=436]				School		Province [N=3,011]			
		A	B	C	D	Below	Above	A	B	C	D	Below	Above	A	B	C	D
1.	A	46.2	46.2	0.0	7.7		P	36.5	41.5	8.0	13.8		P	37.7	39.4	10.0	12.9
2.	A	7.7	30.8	15.4	46.2		Q	17.4	23.4	8.7	50.0		Q	19.5	23.4	7.8	49.0
3.	C	0.0	0.0	76.9	23.1		Q	3.0	3.7	78.4	14.9		Q	3.9	2.8	77.9	15.5
4.	C	0.0	23.1	69.2	7.7		P	3.9	19.0	60.1	16.3		P	5.2	16.6	61.0	16.8
5.	D	15.4	15.4	0.0	69.2		P	10.8	17.9	21.3	49.8		P	11.7	18.5	21.1	48.6
6.	B	0.0	92.3	0.0	7.7		P	1.4	91.1	5.3	2.3		P	2.1	90.5	5.2	2.2
7.	D	0.0	30.8	0.0	69.2		Q	5.5	15.8	5.5	72.5		Q	7.2	13.2	8.5	70.8
8.	B	0.0	92.3	0.0	7.7		P	1.6	87.6	2.8	8.0		P	4.5	86.6	2.8	6.2
9.	C	0.0	30.8	69.2	0.0		P	3.2	31.0	56.9	8.9		P	4.5	25.9	60.3	9.1
10.	D	15.4	30.8	7.7	46.2		Q	13.8	16.1	20.9	48.9		Q	14.6	18.2	20.2	46.9
11.	D	0.0	38.5	7.7	53.9		P	7.1	51.2	7.1	34.4		P	10.2	45.8	6.6	37.4
12.	B	0.0	84.6	7.7	7.7		P	7.6	74.8	13.3	4.4		P	9.0	70.5	14.3	6.1
*13.	B,D	15.4	38.5	7.7	38.5		P	20.2	27.5	15.1	36.5		P	18.9	29.9	16.4	34.2
14.	C	15.4	30.8	46.2	7.7		P	25.7	15.8	34.6	23.4		P	23.7	16.1	39.0	20.9
15.	D	0.0	7.7	30.8	61.5		P	12.8	16.5	20.0	50.7		P	12.2	12.2	19.7	55.8
16.	D	0.0	15.4	0.0	84.6		P	20.2	7.8	8.7	63.3		P	21.7	8.2	11.4	58.6
17.	D	0.0	0.0	23.1	76.9		Q	3.7	1.8	15.1	79.4		Q	3.1	1.8	14.1	80.8
18.	D	15.4	15.4	7.7	61.5		P	4.8	40.6	6.2	48.4		P	7.0	35.6	7.6	49.7
19.	A	53.9	46.2	0.0	0.0		Q	55.1	39.0	3.9	2.1		Q	54.2	38.1	4.6	3.1
20.	D	7.7	7.7	30.8	53.9		Q	14.7	2.8	22.9	59.4		Q	12.7	2.6	23.9	60.8
21.	B	7.7	76.9	7.7	7.7		P	8.7	67.0	8.3	16.1		P	9.2	62.3	9.6	18.9
22.	A	30.8	46.2	7.7	15.4		Q	43.6	49.5	3.9	2.5		Q	48.5	45.4	4.3	1.6
23.	A	15.4	84.6	0.0	0.0		Q	28.9	52.1	9.9	9.2		Q	31.3	47.2	12.0	9.5
24.	D	7.7	46.2	7.7	38.5		Q	2.5	36.5	8.9	52.1		Q	3.1	38.1	10.4	48.3
25.	A	53.9	7.7	38.5	0.0		Q	55.5	3.7	32.1	8.7		P	50.0	5.0	35.6	9.4
26.	D	30.8	15.4	23.1	30.8		Q	21.8	19.7	17.9	40.6		Q	20.2	22.1	18.3	39.3
27.	D	15.4	23.1	30.8	30.8		Q	13.1	26.2	14.2	46.6		Q	11.7	26.3	12.8	49.0
28.	B	15.4	38.5	23.1	23.1		Q	14.0	53.2	24.5	8.0		Q	11.5	56.2	23.1	9.0
29.	C	7.7	0.0	84.6	7.7		P	5.3	11.9	75.7	7.1		P	8.1	12.5	69.8	9.5
30.	B	0.0	69.2	23.1	7.7		Q	3.4	86.9	8.5	1.2		Q	4.3	85.0	9.4	1.2
31.	D	38.5	0.0	15.4	46.2		Q	20.2	14.2	15.6	49.1		Q	18.1	13.0	15.9	52.6
32.	D	23.1	23.1	7.7	46.2		Q	6.2	7.1	11.2	75.5		Q	6.0	8.3	11.2	74.4
33.	C	30.8	23.1	23.1	23.1		Q	14.7	18.6	50.5	15.1		Q	12.8	19.5	50.6	16.4
34.	C	15.4	0.0	53.9	30.8		Q	5.7	1.2	85.3	7.8		Q	4.9	1.6	86.6	6.9
35.	C	7.7	7.7	61.5	23.1		Q	6.2	13.8	68.1	11.5		Q	6.6	12.0	68.3	12.8
36.	B	0.0	76.9	7.7	15.4		Q	3.4	88.8	5.5	2.3		Q	2.7	90.0	5.1	2.2
37.	C	15.4	53.9	15.4	15.4		Q	6.4	22.9	65.4	4.6		Q	6.5	24.3	63.5	5.5
38.	A	76.9	0.0	7.7	15.4		Q	77.5	8.3	8.7	5.5		Q	77.3	7.1	9.9	5.6
39.	B	46.2	38.5	0.0	15.4		Q	11.7	71.6	4.6	12.2		Q	11.5	72.3	6.3	9.8
40.	C	0.0	30.8	61.5	7.7		Q	3.4	13.8	79.4	3.4		Q	5.2	12.7	78.5	3.7
41.	D	15.4	30.8	23.1	30.8		Q	16.7	18.6	19.0	45.6		Q	17.1	20.3	20.7	41.5
42.	B	15.4	69.2	7.7	7.7		Q	10.6	82.3	3.4	3.7		Q	9.3	84.1	3.7	2.8
43.	B	7.7	38.5	23.1	23.1		Q	26.6	42.2	16.5	14.2		Q	23.3	42.0	16.9	17.3
44.	C	0.0	15.4	76.9	7.7		P	6.0	12.8	72.3	8.5		P	7.1	10.7	72.8	9.2
45.	B	15.4	53.9	23.1	7.7		P	31.9	47.9	14.7	5.1		P	30.2	47.9	15.5	6.2
46.	B	23.1	61.5	0.0	15.4		Q	14.7	69.5	7.6	7.8		Q	16.9	64.4	9.2	9.2
47.	B	7.7	38.5	46.2	7.7		Q	7.1	47.0	42.2	3.0		Q	7.1	47.6	39.5	5.3
48.	B	0.0	84.6	15.4	0.0		Q	2.8	85.6	7.3	4.4		Q	3.8	85.0	6.8	4.2
49.	C	7.7	23.1	38.5	30.8		Q	8.3	11.0	60.3	20.0		Q	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 3 - Nova Central

(percentage of students who selected each response)

#414 - Fogo Island Central Academy, Fogo Island

Grades: K-12

Item	Key	School [N=14]				School Below Above District		District [N=436]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	28.6	50.0	0.0	21.4	q		36.5	41.5	8.0	13.8	q		37.7	39.4	10.0	12.9
2.	A	21.4	14.3	0.0	64.3		p	17.4	23.4	8.7	50.0		p	19.5	23.4	7.8	49.0
3.	C	0.0	0.0	71.4	28.6	q		3.0	3.7	78.4	14.9	q		3.9	2.8	77.9	15.5
4.	C	0.0	21.4	57.1	14.3	q		3.9	19.0	60.1	16.3	q		5.2	16.6	61.0	16.8
5.	D	0.0	14.3	28.6	57.1		p	10.8	17.9	21.3	49.8		p	11.7	18.5	21.1	48.6
6.	B	0.0	78.6	14.3	7.1	q		1.4	91.1	5.3	2.3	q		2.1	90.5	5.2	2.2
7.	D	7.1	0.0	0.0	92.9		p	5.5	15.8	5.5	72.5		p	7.2	13.2	8.5	70.8
8.	B	0.0	78.6	7.1	14.3	q		1.6	87.6	2.8	8.0	q		4.5	86.6	2.8	6.2
9.	C	0.0	28.6	57.1	14.3		p	3.2	31.0	56.9	8.9	q		4.5	25.9	60.3	9.1
10.	D	7.1	7.1	28.6	57.1		p	13.8	16.1	20.9	48.9		p	14.6	18.2	20.2	46.9
11.	D	14.3	57.1	7.1	21.4	q		7.1	51.2	7.1	34.4	q		10.2	45.8	6.6	37.4
12.	B	0.0	78.6	21.4	0.0		p	7.6	74.8	13.3	4.4		p	9.0	70.5	14.3	6.1
*13.	B,D	14.3	28.6	14.3	42.9		p	20.2	27.5	15.1	36.5		p	18.9	29.9	16.4	34.2
14.	C	28.6	21.4	21.4	21.4	q		25.7	15.8	34.6	23.4	q		23.7	16.1	39.0	20.9
15.	D	14.3	28.6	21.4	35.7	q		12.8	16.5	20.0	50.7	q		12.2	12.2	19.7	55.8
16.	D	28.6	7.1	0.0	64.3		p	20.2	7.8	8.7	63.3		p	21.7	8.2	11.4	58.6
17.	D	0.0	7.1	14.3	78.6	q		3.7	1.8	15.1	79.4	q		3.1	1.8	14.1	80.8
18.	D	0.0	64.3	14.3	21.4	q		4.8	40.6	6.2	48.4	q		7.0	35.6	7.6	49.7
19.	A	57.1	42.9	0.0	0.0		p	55.1	39.0	3.9	2.1		p	54.2	38.1	4.6	3.1
20.	D	14.3	0.0	0.0	85.7		p	14.7	2.8	22.9	59.4		p	12.7	2.6	23.9	60.8
21.	B	14.3	50.0	21.4	14.3	q		8.7	67.0	8.3	16.1	q		9.2	62.3	9.6	18.9
22.	A	57.1	42.9	0.0	0.0		p	43.6	49.5	3.9	2.5		p	48.5	45.4	4.3	1.6
23.	A	35.7	35.7	14.3	14.3		p	28.9	52.1	9.9	9.2		p	31.3	47.2	12.0	9.5
24.	D	14.3	21.4	14.3	50.0	q		2.5	36.5	8.9	52.1		p	3.1	38.1	10.4	48.3
25.	A	42.9	0.0	50.0	7.1	q		55.5	3.7	32.1	8.7	q		50.0	5.0	35.6	9.4
26.	D	21.4	14.3	7.1	57.1		p	21.8	19.7	17.9	40.6		p	20.2	22.1	18.3	39.3
27.	D	35.7	28.6	7.1	28.6	q		13.1	26.2	14.2	46.6	q		11.7	26.3	12.8	49.0
28.	B	7.1	64.3	28.6	0.0		p	14.0	53.2	24.5	8.0		p	11.5	56.2	23.1	9.0
29.	C	7.1	7.1	78.6	7.1		p	5.3	11.9	75.7	7.1		p	8.1	12.5	69.8	9.5
30.	B	0.0	92.9	0.0	7.1		p	3.4	86.9	8.5	1.2		p	4.3	85.0	9.4	1.2
31.	D	14.3	28.6	7.1	42.9	q		20.2	14.2	15.6	49.1	q		18.1	13.0	15.9	52.6
32.	D	0.0	0.0	7.1	92.9		p	6.2	7.1	11.2	75.5		p	6.0	8.3	11.2	74.4
33.	C	14.3	14.3	64.3	7.1		p	14.7	18.6	50.5	15.1		p	12.8	19.5	50.6	16.4
34.	C	0.0	0.0	92.9	7.1		p	5.7	1.2	85.3	7.8		p	4.9	1.6	86.6	6.9
35.	C	0.0	28.6	64.3	7.1	q		6.2	13.8	68.1	11.5	q		6.6	12.0	68.3	12.8
36.	B	0.0	100.0	0.0	0.0		p	3.4	88.8	5.5	2.3		p	2.7	90.0	5.1	2.2
37.	C	0.0	7.1	92.9	0.0		p	6.4	22.9	65.4	4.6		p	6.5	24.3	63.5	5.5
38.	A	71.4	14.3	14.3	0.0	q		77.5	8.3	8.7	5.5	q		77.3	7.1	9.9	5.6
39.	B	21.4	57.1	7.1	14.3	q		11.7	71.6	4.6	12.2	q		11.5	72.3	6.3	9.8
40.	C	0.0	21.4	71.4	7.1	q		3.4	13.8	79.4	3.4	q		5.2	12.7	78.5	3.7
41.	D	0.0	7.1	42.9	50.0		p	16.7	18.6	19.0	45.6		p	17.1	20.3	20.7	41.5
42.	B	21.4	71.4	7.1	0.0	q		10.6	82.3	3.4	3.7	q		9.3	84.1	3.7	2.8
43.	B	42.9	42.9	14.3	0.0		p	26.6	42.2	16.5	14.2		p	23.3	42.0	16.9	17.3
44.	C	7.1	21.4	71.4	0.0	q		6.0	12.8	72.3	8.5	q		7.1	10.7	72.8	9.2
45.	B	57.1	21.4	14.3	7.1	q		31.9	47.9	14.7	5.1	q		30.2	47.9	15.5	6.2
46.	B	28.6	57.1	7.1	7.1	q		14.7	69.5	7.6	7.8	q		16.9	64.4	9.2	9.2
47.	B	14.3	35.7	42.9	7.1	q		7.1	47.0	42.2	3.0	q		7.1	47.6	39.5	5.3
48.	B	7.1	71.4	21.4	0.0	q		2.8	85.6	7.3	4.4	q		3.8	85.0	6.8	4.2
49.	C	14.3	14.3	50.0	21.4	q		8.3	11.0	60.3	20.0	q		6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 3 - Nova Central

(percentage of students who selected each response)

#416 - Smallwood Academy, Gambo

Grades: K-12

Item	Key	School [N=10]				School Below Above District		District [N=436]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	30.0	40.0	0.0	30.0	q		36.5	41.5	8.0	13.8	q		37.7	39.4	10.0	12.9
2.	A	40.0	20.0	10.0	30.0		p	17.4	23.4	8.7	50.0		p	19.5	23.4	7.8	49.0
3.	C	0.0	0.0	90.0	10.0		p	3.0	3.7	78.4	14.9		p	3.9	2.8	77.9	15.5
4.	C	10.0	20.0	40.0	30.0	q		3.9	19.0	60.1	16.3	q		5.2	16.6	61.0	16.8
5.	D	30.0	30.0	0.0	40.0	q		10.8	17.9	21.3	49.8	q		11.7	18.5	21.1	48.6
6.	B	0.0	80.0	10.0	10.0	q		1.4	91.1	5.3	2.3	q		2.1	90.5	5.2	2.2
7.	D	10.0	0.0	20.0	70.0	q		5.5	15.8	5.5	72.5	q		7.2	13.2	8.5	70.8
8.	B	0.0	70.0	0.0	30.0	q		1.6	87.6	2.8	8.0	q		4.5	86.6	2.8	6.2
9.	C	0.0	30.0	50.0	20.0	q		3.2	31.0	56.9	8.9	q		4.5	25.9	60.3	9.1
10.	D	0.0	20.0	20.0	60.0		p	13.8	16.1	20.9	48.9		p	14.6	18.2	20.2	46.9
11.	D	10.0	30.0	30.0	30.0	q		7.1	51.2	7.1	34.4	q		10.2	45.8	6.6	37.4
12.	B	10.0	60.0	20.0	10.0	q		7.6	74.8	13.3	4.4	q		9.0	70.5	14.3	6.1
*13.	B,D	40.0	40.0	10.0	10.0	q		20.2	27.5	15.1	36.5	q		18.9	29.9	16.4	34.2
14.	C	20.0	40.0	20.0	20.0	q		25.7	15.8	34.6	23.4	q		23.7	16.1	39.0	20.9
15.	D	30.0	20.0	20.0	30.0	q		12.8	16.5	20.0	50.7	q		12.2	12.2	19.7	55.8
16.	D	20.0	10.0	0.0	70.0		p	20.2	7.8	8.7	63.3		p	21.7	8.2	11.4	58.6
17.	D	0.0	10.0	30.0	60.0	q		3.7	1.8	15.1	79.4	q		3.1	1.8	14.1	80.8
18.	D	0.0	40.0	0.0	60.0		p	4.8	40.6	6.2	48.4		p	7.0	35.6	7.6	49.7
19.	A	60.0	30.0	0.0	10.0		p	55.1	39.0	3.9	2.1		p	54.2	38.1	4.6	3.1
20.	D	0.0	0.0	30.0	70.0		p	14.7	2.8	22.9	59.4		p	12.7	2.6	23.9	60.8
21.	B	20.0	50.0	10.0	20.0	q		8.7	67.0	8.3	16.1	q		9.2	62.3	9.6	18.9
22.	A	30.0	60.0	0.0	10.0	q		43.6	49.5	3.9	2.5	q		48.5	45.4	4.3	1.6
23.	A	40.0	40.0	10.0	10.0		p	28.9	52.1	9.9	9.2		p	31.3	47.2	12.0	9.5
24.	D	0.0	10.0	20.0	70.0		p	2.5	36.5	8.9	52.1		p	3.1	38.1	10.4	48.3
25.	A	60.0	10.0	30.0	0.0		p	55.5	3.7	32.1	8.7		p	50.0	5.0	35.6	9.4
26.	D	0.0	30.0	0.0	70.0		p	21.8	19.7	17.9	40.6		p	20.2	22.1	18.3	39.3
27.	D	10.0	40.0	30.0	20.0	q		13.1	26.2	14.2	46.6	q		11.7	26.3	12.8	49.0
28.	B	30.0	50.0	10.0	10.0	q		14.0	53.2	24.5	8.0	q		11.5	56.2	23.1	9.0
29.	C	0.0	0.0	90.0	10.0		p	5.3	11.9	75.7	7.1		p	8.1	12.5	69.8	9.5
30.	B	0.0	90.0	10.0	0.0		p	3.4	86.9	8.5	1.2		p	4.3	85.0	9.4	1.2
31.	D	30.0	10.0	20.0	40.0	q		20.2	14.2	15.6	49.1	q		18.1	13.0	15.9	52.6
32.	D	0.0	10.0	10.0	80.0		p	6.2	7.1	11.2	75.5		p	6.0	8.3	11.2	74.4
33.	C	20.0	20.0	40.0	20.0	q		14.7	18.6	50.5	15.1	q		12.8	19.5	50.6	16.4
34.	C	0.0	0.0	100.0	0.0		p	5.7	1.2	85.3	7.8		p	4.9	1.6	86.6	6.9
35.	C	20.0	0.0	70.0	10.0		p	6.2	13.8	68.1	11.5		p	6.6	12.0	68.3	12.8
36.	B	0.0	100.0	0.0	0.0		p	3.4	88.8	5.5	2.3		p	2.7	90.0	5.1	2.2
37.	C	10.0	10.0	80.0	0.0		p	6.4	22.9	65.4	4.6		p	6.5	24.3	63.5	5.5
38.	A	90.0	0.0	10.0	0.0		p	77.5	8.3	8.7	5.5		p	77.3	7.1	9.9	5.6
39.	B	0.0	100.0	0.0	0.0		p	11.7	71.6	4.6	12.2		p	11.5	72.3	6.3	9.8
40.	C	0.0	20.0	80.0	0.0		p	3.4	13.8	79.4	3.4		p	5.2	12.7	78.5	3.7
41.	D	20.0	10.0	30.0	40.0	q		16.7	18.6	19.0	45.6	q		17.1	20.3	20.7	41.5
42.	B	10.0	80.0	10.0	0.0	q		10.6	82.3	3.4	3.7	q		9.3	84.1	3.7	2.8
43.	B	10.0	60.0	20.0	10.0		p	26.6	42.2	16.5	14.2		p	23.3	42.0	16.9	17.3
44.	C	10.0	10.0	70.0	10.0	q		6.0	12.8	72.3	8.5	q		7.1	10.7	72.8	9.2
45.	B	30.0	60.0	10.0	0.0		p	31.9	47.9	14.7	5.1		p	30.2	47.9	15.5	6.2
46.	B	10.0	70.0	10.0	10.0		p	14.7	69.5	7.6	7.8		p	16.9	64.4	9.2	9.2
47.	B	0.0	30.0	70.0	0.0	q		7.1	47.0	42.2	3.0	q		7.1	47.6	39.5	5.3
48.	B	0.0	100.0	0.0	0.0		p	2.8	85.6	7.3	4.4		p	3.8	85.0	6.8	4.2
49.	C	0.0	10.0	40.0	50.0	q		8.3	11.0	60.3	20.0	q		6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 3 - Nova Central

(percentage of students who selected each response)

#418 - Gander Collegiate, Gander

Grades: 10-12

Item	Key	School [N=52]				District [N=436]				Province [N=3,011]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	A	34.6	30.8	3.9	30.8	q		36.5	41.5	8.0	13.8	q		37.7	39.4	10.0	12.9
2.	A	17.3	28.9	5.8	48.1	q		17.4	23.4	8.7	50.0	q		19.5	23.4	7.8	49.0
3.	C	5.8	5.8	75.0	13.5	q		3.0	3.7	78.4	14.9	q		3.9	2.8	77.9	15.5
4.	C	1.9	23.1	55.8	19.2	q		3.9	19.0	60.1	16.3	q		5.2	16.6	61.0	16.8
5.	D	17.3	25.0	15.4	42.3	q		10.8	17.9	21.3	49.8	q		11.7	18.5	21.1	48.6
6.	B	1.9	92.3	3.9	1.9		p	1.4	91.1	5.3	2.3		p	2.1	90.5	5.2	2.2
7.	D	5.8	11.5	3.9	76.9		p	5.5	15.8	5.5	72.5		p	7.2	13.2	8.5	70.8
8.	B	1.9	90.4	1.9	5.8		p	1.6	87.6	2.8	8.0		p	4.5	86.6	2.8	6.2
9.	C	5.8	36.5	51.9	5.8	q		3.2	31.0	56.9	8.9	q		4.5	25.9	60.3	9.1
10.	D	19.2	17.3	17.3	44.2	q		13.8	16.1	20.9	48.9	q		14.6	18.2	20.2	46.9
11.	D	11.5	55.8	5.8	26.9	q		7.1	51.2	7.1	34.4	q		10.2	45.8	6.6	37.4
12.	B	7.7	76.9	13.5	1.9		p	7.6	74.8	13.3	4.4		p	9.0	70.5	14.3	6.1
*13.	B,D	15.4	34.6	13.5	34.6		p	20.2	27.5	15.1	36.5		p	18.9	29.9	16.4	34.2
14.	C	32.7	9.6	40.4	17.3		p	25.7	15.8	34.6	23.4		p	23.7	16.1	39.0	20.9
15.	D	15.4	15.4	13.5	55.8		p	12.8	16.5	20.0	50.7	q		12.2	12.2	19.7	55.8
16.	D	15.4	9.6	7.7	67.3		p	20.2	7.8	8.7	63.3		p	21.7	8.2	11.4	58.6
17.	D	7.7	0.0	9.6	82.7		p	3.7	1.8	15.1	79.4		p	3.1	1.8	14.1	80.8
18.	D	1.9	40.4	11.5	46.2	q		4.8	40.6	6.2	48.4	q		7.0	35.6	7.6	49.7
19.	A	57.7	36.5	5.8	0.0		p	55.1	39.0	3.9	2.1		p	54.2	38.1	4.6	3.1
20.	D	17.3	3.9	21.2	55.8	q		14.7	2.8	22.9	59.4	q		12.7	2.6	23.9	60.8
21.	B	3.9	78.9	3.9	13.5		p	8.7	67.0	8.3	16.1		p	9.2	62.3	9.6	18.9
22.	A	51.9	44.2	1.9	1.9		p	43.6	49.5	3.9	2.5		p	48.5	45.4	4.3	1.6
23.	A	42.3	40.4	5.8	11.5		p	28.9	52.1	9.9	9.2		p	31.3	47.2	12.0	9.5
24.	D	1.9	25.0	5.8	67.3		p	2.5	36.5	8.9	52.1		p	3.1	38.1	10.4	48.3
25.	A	75.0	1.9	21.2	1.9		p	55.5	3.7	32.1	8.7		p	50.0	5.0	35.6	9.4
26.	D	19.2	11.5	26.9	42.3		p	21.8	19.7	17.9	40.6		p	20.2	22.1	18.3	39.3
27.	D	15.4	17.3	11.5	55.8		p	13.1	26.2	14.2	46.6		p	11.7	26.3	12.8	49.0
28.	B	7.7	59.6	25.0	7.7		p	14.0	53.2	24.5	8.0		p	11.5	56.2	23.1	9.0
29.	C	1.9	15.4	78.9	3.9		p	5.3	11.9	75.7	7.1		p	8.1	12.5	69.8	9.5
30.	B	0.0	90.4	9.6	0.0		p	3.4	86.9	8.5	1.2		p	4.3	85.0	9.4	1.2
31.	D	25.0	7.7	17.3	48.1	q		20.2	14.2	15.6	49.1	q		18.1	13.0	15.9	52.6
32.	D	7.7	5.8	15.4	71.2	q		6.2	7.1	11.2	75.5	q		6.0	8.3	11.2	74.4
33.	C	17.3	26.9	40.4	13.5	q		14.7	18.6	50.5	15.1	q		12.8	19.5	50.6	16.4
34.	C	0.0	0.0	96.2	3.9		p	5.7	1.2	85.3	7.8		p	4.9	1.6	86.6	6.9
35.	C	7.7	7.7	80.8	3.9		p	6.2	13.8	68.1	11.5		p	6.6	12.0	68.3	12.8
36.	B	3.9	92.3	3.9	0.0		p	3.4	88.8	5.5	2.3		p	2.7	90.0	5.1	2.2
37.	C	5.8	28.9	63.5	1.9	q		6.4	22.9	65.4	4.6	q		6.5	24.3	63.5	5.5
38.	A	73.1	7.7	11.5	7.7	q		77.5	8.3	8.7	5.5	q		77.3	7.1	9.9	5.6
39.	B	9.6	76.9	7.7	5.8		p	11.7	71.6	4.6	12.2		p	11.5	72.3	6.3	9.8
40.	C	1.9	13.5	82.7	1.9		p	3.4	13.8	79.4	3.4		p	5.2	12.7	78.5	3.7
41.	D	30.8	15.4	13.5	40.4	q		16.7	18.6	19.0	45.6	q		17.1	20.3	20.7	41.5
42.	B	1.9	94.2	1.9	1.9		p	10.6	82.3	3.4	3.7		p	9.3	84.1	3.7	2.8
43.	B	36.5	32.7	13.5	17.3	q		26.6	42.2	16.5	14.2	q		23.3	42.0	16.9	17.3
44.	C	7.7	11.5	71.2	9.6	q		6.0	12.8	72.3	8.5	q		7.1	10.7	72.8	9.2
45.	B	30.8	42.3	19.2	7.7	q		31.9	47.9	14.7	5.1	q		30.2	47.9	15.5	6.2
46.	B	9.6	71.2	11.5	5.8		p	14.7	69.5	7.6	7.8		p	16.9	64.4	9.2	9.2
47.	B	3.9	51.9	42.3	1.9		p	7.1	47.0	42.2	3.0		p	7.1	47.6	39.5	5.3
48.	B	3.9	90.4	1.9	3.9		p	2.8	85.6	7.3	4.4		p	3.8	85.0	6.8	4.2
49.	C	9.6	13.5	65.4	11.5		p	8.3	11.0	60.3	20.0		p	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 3 - Nova Central

(percentage of students who selected each response)

#421 - Lakewood Academy, Glenwood

Grades: K-12

Item	Key	School [N=3]				District [N=436]				School Below Above District [N=3,011]															
		A	B	C	D	A	B	C	D	A	B	C	D												
1.	A									q					37.7	39.4	10.0	12.9							
2.	A	School data with 5 or fewer students withheld for reasons of confidentiality.												q					19.5	23.4	7.8	49.0			
3.	C													q				q				3.9	2.8	77.9	15.5
4.	C														p			p				5.2	16.6	61.0	16.8
5.	D													q				q				11.7	18.5	21.1	48.6
6.	B										p			p				2.1	90.5	5.2	2.2				
7.	D									q				q				7.2	13.2	8.5	70.8				
8.	B									q				q				4.5	86.6	2.8	6.2				
9.	C										p			p				4.5	25.9	60.3	9.1				
10.	D									q				q				14.6	18.2	20.2	46.9				
11.	D									q				q				10.2	45.8	6.6	37.4				
12.	B									q				q				9.0	70.5	14.3	6.1				
*13.	B,D										p			p				18.9	29.9	16.4	34.2				
14.	C									q				q				23.7	16.1	39.0	20.9				
15.	D										p			p				12.2	12.2	19.7	55.8				
16.	D										p			p				21.7	8.2	11.4	58.6				
17.	D									q				q				3.1	1.8	14.1	80.8				
18.	D									q				q				7.0	35.6	7.6	49.7				
19.	A										p			p				54.2	38.1	4.6	3.1				
20.	D										p			p				12.7	2.6	23.9	60.8				
21.	B									q				q				9.2	62.3	9.6	18.9				
22.	A									q				q				48.5	45.4	4.3	1.6				
23.	A										p			p				31.3	47.2	12.0	9.5				
24.	D										p			p				3.1	38.1	10.4	48.3				
25.	A									q				q				50.0	5.0	35.6	9.4				
26.	D										p			p				20.2	22.1	18.3	39.3				
27.	D									q				q				11.7	26.3	12.8	49.0				
28.	B									q				q				11.5	56.2	23.1	9.0				
29.	C										p			p				8.1	12.5	69.8	9.5				
30.	B									q				q				4.3	85.0	9.4	1.2				
31.	D										p			p				18.1	13.0	15.9	52.6				
32.	D										p			p				6.0	8.3	11.2	74.4				
33.	C										p			p				12.8	19.5	50.6	16.4				
34.	C									q				q				4.9	1.6	86.6	6.9				
35.	C									q				q				6.6	12.0	68.3	12.8				
36.	B									q				q				2.7	90.0	5.1	2.2				
37.	C									q				q				6.5	24.3	63.5	5.5				
38.	A										p			p				77.3	7.1	9.9	5.6				
39.	B									q				q				11.5	72.3	6.3	9.8				
40.	C									q				q				5.2	12.7	78.5	3.7				
41.	D									q				q				17.1	20.3	20.7	41.5				
42.	B										p			p				9.3	84.1	3.7	2.8				
43.	B										p			p				23.3	42.0	16.9	17.3				
44.	C										p			p				7.1	10.7	72.8	9.2				
45.	B									q				q				30.2	47.9	15.5	6.2				
46.	B									q				q				16.9	64.4	9.2	9.2				
47.	B										p			p				7.1	47.6	39.5	5.3				
48.	B										p			p				3.8	85.0	6.8	4.2				
49.	C										p			p				6.3	10.3	62.6	20.3				
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---				

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 3 - Nova Central

(percentage of students who selected each response)

#422 - Glovertown Academy, Glovertown

Grades: K-12

Item	Key	School [N=19]				School Below Above District		District [N=436]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	47.4	36.8	10.5	5.3		P	36.5	41.5	8.0	13.8		P	37.7	39.4	10.0	12.9
2.	A	21.1	31.6	5.3	42.1		P	17.4	23.4	8.7	50.0		P	19.5	23.4	7.8	49.0
3.	C	0.0	0.0	79.0	21.1		P	3.0	3.7	78.4	14.9		P	3.9	2.8	77.9	15.5
4.	C	5.3	21.1	73.7	0.0		P	3.9	19.0	60.1	16.3		P	5.2	16.6	61.0	16.8
5.	D	5.3	21.1	26.3	42.1		Q	10.8	17.9	21.3	49.8		Q	11.7	18.5	21.1	48.6
6.	B	15.8	84.2	0.0	0.0		Q	1.4	91.1	5.3	2.3		Q	2.1	90.5	5.2	2.2
7.	D	10.5	5.3	10.5	73.7		P	5.5	15.8	5.5	72.5		P	7.2	13.2	8.5	70.8
8.	B	5.3	94.7	0.0	0.0		P	1.6	87.6	2.8	8.0		P	4.5	86.6	2.8	6.2
9.	C	0.0	26.3	57.9	15.8		P	3.2	31.0	56.9	8.9		Q	4.5	25.9	60.3	9.1
10.	D	5.3	15.8	36.8	42.1		Q	13.8	16.1	20.9	48.9		Q	14.6	18.2	20.2	46.9
11.	D	5.3	63.2	5.3	26.3		Q	7.1	51.2	7.1	34.4		Q	10.2	45.8	6.6	37.4
12.	B	5.3	73.7	15.8	5.3		Q	7.6	74.8	13.3	4.4		P	9.0	70.5	14.3	6.1
*13.	B,D	31.6	21.1	10.5	36.8		Q	20.2	27.5	15.1	36.5		Q	18.9	29.9	16.4	34.2
14.	C	21.1	21.1	26.3	31.6		Q	25.7	15.8	34.6	23.4		Q	23.7	16.1	39.0	20.9
15.	D	5.3	21.1	31.6	42.1		Q	12.8	16.5	20.0	50.7		Q	12.2	12.2	19.7	55.8
16.	D	31.6	5.3	15.8	47.4		Q	20.2	7.8	8.7	63.3		Q	21.7	8.2	11.4	58.6
17.	D	0.0	0.0	5.3	94.7		P	3.7	1.8	15.1	79.4		P	3.1	1.8	14.1	80.8
18.	D	10.5	42.1	10.5	36.8		Q	4.8	40.6	6.2	48.4		Q	7.0	35.6	7.6	49.7
19.	A	36.8	57.9	0.0	5.3		Q	55.1	39.0	3.9	2.1		Q	54.2	38.1	4.6	3.1
20.	D	31.6	0.0	15.8	52.6		Q	14.7	2.8	22.9	59.4		Q	12.7	2.6	23.9	60.8
21.	B	10.5	68.4	15.8	5.3		P	8.7	67.0	8.3	16.1		P	9.2	62.3	9.6	18.9
22.	A	42.1	47.4	10.5	0.0		Q	43.6	49.5	3.9	2.5		Q	48.5	45.4	4.3	1.6
23.	A	21.1	57.9	5.3	15.8		Q	28.9	52.1	9.9	9.2		Q	31.3	47.2	12.0	9.5
24.	D	0.0	36.8	0.0	63.2		P	2.5	36.5	8.9	52.1		P	3.1	38.1	10.4	48.3
25.	A	63.2	5.3	15.8	15.8		P	55.5	3.7	32.1	8.7		P	50.0	5.0	35.6	9.4
26.	D	10.5	31.6	21.1	36.8		Q	21.8	19.7	17.9	40.6		Q	20.2	22.1	18.3	39.3
27.	D	21.1	26.3	5.3	47.4		P	13.1	26.2	14.2	46.6		Q	11.7	26.3	12.8	49.0
28.	B	5.3	47.4	31.6	15.8		Q	14.0	53.2	24.5	8.0		Q	11.5	56.2	23.1	9.0
29.	C	0.0	0.0	100.0	0.0		P	5.3	11.9	75.7	7.1		P	8.1	12.5	69.8	9.5
30.	B	5.3	89.5	5.3	0.0		P	3.4	86.9	8.5	1.2		P	4.3	85.0	9.4	1.2
31.	D	21.1	26.3	21.1	31.6		Q	20.2	14.2	15.6	49.1		Q	18.1	13.0	15.9	52.6
32.	D	5.3	5.3	15.8	73.7		Q	6.2	7.1	11.2	75.5		Q	6.0	8.3	11.2	74.4
33.	C	10.5	21.1	52.6	15.8		P	14.7	18.6	50.5	15.1		P	12.8	19.5	50.6	16.4
34.	C	5.3	0.0	84.2	10.5		Q	5.7	1.2	85.3	7.8		Q	4.9	1.6	86.6	6.9
35.	C	0.0	36.8	63.2	0.0		Q	6.2	13.8	68.1	11.5		Q	6.6	12.0	68.3	12.8
36.	B	0.0	89.5	0.0	10.5		P	3.4	88.8	5.5	2.3		Q	2.7	90.0	5.1	2.2
37.	C	15.8	31.6	31.6	21.1		Q	6.4	22.9	65.4	4.6		Q	6.5	24.3	63.5	5.5
38.	A	73.7	15.8	5.3	5.3		Q	77.5	8.3	8.7	5.5		Q	77.3	7.1	9.9	5.6
39.	B	0.0	89.5	0.0	10.5		P	11.7	71.6	4.6	12.2		P	11.5	72.3	6.3	9.8
40.	C	0.0	15.8	84.2	0.0		P	3.4	13.8	79.4	3.4		P	5.2	12.7	78.5	3.7
41.	D	26.3	31.6	21.1	21.1		Q	16.7	18.6	19.0	45.6		Q	17.1	20.3	20.7	41.5
42.	B	15.8	73.7	0.0	10.5		Q	10.6	82.3	3.4	3.7		Q	9.3	84.1	3.7	2.8
43.	B	26.3	47.4	10.5	15.8		P	26.6	42.2	16.5	14.2		P	23.3	42.0	16.9	17.3
44.	C	15.8	26.3	36.8	21.1		Q	6.0	12.8	72.3	8.5		Q	7.1	10.7	72.8	9.2
45.	B	21.1	57.9	15.8	5.3		P	31.9	47.9	14.7	5.1		P	30.2	47.9	15.5	6.2
46.	B	15.8	73.7	10.5	0.0		P	14.7	69.5	7.6	7.8		P	16.9	64.4	9.2	9.2
47.	B	5.3	42.1	47.4	5.3		Q	7.1	47.0	42.2	3.0		Q	7.1	47.6	39.5	5.3
48.	B	10.5	89.5	0.0	0.0		P	2.8	85.6	7.3	4.4		P	3.8	85.0	6.8	4.2
49.	C	0.0	10.5	57.9	31.6		Q	8.3	11.0	60.3	20.0		Q	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT



District 3 - Nova Central

(percentage of students who selected each response)

#478 - New World Island Academy, Summerford

Grades: K-12

Item	Key	School [N=10]				School Below Above District		District [N=436]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	60.0	20.0	10.0	10.0		P	36.5	41.5	8.0	13.8		P	37.7	39.4	10.0	12.9
2.	A	0.0	40.0	20.0	40.0		Q	17.4	23.4	8.7	50.0		Q	19.5	23.4	7.8	49.0
3.	C	0.0	10.0	70.0	20.0		Q	3.0	3.7	78.4	14.9		Q	3.9	2.8	77.9	15.5
4.	C	0.0	20.0	80.0	0.0		P	3.9	19.0	60.1	16.3		P	5.2	16.6	61.0	16.8
5.	D	10.0	20.0	40.0	30.0		Q	10.8	17.9	21.3	49.8		Q	11.7	18.5	21.1	48.6
6.	B	0.0	90.0	10.0	0.0		Q	1.4	91.1	5.3	2.3		Q	2.1	90.5	5.2	2.2
7.	D	0.0	10.0	0.0	90.0		P	5.5	15.8	5.5	72.5		P	7.2	13.2	8.5	70.8
8.	B	0.0	90.0	0.0	10.0		P	1.6	87.6	2.8	8.0		P	4.5	86.6	2.8	6.2
9.	C	0.0	30.0	60.0	10.0		P	3.2	31.0	56.9	8.9		Q	4.5	25.9	60.3	9.1
10.	D	20.0	30.0	20.0	30.0		Q	13.8	16.1	20.9	48.9		Q	14.6	18.2	20.2	46.9
11.	D	0.0	30.0	10.0	60.0		P	7.1	51.2	7.1	34.4		P	10.2	45.8	6.6	37.4
12.	B	0.0	100.0	0.0	0.0		P	7.6	74.8	13.3	4.4		P	9.0	70.5	14.3	6.1
*13.	B,D	30.0	20.0	20.0	30.0		Q	20.2	27.5	15.1	36.5		Q	18.9	29.9	16.4	34.2
14.	C	40.0	0.0	40.0	20.0		P	25.7	15.8	34.6	23.4		P	23.7	16.1	39.0	20.9
15.	D	0.0	10.0	30.0	60.0		P	12.8	16.5	20.0	50.7		P	12.2	12.2	19.7	55.8
16.	D	10.0	10.0	10.0	70.0		P	20.2	7.8	8.7	63.3		P	21.7	8.2	11.4	58.6
17.	D	0.0	0.0	0.0	100.0		P	3.7	1.8	15.1	79.4		P	3.1	1.8	14.1	80.8
18.	D	0.0	20.0	10.0	70.0		P	4.8	40.6	6.2	48.4		P	7.0	35.6	7.6	49.7
19.	A	40.0	60.0	0.0	0.0		Q	55.1	39.0	3.9	2.1		Q	54.2	38.1	4.6	3.1
20.	D	10.0	10.0	40.0	40.0		Q	14.7	2.8	22.9	59.4		Q	12.7	2.6	23.9	60.8
21.	B	0.0	90.0	0.0	10.0		P	8.7	67.0	8.3	16.1		P	9.2	62.3	9.6	18.9
22.	A	40.0	60.0	0.0	0.0		Q	43.6	49.5	3.9	2.5		Q	48.5	45.4	4.3	1.6
23.	A	0.0	90.0	10.0	0.0		Q	28.9	52.1	9.9	9.2		Q	31.3	47.2	12.0	9.5
24.	D	0.0	10.0	10.0	80.0		P	2.5	36.5	8.9	52.1		P	3.1	38.1	10.4	48.3
25.	A	40.0	0.0	60.0	0.0		Q	55.5	3.7	32.1	8.7		Q	50.0	5.0	35.6	9.4
26.	D	10.0	30.0	0.0	60.0		P	21.8	19.7	17.9	40.6		P	20.2	22.1	18.3	39.3
27.	D	20.0	10.0	30.0	40.0		Q	13.1	26.2	14.2	46.6		Q	11.7	26.3	12.8	49.0
28.	B	10.0	70.0	20.0	0.0		P	14.0	53.2	24.5	8.0		P	11.5	56.2	23.1	9.0
29.	C	10.0	10.0	80.0	0.0		P	5.3	11.9	75.7	7.1		P	8.1	12.5	69.8	9.5
30.	B	0.0	80.0	20.0	0.0		Q	3.4	86.9	8.5	1.2		Q	4.3	85.0	9.4	1.2
31.	D	10.0	10.0	20.0	60.0		P	20.2	14.2	15.6	49.1		P	18.1	13.0	15.9	52.6
32.	D	0.0	0.0	0.0	100.0		P	6.2	7.1	11.2	75.5		P	6.0	8.3	11.2	74.4
33.	C	0.0	10.0	70.0	20.0		P	14.7	18.6	50.5	15.1		P	12.8	19.5	50.6	16.4
34.	C	0.0	0.0	100.0	0.0		P	5.7	1.2	85.3	7.8		P	4.9	1.6	86.6	6.9
35.	C	10.0	0.0	80.0	10.0		P	6.2	13.8	68.1	11.5		P	6.6	12.0	68.3	12.8
36.	B	10.0	90.0	0.0	0.0		P	3.4	88.8	5.5	2.3		P	2.7	90.0	5.1	2.2
37.	C	0.0	30.0	70.0	0.0		P	6.4	22.9	65.4	4.6		P	6.5	24.3	63.5	5.5
38.	A	90.0	0.0	10.0	0.0		P	77.5	8.3	8.7	5.5		P	77.3	7.1	9.9	5.6
39.	B	10.0	70.0	10.0	10.0		Q	11.7	71.6	4.6	12.2		Q	11.5	72.3	6.3	9.8
40.	C	0.0	10.0	90.0	0.0		P	3.4	13.8	79.4	3.4		P	5.2	12.7	78.5	3.7
41.	D	0.0	10.0	30.0	60.0		P	16.7	18.6	19.0	45.6		P	17.1	20.3	20.7	41.5
42.	B	0.0	100.0	0.0	0.0		P	10.6	82.3	3.4	3.7		P	9.3	84.1	3.7	2.8
43.	B	10.0	50.0	20.0	20.0		P	26.6	42.2	16.5	14.2		P	23.3	42.0	16.9	17.3
44.	C	10.0	0.0	80.0	10.0		P	6.0	12.8	72.3	8.5		P	7.1	10.7	72.8	9.2
45.	B	20.0	60.0	20.0	0.0		P	31.9	47.9	14.7	5.1		P	30.2	47.9	15.5	6.2
46.	B	0.0	100.0	0.0	0.0		P	14.7	69.5	7.6	7.8		P	16.9	64.4	9.2	9.2
47.	B	0.0	60.0	30.0	0.0		P	7.1	47.0	42.2	3.0		P	7.1	47.6	39.5	5.3
48.	B	0.0	90.0	10.0	0.0		P	2.8	85.6	7.3	4.4		P	3.8	85.0	6.8	4.2
49.	C	0.0	20.0	50.0	30.0		Q	8.3	11.0	60.3	20.0		Q	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 3 - Nova Central

(percentage of students who selected each response)

#480 - Exploits Valley High, Grand Falls-Windsor

Grades: 10-12

Item	Key	School [N=61]				School Below Above District		District [N=436]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	42.6	41.0	6.6	9.8		P	36.5	41.5	8.0	13.8		P	37.7	39.4	10.0	12.9
2.	A	16.4	26.2	4.9	52.5		Q	17.4	23.4	8.7	50.0		Q	19.5	23.4	7.8	49.0
3.	C	1.6	6.6	73.8	18.0		Q	3.0	3.7	78.4	14.9		Q	3.9	2.8	77.9	15.5
4.	C	4.9	14.8	59.0	21.3		Q	3.9	19.0	60.1	16.3		Q	5.2	16.6	61.0	16.8
5.	D	4.9	18.0	23.0	54.1		P	10.8	17.9	21.3	49.8		P	11.7	18.5	21.1	48.6
6.	B	0.0	95.1	4.9	0.0		P	1.4	91.1	5.3	2.3		P	2.1	90.5	5.2	2.2
7.	D	3.3	21.3	9.8	63.9		Q	5.5	15.8	5.5	72.5		Q	7.2	13.2	8.5	70.8
8.	B	0.0	86.9	3.3	9.8		Q	1.6	87.6	2.8	8.0		P	4.5	86.6	2.8	6.2
9.	C	4.9	26.2	57.4	11.5		P	3.2	31.0	56.9	8.9		Q	4.5	25.9	60.3	9.1
10.	D	13.1	16.4	18.0	52.5		P	13.8	16.1	20.9	48.9		P	14.6	18.2	20.2	46.9
11.	D	8.2	44.3	9.8	36.1		P	7.1	51.2	7.1	34.4		Q	10.2	45.8	6.6	37.4
12.	B	14.8	50.8	23.0	11.5		Q	7.6	74.8	13.3	4.4		Q	9.0	70.5	14.3	6.1
*13.	B,D	8.2	26.2	19.7	45.9		P	20.2	27.5	15.1	36.5		P	18.9	29.9	16.4	34.2
14.	C	23.0	16.4	32.8	27.9		Q	25.7	15.8	34.6	23.4		Q	23.7	16.1	39.0	20.9
15.	D	13.1	21.3	27.9	37.7		Q	12.8	16.5	20.0	50.7		Q	12.2	12.2	19.7	55.8
16.	D	21.3	8.2	14.8	55.7		Q	20.2	7.8	8.7	63.3		Q	21.7	8.2	11.4	58.6
17.	D	4.9	1.6	21.3	72.1		Q	3.7	1.8	15.1	79.4		Q	3.1	1.8	14.1	80.8
18.	D	6.6	41.0	6.6	45.9		Q	4.8	40.6	6.2	48.4		Q	7.0	35.6	7.6	49.7
19.	A	52.5	37.7	6.6	3.3		Q	55.1	39.0	3.9	2.1		Q	54.2	38.1	4.6	3.1
20.	D	13.1	3.3	24.6	59.0		Q	14.7	2.8	22.9	59.4		Q	12.7	2.6	23.9	60.8
21.	B	9.8	45.9	16.4	27.9		Q	8.7	67.0	8.3	16.1		Q	9.2	62.3	9.6	18.9
22.	A	36.1	57.4	6.6	0.0		Q	43.6	49.5	3.9	2.5		Q	48.5	45.4	4.3	1.6
23.	A	29.5	49.2	9.8	11.5		P	28.9	52.1	9.9	9.2		Q	31.3	47.2	12.0	9.5
24.	D	1.6	49.2	11.5	37.7		Q	2.5	36.5	8.9	52.1		Q	3.1	38.1	10.4	48.3
25.	A	57.4	8.2	29.5	4.9		P	55.5	3.7	32.1	8.7		P	50.0	5.0	35.6	9.4
26.	D	31.2	9.8	21.3	37.7		Q	21.8	19.7	17.9	40.6		Q	20.2	22.1	18.3	39.3
27.	D	9.8	21.3	16.4	52.5		P	13.1	26.2	14.2	46.6		P	11.7	26.3	12.8	49.0
28.	B	9.8	50.8	31.2	8.2		Q	14.0	53.2	24.5	8.0		Q	11.5	56.2	23.1	9.0
29.	C	6.6	21.3	65.6	6.6		Q	5.3	11.9	75.7	7.1		Q	8.1	12.5	69.8	9.5
30.	B	4.9	85.3	9.8	0.0		Q	3.4	86.9	8.5	1.2		P	4.3	85.0	9.4	1.2
31.	D	11.5	14.8	24.6	49.2		P	20.2	14.2	15.6	49.1		Q	18.1	13.0	15.9	52.6
32.	D	8.2	11.5	16.4	63.9		Q	6.2	7.1	11.2	75.5		Q	6.0	8.3	11.2	74.4
33.	C	8.2	16.4	59.0	16.4		P	14.7	18.6	50.5	15.1		P	12.8	19.5	50.6	16.4
34.	C	8.2	6.6	80.3	4.9		Q	5.7	1.2	85.3	7.8		Q	4.9	1.6	86.6	6.9
35.	C	8.2	11.5	67.2	11.5		Q	6.2	13.8	68.1	11.5		Q	6.6	12.0	68.3	12.8
36.	B	6.6	77.1	14.8	1.6		Q	3.4	88.8	5.5	2.3		Q	2.7	90.0	5.1	2.2
37.	C	9.8	21.3	67.2	1.6		P	6.4	22.9	65.4	4.6		P	6.5	24.3	63.5	5.5
38.	A	80.3	4.9	8.2	6.6		P	77.5	8.3	8.7	5.5		P	77.3	7.1	9.9	5.6
39.	B	23.0	59.0	9.8	8.2		Q	11.7	71.6	4.6	12.2		Q	11.5	72.3	6.3	9.8
40.	C	3.3	23.0	73.8	0.0		Q	3.4	13.8	79.4	3.4		Q	5.2	12.7	78.5	3.7
41.	D	13.1	26.2	18.0	42.6		Q	16.7	18.6	19.0	45.6		P	17.1	20.3	20.7	41.5
42.	B	11.5	75.4	9.8	3.3		Q	10.6	82.3	3.4	3.7		Q	9.3	84.1	3.7	2.8
43.	B	18.0	41.0	24.6	16.4		Q	26.6	42.2	16.5	14.2		Q	23.3	42.0	16.9	17.3
44.	C	9.8	13.1	72.1	4.9		Q	6.0	12.8	72.3	8.5		Q	7.1	10.7	72.8	9.2
45.	B	34.4	41.0	16.4	8.2		Q	31.9	47.9	14.7	5.1		Q	30.2	47.9	15.5	6.2
46.	B	16.4	62.3	13.1	8.2		Q	14.7	69.5	7.6	7.8		Q	16.9	64.4	9.2	9.2
47.	B	3.3	50.8	45.9	0.0		P	7.1	47.0	42.2	3.0		P	7.1	47.6	39.5	5.3
48.	B	4.9	86.9	8.2	0.0		P	2.8	85.6	7.3	4.4		P	3.8	85.0	6.8	4.2
49.	C	9.8	13.1	55.7	19.7		Q	8.3	11.0	60.3	20.0		Q	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 4 - Eastern

(percentage of students who selected each response)

#214 - John Burke High School, Grand Bank

Grades: 8-12

Item	Key	School [N=19]				School Below Above District		District [N=1,840]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	52.6	26.3	5.3	15.8		P	37.5	39.0	10.4	13.1		P	37.7	39.4	10.0	12.9
2.	A	10.5	26.3	21.1	42.1		Q	18.9	24.2	7.7	48.9		Q	19.5	23.4	7.8	49.0
3.	C	0.0	0.0	73.7	26.3		Q	3.6	2.4	79.4	14.6		Q	3.9	2.8	77.9	15.5
4.	C	0.0	0.0	94.7	5.3		P	5.9	15.9	61.4	16.5		P	5.2	16.6	61.0	16.8
5.	D	15.8	10.5	21.1	52.6		P	12.1	19.6	20.5	47.6		P	11.7	18.5	21.1	48.6
6.	B	0.0	94.7	5.3	0.0		P	2.1	90.7	5.1	2.0		P	2.1	90.5	5.2	2.2
7.	D	5.3	0.0	0.0	94.7		P	8.2	12.9	9.7	68.8		P	7.2	13.2	8.5	70.8
8.	B	0.0	94.7	5.3	0.0		P	4.9	85.6	2.8	6.7		P	4.5	86.6	2.8	6.2
9.	C	0.0	26.3	73.7	0.0		P	4.9	23.3	62.3	9.2		P	4.5	25.9	60.3	9.1
10.	D	10.5	26.3	26.3	36.8		Q	15.5	18.9	20.8	44.6		Q	14.6	18.2	20.2	46.9
11.	D	5.3	52.6	10.5	31.6		Q	10.8	46.4	6.6	36.1		Q	10.2	45.8	6.6	37.4
12.	B	5.3	84.2	10.5	0.0		P	10.4	67.3	15.7	6.5		P	9.0	70.5	14.3	6.1
*13.	B,D	15.8	31.6	5.3	47.4		P	19.0	28.7	17.9	34.0		P	18.9	29.9	16.4	34.2
14.	C	15.8	31.6	47.4	5.3		P	24.0	15.9	39.5	20.4		P	23.7	16.1	39.0	20.9
15.	D	0.0	21.1	31.6	47.4		Q	12.4	11.9	20.5	55.1		Q	12.2	12.2	19.7	55.8
16.	D	26.3	10.5	10.5	52.6		Q	22.9	8.9	11.5	56.7		Q	21.7	8.2	11.4	58.6
17.	D	0.0	0.0	21.1	79.0		Q	3.0	1.7	14.6	80.4		Q	3.1	1.8	14.1	80.8
18.	D	5.3	36.8	0.0	52.6		P	7.7	36.6	8.5	47.1		P	7.0	35.6	7.6	49.7
19.	A	63.2	31.6	0.0	5.3		P	53.6	37.3	5.4	3.6		P	54.2	38.1	4.6	3.1
20.	D	0.0	15.8	10.5	73.7		P	12.2	2.6	25.2	60.0		P	12.7	2.6	23.9	60.8
21.	B	5.3	79.0	5.3	10.5		P	9.1	61.0	10.2	19.7		P	9.2	62.3	9.6	18.9
22.	A	63.2	26.3	0.0	10.5		P	49.0	44.7	4.4	1.7		P	48.5	45.4	4.3	1.6
23.	A	31.6	52.6	10.5	5.3		P	30.9	45.4	13.4	10.2		P	31.3	47.2	12.0	9.5
24.	D	10.5	21.1	15.8	52.6		P	3.0	38.8	11.4	46.6		P	3.1	38.1	10.4	48.3
25.	A	63.2	0.0	36.8	0.0		P	47.2	4.8	37.9	10.1		P	50.0	5.0	35.6	9.4
26.	D	15.8	26.3	26.3	31.6		Q	20.2	22.8	19.0	37.8		Q	20.2	22.1	18.3	39.3
27.	D	10.5	21.1	26.3	42.1		Q	11.0	26.2	13.6	49.0		Q	11.7	26.3	12.8	49.0
28.	B	0.0	68.4	31.6	0.0		P	11.0	55.9	23.0	9.7		P	11.5	56.2	23.1	9.0
29.	C	10.5	15.8	73.7	0.0		P	8.9	13.0	68.5	9.5		P	8.1	12.5	69.8	9.5
30.	B	5.3	94.7	0.0	0.0		P	5.3	83.8	9.6	1.3		P	4.3	85.0	9.4	1.2
31.	D	10.5	10.5	0.0	79.0		P	17.8	13.0	15.5	53.2		P	18.1	13.0	15.9	52.6
32.	D	10.5	0.0	10.5	79.0		P	6.3	8.2	11.5	74.1		P	6.0	8.3	11.2	74.4
33.	C	5.3	26.3	42.1	26.3		Q	13.0	20.2	49.1	17.1		Q	12.8	19.5	50.6	16.4
34.	C	0.0	0.0	89.5	10.5		P	5.0	2.0	86.1	7.0		P	4.9	1.6	86.6	6.9
35.	C	5.3	0.0	84.2	10.5		P	6.8	11.3	69.1	12.6		P	6.6	12.0	68.3	12.8
36.	B	0.0	100.0	0.0	0.0		P	2.8	89.6	5.4	2.2		P	2.7	90.0	5.1	2.2
37.	C	10.5	15.8	73.7	0.0		P	6.6	25.3	61.9	6.1		P	6.5	24.3	63.5	5.5
38.	A	73.7	5.3	15.8	5.3		Q	77.7	6.3	10.3	5.6		Q	77.3	7.1	9.9	5.6
39.	B	15.8	79.0	0.0	5.3		P	12.4	69.7	7.5	10.4		P	11.5	72.3	6.3	9.8
40.	C	10.5	15.8	63.2	10.5		Q	5.6	12.7	77.9	3.8		Q	5.2	12.7	78.5	3.7
41.	D	0.0	26.3	10.5	63.2		P	17.0	21.3	21.3	40.0		P	17.1	20.3	20.7	41.5
42.	B	5.3	84.2	0.0	10.5		P	10.1	83.0	3.7	3.2		P	9.3	84.1	3.7	2.8
43.	B	5.3	52.6	10.5	31.6		P	22.3	41.8	17.8	17.5		P	23.3	42.0	16.9	17.3
44.	C	0.0	0.0	100.0	0.0		P	7.3	10.5	72.1	9.8		P	7.1	10.7	72.8	9.2
45.	B	15.8	68.4	10.5	5.3		P	29.5	48.0	15.7	6.5		P	30.2	47.9	15.5	6.2
46.	B	0.0	73.7	5.3	21.1		P	17.0	62.9	10.3	9.6		P	16.9	64.4	9.2	9.2
47.	B	0.0	36.8	57.9	5.3		Q	7.9	45.8	39.5	6.3		Q	7.1	47.6	39.5	5.3
48.	B	0.0	94.7	0.0	5.3		P	4.1	85.3	6.5	3.9		P	3.8	85.0	6.8	4.2
49.	C	5.3	5.3	79.0	10.5		P	5.9	10.6	61.8	21.3		P	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 4 - Eastern

(percentage of students who selected each response)

#218 - St. Joseph's Academy, Lamaline

Grades: K-12

Item	Key	School [N=5]				District [N=1,840]				School Below Above District [N=1,840]				Province [N=3,011]				
		A	B	C	D	A	B	C	D	Below	Above	A	B	C	D			
1.	A					q	37.5	39.0	10.4	13.1	q	37.7	39.4	10.0	12.9			
2.	A	School data with 5 or fewer students withheld for reasons of confidentiality.					p	18.9	24.2	7.7	48.9		p	19.5	23.4	7.8	49.0	
3.	C						p	3.6	2.4	79.4	14.6		p	3.9	2.8	77.9	15.5	
4.	C						q	5.9	15.9	61.4	16.5		q	5.2	16.6	61.0	16.8	
5.	D						q	12.1	19.6	20.5	47.6		q	11.7	18.5	21.1	48.6	
6.	B						p	2.1	90.7	5.1	2.0		p	2.1	90.5	5.2	2.2	
7.	D						p	8.2	12.9	9.7	68.8		p	7.2	13.2	8.5	70.8	
8.	B						q	4.9	85.6	2.8	6.7		q	4.5	86.6	2.8	6.2	
9.	C						p	4.9	23.3	62.3	9.2		p	4.5	25.9	60.3	9.1	
10.	D						q	15.5	18.9	20.8	44.6		q	14.6	18.2	20.2	46.9	
11.	D						p	10.8	46.4	6.6	36.1		p	10.2	45.8	6.6	37.4	
12.	B						p	10.4	67.3	15.7	6.5		p	9.0	70.5	14.3	6.1	
*13.	B,D						p	19.0	28.7	17.9	34.0		p	18.9	29.9	16.4	34.2	
14.	C						p	24.0	15.9	39.5	20.4		p	23.7	16.1	39.0	20.9	
15.	D						q	12.4	11.9	20.5	55.1		q	12.2	12.2	19.7	55.8	
16.	D						p	22.9	8.9	11.5	56.7		p	21.7	8.2	11.4	58.6	
17.	D						q	3.0	1.7	14.6	80.4		q	3.1	1.8	14.1	80.8	
18.	D						p	7.7	36.6	8.5	47.1		p	7.0	35.6	7.6	49.7	
19.	A						q	53.6	37.3	5.4	3.6		q	54.2	38.1	4.6	3.1	
20.	D						p	12.2	2.6	25.2	60.0		p	12.7	2.6	23.9	60.8	
21.	B						q	9.1	61.0	10.2	19.7		q	9.2	62.3	9.6	18.9	
22.	A						q	49.0	44.7	4.4	1.7		q	48.5	45.4	4.3	1.6	
23.	A						p	30.9	45.4	13.4	10.2		p	31.3	47.2	12.0	9.5	
24.	D						p	3.0	38.8	11.4	46.6		p	3.1	38.1	10.4	48.3	
25.	A						p	47.2	4.8	37.9	10.1		p	50.0	5.0	35.6	9.4	
26.	D						p	20.2	22.8	19.0	37.8		p	20.2	22.1	18.3	39.3	
27.	D						p	11.0	26.2	13.6	49.0		p	11.7	26.3	12.8	49.0	
28.	B						q	11.0	55.9	23.0	9.7		q	11.5	56.2	23.1	9.0	
29.	C						p	8.9	13.0	68.5	9.5		p	8.1	12.5	69.8	9.5	
30.	B						p	5.3	83.8	9.6	1.3		p	4.3	85.0	9.4	1.2	
31.	D						q	17.8	13.0	15.5	53.2		q	18.1	13.0	15.9	52.6	
32.	D						p	6.3	8.2	11.5	74.1		p	6.0	8.3	11.2	74.4	
33.	C						p	13.0	20.2	49.1	17.1		p	12.8	19.5	50.6	16.4	
34.	C						p	5.0	2.0	86.1	7.0		p	4.9	1.6	86.6	6.9	
35.	C						q	6.8	11.3	69.1	12.6		q	6.6	12.0	68.3	12.8	
36.	B						p	2.8	89.6	5.4	2.2		p	2.7	90.0	5.1	2.2	
37.	C						q	6.6	25.3	61.9	6.1		q	6.5	24.3	63.5	5.5	
38.	A						p	77.7	6.3	10.3	5.6		p	77.3	7.1	9.9	5.6	
39.	B						p	12.4	69.7	7.5	10.4		p	11.5	72.3	6.3	9.8	
40.	C						p	5.6	12.7	77.9	3.8		p	5.2	12.7	78.5	3.7	
41.	D						p	17.0	21.3	21.3	40.0		q	17.1	20.3	20.7	41.5	
42.	B						p	10.1	83.0	3.7	3.2		p	9.3	84.1	3.7	2.8	
43.	B						p	22.3	41.8	17.8	17.5		p	23.3	42.0	16.9	17.3	
44.	C						q	7.3	10.5	72.1	9.8		q	7.1	10.7	72.8	9.2	
45.	B						p	29.5	48.0	15.7	6.5		p	30.2	47.9	15.5	6.2	
46.	B						p	17.0	62.9	10.3	9.6		p	16.9	64.4	9.2	9.2	
47.	B						p	7.9	45.8	39.5	6.3		p	7.1	47.6	39.5	5.3	
48.	B						q	4.1	85.3	6.5	3.9		q	3.8	85.0	6.8	4.2	
49.	C						p	5.9	10.6	61.8	21.3		p	6.3	10.3	62.6	20.3	
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 4 - Eastern

(percentage of students who selected each response)

#219 - Marystown Central High, Marystown

Grades: 10-12

Item	Key	School [N=39]				School Below Above District		District [N=1,840]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	35.9	41.0	7.7	15.4		q	37.5	39.0	10.4	13.1		q	37.7	39.4	10.0	12.9
2.	A	7.7	18.0	15.4	59.0		q	18.9	24.2	7.7	48.9		q	19.5	23.4	7.8	49.0
3.	C	5.1	2.6	69.2	23.1		q	3.6	2.4	79.4	14.6		q	3.9	2.8	77.9	15.5
4.	C	5.1	25.6	53.9	15.4		q	5.9	15.9	61.4	16.5		q	5.2	16.6	61.0	16.8
5.	D	7.7	30.8	18.0	43.6		q	12.1	19.6	20.5	47.6		q	11.7	18.5	21.1	48.6
6.	B	7.7	84.6	7.7	0.0		q	2.1	90.7	5.1	2.0		q	2.1	90.5	5.2	2.2
7.	D	7.7	18.0	10.3	64.1		q	8.2	12.9	9.7	68.8		q	7.2	13.2	8.5	70.8
8.	B	2.6	92.3	2.6	2.6		p	4.9	85.6	2.8	6.7		p	4.5	86.6	2.8	6.2
9.	C	5.1	30.8	48.7	15.4		q	4.9	23.3	62.3	9.2		q	4.5	25.9	60.3	9.1
10.	D	12.8	23.1	33.3	30.8		q	15.5	18.9	20.8	44.6		q	14.6	18.2	20.2	46.9
11.	D	15.4	38.5	2.6	43.6		p	10.8	46.4	6.6	36.1		p	10.2	45.8	6.6	37.4
12.	B	12.8	66.7	10.3	10.3		q	10.4	67.3	15.7	6.5		q	9.0	70.5	14.3	6.1
*13.	B,D	15.4	38.5	15.4	30.8		p	19.0	28.7	17.9	34.0		p	18.9	29.9	16.4	34.2
14.	C	18.0	28.2	46.2	7.7		p	24.0	15.9	39.5	20.4		p	23.7	16.1	39.0	20.9
15.	D	18.0	18.0	25.6	38.5		q	12.4	11.9	20.5	55.1		q	12.2	12.2	19.7	55.8
16.	D	33.3	10.3	0.0	56.4		q	22.9	8.9	11.5	56.7		q	21.7	8.2	11.4	58.6
17.	D	2.6	0.0	20.5	76.9		q	3.0	1.7	14.6	80.4		q	3.1	1.8	14.1	80.8
18.	D	7.7	59.0	2.6	30.8		q	7.7	36.6	8.5	47.1		q	7.0	35.6	7.6	49.7
19.	A	48.7	41.0	2.6	7.7		q	53.6	37.3	5.4	3.6		q	54.2	38.1	4.6	3.1
20.	D	18.0	0.0	12.8	69.2		p	12.2	2.6	25.2	60.0		p	12.7	2.6	23.9	60.8
21.	B	10.3	64.1	5.1	20.5		p	9.1	61.0	10.2	19.7		p	9.2	62.3	9.6	18.9
22.	A	28.2	61.5	7.7	0.0		q	49.0	44.7	4.4	1.7		q	48.5	45.4	4.3	1.6
23.	A	20.5	43.6	25.6	10.3		q	30.9	45.4	13.4	10.2		q	31.3	47.2	12.0	9.5
24.	D	0.0	48.7	12.8	38.5		q	3.0	38.8	11.4	46.6		q	3.1	38.1	10.4	48.3
25.	A	43.6	0.0	41.0	15.4		q	47.2	4.8	37.9	10.1		q	50.0	5.0	35.6	9.4
26.	D	30.8	23.1	12.8	33.3		q	20.2	22.8	19.0	37.8		q	20.2	22.1	18.3	39.3
27.	D	10.3	20.5	20.5	48.7		q	11.0	26.2	13.6	49.0		q	11.7	26.3	12.8	49.0
28.	B	5.1	64.1	20.5	10.3		p	11.0	55.9	23.0	9.7		p	11.5	56.2	23.1	9.0
29.	C	10.3	18.0	56.4	15.4		q	8.9	13.0	68.5	9.5		q	8.1	12.5	69.8	9.5
30.	B	5.1	92.3	2.6	0.0		p	5.3	83.8	9.6	1.3		p	4.3	85.0	9.4	1.2
31.	D	20.5	10.3	15.4	53.9		p	17.8	13.0	15.5	53.2		p	18.1	13.0	15.9	52.6
32.	D	5.1	7.7	10.3	76.9		p	6.3	8.2	11.5	74.1		p	6.0	8.3	11.2	74.4
33.	C	20.5	7.7	51.3	20.5		p	13.0	20.2	49.1	17.1		p	12.8	19.5	50.6	16.4
34.	C	12.8	2.6	82.1	2.6		q	5.0	2.0	86.1	7.0		q	4.9	1.6	86.6	6.9
35.	C	2.6	7.7	71.8	18.0		p	6.8	11.3	69.1	12.6		p	6.6	12.0	68.3	12.8
36.	B	0.0	94.9	5.1	0.0		p	2.8	89.6	5.4	2.2		p	2.7	90.0	5.1	2.2
37.	C	7.7	28.2	61.5	2.6		q	6.6	25.3	61.9	6.1		q	6.5	24.3	63.5	5.5
38.	A	74.4	10.3	10.3	5.1		q	77.7	6.3	10.3	5.6		q	77.3	7.1	9.9	5.6
39.	B	5.1	66.7	10.3	18.0		q	12.4	69.7	7.5	10.4		q	11.5	72.3	6.3	9.8
40.	C	10.3	5.1	82.1	2.6		p	5.6	12.7	77.9	3.8		p	5.2	12.7	78.5	3.7
41.	D	2.6	35.9	25.6	35.9		q	17.0	21.3	21.3	40.0		q	17.1	20.3	20.7	41.5
42.	B	20.5	69.2	7.7	2.6		q	10.1	83.0	3.7	3.2		q	9.3	84.1	3.7	2.8
43.	B	20.5	38.5	12.8	28.2		q	22.3	41.8	17.8	17.5		q	23.3	42.0	16.9	17.3
44.	C	23.1	0.0	69.2	7.7		q	7.3	10.5	72.1	9.8		q	7.1	10.7	72.8	9.2
45.	B	20.5	51.3	15.4	12.8		p	29.5	48.0	15.7	6.5		p	30.2	47.9	15.5	6.2
46.	B	18.0	53.9	18.0	10.3		q	17.0	62.9	10.3	9.6		q	16.9	64.4	9.2	9.2
47.	B	20.5	23.1	51.3	2.6		q	7.9	45.8	39.5	6.3		q	7.1	47.6	39.5	5.3
48.	B	10.3	71.8	10.3	7.7		q	4.1	85.3	6.5	3.9		q	3.8	85.0	6.8	4.2
49.	C	5.1	10.3	59.0	25.6		q	5.9	10.6	61.8	21.3		q	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 4 - Eastern

(percentage of students who selected each response)

#223 - Christ the King School, Rushoon

Grades: K-12

Item	Key	School [N=11]				School Below Above District		District [N=1,840]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	36.4	36.4	9.1	18.2	q		37.5	39.0	10.4	13.1	q		37.7	39.4	10.0	12.9
2.	A	0.0	36.4	9.1	54.6	q		18.9	24.2	7.7	48.9	q		19.5	23.4	7.8	49.0
3.	C	18.2	0.0	54.6	27.3	q		3.6	2.4	79.4	14.6	q		3.9	2.8	77.9	15.5
4.	C	9.1	9.1	63.6	18.2		p	5.9	15.9	61.4	16.5		p	5.2	16.6	61.0	16.8
5.	D	9.1	18.2	36.4	36.4	q		12.1	19.6	20.5	47.6	q		11.7	18.5	21.1	48.6
6.	B	0.0	63.6	9.1	27.3	q		2.1	90.7	5.1	2.0	q		2.1	90.5	5.2	2.2
7.	D	9.1	9.1	9.1	72.7		p	8.2	12.9	9.7	68.8		p	7.2	13.2	8.5	70.8
8.	B	0.0	90.9	9.1	0.0		p	4.9	85.6	2.8	6.7		p	4.5	86.6	2.8	6.2
9.	C	0.0	9.1	90.9	0.0		p	4.9	23.3	62.3	9.2		p	4.5	25.9	60.3	9.1
10.	D	18.2	18.2	18.2	45.5		p	15.5	18.9	20.8	44.6	q		14.6	18.2	20.2	46.9
11.	D	27.3	36.4	0.0	36.4		p	10.8	46.4	6.6	36.1	q		10.2	45.8	6.6	37.4
12.	B	27.3	63.6	9.1	0.0	q		10.4	67.3	15.7	6.5	q		9.0	70.5	14.3	6.1
*13.	B,D	9.1	27.3	9.1	54.6		p	19.0	28.7	17.9	34.0		p	18.9	29.9	16.4	34.2
14.	C	27.3	27.3	27.3	18.2	q		24.0	15.9	39.5	20.4	q		23.7	16.1	39.0	20.9
15.	D	27.3	9.1	9.1	54.6	q		12.4	11.9	20.5	55.1	q		12.2	12.2	19.7	55.8
16.	D	18.2	9.1	9.1	63.6		p	22.9	8.9	11.5	56.7		p	21.7	8.2	11.4	58.6
17.	D	0.0	0.0	18.2	81.8		p	3.0	1.7	14.6	80.4		p	3.1	1.8	14.1	80.8
18.	D	0.0	27.3	9.1	63.6		p	7.7	36.6	8.5	47.1		p	7.0	35.6	7.6	49.7
19.	A	63.6	36.4	0.0	0.0		p	53.6	37.3	5.4	3.6		p	54.2	38.1	4.6	3.1
20.	D	9.1	9.1	27.3	54.6	q		12.2	2.6	25.2	60.0	q		12.7	2.6	23.9	60.8
21.	B	9.1	54.6	27.3	9.1	q		9.1	61.0	10.2	19.7	q		9.2	62.3	9.6	18.9
22.	A	45.5	54.6	0.0	0.0	q		49.0	44.7	4.4	1.7	q		48.5	45.4	4.3	1.6
23.	A	9.1	36.4	36.4	18.2	q		30.9	45.4	13.4	10.2	q		31.3	47.2	12.0	9.5
24.	D	9.1	45.5	9.1	36.4	q		3.0	38.8	11.4	46.6	q		3.1	38.1	10.4	48.3
25.	A	27.3	18.2	54.6	0.0	q		47.2	4.8	37.9	10.1	q		50.0	5.0	35.6	9.4
26.	D	18.2	27.3	18.2	36.4	q		20.2	22.8	19.0	37.8	q		20.2	22.1	18.3	39.3
27.	D	0.0	54.6	9.1	36.4	q		11.0	26.2	13.6	49.0	q		11.7	26.3	12.8	49.0
28.	B	0.0	36.4	45.5	18.2	q		11.0	55.9	23.0	9.7	q		11.5	56.2	23.1	9.0
29.	C	36.4	27.3	27.3	9.1	q		8.9	13.0	68.5	9.5	q		8.1	12.5	69.8	9.5
30.	B	0.0	81.8	9.1	9.1	q		5.3	83.8	9.6	1.3	q		4.3	85.0	9.4	1.2
31.	D	18.2	9.1	18.2	45.5	q		17.8	13.0	15.5	53.2	q		18.1	13.0	15.9	52.6
32.	D	9.1	9.1	0.0	81.8		p	6.3	8.2	11.5	74.1		p	6.0	8.3	11.2	74.4
33.	C	18.2	18.2	54.6	9.1		p	13.0	20.2	49.1	17.1		p	12.8	19.5	50.6	16.4
34.	C	0.0	9.1	81.8	9.1	q		5.0	2.0	86.1	7.0	q		4.9	1.6	86.6	6.9
35.	C	18.2	18.2	63.6	0.0	q		6.8	11.3	69.1	12.6	q		6.6	12.0	68.3	12.8
36.	B	0.0	90.9	9.1	0.0		p	2.8	89.6	5.4	2.2		p	2.7	90.0	5.1	2.2
37.	C	0.0	45.5	36.4	18.2	q		6.6	25.3	61.9	6.1	q		6.5	24.3	63.5	5.5
38.	A	81.8	0.0	18.2	0.0		p	77.7	6.3	10.3	5.6		p	77.3	7.1	9.9	5.6
39.	B	27.3	54.6	9.1	9.1	q		12.4	69.7	7.5	10.4	q		11.5	72.3	6.3	9.8
40.	C	0.0	18.2	81.8	0.0		p	5.6	12.7	77.9	3.8		p	5.2	12.7	78.5	3.7
41.	D	9.1	45.5	18.2	27.3	q		17.0	21.3	21.3	40.0	q		17.1	20.3	20.7	41.5
42.	B	0.0	100.0	0.0	0.0		p	10.1	83.0	3.7	3.2		p	9.3	84.1	3.7	2.8
43.	B	27.3	36.4	27.3	9.1	q		22.3	41.8	17.8	17.5	q		23.3	42.0	16.9	17.3
44.	C	0.0	36.4	63.6	0.0	q		7.3	10.5	72.1	9.8	q		7.1	10.7	72.8	9.2
45.	B	27.3	27.3	18.2	27.3	q		29.5	48.0	15.7	6.5	q		30.2	47.9	15.5	6.2
46.	B	9.1	63.6	9.1	18.2		p	17.0	62.9	10.3	9.6	q		16.9	64.4	9.2	9.2
47.	B	18.2	27.3	45.5	9.1	q		7.9	45.8	39.5	6.3	q		7.1	47.6	39.5	5.3
48.	B	18.2	63.6	9.1	9.1	q		4.1	85.3	6.5	3.9	q		3.8	85.0	6.8	4.2
49.	C	0.0	36.4	45.5	18.2	q		5.9	10.6	61.8	21.3	q		6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 4 - Eastern

(percentage of students who selected each response)

#226 - Fortune Bay Academy, St. Bernard's - Jacques Fontaine

Grades: K-12

Item	Key	School [N=8]				School Below Above District	District [N=1,840]				School Below Above Province	Province [N=3,011]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	A	25.0	50.0	12.5	12.5	q	37.5	39.0	10.4	13.1	q	37.7	39.4	10.0	12.9
2.	A	25.0	50.0	0.0	25.0	p	18.9	24.2	7.7	48.9	p	19.5	23.4	7.8	49.0
3.	C	0.0	0.0	87.5	12.5	p	3.6	2.4	79.4	14.6	p	3.9	2.8	77.9	15.5
4.	C	0.0	0.0	87.5	12.5	p	5.9	15.9	61.4	16.5	p	5.2	16.6	61.0	16.8
5.	D	0.0	0.0	0.0	100.0	p	12.1	19.6	20.5	47.6	p	11.7	18.5	21.1	48.6
6.	B	0.0	100.0	0.0	0.0	p	2.1	90.7	5.1	2.0	p	2.1	90.5	5.2	2.2
7.	D	0.0	37.5	0.0	62.5	q	8.2	12.9	9.7	68.8	q	7.2	13.2	8.5	70.8
8.	B	0.0	100.0	0.0	0.0	p	4.9	85.6	2.8	6.7	p	4.5	86.6	2.8	6.2
9.	C	0.0	50.0	50.0	0.0	q	4.9	23.3	62.3	9.2	q	4.5	25.9	60.3	9.1
10.	D	25.0	0.0	25.0	50.0	p	15.5	18.9	20.8	44.6	p	14.6	18.2	20.2	46.9
11.	D	0.0	25.0	0.0	75.0	p	10.8	46.4	6.6	36.1	p	10.2	45.8	6.6	37.4
12.	B	25.0	62.5	12.5	0.0	q	10.4	67.3	15.7	6.5	q	9.0	70.5	14.3	6.1
*13.	B,D	25.0	37.5	12.5	25.0	q	19.0	28.7	17.9	34.0	q	18.9	29.9	16.4	34.2
14.	C	12.5	12.5	62.5	12.5	p	24.0	15.9	39.5	20.4	p	23.7	16.1	39.0	20.9
15.	D	25.0	0.0	37.5	37.5	q	12.4	11.9	20.5	55.1	q	12.2	12.2	19.7	55.8
16.	D	12.5	0.0	12.5	75.0	p	22.9	8.9	11.5	56.7	p	21.7	8.2	11.4	58.6
17.	D	0.0	0.0	0.0	100.0	p	3.0	1.7	14.6	80.4	p	3.1	1.8	14.1	80.8
18.	D	0.0	12.5	12.5	75.0	p	7.7	36.6	8.5	47.1	p	7.0	35.6	7.6	49.7
19.	A	50.0	50.0	0.0	0.0	q	53.6	37.3	5.4	3.6	q	54.2	38.1	4.6	3.1
20.	D	0.0	0.0	25.0	75.0	p	12.2	2.6	25.2	60.0	p	12.7	2.6	23.9	60.8
21.	B	0.0	87.5	12.5	0.0	p	9.1	61.0	10.2	19.7	p	9.2	62.3	9.6	18.9
22.	A	75.0	25.0	0.0	0.0	p	49.0	44.7	4.4	1.7	p	48.5	45.4	4.3	1.6
23.	A	62.5	37.5	0.0	0.0	p	30.9	45.4	13.4	10.2	p	31.3	47.2	12.0	9.5
24.	D	0.0	12.5	0.0	87.5	p	3.0	38.8	11.4	46.6	p	3.1	38.1	10.4	48.3
25.	A	50.0	12.5	37.5	0.0	p	47.2	4.8	37.9	10.1	p	50.0	5.0	35.6	9.4
26.	D	25.0	0.0	37.5	37.5	q	20.2	22.8	19.0	37.8	q	20.2	22.1	18.3	39.3
27.	D	0.0	12.5	0.0	87.5	p	11.0	26.2	13.6	49.0	p	11.7	26.3	12.8	49.0
28.	B	0.0	100.0	0.0	0.0	p	11.0	55.9	23.0	9.7	p	11.5	56.2	23.1	9.0
29.	C	0.0	25.0	75.0	0.0	p	8.9	13.0	68.5	9.5	p	8.1	12.5	69.8	9.5
30.	B	0.0	100.0	0.0	0.0	p	5.3	83.8	9.6	1.3	p	4.3	85.0	9.4	1.2
31.	D	37.5	12.5	12.5	37.5	q	17.8	13.0	15.5	53.2	q	18.1	13.0	15.9	52.6
32.	D	0.0	0.0	0.0	100.0	p	6.3	8.2	11.5	74.1	p	6.0	8.3	11.2	74.4
33.	C	37.5	0.0	50.0	12.5	p	13.0	20.2	49.1	17.1	q	12.8	19.5	50.6	16.4
34.	C	0.0	0.0	100.0	0.0	p	5.0	2.0	86.1	7.0	p	4.9	1.6	86.6	6.9
35.	C	0.0	12.5	62.5	25.0	q	6.8	11.3	69.1	12.6	q	6.6	12.0	68.3	12.8
36.	B	0.0	100.0	0.0	0.0	p	2.8	89.6	5.4	2.2	p	2.7	90.0	5.1	2.2
37.	C	0.0	62.5	25.0	12.5	q	6.6	25.3	61.9	6.1	q	6.5	24.3	63.5	5.5
38.	A	100.0	0.0	0.0	0.0	p	77.7	6.3	10.3	5.6	p	77.3	7.1	9.9	5.6
39.	B	0.0	100.0	0.0	0.0	p	12.4	69.7	7.5	10.4	p	11.5	72.3	6.3	9.8
40.	C	0.0	0.0	100.0	0.0	p	5.6	12.7	77.9	3.8	p	5.2	12.7	78.5	3.7
41.	D	25.0	12.5	37.5	25.0	q	17.0	21.3	21.3	40.0	q	17.1	20.3	20.7	41.5
42.	B	12.5	87.5	0.0	0.0	p	10.1	83.0	3.7	3.2	p	9.3	84.1	3.7	2.8
43.	B	12.5	87.5	0.0	0.0	p	22.3	41.8	17.8	17.5	p	23.3	42.0	16.9	17.3
44.	C	0.0	12.5	62.5	25.0	q	7.3	10.5	72.1	9.8	q	7.1	10.7	72.8	9.2
45.	B	12.5	50.0	25.0	12.5	p	29.5	48.0	15.7	6.5	p	30.2	47.9	15.5	6.2
46.	B	37.5	50.0	0.0	12.5	q	17.0	62.9	10.3	9.6	q	16.9	64.4	9.2	9.2
47.	B	0.0	50.0	37.5	12.5	p	7.9	45.8	39.5	6.3	p	7.1	47.6	39.5	5.3
48.	B	0.0	100.0	0.0	0.0	p	4.1	85.3	6.5	3.9	p	3.8	85.0	6.8	4.2
49.	C	0.0	0.0	100.0	0.0	p	5.9	10.6	61.8	21.3	p	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 4 - Eastern

(percentage of students who selected each response)

#228 - St. Lawrence Academy, St. Lawrence

Grades: K-12

Item	Key	School [N=13]				School Below Above District		District [N=1,840]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	15.4	61.5	0.0	23.1	q		37.5	39.0	10.4	13.1	q		37.7	39.4	10.0	12.9
2.	A	7.7	0.0	15.4	76.9	q		18.9	24.2	7.7	48.9	q		19.5	23.4	7.8	49.0
3.	C	15.4	0.0	69.2	15.4	q		3.6	2.4	79.4	14.6	q		3.9	2.8	77.9	15.5
4.	C	7.7	30.8	46.2	15.4	q		5.9	15.9	61.4	16.5	q		5.2	16.6	61.0	16.8
5.	D	23.1	0.0	23.1	53.9		p	12.1	19.6	20.5	47.6		p	11.7	18.5	21.1	48.6
6.	B	0.0	84.6	7.7	7.7	q		2.1	90.7	5.1	2.0	q		2.1	90.5	5.2	2.2
7.	D	0.0	0.0	23.1	76.9		p	8.2	12.9	9.7	68.8		p	7.2	13.2	8.5	70.8
8.	B	0.0	84.6	7.7	7.7	q		4.9	85.6	2.8	6.7	q		4.5	86.6	2.8	6.2
9.	C	7.7	30.8	38.5	23.1	q		4.9	23.3	62.3	9.2	q		4.5	25.9	60.3	9.1
10.	D	23.1	15.4	46.2	15.4	q		15.5	18.9	20.8	44.6	q		14.6	18.2	20.2	46.9
11.	D	15.4	23.1	30.8	30.8	q		10.8	46.4	6.6	36.1	q		10.2	45.8	6.6	37.4
12.	B	15.4	69.2	7.7	7.7		p	10.4	67.3	15.7	6.5	q		9.0	70.5	14.3	6.1
*13.	B,D	7.7	38.5	15.4	38.5		p	19.0	28.7	17.9	34.0		p	18.9	29.9	16.4	34.2
14.	C	46.2	30.8	23.1	0.0	q		24.0	15.9	39.5	20.4	q		23.7	16.1	39.0	20.9
15.	D	23.1	15.4	30.8	30.8	q		12.4	11.9	20.5	55.1	q		12.2	12.2	19.7	55.8
16.	D	30.8	15.4	15.4	38.5	q		22.9	8.9	11.5	56.7	q		21.7	8.2	11.4	58.6
17.	D	7.7	0.0	46.2	46.2	q		3.0	1.7	14.6	80.4	q		3.1	1.8	14.1	80.8
18.	D	15.4	30.8	0.0	53.9		p	7.7	36.6	8.5	47.1		p	7.0	35.6	7.6	49.7
19.	A	76.9	15.4	7.7	0.0		p	53.6	37.3	5.4	3.6		p	54.2	38.1	4.6	3.1
20.	D	7.7	7.7	30.8	53.9	q		12.2	2.6	25.2	60.0	q		12.7	2.6	23.9	60.8
21.	B	7.7	46.2	23.1	23.1	q		9.1	61.0	10.2	19.7	q		9.2	62.3	9.6	18.9
22.	A	7.7	84.6	7.7	0.0	q		49.0	44.7	4.4	1.7	q		48.5	45.4	4.3	1.6
23.	A	38.5	23.1	7.7	30.8		p	30.9	45.4	13.4	10.2		p	31.3	47.2	12.0	9.5
24.	D	0.0	46.2	7.7	46.2	q		3.0	38.8	11.4	46.6	q		3.1	38.1	10.4	48.3
25.	A	38.5	0.0	38.5	23.1	q		47.2	4.8	37.9	10.1	q		50.0	5.0	35.6	9.4
26.	D	38.5	15.4	23.1	23.1	q		20.2	22.8	19.0	37.8	q		20.2	22.1	18.3	39.3
27.	D	7.7	46.2	7.7	38.5	q		11.0	26.2	13.6	49.0	q		11.7	26.3	12.8	49.0
28.	B	15.4	38.5	15.4	30.8	q		11.0	55.9	23.0	9.7	q		11.5	56.2	23.1	9.0
29.	C	7.7	7.7	61.5	23.1	q		8.9	13.0	68.5	9.5	q		8.1	12.5	69.8	9.5
30.	B	0.0	84.6	15.4	0.0		p	5.3	83.8	9.6	1.3	q		4.3	85.0	9.4	1.2
31.	D	7.7	38.5	30.8	23.1	q		17.8	13.0	15.5	53.2	q		18.1	13.0	15.9	52.6
32.	D	0.0	0.0	23.1	76.9		p	6.3	8.2	11.5	74.1		p	6.0	8.3	11.2	74.4
33.	C	7.7	15.4	38.5	38.5	q		13.0	20.2	49.1	17.1	q		12.8	19.5	50.6	16.4
34.	C	0.0	0.0	84.6	15.4	q		5.0	2.0	86.1	7.0	q		4.9	1.6	86.6	6.9
35.	C	7.7	7.7	61.5	23.1	q		6.8	11.3	69.1	12.6	q		6.6	12.0	68.3	12.8
36.	B	0.0	92.3	0.0	7.7		p	2.8	89.6	5.4	2.2		p	2.7	90.0	5.1	2.2
37.	C	15.4	38.5	46.2	0.0	q		6.6	25.3	61.9	6.1	q		6.5	24.3	63.5	5.5
38.	A	69.2	7.7	7.7	15.4	q		77.7	6.3	10.3	5.6	q		77.3	7.1	9.9	5.6
39.	B	30.8	46.2	23.1	0.0	q		12.4	69.7	7.5	10.4	q		11.5	72.3	6.3	9.8
40.	C	7.7	7.7	84.6	0.0		p	5.6	12.7	77.9	3.8		p	5.2	12.7	78.5	3.7
41.	D	7.7	23.1	23.1	46.2		p	17.0	21.3	21.3	40.0		p	17.1	20.3	20.7	41.5
42.	B	23.1	69.2	0.0	7.7	q		10.1	83.0	3.7	3.2	q		9.3	84.1	3.7	2.8
43.	B	23.1	7.7	30.8	38.5	q		22.3	41.8	17.8	17.5	q		23.3	42.0	16.9	17.3
44.	C	7.7	7.7	69.2	15.4	q		7.3	10.5	72.1	9.8	q		7.1	10.7	72.8	9.2
45.	B	53.9	15.4	23.1	7.7	q		29.5	48.0	15.7	6.5	q		30.2	47.9	15.5	6.2
46.	B	23.1	38.5	23.1	15.4	q		17.0	62.9	10.3	9.6	q		16.9	64.4	9.2	9.2
47.	B	7.7	46.2	46.2	0.0		p	7.9	45.8	39.5	6.3	q		7.1	47.6	39.5	5.3
48.	B	23.1	76.9	0.0	0.0	q		4.1	85.3	6.5	3.9	q		3.8	85.0	6.8	4.2
49.	C	7.7	15.4	76.9	0.0		p	5.9	10.6	61.8	21.3		p	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT



District 4 - Eastern

(percentage of students who selected each response)

#229 - St. Joseph's All Grade, Terrenceville

Grades: K-12

Item	Key	School [N=10]				School Below Above District	District [N=1,840]				School Below Above Province	Province [N=3,011]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	A	40.0	20.0	10.0	30.0	P	37.5	39.0	10.4	13.1	P	37.7	39.4	10.0	12.9
2.	A	30.0	20.0	0.0	50.0	P	18.9	24.2	7.7	48.9	P	19.5	23.4	7.8	49.0
3.	C	0.0	0.0	100.0	0.0	P	3.6	2.4	79.4	14.6	P	3.9	2.8	77.9	15.5
4.	C	0.0	10.0	90.0	0.0	P	5.9	15.9	61.4	16.5	P	5.2	16.6	61.0	16.8
5.	D	10.0	10.0	10.0	70.0	P	12.1	19.6	20.5	47.6	P	11.7	18.5	21.1	48.6
6.	B	0.0	100.0	0.0	0.0	P	2.1	90.7	5.1	2.0	P	2.1	90.5	5.2	2.2
7.	D	0.0	10.0	0.0	90.0	P	8.2	12.9	9.7	68.8	P	7.2	13.2	8.5	70.8
8.	B	0.0	100.0	0.0	0.0	P	4.9	85.6	2.8	6.7	P	4.5	86.6	2.8	6.2
9.	C	0.0	30.0	70.0	0.0	P	4.9	23.3	62.3	9.2	P	4.5	25.9	60.3	9.1
10.	D	0.0	20.0	10.0	70.0	P	15.5	18.9	20.8	44.6	P	14.6	18.2	20.2	46.9
11.	D	0.0	50.0	0.0	50.0	P	10.8	46.4	6.6	36.1	P	10.2	45.8	6.6	37.4
12.	B	0.0	100.0	0.0	0.0	P	10.4	67.3	15.7	6.5	P	9.0	70.5	14.3	6.1
*13.	B,D	20.0	50.0	10.0	20.0	P	19.0	28.7	17.9	34.0	P	18.9	29.9	16.4	34.2
14.	C	10.0	10.0	40.0	40.0	P	24.0	15.9	39.5	20.4	P	23.7	16.1	39.0	20.9
15.	D	10.0	10.0	10.0	70.0	P	12.4	11.9	20.5	55.1	P	12.2	12.2	19.7	55.8
16.	D	10.0	0.0	0.0	90.0	P	22.9	8.9	11.5	56.7	P	21.7	8.2	11.4	58.6
17.	D	0.0	0.0	0.0	100.0	P	3.0	1.7	14.6	80.4	P	3.1	1.8	14.1	80.8
18.	D	0.0	50.0	0.0	50.0	P	7.7	36.6	8.5	47.1	P	7.0	35.6	7.6	49.7
19.	A	90.0	10.0	0.0	0.0	P	53.6	37.3	5.4	3.6	P	54.2	38.1	4.6	3.1
20.	D	0.0	0.0	0.0	100.0	P	12.2	2.6	25.2	60.0	P	12.7	2.6	23.9	60.8
21.	B	0.0	80.0	10.0	10.0	P	9.1	61.0	10.2	19.7	P	9.2	62.3	9.6	18.9
22.	A	70.0	30.0	0.0	0.0	P	49.0	44.7	4.4	1.7	P	48.5	45.4	4.3	1.6
23.	A	70.0	20.0	10.0	0.0	P	30.9	45.4	13.4	10.2	P	31.3	47.2	12.0	9.5
24.	D	0.0	20.0	0.0	80.0	P	3.0	38.8	11.4	46.6	P	3.1	38.1	10.4	48.3
25.	A	60.0	10.0	30.0	0.0	P	47.2	4.8	37.9	10.1	P	50.0	5.0	35.6	9.4
26.	D	10.0	10.0	20.0	60.0	P	20.2	22.8	19.0	37.8	P	20.2	22.1	18.3	39.3
27.	D	0.0	10.0	10.0	80.0	P	11.0	26.2	13.6	49.0	P	11.7	26.3	12.8	49.0
28.	B	20.0	80.0	0.0	0.0	P	11.0	55.9	23.0	9.7	P	11.5	56.2	23.1	9.0
29.	C	10.0	0.0	80.0	10.0	P	8.9	13.0	68.5	9.5	P	8.1	12.5	69.8	9.5
30.	B	0.0	100.0	0.0	0.0	P	5.3	83.8	9.6	1.3	P	4.3	85.0	9.4	1.2
31.	D	0.0	0.0	10.0	90.0	P	17.8	13.0	15.5	53.2	P	18.1	13.0	15.9	52.6
32.	D	0.0	0.0	10.0	90.0	P	6.3	8.2	11.5	74.1	P	6.0	8.3	11.2	74.4
33.	C	10.0	10.0	60.0	20.0	P	13.0	20.2	49.1	17.1	P	12.8	19.5	50.6	16.4
34.	C	0.0	0.0	100.0	0.0	P	5.0	2.0	86.1	7.0	P	4.9	1.6	86.6	6.9
35.	C	0.0	10.0	90.0	0.0	P	6.8	11.3	69.1	12.6	P	6.6	12.0	68.3	12.8
36.	B	0.0	100.0	0.0	0.0	P	2.8	89.6	5.4	2.2	P	2.7	90.0	5.1	2.2
37.	C	0.0	10.0	90.0	0.0	P	6.6	25.3	61.9	6.1	P	6.5	24.3	63.5	5.5
38.	A	90.0	0.0	10.0	0.0	P	77.7	6.3	10.3	5.6	P	77.3	7.1	9.9	5.6
39.	B	0.0	90.0	0.0	10.0	P	12.4	69.7	7.5	10.4	P	11.5	72.3	6.3	9.8
40.	C	0.0	10.0	90.0	0.0	P	5.6	12.7	77.9	3.8	P	5.2	12.7	78.5	3.7
41.	D	10.0	10.0	0.0	80.0	P	17.0	21.3	21.3	40.0	P	17.1	20.3	20.7	41.5
42.	B	10.0	90.0	0.0	0.0	P	10.1	83.0	3.7	3.2	P	9.3	84.1	3.7	2.8
43.	B	0.0	60.0	10.0	30.0	P	22.3	41.8	17.8	17.5	P	23.3	42.0	16.9	17.3
44.	C	0.0	0.0	90.0	10.0	P	7.3	10.5	72.1	9.8	P	7.1	10.7	72.8	9.2
45.	B	0.0	100.0	0.0	0.0	P	29.5	48.0	15.7	6.5	P	30.2	47.9	15.5	6.2
46.	B	0.0	100.0	0.0	0.0	P	17.0	62.9	10.3	9.6	P	16.9	64.4	9.2	9.2
47.	B	0.0	40.0	50.0	10.0	q	7.9	45.8	39.5	6.3	q	7.1	47.6	39.5	5.3
48.	B	0.0	100.0	0.0	0.0	P	4.1	85.3	6.5	3.9	P	3.8	85.0	6.8	4.2
49.	C	0.0	0.0	80.0	20.0	P	5.9	10.6	61.8	21.3	P	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 4 - Eastern

(percentage of students who selected each response)

#231 - Discovery Collegiate, Bonavista

Grades: 8-12

Item	Key	School [N=33]				School Below Above District	District [N=1,840]				School Below Above Province	Province [N=3,011]					
		A	B	C	D		A	B	C	D		A	B	C	D		
1.	A	45.5	39.4	3.0	12.1		P	37.5	39.0	10.4	13.1		P	37.7	39.4	10.0	12.9
2.	A	15.2	30.3	3.0	51.5		Q	18.9	24.2	7.7	48.9		Q	19.5	23.4	7.8	49.0
3.	C	0.0	3.0	81.8	15.2		P	3.6	2.4	79.4	14.6		P	3.9	2.8	77.9	15.5
4.	C	0.0	12.1	69.7	18.2		P	5.9	15.9	61.4	16.5		P	5.2	16.6	61.0	16.8
5.	D	12.1	21.2	18.2	48.5		P	12.1	19.6	20.5	47.6		Q	11.7	18.5	21.1	48.6
6.	B	6.1	90.9	3.0	0.0		P	2.1	90.7	5.1	2.0		P	2.1	90.5	5.2	2.2
7.	D	6.1	6.1	15.2	72.7		P	8.2	12.9	9.7	68.8		P	7.2	13.2	8.5	70.8
8.	B	3.0	90.9	3.0	3.0		P	4.9	85.6	2.8	6.7		P	4.5	86.6	2.8	6.2
9.	C	3.0	21.2	66.7	9.1		P	4.9	23.3	62.3	9.2		P	4.5	25.9	60.3	9.1
10.	D	15.2	24.2	12.1	48.5		P	15.5	18.9	20.8	44.6		P	14.6	18.2	20.2	46.9
11.	D	0.0	27.3	0.0	72.7		P	10.8	46.4	6.6	36.1		P	10.2	45.8	6.6	37.4
12.	B	9.1	66.7	18.2	6.1		Q	10.4	67.3	15.7	6.5		Q	9.0	70.5	14.3	6.1
*13.	B,D	6.1	45.5	6.1	42.4		P	19.0	28.7	17.9	34.0		P	18.9	29.9	16.4	34.2
14.	C	24.2	6.1	48.5	21.2		P	24.0	15.9	39.5	20.4		P	23.7	16.1	39.0	20.9
15.	D	15.2	6.1	18.2	60.6		P	12.4	11.9	20.5	55.1		P	12.2	12.2	19.7	55.8
16.	D	15.2	6.1	12.1	66.7		P	22.9	8.9	11.5	56.7		P	21.7	8.2	11.4	58.6
17.	D	3.0	0.0	15.2	81.8		P	3.0	1.7	14.6	80.4		P	3.1	1.8	14.1	80.8
18.	D	3.0	51.5	3.0	42.4		Q	7.7	36.6	8.5	47.1		Q	7.0	35.6	7.6	49.7
19.	A	60.6	30.3	6.1	3.0		P	53.6	37.3	5.4	3.6		P	54.2	38.1	4.6	3.1
20.	D	24.2	0.0	24.2	51.5		Q	12.2	2.6	25.2	60.0		Q	12.7	2.6	23.9	60.8
21.	B	9.1	54.6	3.0	33.3		Q	9.1	61.0	10.2	19.7		Q	9.2	62.3	9.6	18.9
22.	A	51.5	48.5	0.0	0.0		P	49.0	44.7	4.4	1.7		P	48.5	45.4	4.3	1.6
23.	A	39.4	42.4	12.1	6.1		P	30.9	45.4	13.4	10.2		P	31.3	47.2	12.0	9.5
24.	D	0.0	42.4	3.0	54.6		P	3.0	38.8	11.4	46.6		P	3.1	38.1	10.4	48.3
25.	A	63.6	3.0	18.2	15.2		P	47.2	4.8	37.9	10.1		P	50.0	5.0	35.6	9.4
26.	D	18.2	18.2	21.2	42.4		P	20.2	22.8	19.0	37.8		P	20.2	22.1	18.3	39.3
27.	D	6.1	24.2	18.2	51.5		P	11.0	26.2	13.6	49.0		P	11.7	26.3	12.8	49.0
28.	B	12.1	60.6	18.2	9.1		P	11.0	55.9	23.0	9.7		P	11.5	56.2	23.1	9.0
29.	C	3.0	12.1	81.8	3.0		P	8.9	13.0	68.5	9.5		P	8.1	12.5	69.8	9.5
30.	B	0.0	97.0	3.0	0.0		P	5.3	83.8	9.6	1.3		P	4.3	85.0	9.4	1.2
31.	D	12.1	6.1	6.1	75.8		P	17.8	13.0	15.5	53.2		P	18.1	13.0	15.9	52.6
32.	D	9.1	12.1	18.2	60.6		Q	6.3	8.2	11.5	74.1		Q	6.0	8.3	11.2	74.4
33.	C	12.1	18.2	45.5	24.2		Q	13.0	20.2	49.1	17.1		Q	12.8	19.5	50.6	16.4
34.	C	3.0	0.0	93.9	3.0		P	5.0	2.0	86.1	7.0		P	4.9	1.6	86.6	6.9
35.	C	9.1	0.0	87.9	3.0		P	6.8	11.3	69.1	12.6		P	6.6	12.0	68.3	12.8
36.	B	6.1	81.8	3.0	9.1		Q	2.8	89.6	5.4	2.2		Q	2.7	90.0	5.1	2.2
37.	C	0.0	27.3	72.7	0.0		P	6.6	25.3	61.9	6.1		P	6.5	24.3	63.5	5.5
38.	A	100.0	0.0	0.0	0.0		P	77.7	6.3	10.3	5.6		P	77.3	7.1	9.9	5.6
39.	B	3.0	78.8	6.1	12.1		P	12.4	69.7	7.5	10.4		P	11.5	72.3	6.3	9.8
40.	C	12.1	3.0	84.9	0.0		P	5.6	12.7	77.9	3.8		P	5.2	12.7	78.5	3.7
41.	D	12.1	24.2	24.2	39.4		Q	17.0	21.3	21.3	40.0		Q	17.1	20.3	20.7	41.5
42.	B	0.0	100.0	0.0	0.0		P	10.1	83.0	3.7	3.2		P	9.3	84.1	3.7	2.8
43.	B	45.5	27.3	9.1	18.2		Q	22.3	41.8	17.8	17.5		Q	23.3	42.0	16.9	17.3
44.	C	3.0	12.1	72.7	12.1		P	7.3	10.5	72.1	9.8		Q	7.1	10.7	72.8	9.2
45.	B	27.3	54.6	6.1	12.1		P	29.5	48.0	15.7	6.5		P	30.2	47.9	15.5	6.2
46.	B	18.2	69.7	12.1	0.0		P	17.0	62.9	10.3	9.6		P	16.9	64.4	9.2	9.2
47.	B	15.2	39.4	39.4	3.0		Q	7.9	45.8	39.5	6.3		Q	7.1	47.6	39.5	5.3
48.	B	3.0	90.9	6.1	0.0		P	4.1	85.3	6.5	3.9		P	3.8	85.0	6.8	4.2
49.	C	12.1	3.0	54.6	30.3		Q	5.9	10.6	61.8	21.3		Q	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 4 - Eastern

(percentage of students who selected each response)

#235 - Clarenville High School, Clarenville

Grades: 9-12

Item	Key	School [N=43]				School Below Above District		District [N=1,840]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	48.8	32.6	4.7	14.0		P	37.5	39.0	10.4	13.1		P	37.7	39.4	10.0	12.9
2.	A	18.6	37.2	2.3	41.9		Q	18.9	24.2	7.7	48.9		Q	19.5	23.4	7.8	49.0
3.	C	0.0	2.3	81.4	16.3		P	3.6	2.4	79.4	14.6		P	3.9	2.8	77.9	15.5
4.	C	4.7	20.9	62.8	11.6		P	5.9	15.9	61.4	16.5		P	5.2	16.6	61.0	16.8
5.	D	7.0	18.6	27.9	46.5		Q	12.1	19.6	20.5	47.6		Q	11.7	18.5	21.1	48.6
6.	B	2.3	95.4	2.3	0.0		P	2.1	90.7	5.1	2.0		P	2.1	90.5	5.2	2.2
7.	D	7.0	11.6	9.3	72.1		P	8.2	12.9	9.7	68.8		P	7.2	13.2	8.5	70.8
8.	B	4.7	93.0	0.0	2.3		P	4.9	85.6	2.8	6.7		P	4.5	86.6	2.8	6.2
9.	C	4.7	18.6	74.4	2.3		P	4.9	23.3	62.3	9.2		P	4.5	25.9	60.3	9.1
10.	D	11.6	14.0	16.3	58.1		P	15.5	18.9	20.8	44.6		P	14.6	18.2	20.2	46.9
11.	D	7.0	44.2	0.0	48.8		P	10.8	46.4	6.6	36.1		P	10.2	45.8	6.6	37.4
12.	B	4.7	67.4	16.3	11.6		P	10.4	67.3	15.7	6.5		Q	9.0	70.5	14.3	6.1
*13.	B,D	16.3	30.2	23.3	27.9		Q	19.0	28.7	17.9	34.0		Q	18.9	29.9	16.4	34.2
14.	C	11.6	14.0	53.5	20.9		P	24.0	15.9	39.5	20.4		P	23.7	16.1	39.0	20.9
15.	D	27.9	4.7	4.7	62.8		P	12.4	11.9	20.5	55.1		P	12.2	12.2	19.7	55.8
16.	D	18.6	4.7	9.3	67.4		P	22.9	8.9	11.5	56.7		P	21.7	8.2	11.4	58.6
17.	D	2.3	0.0	9.3	88.4		P	3.0	1.7	14.6	80.4		P	3.1	1.8	14.1	80.8
18.	D	9.3	20.9	4.7	65.1		P	7.7	36.6	8.5	47.1		P	7.0	35.6	7.6	49.7
19.	A	44.2	51.2	2.3	2.3		Q	53.6	37.3	5.4	3.6		Q	54.2	38.1	4.6	3.1
20.	D	7.0	0.0	25.6	67.4		P	12.2	2.6	25.2	60.0		P	12.7	2.6	23.9	60.8
21.	B	2.3	76.7	0.0	20.9		P	9.1	61.0	10.2	19.7		P	9.2	62.3	9.6	18.9
22.	A	53.5	44.2	0.0	2.3		P	49.0	44.7	4.4	1.7		P	48.5	45.4	4.3	1.6
23.	A	23.3	53.5	14.0	9.3		Q	30.9	45.4	13.4	10.2		Q	31.3	47.2	12.0	9.5
24.	D	0.0	23.3	2.3	74.4		P	3.0	38.8	11.4	46.6		P	3.1	38.1	10.4	48.3
25.	A	62.8	4.7	32.6	0.0		P	47.2	4.8	37.9	10.1		P	50.0	5.0	35.6	9.4
26.	D	16.3	14.0	18.6	51.2		P	20.2	22.8	19.0	37.8		P	20.2	22.1	18.3	39.3
27.	D	11.6	25.6	11.6	51.2		P	11.0	26.2	13.6	49.0		P	11.7	26.3	12.8	49.0
28.	B	14.0	58.1	16.3	11.6		P	11.0	55.9	23.0	9.7		P	11.5	56.2	23.1	9.0
29.	C	7.0	9.3	72.1	11.6		P	8.9	13.0	68.5	9.5		P	8.1	12.5	69.8	9.5
30.	B	0.0	97.7	2.3	0.0		P	5.3	83.8	9.6	1.3		P	4.3	85.0	9.4	1.2
31.	D	14.0	9.3	9.3	67.4		P	17.8	13.0	15.5	53.2		P	18.1	13.0	15.9	52.6
32.	D	9.3	4.7	16.3	69.8		Q	6.3	8.2	11.5	74.1		Q	6.0	8.3	11.2	74.4
33.	C	25.6	11.6	53.5	9.3		P	13.0	20.2	49.1	17.1		P	12.8	19.5	50.6	16.4
34.	C	2.3	0.0	95.4	2.3		P	5.0	2.0	86.1	7.0		P	4.9	1.6	86.6	6.9
35.	C	7.0	7.0	72.1	14.0		P	6.8	11.3	69.1	12.6		P	6.6	12.0	68.3	12.8
36.	B	4.7	88.4	7.0	0.0		Q	2.8	89.6	5.4	2.2		Q	2.7	90.0	5.1	2.2
37.	C	14.0	7.0	79.1	0.0		P	6.6	25.3	61.9	6.1		P	6.5	24.3	63.5	5.5
38.	A	90.7	2.3	7.0	0.0		P	77.7	6.3	10.3	5.6		P	77.3	7.1	9.9	5.6
39.	B	4.7	76.7	7.0	11.6		P	12.4	69.7	7.5	10.4		P	11.5	72.3	6.3	9.8
40.	C	0.0	4.7	93.0	2.3		P	5.6	12.7	77.9	3.8		P	5.2	12.7	78.5	3.7
41.	D	7.0	14.0	14.0	65.1		P	17.0	21.3	21.3	40.0		P	17.1	20.3	20.7	41.5
42.	B	9.3	88.4	0.0	2.3		P	10.1	83.0	3.7	3.2		P	9.3	84.1	3.7	2.8
43.	B	20.9	41.9	20.9	16.3		P	22.3	41.8	17.8	17.5		Q	23.3	42.0	16.9	17.3
44.	C	4.7	4.7	76.7	11.6		P	7.3	10.5	72.1	9.8		P	7.1	10.7	72.8	9.2
45.	B	30.2	44.2	18.6	7.0		Q	29.5	48.0	15.7	6.5		Q	30.2	47.9	15.5	6.2
46.	B	18.6	72.1	7.0	2.3		P	17.0	62.9	10.3	9.6		P	16.9	64.4	9.2	9.2
47.	B	4.7	72.1	23.3	0.0		P	7.9	45.8	39.5	6.3		P	7.1	47.6	39.5	5.3
48.	B	2.3	90.7	7.0	0.0		P	4.1	85.3	6.5	3.9		P	3.8	85.0	6.8	4.2
49.	C	2.3	0.0	67.4	30.2		P	5.9	10.6	61.8	21.3		P	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 4 - Eastern

(percentage of students who selected each response)

#240 - Bishop White School, Port Rexton

Grades: K-12

Item	Key	School [N=12]				School Below Above District		District [N=1,840]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	50.0	50.0	0.0	0.0		P	37.5	39.0	10.4	13.1		P	37.7	39.4	10.0	12.9
2.	A	0.0	16.7	8.3	75.0		Q	18.9	24.2	7.7	48.9		Q	19.5	23.4	7.8	49.0
3.	C	0.0	8.3	66.7	25.0		Q	3.6	2.4	79.4	14.6		Q	3.9	2.8	77.9	15.5
4.	C	8.3	50.0	33.3	8.3		Q	5.9	15.9	61.4	16.5		Q	5.2	16.6	61.0	16.8
5.	D	0.0	33.3	25.0	41.7		Q	12.1	19.6	20.5	47.6		Q	11.7	18.5	21.1	48.6
6.	B	0.0	83.3	8.3	8.3		Q	2.1	90.7	5.1	2.0		Q	2.1	90.5	5.2	2.2
7.	D	33.3	16.7	0.0	50.0		Q	8.2	12.9	9.7	68.8		Q	7.2	13.2	8.5	70.8
8.	B	0.0	75.0	8.3	16.7		Q	4.9	85.6	2.8	6.7		Q	4.5	86.6	2.8	6.2
9.	C	8.3	16.7	66.7	8.3		P	4.9	23.3	62.3	9.2		P	4.5	25.9	60.3	9.1
10.	D	16.7	25.0	16.7	41.7		Q	15.5	18.9	20.8	44.6		Q	14.6	18.2	20.2	46.9
11.	D	16.7	41.7	16.7	25.0		Q	10.8	46.4	6.6	36.1		Q	10.2	45.8	6.6	37.4
12.	B	0.0	83.3	8.3	8.3		P	10.4	67.3	15.7	6.5		P	9.0	70.5	14.3	6.1
*13.	B,D	8.3	50.0	16.7	25.0		P	19.0	28.7	17.9	34.0		P	18.9	29.9	16.4	34.2
14.	C	41.7	8.3	33.3	16.7		Q	24.0	15.9	39.5	20.4		Q	23.7	16.1	39.0	20.9
15.	D	25.0	16.7	25.0	33.3		Q	12.4	11.9	20.5	55.1		Q	12.2	12.2	19.7	55.8
16.	D	41.7	16.7	8.3	33.3		Q	22.9	8.9	11.5	56.7		Q	21.7	8.2	11.4	58.6
17.	D	0.0	8.3	16.7	75.0		Q	3.0	1.7	14.6	80.4		Q	3.1	1.8	14.1	80.8
18.	D	0.0	33.3	0.0	66.7		P	7.7	36.6	8.5	47.1		P	7.0	35.6	7.6	49.7
19.	A	58.3	16.7	25.0	0.0		P	53.6	37.3	5.4	3.6		P	54.2	38.1	4.6	3.1
20.	D	16.7	0.0	16.7	66.7		P	12.2	2.6	25.2	60.0		P	12.7	2.6	23.9	60.8
21.	B	0.0	83.3	8.3	8.3		P	9.1	61.0	10.2	19.7		P	9.2	62.3	9.6	18.9
22.	A	75.0	8.3	16.7	0.0		P	49.0	44.7	4.4	1.7		P	48.5	45.4	4.3	1.6
23.	A	16.7	50.0	33.3	0.0		Q	30.9	45.4	13.4	10.2		Q	31.3	47.2	12.0	9.5
24.	D	8.3	66.7	0.0	25.0		Q	3.0	38.8	11.4	46.6		Q	3.1	38.1	10.4	48.3
25.	A	16.7	8.3	66.7	8.3		Q	47.2	4.8	37.9	10.1		Q	50.0	5.0	35.6	9.4
26.	D	33.3	8.3	33.3	25.0		Q	20.2	22.8	19.0	37.8		Q	20.2	22.1	18.3	39.3
27.	D	8.3	25.0	33.3	33.3		Q	11.0	26.2	13.6	49.0		Q	11.7	26.3	12.8	49.0
28.	B	16.7	58.3	25.0	0.0		P	11.0	55.9	23.0	9.7		P	11.5	56.2	23.1	9.0
29.	C	0.0	0.0	75.0	25.0		P	8.9	13.0	68.5	9.5		P	8.1	12.5	69.8	9.5
30.	B	8.3	75.0	16.7	0.0		Q	5.3	83.8	9.6	1.3		Q	4.3	85.0	9.4	1.2
31.	D	25.0	33.3	8.3	33.3		Q	17.8	13.0	15.5	53.2		Q	18.1	13.0	15.9	52.6
32.	D	0.0	8.3	0.0	91.7		P	6.3	8.2	11.5	74.1		P	6.0	8.3	11.2	74.4
33.	C	33.3	16.7	41.7	8.3		Q	13.0	20.2	49.1	17.1		Q	12.8	19.5	50.6	16.4
34.	C	16.7	0.0	75.0	8.3		Q	5.0	2.0	86.1	7.0		Q	4.9	1.6	86.6	6.9
35.	C	16.7	8.3	75.0	0.0		P	6.8	11.3	69.1	12.6		P	6.6	12.0	68.3	12.8
36.	B	8.3	75.0	16.7	0.0		Q	2.8	89.6	5.4	2.2		Q	2.7	90.0	5.1	2.2
37.	C	8.3	8.3	75.0	8.3		P	6.6	25.3	61.9	6.1		P	6.5	24.3	63.5	5.5
38.	A	66.7	16.7	16.7	0.0		Q	77.7	6.3	10.3	5.6		Q	77.3	7.1	9.9	5.6
39.	B	0.0	75.0	0.0	25.0		P	12.4	69.7	7.5	10.4		P	11.5	72.3	6.3	9.8
40.	C	0.0	8.3	75.0	16.7		Q	5.6	12.7	77.9	3.8		Q	5.2	12.7	78.5	3.7
41.	D	16.7	41.7	0.0	41.7		P	17.0	21.3	21.3	40.0		P	17.1	20.3	20.7	41.5
42.	B	8.3	75.0	16.7	0.0		Q	10.1	83.0	3.7	3.2		Q	9.3	84.1	3.7	2.8
43.	B	41.7	33.3	25.0	0.0		Q	22.3	41.8	17.8	17.5		Q	23.3	42.0	16.9	17.3
44.	C	0.0	8.3	91.7	0.0		P	7.3	10.5	72.1	9.8		P	7.1	10.7	72.8	9.2
45.	B	25.0	50.0	8.3	16.7		P	29.5	48.0	15.7	6.5		P	30.2	47.9	15.5	6.2
46.	B	8.3	75.0	8.3	8.3		P	17.0	62.9	10.3	9.6		P	16.9	64.4	9.2	9.2
47.	B	0.0	50.0	50.0	0.0		P	7.9	45.8	39.5	6.3		P	7.1	47.6	39.5	5.3
48.	B	0.0	83.3	8.3	8.3		Q	4.1	85.3	6.5	3.9		Q	3.8	85.0	6.8	4.2
49.	C	8.3	8.3	75.0	8.3		P	5.9	10.6	61.8	21.3		P	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

District 4 - Eastern

(percentage of students who selected each response)

#247 - Roncalli Central High, Avondale

Grades: 5-12

Item	Key	School [N=33]				School Below Above District	District [N=1,840]				School Below Above Province	Province [N=3,011]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	A	30.3	33.3	9.1	27.3	q	37.5	39.0	10.4	13.1	q	37.7	39.4	10.0	12.9
2.	A	12.1	12.1	18.2	57.6	q	18.9	24.2	7.7	48.9	q	19.5	23.4	7.8	49.0
3.	C	0.0	3.0	81.8	15.2	p	3.6	2.4	79.4	14.6	p	3.9	2.8	77.9	15.5
4.	C	6.1	15.2	57.6	21.2	q	5.9	15.9	61.4	16.5	q	5.2	16.6	61.0	16.8
5.	D	21.2	30.3	6.1	42.4	q	12.1	19.6	20.5	47.6	q	11.7	18.5	21.1	48.6
6.	B	3.0	87.9	6.1	3.0	q	2.1	90.7	5.1	2.0	q	2.1	90.5	5.2	2.2
7.	D	12.1	6.1	15.2	66.7	q	8.2	12.9	9.7	68.8	q	7.2	13.2	8.5	70.8
8.	B	15.2	75.8	3.0	6.1	q	4.9	85.6	2.8	6.7	q	4.5	86.6	2.8	6.2
9.	C	3.0	18.2	72.7	6.1	p	4.9	23.3	62.3	9.2	p	4.5	25.9	60.3	9.1
10.	D	30.3	0.0	24.2	45.5	p	15.5	18.9	20.8	44.6	q	14.6	18.2	20.2	46.9
11.	D	15.2	54.6	9.1	21.2	q	10.8	46.4	6.6	36.1	q	10.2	45.8	6.6	37.4
12.	B	18.2	60.6	12.1	9.1	q	10.4	67.3	15.7	6.5	q	9.0	70.5	14.3	6.1
*13.	B,D	18.2	27.3	18.2	36.4	p	19.0	28.7	17.9	34.0	q	18.9	29.9	16.4	34.2
14.	C	21.2	27.3	30.3	21.2	q	24.0	15.9	39.5	20.4	q	23.7	16.1	39.0	20.9
15.	D	18.2	15.2	33.3	33.3	q	12.4	11.9	20.5	55.1	q	12.2	12.2	19.7	55.8
16.	D	33.3	6.1	12.1	48.5	q	22.9	8.9	11.5	56.7	q	21.7	8.2	11.4	58.6
17.	D	0.0	0.0	12.1	87.9	p	3.0	1.7	14.6	80.4	p	3.1	1.8	14.1	80.8
18.	D	6.1	33.3	9.1	51.5	p	7.7	36.6	8.5	47.1	p	7.0	35.6	7.6	49.7
19.	A	54.6	36.4	9.1	0.0	p	53.6	37.3	5.4	3.6	p	54.2	38.1	4.6	3.1
20.	D	9.1	3.0	36.4	51.5	q	12.2	2.6	25.2	60.0	q	12.7	2.6	23.9	60.8
21.	B	18.2	60.6	12.1	9.1	q	9.1	61.0	10.2	19.7	q	9.2	62.3	9.6	18.9
22.	A	33.3	54.6	9.1	0.0	q	49.0	44.7	4.4	1.7	q	48.5	45.4	4.3	1.6
23.	A	18.2	51.5	12.1	15.2	q	30.9	45.4	13.4	10.2	q	31.3	47.2	12.0	9.5
24.	D	0.0	54.6	9.1	33.3	q	3.0	38.8	11.4	46.6	q	3.1	38.1	10.4	48.3
25.	A	39.4	0.0	39.4	21.2	q	47.2	4.8	37.9	10.1	q	50.0	5.0	35.6	9.4
26.	D	27.3	21.2	30.3	21.2	q	20.2	22.8	19.0	37.8	q	20.2	22.1	18.3	39.3
27.	D	0.0	18.2	9.1	72.7	p	11.0	26.2	13.6	49.0	p	11.7	26.3	12.8	49.0
28.	B	12.1	54.6	21.2	9.1	q	11.0	55.9	23.0	9.7	q	11.5	56.2	23.1	9.0
29.	C	9.1	15.2	66.7	9.1	q	8.9	13.0	68.5	9.5	q	8.1	12.5	69.8	9.5
30.	B	6.1	72.7	18.2	3.0	q	5.3	83.8	9.6	1.3	q	4.3	85.0	9.4	1.2
31.	D	15.2	24.2	9.1	48.5	q	17.8	13.0	15.5	53.2	q	18.1	13.0	15.9	52.6
32.	D	0.0	3.0	15.2	81.8	p	6.3	8.2	11.5	74.1	p	6.0	8.3	11.2	74.4
33.	C	12.1	18.2	54.6	9.1	p	13.0	20.2	49.1	17.1	p	12.8	19.5	50.6	16.4
34.	C	3.0	0.0	84.9	12.1	q	5.0	2.0	86.1	7.0	q	4.9	1.6	86.6	6.9
35.	C	6.1	27.3	48.5	18.2	q	6.8	11.3	69.1	12.6	q	6.6	12.0	68.3	12.8
36.	B	0.0	97.0	3.0	0.0	p	2.8	89.6	5.4	2.2	p	2.7	90.0	5.1	2.2
37.	C	3.0	33.3	57.6	6.1	q	6.6	25.3	61.9	6.1	q	6.5	24.3	63.5	5.5
38.	A	72.7	15.2	9.1	3.0	q	77.7	6.3	10.3	5.6	q	77.3	7.1	9.9	5.6
39.	B	18.2	69.7	12.1	0.0	q	12.4	69.7	7.5	10.4	q	11.5	72.3	6.3	9.8
40.	C	9.1	6.1	78.8	6.1	p	5.6	12.7	77.9	3.8	p	5.2	12.7	78.5	3.7
41.	D	15.2	21.2	18.2	45.5	p	17.0	21.3	21.3	40.0	p	17.1	20.3	20.7	41.5
42.	B	3.0	87.9	0.0	9.1	p	10.1	83.0	3.7	3.2	p	9.3	84.1	3.7	2.8
43.	B	18.2	51.5	21.2	9.1	p	22.3	41.8	17.8	17.5	p	23.3	42.0	16.9	17.3
44.	C	18.2	15.2	54.6	12.1	q	7.3	10.5	72.1	9.8	q	7.1	10.7	72.8	9.2
45.	B	27.3	51.5	15.2	6.1	p	29.5	48.0	15.7	6.5	p	30.2	47.9	15.5	6.2
46.	B	27.3	57.6	3.0	9.1	q	17.0	62.9	10.3	9.6	q	16.9	64.4	9.2	9.2
47.	B	3.0	60.6	30.3	6.1	p	7.9	45.8	39.5	6.3	p	7.1	47.6	39.5	5.3
48.	B	3.0	78.8	9.1	6.1	q	4.1	85.3	6.5	3.9	q	3.8	85.0	6.8	4.2
49.	C	3.0	9.1	63.6	21.2	p	5.9	10.6	61.8	21.3	p	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 4 - Eastern

(percentage of students who selected each response)

#249 - Ascension Collegiate, Bay Roberts

Grades: 10-12

Item	Key	School [N=118]				School Below Above District	District [N=1,840]				School Below Above Province	Province [N=3,011]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	A	50.0	33.9	8.5	7.6	P	37.5	39.0	10.4	13.1	P	37.7	39.4	10.0	12.9
2.	A	28.0	17.8	4.2	48.3	P	18.9	24.2	7.7	48.9	P	19.5	23.4	7.8	49.0
3.	C	2.5	2.5	80.5	14.4	P	3.6	2.4	79.4	14.6	P	3.9	2.8	77.9	15.5
4.	C	3.4	15.3	67.0	14.4	P	5.9	15.9	61.4	16.5	P	5.2	16.6	61.0	16.8
5.	D	15.3	12.7	19.5	52.5	P	12.1	19.6	20.5	47.6	P	11.7	18.5	21.1	48.6
6.	B	2.5	90.7	6.8	0.0	Q	2.1	90.7	5.1	2.0	P	2.1	90.5	5.2	2.2
7.	D	11.9	13.6	9.3	65.3	Q	8.2	12.9	9.7	68.8	Q	7.2	13.2	8.5	70.8
8.	B	0.9	94.9	0.9	3.4	P	4.9	85.6	2.8	6.7	P	4.5	86.6	2.8	6.2
9.	C	3.4	24.6	61.0	11.0	Q	4.9	23.3	62.3	9.2	P	4.5	25.9	60.3	9.1
10.	D	8.5	28.8	17.0	45.8	P	15.5	18.9	20.8	44.6	Q	14.6	18.2	20.2	46.9
11.	D	10.2	23.7	5.9	60.2	P	10.8	46.4	6.6	36.1	P	10.2	45.8	6.6	37.4
12.	B	17.0	65.3	14.4	3.4	Q	10.4	67.3	15.7	6.5	Q	9.0	70.5	14.3	6.1
*13.	B,D	16.1	39.0	16.1	28.8	P	19.0	28.7	17.9	34.0	P	18.9	29.9	16.4	34.2
14.	C	21.2	11.0	49.2	17.8	P	24.0	15.9	39.5	20.4	P	23.7	16.1	39.0	20.9
15.	D	11.9	9.3	16.1	62.7	P	12.4	11.9	20.5	55.1	P	12.2	12.2	19.7	55.8
16.	D	22.9	5.1	11.9	60.2	P	22.9	8.9	11.5	56.7	P	21.7	8.2	11.4	58.6
17.	D	5.9	2.5	13.6	76.3	Q	3.0	1.7	14.6	80.4	Q	3.1	1.8	14.1	80.8
18.	D	10.2	18.6	4.2	67.0	P	7.7	36.6	8.5	47.1	P	7.0	35.6	7.6	49.7
19.	A	60.2	33.1	3.4	3.4	P	53.6	37.3	5.4	3.6	P	54.2	38.1	4.6	3.1
20.	D	13.6	4.2	22.0	60.2	P	12.2	2.6	25.2	60.0	Q	12.7	2.6	23.9	60.8
21.	B	2.5	71.2	10.2	16.1	P	9.1	61.0	10.2	19.7	P	9.2	62.3	9.6	18.9
22.	A	52.5	44.9	1.7	0.9	P	49.0	44.7	4.4	1.7	P	48.5	45.4	4.3	1.6
23.	A	43.2	41.5	4.2	11.0	P	30.9	45.4	13.4	10.2	P	31.3	47.2	12.0	9.5
24.	D	6.8	18.6	13.6	60.2	P	3.0	38.8	11.4	46.6	P	3.1	38.1	10.4	48.3
25.	A	49.2	11.9	28.8	9.3	P	47.2	4.8	37.9	10.1	Q	50.0	5.0	35.6	9.4
26.	D	17.0	17.0	14.4	50.9	P	20.2	22.8	19.0	37.8	P	20.2	22.1	18.3	39.3
27.	D	7.6	23.7	13.6	54.2	P	11.0	26.2	13.6	49.0	P	11.7	26.3	12.8	49.0
28.	B	10.2	67.8	17.0	4.2	P	11.0	55.9	23.0	9.7	P	11.5	56.2	23.1	9.0
29.	C	3.4	8.5	78.8	8.5	P	8.9	13.0	68.5	9.5	P	8.1	12.5	69.8	9.5
30.	B	3.4	94.1	1.7	0.9	P	5.3	83.8	9.6	1.3	P	4.3	85.0	9.4	1.2
31.	D	22.9	5.9	10.2	60.2	P	17.8	13.0	15.5	53.2	P	18.1	13.0	15.9	52.6
32.	D	0.9	5.1	9.3	84.8	P	6.3	8.2	11.5	74.1	P	6.0	8.3	11.2	74.4
33.	C	8.5	14.4	66.1	11.0	P	13.0	20.2	49.1	17.1	P	12.8	19.5	50.6	16.4
34.	C	2.5	0.0	89.8	7.6	P	5.0	2.0	86.1	7.0	P	4.9	1.6	86.6	6.9
35.	C	5.9	10.2	75.4	7.6	P	6.8	11.3	69.1	12.6	P	6.6	12.0	68.3	12.8
36.	B	0.9	92.4	3.4	2.5	P	2.8	89.6	5.4	2.2	P	2.7	90.0	5.1	2.2
37.	C	4.2	26.3	62.7	5.9	P	6.6	25.3	61.9	6.1	Q	6.5	24.3	63.5	5.5
38.	A	76.3	6.8	9.3	6.8	Q	77.7	6.3	10.3	5.6	Q	77.3	7.1	9.9	5.6
39.	B	11.0	78.0	3.4	6.8	P	12.4	69.7	7.5	10.4	P	11.5	72.3	6.3	9.8
40.	C	11.0	9.3	76.3	3.4	Q	5.6	12.7	77.9	3.8	Q	5.2	12.7	78.5	3.7
41.	D	9.3	14.4	19.5	55.9	P	17.0	21.3	21.3	40.0	P	17.1	20.3	20.7	41.5
42.	B	5.1	88.1	5.9	0.9	P	10.1	83.0	3.7	3.2	P	9.3	84.1	3.7	2.8
43.	B	19.5	41.5	21.2	17.0	Q	22.3	41.8	17.8	17.5	Q	23.3	42.0	16.9	17.3
44.	C	4.2	11.9	78.0	5.1	P	7.3	10.5	72.1	9.8	P	7.1	10.7	72.8	9.2
45.	B	25.4	51.7	20.3	1.7	P	29.5	48.0	15.7	6.5	P	30.2	47.9	15.5	6.2
46.	B	15.3	72.0	8.5	3.4	P	17.0	62.9	10.3	9.6	P	16.9	64.4	9.2	9.2
47.	B	9.3	37.3	39.0	12.7	Q	7.9	45.8	39.5	6.3	Q	7.1	47.6	39.5	5.3
48.	B	4.2	91.5	3.4	0.0	P	4.1	85.3	6.5	3.9	P	3.8	85.0	6.8	4.2
49.	C	4.2	8.5	65.3	22.0	P	5.9	10.6	61.8	21.3	P	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

District 4 - Eastern

(percentage of students who selected each response)

#253 - Carbonear Collegiate, Carbonear

Grades: 10-12

Item	Key	School [N=58]				School Below Above District		District [N=1,840]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	70.7	17.2	8.6	3.5		P	37.5	39.0	10.4	13.1		P	37.7	39.4	10.0	12.9
2.	A	12.1	32.8	6.9	48.3		Q	18.9	24.2	7.7	48.9		Q	19.5	23.4	7.8	49.0
3.	C	1.7	1.7	75.9	20.7		Q	3.6	2.4	79.4	14.6		Q	3.9	2.8	77.9	15.5
4.	C	5.2	6.9	69.0	19.0		P	5.9	15.9	61.4	16.5		P	5.2	16.6	61.0	16.8
5.	D	8.6	22.4	15.5	53.5		P	12.1	19.6	20.5	47.6		P	11.7	18.5	21.1	48.6
6.	B	5.2	89.7	3.5	1.7		Q	2.1	90.7	5.1	2.0		Q	2.1	90.5	5.2	2.2
7.	D	6.9	6.9	5.2	81.0		P	8.2	12.9	9.7	68.8		P	7.2	13.2	8.5	70.8
8.	B	0.0	94.8	0.0	5.2		P	4.9	85.6	2.8	6.7		P	4.5	86.6	2.8	6.2
9.	C	1.7	20.7	74.1	3.5		P	4.9	23.3	62.3	9.2		P	4.5	25.9	60.3	9.1
10.	D	12.1	25.9	19.0	43.1		Q	15.5	18.9	20.8	44.6		Q	14.6	18.2	20.2	46.9
11.	D	5.2	41.4	8.6	44.8		P	10.8	46.4	6.6	36.1		P	10.2	45.8	6.6	37.4
12.	B	10.3	77.6	5.2	6.9		P	10.4	67.3	15.7	6.5		P	9.0	70.5	14.3	6.1
*13.	B,D	27.6	27.6	24.1	20.7		Q	19.0	28.7	17.9	34.0		Q	18.9	29.9	16.4	34.2
14.	C	17.2	17.2	50.0	15.5		P	24.0	15.9	39.5	20.4		P	23.7	16.1	39.0	20.9
15.	D	17.2	6.9	17.2	58.6		P	12.4	11.9	20.5	55.1		P	12.2	12.2	19.7	55.8
16.	D	24.1	8.6	3.5	63.8		P	22.9	8.9	11.5	56.7		P	21.7	8.2	11.4	58.6
17.	D	0.0	3.5	10.3	86.2		P	3.0	1.7	14.6	80.4		P	3.1	1.8	14.1	80.8
18.	D	8.6	37.9	12.1	41.4		Q	7.7	36.6	8.5	47.1		Q	7.0	35.6	7.6	49.7
19.	A	41.4	48.3	5.2	5.2		Q	53.6	37.3	5.4	3.6		Q	54.2	38.1	4.6	3.1
20.	D	13.8	3.5	19.0	63.8		P	12.2	2.6	25.2	60.0		P	12.7	2.6	23.9	60.8
21.	B	15.5	48.3	15.5	20.7		Q	9.1	61.0	10.2	19.7		Q	9.2	62.3	9.6	18.9
22.	A	55.2	44.8	0.0	0.0		P	49.0	44.7	4.4	1.7		P	48.5	45.4	4.3	1.6
23.	A	46.6	32.8	15.5	5.2		P	30.9	45.4	13.4	10.2		P	31.3	47.2	12.0	9.5
24.	D	3.5	25.9	13.8	55.2		P	3.0	38.8	11.4	46.6		P	3.1	38.1	10.4	48.3
25.	A	36.2	3.5	44.8	15.5		Q	47.2	4.8	37.9	10.1		Q	50.0	5.0	35.6	9.4
26.	D	15.5	27.6	15.5	41.4		P	20.2	22.8	19.0	37.8		P	20.2	22.1	18.3	39.3
27.	D	12.1	37.9	13.8	36.2		Q	11.0	26.2	13.6	49.0		Q	11.7	26.3	12.8	49.0
28.	B	8.6	63.8	22.4	5.2		P	11.0	55.9	23.0	9.7		P	11.5	56.2	23.1	9.0
29.	C	8.6	19.0	63.8	8.6		Q	8.9	13.0	68.5	9.5		Q	8.1	12.5	69.8	9.5
30.	B	5.2	86.2	8.6	0.0		P	5.3	83.8	9.6	1.3		P	4.3	85.0	9.4	1.2
31.	D	24.1	10.3	15.5	50.0		Q	17.8	13.0	15.5	53.2		Q	18.1	13.0	15.9	52.6
32.	D	1.7	5.2	6.9	86.2		P	6.3	8.2	11.5	74.1		P	6.0	8.3	11.2	74.4
33.	C	15.5	27.6	36.2	17.2		Q	13.0	20.2	49.1	17.1		Q	12.8	19.5	50.6	16.4
34.	C	0.0	5.2	93.1	1.7		P	5.0	2.0	86.1	7.0		P	4.9	1.6	86.6	6.9
35.	C	6.9	15.5	70.7	6.9		P	6.8	11.3	69.1	12.6		P	6.6	12.0	68.3	12.8
36.	B	0.0	98.3	1.7	0.0		P	2.8	89.6	5.4	2.2		P	2.7	90.0	5.1	2.2
37.	C	0.0	25.9	69.0	5.2		P	6.6	25.3	61.9	6.1		P	6.5	24.3	63.5	5.5
38.	A	53.5	17.2	19.0	10.3		Q	77.7	6.3	10.3	5.6		Q	77.3	7.1	9.9	5.6
39.	B	13.8	70.7	3.5	12.1		P	12.4	69.7	7.5	10.4		Q	11.5	72.3	6.3	9.8
40.	C	3.5	13.8	74.1	8.6		Q	5.6	12.7	77.9	3.8		Q	5.2	12.7	78.5	3.7
41.	D	24.1	13.8	19.0	43.1		P	17.0	21.3	21.3	40.0		P	17.1	20.3	20.7	41.5
42.	B	10.3	77.6	3.5	8.6		Q	10.1	83.0	3.7	3.2		Q	9.3	84.1	3.7	2.8
43.	B	32.8	39.7	13.8	13.8		Q	22.3	41.8	17.8	17.5		Q	23.3	42.0	16.9	17.3
44.	C	5.2	13.8	72.4	8.6		P	7.3	10.5	72.1	9.8		Q	7.1	10.7	72.8	9.2
45.	B	25.9	56.9	13.8	3.5		P	29.5	48.0	15.7	6.5		P	30.2	47.9	15.5	6.2
46.	B	15.5	67.2	8.6	8.6		P	17.0	62.9	10.3	9.6		P	16.9	64.4	9.2	9.2
47.	B	10.3	50.0	39.7	0.0		P	7.9	45.8	39.5	6.3		P	7.1	47.6	39.5	5.3
48.	B	8.6	58.6	25.9	6.9		Q	4.1	85.3	6.5	3.9		Q	3.8	85.0	6.8	4.2
49.	C	5.2	5.2	81.0	8.6		P	5.9	10.6	61.8	21.3		P	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

#274 - St. Catherine's Academy, Mount Carmel

Grades: K-12

Item	Key	School [N=17]				School Below Above District		District [N=1,840]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D	A	B	C	D		
1.	A	58.8	29.4	0.0	11.8		P	37.5	39.0	10.4	13.1		P	37.7	39.4	10.0	12.9
2.	A	11.8	17.7	0.0	70.6		Q	18.9	24.2	7.7	48.9		Q	19.5	23.4	7.8	49.0
3.	C	0.0	0.0	64.7	35.3		Q	3.6	2.4	79.4	14.6		Q	3.9	2.8	77.9	15.5
4.	C	0.0	5.9	76.5	17.7		P	5.9	15.9	61.4	16.5		P	5.2	16.6	61.0	16.8
5.	D	23.5	11.8	17.7	47.1		Q	12.1	19.6	20.5	47.6		Q	11.7	18.5	21.1	48.6
6.	B	0.0	100.0	0.0	0.0		P	2.1	90.7	5.1	2.0		P	2.1	90.5	5.2	2.2
7.	D	5.9	11.8	0.0	82.4		P	8.2	12.9	9.7	68.8		P	7.2	13.2	8.5	70.8
8.	B	0.0	82.4	0.0	17.7		Q	4.9	85.6	2.8	6.7		Q	4.5	86.6	2.8	6.2
9.	C	5.9	35.3	58.8	0.0		Q	4.9	23.3	62.3	9.2		Q	4.5	25.9	60.3	9.1
10.	D	11.8	35.3	0.0	52.9		P	15.5	18.9	20.8	44.6		P	14.6	18.2	20.2	46.9
11.	D	11.8	52.9	5.9	29.4		Q	10.8	46.4	6.6	36.1		Q	10.2	45.8	6.6	37.4
12.	B	5.9	82.4	5.9	5.9		P	10.4	67.3	15.7	6.5		P	9.0	70.5	14.3	6.1
*13.	B,D	11.8	41.2	5.9	41.2		P	19.0	28.7	17.9	34.0		P	18.9	29.9	16.4	34.2
14.	C	41.2	11.8	35.3	11.8		Q	24.0	15.9	39.5	20.4		Q	23.7	16.1	39.0	20.9
15.	D	11.8	17.7	11.8	58.8		P	12.4	11.9	20.5	55.1		P	12.2	12.2	19.7	55.8
16.	D	17.7	0.0	23.5	58.8		P	22.9	8.9	11.5	56.7		P	21.7	8.2	11.4	58.6
17.	D	0.0	0.0	17.7	82.4		P	3.0	1.7	14.6	80.4		P	3.1	1.8	14.1	80.8
18.	D	11.8	17.7	5.9	64.7		P	7.7	36.6	8.5	47.1		P	7.0	35.6	7.6	49.7
19.	A	41.2	58.8	0.0	0.0		Q	53.6	37.3	5.4	3.6		Q	54.2	38.1	4.6	3.1
20.	D	41.2	0.0	11.8	47.1		Q	12.2	2.6	25.2	60.0		Q	12.7	2.6	23.9	60.8
21.	B	5.9	47.1	11.8	35.3		Q	9.1	61.0	10.2	19.7		Q	9.2	62.3	9.6	18.9
22.	A	23.5	70.6	5.9	0.0		Q	49.0	44.7	4.4	1.7		Q	48.5	45.4	4.3	1.6
23.	A	23.5	64.7	5.9	5.9		Q	30.9	45.4	13.4	10.2		Q	31.3	47.2	12.0	9.5
24.	D	0.0	23.5	5.9	70.6		P	3.0	38.8	11.4	46.6		P	3.1	38.1	10.4	48.3
25.	A	58.8	0.0	29.4	11.8		P	47.2	4.8	37.9	10.1		P	50.0	5.0	35.6	9.4
26.	D	23.5	0.0	23.5	52.9		P	20.2	22.8	19.0	37.8		P	20.2	22.1	18.3	39.3
27.	D	29.4	17.7	5.9	47.1		Q	11.0	26.2	13.6	49.0		Q	11.7	26.3	12.8	49.0
28.	B	17.7	29.4	47.1	5.9		Q	11.0	55.9	23.0	9.7		Q	11.5	56.2	23.1	9.0
29.	C	5.9	11.8	76.5	5.9		P	8.9	13.0	68.5	9.5		P	8.1	12.5	69.8	9.5
30.	B	0.0	100.0	0.0	0.0		P	5.3	83.8	9.6	1.3		P	4.3	85.0	9.4	1.2
31.	D	5.9	17.7	23.5	52.9		Q	17.8	13.0	15.5	53.2		P	18.1	13.0	15.9	52.6
32.	D	5.9	5.9	11.8	76.5		P	6.3	8.2	11.5	74.1		P	6.0	8.3	11.2	74.4
33.	C	23.5	29.4	35.3	11.8		Q	13.0	20.2	49.1	17.1		Q	12.8	19.5	50.6	16.4
34.	C	0.0	0.0	88.2	11.8		P	5.0	2.0	86.1	7.0		P	4.9	1.6	86.6	6.9
35.	C	0.0	17.7	82.4	0.0		P	6.8	11.3	69.1	12.6		P	6.6	12.0	68.3	12.8
36.	B	0.0	88.2	11.8	0.0		Q	2.8	89.6	5.4	2.2		Q	2.7	90.0	5.1	2.2
37.	C	5.9	0.0	94.1	0.0		P	6.6	25.3	61.9	6.1		P	6.5	24.3	63.5	5.5
38.	A	58.8	11.8	17.7	11.8		Q	77.7	6.3	10.3	5.6		Q	77.3	7.1	9.9	5.6
39.	B	0.0	82.4	0.0	17.7		P	12.4	69.7	7.5	10.4		P	11.5	72.3	6.3	9.8
40.	C	11.8	35.3	47.1	5.9		Q	5.6	12.7	77.9	3.8		Q	5.2	12.7	78.5	3.7
41.	D	23.5	17.7	23.5	35.3		Q	17.0	21.3	21.3	40.0		Q	17.1	20.3	20.7	41.5
42.	B	11.8	70.6	17.7	0.0		Q	10.1	83.0	3.7	3.2		Q	9.3	84.1	3.7	2.8
43.	B	17.7	35.3	17.7	29.4		Q	22.3	41.8	17.8	17.5		Q	23.3	42.0	16.9	17.3
44.	C	11.8	11.8	70.6	5.9		Q	7.3	10.5	72.1	9.8		Q	7.1	10.7	72.8	9.2
45.	B	41.2	58.8	0.0	0.0		P	29.5	48.0	15.7	6.5		P	30.2	47.9	15.5	6.2
46.	B	23.5	58.8	11.8	5.9		Q	17.0	62.9	10.3	9.6		Q	16.9	64.4	9.2	9.2
47.	B	0.0	41.2	35.3	23.5		Q	7.9	45.8	39.5	6.3		Q	7.1	47.6	39.5	5.3
48.	B	0.0	88.2	5.9	5.9		P	4.1	85.3	6.5	3.9		P	3.8	85.0	6.8	4.2
49.	C	0.0	35.3	47.1	17.7		Q	5.9	10.6	61.8	21.3		Q	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.



District 4 - Eastern

(percentage of students who selected each response)

#280 - Laval High, Placentia

Grades: 9-12

Item	Key	School [N=31]				School Below Above District		District [N=1,840]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D	A	B	C	D		
1.	A	48.4	35.5	6.5	9.7		P	37.5	39.0	10.4	13.1		P	37.7	39.4	10.0	12.9
2.	A	12.9	45.2	9.7	32.3		Q	18.9	24.2	7.7	48.9		Q	19.5	23.4	7.8	49.0
3.	C	0.0	0.0	87.1	12.9		P	3.6	2.4	79.4	14.6		P	3.9	2.8	77.9	15.5
4.	C	6.5	12.9	67.7	12.9		P	5.9	15.9	61.4	16.5		P	5.2	16.6	61.0	16.8
5.	D	3.2	25.8	16.1	54.8		P	12.1	19.6	20.5	47.6		P	11.7	18.5	21.1	48.6
6.	B	9.7	90.3	0.0	0.0		Q	2.1	90.7	5.1	2.0		Q	2.1	90.5	5.2	2.2
7.	D	6.5	12.9	3.2	77.4		P	8.2	12.9	9.7	68.8		P	7.2	13.2	8.5	70.8
8.	B	9.7	87.1	0.0	3.2		P	4.9	85.6	2.8	6.7		P	4.5	86.6	2.8	6.2
9.	C	0.0	32.3	58.1	9.7		Q	4.9	23.3	62.3	9.2		Q	4.5	25.9	60.3	9.1
10.	D	12.9	19.4	22.6	45.2		P	15.5	18.9	20.8	44.6		Q	14.6	18.2	20.2	46.9
11.	D	16.1	41.9	6.5	35.5		Q	10.8	46.4	6.6	36.1		Q	10.2	45.8	6.6	37.4
12.	B	3.2	80.7	9.7	6.5		P	10.4	67.3	15.7	6.5		P	9.0	70.5	14.3	6.1
*13.	B,D	29.0	19.4	9.7	41.9		Q	19.0	28.7	17.9	34.0		Q	18.9	29.9	16.4	34.2
14.	C	32.3	16.1	25.8	25.8		Q	24.0	15.9	39.5	20.4		Q	23.7	16.1	39.0	20.9
15.	D	6.5	3.2	22.6	67.7		P	12.4	11.9	20.5	55.1		P	12.2	12.2	19.7	55.8
16.	D	35.5	9.7	3.2	51.6		Q	22.9	8.9	11.5	56.7		Q	21.7	8.2	11.4	58.6
17.	D	0.0	6.5	12.9	80.7		P	3.0	1.7	14.6	80.4		Q	3.1	1.8	14.1	80.8
18.	D	0.0	12.9	12.9	71.0		P	7.7	36.6	8.5	47.1		P	7.0	35.6	7.6	49.7
19.	A	58.1	38.7	3.2	0.0		P	53.6	37.3	5.4	3.6		P	54.2	38.1	4.6	3.1
20.	D	12.9	3.2	19.4	64.5		P	12.2	2.6	25.2	60.0		P	12.7	2.6	23.9	60.8
21.	B	6.5	71.0	3.2	19.4		P	9.1	61.0	10.2	19.7		P	9.2	62.3	9.6	18.9
22.	A	54.8	45.2	0.0	0.0		P	49.0	44.7	4.4	1.7		P	48.5	45.4	4.3	1.6
23.	A	48.4	45.2	6.5	0.0		P	30.9	45.4	13.4	10.2		P	31.3	47.2	12.0	9.5
24.	D	6.5	35.5	6.5	51.6		P	3.0	38.8	11.4	46.6		P	3.1	38.1	10.4	48.3
25.	A	38.7	12.9	45.2	3.2		Q	47.2	4.8	37.9	10.1		Q	50.0	5.0	35.6	9.4
26.	D	29.0	25.8	12.9	32.3		Q	20.2	22.8	19.0	37.8		Q	20.2	22.1	18.3	39.3
27.	D	12.9	25.8	6.5	54.8		P	11.0	26.2	13.6	49.0		P	11.7	26.3	12.8	49.0
28.	B	16.1	54.8	19.4	9.7		Q	11.0	55.9	23.0	9.7		Q	11.5	56.2	23.1	9.0
29.	C	12.9	6.5	71.0	9.7		P	8.9	13.0	68.5	9.5		P	8.1	12.5	69.8	9.5
30.	B	6.5	90.3	3.2	0.0		P	5.3	83.8	9.6	1.3		P	4.3	85.0	9.4	1.2
31.	D	19.4	12.9	6.5	61.3		P	17.8	13.0	15.5	53.2		P	18.1	13.0	15.9	52.6
32.	D	0.0	0.0	12.9	87.1		P	6.3	8.2	11.5	74.1		P	6.0	8.3	11.2	74.4
33.	C	22.6	3.2	35.5	35.5		Q	13.0	20.2	49.1	17.1		Q	12.8	19.5	50.6	16.4
34.	C	0.0	0.0	93.6	6.5		P	5.0	2.0	86.1	7.0		P	4.9	1.6	86.6	6.9
35.	C	0.0	12.9	80.7	6.5		P	6.8	11.3	69.1	12.6		P	6.6	12.0	68.3	12.8
36.	B	0.0	100.0	0.0	0.0		P	2.8	89.6	5.4	2.2		P	2.7	90.0	5.1	2.2
37.	C	22.6	25.8	41.9	9.7		Q	6.6	25.3	61.9	6.1		Q	6.5	24.3	63.5	5.5
38.	A	80.7	6.5	9.7	3.2		P	77.7	6.3	10.3	5.6		P	77.3	7.1	9.9	5.6
39.	B	0.0	83.9	12.9	3.2		P	12.4	69.7	7.5	10.4		P	11.5	72.3	6.3	9.8
40.	C	6.5	9.7	71.0	12.9		Q	5.6	12.7	77.9	3.8		Q	5.2	12.7	78.5	3.7
41.	D	35.5	16.1	9.7	38.7		Q	17.0	21.3	21.3	40.0		Q	17.1	20.3	20.7	41.5
42.	B	16.1	74.2	3.2	6.5		Q	10.1	83.0	3.7	3.2		Q	9.3	84.1	3.7	2.8
43.	B	16.1	48.4	6.5	29.0		P	22.3	41.8	17.8	17.5		P	23.3	42.0	16.9	17.3
44.	C	16.1	9.7	67.7	6.5		Q	7.3	10.5	72.1	9.8		Q	7.1	10.7	72.8	9.2
45.	B	19.4	74.2	6.5	0.0		P	29.5	48.0	15.7	6.5		P	30.2	47.9	15.5	6.2
46.	B	6.5	80.7	12.9	0.0		P	17.0	62.9	10.3	9.6		P	16.9	64.4	9.2	9.2
47.	B	3.2	61.3	32.3	3.2		P	7.9	45.8	39.5	6.3		P	7.1	47.6	39.5	5.3
48.	B	12.9	64.5	12.9	9.7		Q	4.1	85.3	6.5	3.9		Q	3.8	85.0	6.8	4.2
49.	C	0.0	6.5	90.3	3.2		P	5.9	10.6	61.8	21.3		P	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

District 4 - Eastern

(percentage of students who selected each response)

#286 - Fatima Academy, St. Bride's

Grades: K-12

Item	Key	School [N=1]				District [N=1,840]				Province [N=3,011]										
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	A	B	C	D				
1.	A						P	37.5	39.0	10.4	13.1		P	37.7	39.4	10.0	12.9			
2.	A	School data with 5 or fewer students withheld for reasons of confidentiality.					q	18.9	24.2	7.7	48.9		q	19.5	23.4	7.8	49.0			
3.	C									q	3.6	2.4	79.4	14.6		q	3.9	2.8	77.9	15.5
4.	C										P	5.9	15.9	61.4	16.5		P	5.2	16.6	61.0
5.	D						P	12.1	19.6	20.5	47.6		P	11.7	18.5	21.1	48.6			
6.	B						P	2.1	90.7	5.1	2.0		P	2.1	90.5	5.2	2.2			
7.	D						P	8.2	12.9	9.7	68.8		P	7.2	13.2	8.5	70.8			
8.	B						P	4.9	85.6	2.8	6.7		P	4.5	86.6	2.8	6.2			
9.	C						q	4.9	23.3	62.3	9.2		q	4.5	25.9	60.3	9.1			
10.	D						P	15.5	18.9	20.8	44.6		P	14.6	18.2	20.2	46.9			
11.	D						P	10.8	46.4	6.6	36.1		P	10.2	45.8	6.6	37.4			
12.	B						P	10.4	67.3	15.7	6.5		P	9.0	70.5	14.3	6.1			
*13.	B,D						P	19.0	28.7	17.9	34.0		P	18.9	29.9	16.4	34.2			
14.	C						q	24.0	15.9	39.5	20.4		q	23.7	16.1	39.0	20.9			
15.	D						P	12.4	11.9	20.5	55.1		P	12.2	12.2	19.7	55.8			
16.	D						P	22.9	8.9	11.5	56.7		P	21.7	8.2	11.4	58.6			
17.	D						P	3.0	1.7	14.6	80.4		P	3.1	1.8	14.1	80.8			
18.	D						P	7.7	36.6	8.5	47.1		P	7.0	35.6	7.6	49.7			
19.	A						P	53.6	37.3	5.4	3.6		P	54.2	38.1	4.6	3.1			
20.	D						P	12.2	2.6	25.2	60.0		P	12.7	2.6	23.9	60.8			
21.	B						P	9.1	61.0	10.2	19.7		P	9.2	62.3	9.6	18.9			
22.	A						q	49.0	44.7	4.4	1.7		q	48.5	45.4	4.3	1.6			
23.	A						P	30.9	45.4	13.4	10.2		P	31.3	47.2	12.0	9.5			
24.	D						q	3.0	38.8	11.4	46.6		q	3.1	38.1	10.4	48.3			
25.	A						P	47.2	4.8	37.9	10.1		P	50.0	5.0	35.6	9.4			
26.	D						q	20.2	22.8	19.0	37.8		q	20.2	22.1	18.3	39.3			
27.	D						P	11.0	26.2	13.6	49.0		P	11.7	26.3	12.8	49.0			
28.	B						q	11.0	55.9	23.0	9.7		q	11.5	56.2	23.1	9.0			
29.	C						P	8.9	13.0	68.5	9.5		P	8.1	12.5	69.8	9.5			
30.	B						P	5.3	83.8	9.6	1.3		P	4.3	85.0	9.4	1.2			
31.	D						q	17.8	13.0	15.5	53.2		q	18.1	13.0	15.9	52.6			
32.	D						q	6.3	8.2	11.5	74.1		q	6.0	8.3	11.2	74.4			
33.	C						q	13.0	20.2	49.1	17.1		q	12.8	19.5	50.6	16.4			
34.	C						P	5.0	2.0	86.1	7.0		P	4.9	1.6	86.6	6.9			
35.	C						P	6.8	11.3	69.1	12.6		P	6.6	12.0	68.3	12.8			
36.	B						P	2.8	89.6	5.4	2.2		P	2.7	90.0	5.1	2.2			
37.	C						q	6.6	25.3	61.9	6.1		q	6.5	24.3	63.5	5.5			
38.	A						P	77.7	6.3	10.3	5.6		P	77.3	7.1	9.9	5.6			
39.	B						P	12.4	69.7	7.5	10.4		P	11.5	72.3	6.3	9.8			
40.	C						P	5.6	12.7	77.9	3.8		P	5.2	12.7	78.5	3.7			
41.	D						P	17.0	21.3	21.3	40.0		P	17.1	20.3	20.7	41.5			
42.	B						P	10.1	83.0	3.7	3.2		P	9.3	84.1	3.7	2.8			
43.	B						q	22.3	41.8	17.8	17.5		q	23.3	42.0	16.9	17.3			
44.	C						P	7.3	10.5	72.1	9.8		P	7.1	10.7	72.8	9.2			
45.	B						P	29.5	48.0	15.7	6.5		P	30.2	47.9	15.5	6.2			
46.	B						P	17.0	62.9	10.3	9.6		P	16.9	64.4	9.2	9.2			
47.	B						q	7.9	45.8	39.5	6.3		q	7.1	47.6	39.5	5.3			
48.	B						P	4.1	85.3	6.5	3.9		P	3.8	85.0	6.8	4.2			
49.	C						P	5.9	10.6	61.8	21.3		P	6.3	10.3	62.6	20.3			
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---			

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 4 - Eastern

(percentage of students who selected each response)

#287 - Dunne Memorial Academy, St. Mary's

Grades: K-12

Item	Key	School [N=14]				School Below Above District	District [N=1,840]				School Below Above Province	Province [N=3,011]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	A	28.6	21.4	7.1	42.9	q	37.5	39.0	10.4	13.1	q	37.7	39.4	10.0	12.9
2.	A	42.9	14.3	0.0	42.9	p	18.9	24.2	7.7	48.9	p	19.5	23.4	7.8	49.0
3.	C	7.1	0.0	85.7	7.1	p	3.6	2.4	79.4	14.6	p	3.9	2.8	77.9	15.5
4.	C	0.0	14.3	78.6	7.1	p	5.9	15.9	61.4	16.5	p	5.2	16.6	61.0	16.8
5.	D	0.0	7.1	14.3	78.6	p	12.1	19.6	20.5	47.6	p	11.7	18.5	21.1	48.6
6.	B	0.0	92.9	7.1	0.0	p	2.1	90.7	5.1	2.0	p	2.1	90.5	5.2	2.2
7.	D	0.0	14.3	7.1	78.6	p	8.2	12.9	9.7	68.8	p	7.2	13.2	8.5	70.8
8.	B	0.0	100.0	0.0	0.0	p	4.9	85.6	2.8	6.7	p	4.5	86.6	2.8	6.2
9.	C	7.1	0.0	92.9	0.0	p	4.9	23.3	62.3	9.2	p	4.5	25.9	60.3	9.1
10.	D	28.6	7.1	7.1	57.1	p	15.5	18.9	20.8	44.6	p	14.6	18.2	20.2	46.9
11.	D	0.0	21.4	0.0	78.6	p	10.8	46.4	6.6	36.1	p	10.2	45.8	6.6	37.4
12.	B	7.1	92.9	0.0	0.0	p	10.4	67.3	15.7	6.5	p	9.0	70.5	14.3	6.1
*13.	B,D	14.3	21.4	14.3	50.0	p	19.0	28.7	17.9	34.0	p	18.9	29.9	16.4	34.2
14.	C	14.3	7.1	64.3	14.3	p	24.0	15.9	39.5	20.4	p	23.7	16.1	39.0	20.9
15.	D	21.4	7.1	0.0	71.4	p	12.4	11.9	20.5	55.1	p	12.2	12.2	19.7	55.8
16.	D	7.1	7.1	14.3	71.4	p	22.9	8.9	11.5	56.7	p	21.7	8.2	11.4	58.6
17.	D	0.0	7.1	0.0	92.9	p	3.0	1.7	14.6	80.4	p	3.1	1.8	14.1	80.8
18.	D	0.0	42.9	0.0	57.1	p	7.7	36.6	8.5	47.1	p	7.0	35.6	7.6	49.7
19.	A	64.3	35.7	0.0	0.0	p	53.6	37.3	5.4	3.6	p	54.2	38.1	4.6	3.1
20.	D	21.4	0.0	21.4	57.1	q	12.2	2.6	25.2	60.0	q	12.7	2.6	23.9	60.8
21.	B	7.1	78.6	0.0	14.3	p	9.1	61.0	10.2	19.7	p	9.2	62.3	9.6	18.9
22.	A	64.3	35.7	0.0	0.0	p	49.0	44.7	4.4	1.7	p	48.5	45.4	4.3	1.6
23.	A	42.9	42.9	0.0	14.3	p	30.9	45.4	13.4	10.2	p	31.3	47.2	12.0	9.5
24.	D	7.1	14.3	21.4	57.1	p	3.0	38.8	11.4	46.6	p	3.1	38.1	10.4	48.3
25.	A	35.7	7.1	57.1	0.0	q	47.2	4.8	37.9	10.1	q	50.0	5.0	35.6	9.4
26.	D	7.1	21.4	35.7	35.7	q	20.2	22.8	19.0	37.8	q	20.2	22.1	18.3	39.3
27.	D	7.1	7.1	7.1	78.6	p	11.0	26.2	13.6	49.0	p	11.7	26.3	12.8	49.0
28.	B	7.1	78.6	7.1	7.1	p	11.0	55.9	23.0	9.7	p	11.5	56.2	23.1	9.0
29.	C	14.3	0.0	71.4	14.3	p	8.9	13.0	68.5	9.5	p	8.1	12.5	69.8	9.5
30.	B	0.0	85.7	14.3	0.0	p	5.3	83.8	9.6	1.3	p	4.3	85.0	9.4	1.2
31.	D	7.1	14.3	7.1	71.4	p	17.8	13.0	15.5	53.2	p	18.1	13.0	15.9	52.6
32.	D	7.1	0.0	7.1	85.7	p	6.3	8.2	11.5	74.1	p	6.0	8.3	11.2	74.4
33.	C	0.0	7.1	64.3	28.6	p	13.0	20.2	49.1	17.1	p	12.8	19.5	50.6	16.4
34.	C	0.0	7.1	85.7	7.1	q	5.0	2.0	86.1	7.0	q	4.9	1.6	86.6	6.9
35.	C	7.1	7.1	85.7	0.0	p	6.8	11.3	69.1	12.6	p	6.6	12.0	68.3	12.8
36.	B	0.0	100.0	0.0	0.0	p	2.8	89.6	5.4	2.2	p	2.7	90.0	5.1	2.2
37.	C	0.0	14.3	85.7	0.0	p	6.6	25.3	61.9	6.1	p	6.5	24.3	63.5	5.5
38.	A	85.7	7.1	0.0	7.1	p	77.7	6.3	10.3	5.6	p	77.3	7.1	9.9	5.6
39.	B	0.0	85.7	0.0	14.3	p	12.4	69.7	7.5	10.4	p	11.5	72.3	6.3	9.8
40.	C	0.0	7.1	92.9	0.0	p	5.6	12.7	77.9	3.8	p	5.2	12.7	78.5	3.7
41.	D	28.6	7.1	28.6	35.7	q	17.0	21.3	21.3	40.0	q	17.1	20.3	20.7	41.5
42.	B	0.0	92.9	0.0	7.1	p	10.1	83.0	3.7	3.2	p	9.3	84.1	3.7	2.8
43.	B	21.4	50.0	21.4	7.1	p	22.3	41.8	17.8	17.5	p	23.3	42.0	16.9	17.3
44.	C	7.1	0.0	78.6	14.3	p	7.3	10.5	72.1	9.8	p	7.1	10.7	72.8	9.2
45.	B	7.1	71.4	21.4	0.0	p	29.5	48.0	15.7	6.5	p	30.2	47.9	15.5	6.2
46.	B	0.0	64.3	14.3	21.4	p	17.0	62.9	10.3	9.6	q	16.9	64.4	9.2	9.2
47.	B	7.1	64.3	28.6	0.0	p	7.9	45.8	39.5	6.3	p	7.1	47.6	39.5	5.3
48.	B	0.0	85.7	7.1	7.1	p	4.1	85.3	6.5	3.9	p	3.8	85.0	6.8	4.2
49.	C	14.3	7.1	64.3	14.3	p	5.9	10.6	61.8	21.3	p	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

District 4 - Eastern

(percentage of students who selected each response)

#296 - St. Michael's Regional High, Bell Island

Grades: 7-12

Item	Key	School [N=18]				School Below Above District		District [N=1,840]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D	A	B	C	D		
1.	A	33.3	38.9	5.6	22.2		q	37.5	39.0	10.4	13.1	q	37.7	39.4	10.0	12.9	
2.	A	11.1	27.8	5.6	55.6		q	18.9	24.2	7.7	48.9	q	19.5	23.4	7.8	49.0	
3.	C	11.1	5.6	77.8	5.6		q	3.6	2.4	79.4	14.6	q	3.9	2.8	77.9	15.5	
4.	C	11.1	16.7	44.4	27.8		q	5.9	15.9	61.4	16.5	q	5.2	16.6	61.0	16.8	
5.	D	11.1	27.8	38.9	22.2		q	12.1	19.6	20.5	47.6	q	11.7	18.5	21.1	48.6	
6.	B	0.0	88.9	0.0	11.1		q	2.1	90.7	5.1	2.0	q	2.1	90.5	5.2	2.2	
7.	D	16.7	11.1	11.1	61.1		q	8.2	12.9	9.7	68.8	q	7.2	13.2	8.5	70.8	
8.	B	16.7	66.7	5.6	11.1		q	4.9	85.6	2.8	6.7	q	4.5	86.6	2.8	6.2	
9.	C	0.0	27.8	66.7	5.6		p	4.9	23.3	62.3	9.2	p	4.5	25.9	60.3	9.1	
10.	D	22.2	16.7	11.1	50.0		p	15.5	18.9	20.8	44.6	p	14.6	18.2	20.2	46.9	
11.	D	5.6	33.3	11.1	50.0		p	10.8	46.4	6.6	36.1	p	10.2	45.8	6.6	37.4	
12.	B	11.1	83.3	0.0	5.6		p	10.4	67.3	15.7	6.5	p	9.0	70.5	14.3	6.1	
*13.	B,D	33.3	22.2	5.6	38.9		q	19.0	28.7	17.9	34.0	q	18.9	29.9	16.4	34.2	
14.	C	27.8	16.7	33.3	22.2		q	24.0	15.9	39.5	20.4	q	23.7	16.1	39.0	20.9	
15.	D	5.6	11.1	38.9	44.4		q	12.4	11.9	20.5	55.1	q	12.2	12.2	19.7	55.8	
16.	D	22.2	11.1	11.1	55.6		q	22.9	8.9	11.5	56.7	q	21.7	8.2	11.4	58.6	
17.	D	16.7	0.0	33.3	50.0		q	3.0	1.7	14.6	80.4	q	3.1	1.8	14.1	80.8	
18.	D	11.1	22.2	5.6	61.1		p	7.7	36.6	8.5	47.1	p	7.0	35.6	7.6	49.7	
19.	A	55.6	27.8	11.1	5.6		p	53.6	37.3	5.4	3.6	p	54.2	38.1	4.6	3.1	
20.	D	27.8	0.0	16.7	55.6		q	12.2	2.6	25.2	60.0	q	12.7	2.6	23.9	60.8	
21.	B	11.1	44.4	22.2	22.2		q	9.1	61.0	10.2	19.7	q	9.2	62.3	9.6	18.9	
22.	A	11.1	72.2	5.6	11.1		q	49.0	44.7	4.4	1.7	q	48.5	45.4	4.3	1.6	
23.	A	27.8	33.3	16.7	22.2		q	30.9	45.4	13.4	10.2	q	31.3	47.2	12.0	9.5	
24.	D	16.7	66.7	11.1	5.6		q	3.0	38.8	11.4	46.6	q	3.1	38.1	10.4	48.3	
25.	A	44.4	5.6	44.4	5.6		q	47.2	4.8	37.9	10.1	q	50.0	5.0	35.6	9.4	
26.	D	22.2	44.4	11.1	22.2		q	20.2	22.8	19.0	37.8	q	20.2	22.1	18.3	39.3	
27.	D	11.1	27.8	5.6	55.6		p	11.0	26.2	13.6	49.0	p	11.7	26.3	12.8	49.0	
28.	B	5.6	38.9	27.8	27.8		q	11.0	55.9	23.0	9.7	q	11.5	56.2	23.1	9.0	
29.	C	11.1	16.7	61.1	11.1		q	8.9	13.0	68.5	9.5	q	8.1	12.5	69.8	9.5	
30.	B	5.6	77.8	16.7	0.0		q	5.3	83.8	9.6	1.3	q	4.3	85.0	9.4	1.2	
31.	D	27.8	11.1	11.1	50.0		q	17.8	13.0	15.5	53.2	q	18.1	13.0	15.9	52.6	
32.	D	11.1	16.7	11.1	61.1		q	6.3	8.2	11.5	74.1	q	6.0	8.3	11.2	74.4	
33.	C	27.8	16.7	22.2	33.3		q	13.0	20.2	49.1	17.1	q	12.8	19.5	50.6	16.4	
34.	C	11.1	0.0	72.2	16.7		q	5.0	2.0	86.1	7.0	q	4.9	1.6	86.6	6.9	
35.	C	5.6	11.1	50.0	33.3		q	6.8	11.3	69.1	12.6	q	6.6	12.0	68.3	12.8	
36.	B	5.6	72.2	16.7	5.6		q	2.8	89.6	5.4	2.2	q	2.7	90.0	5.1	2.2	
37.	C	0.0	22.2	44.4	33.3		q	6.6	25.3	61.9	6.1	q	6.5	24.3	63.5	5.5	
38.	A	66.7	5.6	16.7	11.1		q	77.7	6.3	10.3	5.6	q	77.3	7.1	9.9	5.6	
39.	B	16.7	55.6	0.0	27.8		q	12.4	69.7	7.5	10.4	q	11.5	72.3	6.3	9.8	
40.	C	16.7	11.1	66.7	5.6		q	5.6	12.7	77.9	3.8	q	5.2	12.7	78.5	3.7	
41.	D	5.6	33.3	27.8	33.3		q	17.0	21.3	21.3	40.0	q	17.1	20.3	20.7	41.5	
42.	B	22.2	66.7	5.6	5.6		q	10.1	83.0	3.7	3.2	q	9.3	84.1	3.7	2.8	
43.	B	33.3	33.3	5.6	27.8		q	22.3	41.8	17.8	17.5	q	23.3	42.0	16.9	17.3	
44.	C	16.7	27.8	55.6	0.0		q	7.3	10.5	72.1	9.8	q	7.1	10.7	72.8	9.2	
45.	B	38.9	33.3	22.2	5.6		q	29.5	48.0	15.7	6.5	q	30.2	47.9	15.5	6.2	
46.	B	5.6	83.3	0.0	11.1		p	17.0	62.9	10.3	9.6	p	16.9	64.4	9.2	9.2	
47.	B	5.6	33.3	55.6	5.6		q	7.9	45.8	39.5	6.3	q	7.1	47.6	39.5	5.3	
48.	B	5.6	83.3	5.6	5.6		q	4.1	85.3	6.5	3.9	q	3.8	85.0	6.8	4.2	
49.	C	5.6	16.7	50.0	27.8		q	5.9	10.6	61.8	21.3	q	6.3	10.3	62.6	20.3	
*50.	---	---	---	---	---		---	---	---	---	---	---	---	---	---	---	

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

District 4 - Eastern

(percentage of students who selected each response)

#302 - Queen Elizabeth Regional High School, Conception Bay South

Grades: 10-12

Item	Key	School [N=78]				School [N=1,840]		District [N=1,840]				School [N=3,011]		Province [N=3,011]			
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	A	44.9	35.9	7.7	11.5		P	37.5	39.0	10.4	13.1		P	37.7	39.4	10.0	12.9
2.	A	11.5	28.2	7.7	51.3		Q	18.9	24.2	7.7	48.9		Q	19.5	23.4	7.8	49.0
3.	C	3.9	1.3	70.5	24.4		Q	3.6	2.4	79.4	14.6		Q	3.9	2.8	77.9	15.5
4.	C	11.5	15.4	50.0	23.1		Q	5.9	15.9	61.4	16.5		Q	5.2	16.6	61.0	16.8
5.	D	11.5	28.2	26.9	32.1		Q	12.1	19.6	20.5	47.6		Q	11.7	18.5	21.1	48.6
6.	B	0.0	83.3	9.0	6.4		Q	2.1	90.7	5.1	2.0		Q	2.1	90.5	5.2	2.2
7.	D	7.7	24.4	12.8	55.1		Q	8.2	12.9	9.7	68.8		Q	7.2	13.2	8.5	70.8
8.	B	5.1	78.2	10.3	6.4		Q	4.9	85.6	2.8	6.7		Q	4.5	86.6	2.8	6.2
9.	C	10.3	30.8	47.4	11.5		Q	4.9	23.3	62.3	9.2		Q	4.5	25.9	60.3	9.1
10.	D	10.3	30.8	19.2	39.7		Q	15.5	18.9	20.8	44.6		Q	14.6	18.2	20.2	46.9
11.	D	6.4	53.9	6.4	30.8		Q	10.8	46.4	6.6	36.1		Q	10.2	45.8	6.6	37.4
12.	B	6.4	70.5	11.5	11.5		P	10.4	67.3	15.7	6.5		Q	9.0	70.5	14.3	6.1
*13.	B,D	19.2	29.5	23.1	26.9		Q	19.0	28.7	17.9	34.0		Q	18.9	29.9	16.4	34.2
14.	C	21.8	24.4	35.9	18.0		Q	24.0	15.9	39.5	20.4		Q	23.7	16.1	39.0	20.9
15.	D	11.5	18.0	23.1	46.2		Q	12.4	11.9	20.5	55.1		Q	12.2	12.2	19.7	55.8
16.	D	28.2	9.0	16.7	46.2		Q	22.9	8.9	11.5	56.7		Q	21.7	8.2	11.4	58.6
17.	D	5.1	3.9	11.5	79.5		Q	3.0	1.7	14.6	80.4		Q	3.1	1.8	14.1	80.8
18.	D	3.9	39.7	15.4	41.0		Q	7.7	36.6	8.5	47.1		Q	7.0	35.6	7.6	49.7
19.	A	61.5	29.5	6.4	2.6		P	53.6	37.3	5.4	3.6		P	54.2	38.1	4.6	3.1
20.	D	15.4	0.0	26.9	57.7		Q	12.2	2.6	25.2	60.0		Q	12.7	2.6	23.9	60.8
21.	B	7.7	57.7	6.4	28.2		Q	9.1	61.0	10.2	19.7		Q	9.2	62.3	9.6	18.9
22.	A	56.4	34.6	6.4	2.6		P	49.0	44.7	4.4	1.7		P	48.5	45.4	4.3	1.6
23.	A	43.6	47.4	6.4	2.6		P	30.9	45.4	13.4	10.2		P	31.3	47.2	12.0	9.5
24.	D	0.0	43.6	16.7	39.7		Q	3.0	38.8	11.4	46.6		Q	3.1	38.1	10.4	48.3
25.	A	43.6	6.4	42.3	7.7		Q	47.2	4.8	37.9	10.1		Q	50.0	5.0	35.6	9.4
26.	D	14.1	20.5	32.1	33.3		Q	20.2	22.8	19.0	37.8		Q	20.2	22.1	18.3	39.3
27.	D	15.4	34.6	9.0	41.0		Q	11.0	26.2	13.6	49.0		Q	11.7	26.3	12.8	49.0
28.	B	14.1	51.3	29.5	5.1		Q	11.0	55.9	23.0	9.7		Q	11.5	56.2	23.1	9.0
29.	C	15.4	12.8	59.0	12.8		Q	8.9	13.0	68.5	9.5		Q	8.1	12.5	69.8	9.5
30.	B	3.9	87.2	6.4	2.6		P	5.3	83.8	9.6	1.3		P	4.3	85.0	9.4	1.2
31.	D	12.8	16.7	19.2	51.3		Q	17.8	13.0	15.5	53.2		Q	18.1	13.0	15.9	52.6
32.	D	6.4	14.1	14.1	65.4		Q	6.3	8.2	11.5	74.1		Q	6.0	8.3	11.2	74.4
33.	C	16.7	23.1	47.4	12.8		Q	13.0	20.2	49.1	17.1		Q	12.8	19.5	50.6	16.4
34.	C	11.5	1.3	79.5	7.7		Q	5.0	2.0	86.1	7.0		Q	4.9	1.6	86.6	6.9
35.	C	0.0	14.1	70.5	15.4		P	6.8	11.3	69.1	12.6		P	6.6	12.0	68.3	12.8
36.	B	1.3	85.9	10.3	2.6		Q	2.8	89.6	5.4	2.2		Q	2.7	90.0	5.1	2.2
37.	C	5.1	33.3	53.9	7.7		Q	6.6	25.3	61.9	6.1		Q	6.5	24.3	63.5	5.5
38.	A	80.8	3.9	10.3	5.1		P	77.7	6.3	10.3	5.6		P	77.3	7.1	9.9	5.6
39.	B	16.7	71.8	7.7	3.9		P	12.4	69.7	7.5	10.4		Q	11.5	72.3	6.3	9.8
40.	C	2.6	11.5	80.8	5.1		P	5.6	12.7	77.9	3.8		P	5.2	12.7	78.5	3.7
41.	D	26.9	23.1	18.0	32.1		Q	17.0	21.3	21.3	40.0		Q	17.1	20.3	20.7	41.5
42.	B	9.0	85.9	2.6	2.6		P	10.1	83.0	3.7	3.2		P	9.3	84.1	3.7	2.8
43.	B	14.1	60.3	5.1	20.5		P	22.3	41.8	17.8	17.5		P	23.3	42.0	16.9	17.3
44.	C	5.1	10.3	71.8	12.8		Q	7.3	10.5	72.1	9.8		Q	7.1	10.7	72.8	9.2
45.	B	44.9	42.3	6.4	6.4		Q	29.5	48.0	15.7	6.5		Q	30.2	47.9	15.5	6.2
46.	B	21.8	50.0	18.0	10.3		Q	17.0	62.9	10.3	9.6		Q	16.9	64.4	9.2	9.2
47.	B	5.1	50.0	35.9	6.4		P	7.9	45.8	39.5	6.3		P	7.1	47.6	39.5	5.3
48.	B	6.4	80.8	5.1	7.7		Q	4.1	85.3	6.5	3.9		Q	3.8	85.0	6.8	4.2
49.	C	3.9	12.8	64.1	19.2		P	5.9	10.6	61.8	21.3		P	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

District 4 - Eastern

(percentage of students who selected each response)

#304 - Holy Spirit High, Conception Bay South (Manuels)

Grades: 10-12

Item	Key	School [N=147]				School Below Above District	District [N=1,840]				School Below Above Province	Province [N=3,011]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	A	42.2	34.7	10.2	12.9	P	37.5	39.0	10.4	13.1	P	37.7	39.4	10.0	12.9
2.	A	17.0	32.0	9.5	40.8	q	18.9	24.2	7.7	48.9	q	19.5	23.4	7.8	49.0
3.	C	7.5	6.8	74.2	11.6	q	3.6	2.4	79.4	14.6	q	3.9	2.8	77.9	15.5
4.	C	5.4	21.1	58.5	14.3	q	5.9	15.9	61.4	16.5	q	5.2	16.6	61.0	16.8
5.	D	9.5	13.6	29.3	47.6	P	12.1	19.6	20.5	47.6	q	11.7	18.5	21.1	48.6
6.	B	2.0	89.8	4.8	3.4	q	2.1	90.7	5.1	2.0	q	2.1	90.5	5.2	2.2
7.	D	8.2	17.0	14.3	59.9	q	8.2	12.9	9.7	68.8	q	7.2	13.2	8.5	70.8
8.	B	6.1	87.8	0.0	6.1	P	4.9	85.6	2.8	6.7	P	4.5	86.6	2.8	6.2
9.	C	6.8	25.2	52.4	15.0	q	4.9	23.3	62.3	9.2	q	4.5	25.9	60.3	9.1
10.	D	19.7	15.7	26.5	37.4	q	15.5	18.9	20.8	44.6	q	14.6	18.2	20.2	46.9
11.	D	12.9	46.9	8.8	31.3	q	10.8	46.4	6.6	36.1	q	10.2	45.8	6.6	37.4
12.	B	15.7	55.1	24.5	4.8	q	10.4	67.3	15.7	6.5	q	9.0	70.5	14.3	6.1
*13.	B,D	25.9	23.1	11.6	38.8	q	19.0	28.7	17.9	34.0	q	18.9	29.9	16.4	34.2
14.	C	27.2	23.1	31.3	17.7	q	24.0	15.9	39.5	20.4	q	23.7	16.1	39.0	20.9
15.	D	12.9	10.9	26.5	49.7	q	12.4	11.9	20.5	55.1	q	12.2	12.2	19.7	55.8
16.	D	21.1	4.8	8.8	65.3	P	22.9	8.9	11.5	56.7	P	21.7	8.2	11.4	58.6
17.	D	2.0	2.0	9.5	86.4	P	3.0	1.7	14.6	80.4	P	3.1	1.8	14.1	80.8
18.	D	12.2	36.7	10.9	40.1	q	7.7	36.6	8.5	47.1	q	7.0	35.6	7.6	49.7
19.	A	52.4	36.7	7.5	3.4	q	53.6	37.3	5.4	3.6	q	54.2	38.1	4.6	3.1
20.	D	6.1	2.7	32.0	59.2	q	12.2	2.6	25.2	60.0	q	12.7	2.6	23.9	60.8
21.	B	12.2	61.2	15.0	11.6	P	9.1	61.0	10.2	19.7	q	9.2	62.3	9.6	18.9
22.	A	38.8	53.1	6.1	1.4	q	49.0	44.7	4.4	1.7	q	48.5	45.4	4.3	1.6
23.	A	32.0	38.1	16.3	13.6	P	30.9	45.4	13.4	10.2	P	31.3	47.2	12.0	9.5
24.	D	2.7	43.5	11.6	42.2	q	3.0	38.8	11.4	46.6	q	3.1	38.1	10.4	48.3
25.	A	42.9	3.4	40.8	12.9	q	47.2	4.8	37.9	10.1	q	50.0	5.0	35.6	9.4
26.	D	26.5	25.2	17.0	31.3	q	20.2	22.8	19.0	37.8	q	20.2	22.1	18.3	39.3
27.	D	13.6	32.7	16.3	37.4	q	11.0	26.2	13.6	49.0	q	11.7	26.3	12.8	49.0
28.	B	10.2	52.4	27.9	8.8	q	11.0	55.9	23.0	9.7	q	11.5	56.2	23.1	9.0
29.	C	8.8	15.7	66.7	8.8	q	8.9	13.0	68.5	9.5	q	8.1	12.5	69.8	9.5
30.	B	8.8	72.1	19.1	0.0	q	5.3	83.8	9.6	1.3	q	4.3	85.0	9.4	1.2
31.	D	19.1	19.1	25.2	36.7	q	17.8	13.0	15.5	53.2	q	18.1	13.0	15.9	52.6
32.	D	6.1	12.2	12.9	68.7	q	6.3	8.2	11.5	74.1	q	6.0	8.3	11.2	74.4
33.	C	10.9	21.8	51.7	15.7	P	13.0	20.2	49.1	17.1	P	12.8	19.5	50.6	16.4
34.	C	9.5	2.7	83.7	4.1	q	5.0	2.0	86.1	7.0	q	4.9	1.6	86.6	6.9
35.	C	5.4	15.7	62.6	15.7	q	6.8	11.3	69.1	12.6	q	6.6	12.0	68.3	12.8
36.	B	3.4	83.7	9.5	3.4	q	2.8	89.6	5.4	2.2	q	2.7	90.0	5.1	2.2
37.	C	8.2	27.2	53.7	10.9	q	6.6	25.3	61.9	6.1	q	6.5	24.3	63.5	5.5
38.	A	72.1	3.4	16.3	8.2	q	77.7	6.3	10.3	5.6	q	77.3	7.1	9.9	5.6
39.	B	11.6	79.6	5.4	3.4	P	12.4	69.7	7.5	10.4	P	11.5	72.3	6.3	9.8
40.	C	8.2	12.9	76.9	2.0	q	5.6	12.7	77.9	3.8	q	5.2	12.7	78.5	3.7
41.	D	23.8	19.1	16.3	40.8	P	17.0	21.3	21.3	40.0	q	17.1	20.3	20.7	41.5
42.	B	9.5	85.0	4.8	0.7	P	10.1	83.0	3.7	3.2	P	9.3	84.1	3.7	2.8
43.	B	19.1	38.1	23.1	19.1	q	22.3	41.8	17.8	17.5	q	23.3	42.0	16.9	17.3
44.	C	7.5	10.2	72.8	9.5	P	7.3	10.5	72.1	9.8	q	7.1	10.7	72.8	9.2
45.	B	26.5	42.2	21.8	9.5	q	29.5	48.0	15.7	6.5	q	30.2	47.9	15.5	6.2
46.	B	19.1	57.8	8.8	13.6	q	17.0	62.9	10.3	9.6	q	16.9	64.4	9.2	9.2
47.	B	7.5	35.4	49.0	8.2	q	7.9	45.8	39.5	6.3	q	7.1	47.6	39.5	5.3
48.	B	4.8	85.0	6.1	4.1	q	4.1	85.3	6.5	3.9	P	3.8	85.0	6.8	4.2
49.	C	8.2	9.5	55.8	26.5	q	5.9	10.6	61.8	21.3	q	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 4 - Eastern

(percentage of students who selected each response)

#307 - Mobile Central High School, Mobile

Grades: 7-12

Item	Key	School [N=11]				School Below Above District		District [N=1,840]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D	A	B	C	D		
1.	A	63.6	18.2	9.1	9.1		P	37.5	39.0	10.4	13.1		P	37.7	39.4	10.0	12.9
2.	A	36.4	18.2	0.0	45.5		P	18.9	24.2	7.7	48.9		P	19.5	23.4	7.8	49.0
3.	C	0.0	0.0	100.0	0.0		P	3.6	2.4	79.4	14.6		P	3.9	2.8	77.9	15.5
4.	C	9.1	18.2	54.6	18.2		Q	5.9	15.9	61.4	16.5		Q	5.2	16.6	61.0	16.8
5.	D	9.1	18.2	9.1	63.6		P	12.1	19.6	20.5	47.6		P	11.7	18.5	21.1	48.6
6.	B	0.0	90.9	9.1	0.0		P	2.1	90.7	5.1	2.0		P	2.1	90.5	5.2	2.2
7.	D	9.1	0.0	0.0	90.9		P	8.2	12.9	9.7	68.8		P	7.2	13.2	8.5	70.8
8.	B	0.0	100.0	0.0	0.0		P	4.9	85.6	2.8	6.7		P	4.5	86.6	2.8	6.2
9.	C	0.0	27.3	72.7	0.0		P	4.9	23.3	62.3	9.2		P	4.5	25.9	60.3	9.1
10.	D	18.2	18.2	9.1	54.6		P	15.5	18.9	20.8	44.6		P	14.6	18.2	20.2	46.9
11.	D	9.1	72.7	0.0	18.2		Q	10.8	46.4	6.6	36.1		Q	10.2	45.8	6.6	37.4
12.	B	0.0	72.7	27.3	0.0		P	10.4	67.3	15.7	6.5		P	9.0	70.5	14.3	6.1
*13.	B,D	18.2	27.3	9.1	45.5		P	19.0	28.7	17.9	34.0		P	18.9	29.9	16.4	34.2
14.	C	45.5	0.0	45.5	9.1		P	24.0	15.9	39.5	20.4		P	23.7	16.1	39.0	20.9
15.	D	0.0	9.1	9.1	81.8		P	12.4	11.9	20.5	55.1		P	12.2	12.2	19.7	55.8
16.	D	9.1	9.1	0.0	81.8		P	22.9	8.9	11.5	56.7		P	21.7	8.2	11.4	58.6
17.	D	0.0	0.0	18.2	81.8		P	3.0	1.7	14.6	80.4		P	3.1	1.8	14.1	80.8
18.	D	9.1	45.5	0.0	45.5		Q	7.7	36.6	8.5	47.1		Q	7.0	35.6	7.6	49.7
19.	A	72.7	27.3	0.0	0.0		P	53.6	37.3	5.4	3.6		P	54.2	38.1	4.6	3.1
20.	D	54.6	0.0	9.1	36.4		Q	12.2	2.6	25.2	60.0		Q	12.7	2.6	23.9	60.8
21.	B	9.1	63.6	9.1	18.2		P	9.1	61.0	10.2	19.7		P	9.2	62.3	9.6	18.9
22.	A	54.6	45.5	0.0	0.0		P	49.0	44.7	4.4	1.7		P	48.5	45.4	4.3	1.6
23.	A	27.3	45.5	18.2	9.1		Q	30.9	45.4	13.4	10.2		Q	31.3	47.2	12.0	9.5
24.	D	9.1	18.2	0.0	72.7		P	3.0	38.8	11.4	46.6		P	3.1	38.1	10.4	48.3
25.	A	63.6	9.1	27.3	0.0		P	47.2	4.8	37.9	10.1		P	50.0	5.0	35.6	9.4
26.	D	18.2	0.0	0.0	81.8		P	20.2	22.8	19.0	37.8		P	20.2	22.1	18.3	39.3
27.	D	9.1	27.3	0.0	63.6		P	11.0	26.2	13.6	49.0		P	11.7	26.3	12.8	49.0
28.	B	18.2	54.6	18.2	9.1		Q	11.0	55.9	23.0	9.7		Q	11.5	56.2	23.1	9.0
29.	C	0.0	9.1	81.8	9.1		P	8.9	13.0	68.5	9.5		P	8.1	12.5	69.8	9.5
30.	B	0.0	100.0	0.0	0.0		P	5.3	83.8	9.6	1.3		P	4.3	85.0	9.4	1.2
31.	D	9.1	0.0	9.1	81.8		P	17.8	13.0	15.5	53.2		P	18.1	13.0	15.9	52.6
32.	D	0.0	0.0	9.1	90.9		P	6.3	8.2	11.5	74.1		P	6.0	8.3	11.2	74.4
33.	C	0.0	18.2	81.8	0.0		P	13.0	20.2	49.1	17.1		P	12.8	19.5	50.6	16.4
34.	C	9.1	0.0	81.8	9.1		Q	5.0	2.0	86.1	7.0		Q	4.9	1.6	86.6	6.9
35.	C	0.0	0.0	100.0	0.0		P	6.8	11.3	69.1	12.6		P	6.6	12.0	68.3	12.8
36.	B	0.0	100.0	0.0	0.0		P	2.8	89.6	5.4	2.2		P	2.7	90.0	5.1	2.2
37.	C	0.0	9.1	90.9	0.0		P	6.6	25.3	61.9	6.1		P	6.5	24.3	63.5	5.5
38.	A	81.8	18.2	0.0	0.0		P	77.7	6.3	10.3	5.6		P	77.3	7.1	9.9	5.6
39.	B	0.0	90.9	0.0	9.1		P	12.4	69.7	7.5	10.4		P	11.5	72.3	6.3	9.8
40.	C	0.0	9.1	81.8	9.1		P	5.6	12.7	77.9	3.8		P	5.2	12.7	78.5	3.7
41.	D	0.0	18.2	18.2	63.6		P	17.0	21.3	21.3	40.0		P	17.1	20.3	20.7	41.5
42.	B	18.2	81.8	0.0	0.0		Q	10.1	83.0	3.7	3.2		Q	9.3	84.1	3.7	2.8
43.	B	18.2	27.3	36.4	18.2		Q	22.3	41.8	17.8	17.5		Q	23.3	42.0	16.9	17.3
44.	C	9.1	0.0	81.8	9.1		P	7.3	10.5	72.1	9.8		P	7.1	10.7	72.8	9.2
45.	B	45.5	36.4	18.2	0.0		Q	29.5	48.0	15.7	6.5		Q	30.2	47.9	15.5	6.2
46.	B	18.2	81.8	0.0	0.0		P	17.0	62.9	10.3	9.6		P	16.9	64.4	9.2	9.2
47.	B	9.1	45.5	45.5	0.0		Q	7.9	45.8	39.5	6.3		Q	7.1	47.6	39.5	5.3
48.	B	0.0	100.0	0.0	0.0		P	4.1	85.3	6.5	3.9		P	3.8	85.0	6.8	4.2
49.	C	36.4	0.0	45.5	18.2		Q	5.9	10.6	61.8	21.3		Q	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 4 - Eastern

(percentage of students who selected each response)

#311 - Mount Pearl Senior High, Mount Pearl

Grades: 10-12

Item	Key	School [N=129]				School [N=1,840]		Province [N=3,011]									
		A	B	C	D	Below District	Above District	A	B	C	D						
1.	A	27.1	43.4	14.0	15.5	q		37.5	39.0	10.4	13.1	q		37.7	39.4	10.0	12.9
2.	A	12.4	20.9	10.9	55.0	q		18.9	24.2	7.7	48.9	q		19.5	23.4	7.8	49.0
3.	C	4.7	2.3	78.3	14.7	q		3.6	2.4	79.4	14.6	p		3.9	2.8	77.9	15.5
4.	C	6.2	15.5	62.8	15.5		p	5.9	15.9	61.4	16.5		p	5.2	16.6	61.0	16.8
5.	D	13.2	17.8	26.4	41.9	q		12.1	19.6	20.5	47.6	q		11.7	18.5	21.1	48.6
6.	B	0.0	89.2	7.8	3.1	q		2.1	90.7	5.1	2.0	q		2.1	90.5	5.2	2.2
7.	D	7.8	12.4	6.2	73.6		p	8.2	12.9	9.7	68.8		p	7.2	13.2	8.5	70.8
8.	B	5.4	83.7	3.1	7.8	q		4.9	85.6	2.8	6.7	q		4.5	86.6	2.8	6.2
9.	C	3.1	20.9	63.6	11.6		p	4.9	23.3	62.3	9.2		p	4.5	25.9	60.3	9.1
10.	D	15.5	14.0	24.0	46.5		p	15.5	18.9	20.8	44.6	q		14.6	18.2	20.2	46.9
11.	D	7.0	51.2	7.8	34.1	q		10.8	46.4	6.6	36.1	q		10.2	45.8	6.6	37.4
12.	B	9.3	73.6	13.2	3.1		p	10.4	67.3	15.7	6.5		p	9.0	70.5	14.3	6.1
*13.	B,D	17.1	24.8	16.3	41.9		p	19.0	28.7	17.9	34.0		p	18.9	29.9	16.4	34.2
14.	C	17.8	9.3	45.7	27.1		p	24.0	15.9	39.5	20.4		p	23.7	16.1	39.0	20.9
15.	D	5.4	14.0	18.6	62.0		p	12.4	11.9	20.5	55.1		p	12.2	12.2	19.7	55.8
16.	D	23.3	11.6	10.1	55.0	q		22.9	8.9	11.5	56.7	q		21.7	8.2	11.4	58.6
17.	D	3.9	0.8	16.3	79.1	q		3.0	1.7	14.6	80.4	q		3.1	1.8	14.1	80.8
18.	D	3.9	49.6	10.1	36.4	q		7.7	36.6	8.5	47.1	q		7.0	35.6	7.6	49.7
19.	A	49.6	37.2	5.4	7.8	q		53.6	37.3	5.4	3.6	q		54.2	38.1	4.6	3.1
20.	D	12.4	1.6	30.2	55.8	q		12.2	2.6	25.2	60.0	q		12.7	2.6	23.9	60.8
21.	B	9.3	60.5	8.5	21.7	q		9.1	61.0	10.2	19.7	q		9.2	62.3	9.6	18.9
22.	A	62.0	31.8	4.7	1.6		p	49.0	44.7	4.4	1.7		p	48.5	45.4	4.3	1.6
23.	A	24.0	51.2	11.6	13.2	q		30.9	45.4	13.4	10.2	q		31.3	47.2	12.0	9.5
24.	D	0.0	45.0	13.2	41.9	q		3.0	38.8	11.4	46.6	q		3.1	38.1	10.4	48.3
25.	A	56.6	3.9	29.5	10.1		p	47.2	4.8	37.9	10.1		p	50.0	5.0	35.6	9.4
26.	D	23.3	17.1	20.2	38.8		p	20.2	22.8	19.0	37.8	q		20.2	22.1	18.3	39.3
27.	D	13.2	23.3	18.6	44.2	q		11.0	26.2	13.6	49.0	q		11.7	26.3	12.8	49.0
28.	B	7.8	51.9	25.6	14.7	q		11.0	55.9	23.0	9.7	q		11.5	56.2	23.1	9.0
29.	C	7.8	16.3	65.9	10.1	q		8.9	13.0	68.5	9.5	q		8.1	12.5	69.8	9.5
30.	B	6.2	83.7	7.8	2.3	q		5.3	83.8	9.6	1.3	q		4.3	85.0	9.4	1.2
31.	D	17.8	13.2	10.9	57.4		p	17.8	13.0	15.5	53.2		p	18.1	13.0	15.9	52.6
32.	D	7.8	7.8	12.4	72.1	q		6.3	8.2	11.5	74.1	q		6.0	8.3	11.2	74.4
33.	C	8.5	18.6	51.2	21.7		p	13.0	20.2	49.1	17.1		p	12.8	19.5	50.6	16.4
34.	C	2.3	3.1	89.9	4.7		p	5.0	2.0	86.1	7.0		p	4.9	1.6	86.6	6.9
35.	C	7.8	12.4	69.0	10.9	q		6.8	11.3	69.1	12.6		p	6.6	12.0	68.3	12.8
36.	B	2.3	93.0	1.6	2.3		p	2.8	89.6	5.4	2.2		p	2.7	90.0	5.1	2.2
37.	C	6.2	31.8	58.1	3.9	q		6.6	25.3	61.9	6.1	q		6.5	24.3	63.5	5.5
38.	A	76.7	6.2	9.3	7.8	q		77.7	6.3	10.3	5.6	q		77.3	7.1	9.9	5.6
39.	B	1.6	76.0	4.7	17.8		p	12.4	69.7	7.5	10.4		p	11.5	72.3	6.3	9.8
40.	C	5.4	14.7	76.0	3.9	q		5.6	12.7	77.9	3.8	q		5.2	12.7	78.5	3.7
41.	D	17.1	25.6	25.6	31.0	q		17.0	21.3	21.3	40.0	q		17.1	20.3	20.7	41.5
42.	B	9.3	83.7	3.9	3.1		p	10.1	83.0	3.7	3.2	q		9.3	84.1	3.7	2.8
43.	B	27.1	30.2	24.8	16.3	q		22.3	41.8	17.8	17.5	q		23.3	42.0	16.9	17.3
44.	C	10.1	9.3	70.5	10.1	q		7.3	10.5	72.1	9.8	q		7.1	10.7	72.8	9.2
45.	B	36.4	34.1	19.4	8.5	q		29.5	48.0	15.7	6.5	q		30.2	47.9	15.5	6.2
46.	B	15.5	63.6	14.7	6.2		p	17.0	62.9	10.3	9.6	q		16.9	64.4	9.2	9.2
47.	B	7.0	42.6	43.4	6.2	q		7.9	45.8	39.5	6.3	q		7.1	47.6	39.5	5.3
48.	B	1.6	89.9	4.7	3.9		p	4.1	85.3	6.5	3.9		p	3.8	85.0	6.8	4.2
49.	C	6.2	14.0	55.8	24.0	q		5.9	10.6	61.8	21.3	q		6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT



District 4 - Eastern

(percentage of students who selected each response)

#313 - O'Donel High, Mount Pearl

Grades: 10-12

Item	Key	School [N=119]				School [N=1,840]		Province [N=3,011]									
		A	B	C	D	Below District	Above District	A	B	C	D						
1.	A	31.1	39.5	18.5	10.9	q		37.5	39.0	10.4	13.1	q	37.7	39.4	10.0	12.9	
2.	A	15.1	28.6	4.2	51.3	q		18.9	24.2	7.7	48.9	q	19.5	23.4	7.8	49.0	
3.	C	5.0	5.0	73.1	16.8	q		3.6	2.4	79.4	14.6	q	3.9	2.8	77.9	15.5	
4.	C	10.9	16.8	54.6	16.0	q		5.9	15.9	61.4	16.5	q	5.2	16.6	61.0	16.8	
5.	D	14.3	14.3	27.7	42.0	q		12.1	19.6	20.5	47.6	q	11.7	18.5	21.1	48.6	
6.	B	4.2	86.6	7.6	1.7	q		2.1	90.7	5.1	2.0	q	2.1	90.5	5.2	2.2	
7.	D	13.5	6.7	8.4	68.9		p	8.2	12.9	9.7	68.8	q	7.2	13.2	8.5	70.8	
8.	B	6.7	74.0	2.5	16.8	q		4.9	85.6	2.8	6.7	q	4.5	86.6	2.8	6.2	
9.	C	6.7	21.0	58.8	12.6	q		4.9	23.3	62.3	9.2	q	4.5	25.9	60.3	9.1	
10.	D	25.2	16.0	17.7	39.5	q		15.5	18.9	20.8	44.6	q	14.6	18.2	20.2	46.9	
11.	D	17.7	42.0	10.1	30.3	q		10.8	46.4	6.6	36.1	q	10.2	45.8	6.6	37.4	
12.	B	14.3	57.1	19.3	8.4	q		10.4	67.3	15.7	6.5	q	9.0	70.5	14.3	6.1	
*13.	B,D	17.7	26.1	24.4	31.1	q		19.0	28.7	17.9	34.0	q	18.9	29.9	16.4	34.2	
14.	C	28.6	20.2	30.3	21.0	q		24.0	15.9	39.5	20.4	q	23.7	16.1	39.0	20.9	
15.	D	16.0	7.6	21.0	55.5		p	12.4	11.9	20.5	55.1	q	12.2	12.2	19.7	55.8	
16.	D	20.2	11.8	15.1	52.9	q		22.9	8.9	11.5	56.7	q	21.7	8.2	11.4	58.6	
17.	D	2.5	0.0	17.7	79.8	q		3.0	1.7	14.6	80.4	q	3.1	1.8	14.1	80.8	
18.	D	5.0	34.5	6.7	52.9		p	7.7	36.6	8.5	47.1		p	7.0	35.6	7.6	49.7
19.	A	47.1	35.3	9.2	8.4	q		53.6	37.3	5.4	3.6	q	54.2	38.1	4.6	3.1	
20.	D	10.9	4.2	36.1	48.7	q		12.2	2.6	25.2	60.0	q	12.7	2.6	23.9	60.8	
21.	B	11.8	58.0	14.3	16.0	q		9.1	61.0	10.2	19.7	q	9.2	62.3	9.6	18.9	
22.	A	44.5	48.7	4.2	2.5	q		49.0	44.7	4.4	1.7	q	48.5	45.4	4.3	1.6	
23.	A	23.5	60.5	5.9	10.1	q		30.9	45.4	13.4	10.2	q	31.3	47.2	12.0	9.5	
24.	D	2.5	48.7	11.8	37.0	q		3.0	38.8	11.4	46.6	q	3.1	38.1	10.4	48.3	
25.	A	46.2	6.7	34.5	12.6	q		47.2	4.8	37.9	10.1	q	50.0	5.0	35.6	9.4	
26.	D	24.4	26.9	16.0	31.9	q		20.2	22.8	19.0	37.8	q	20.2	22.1	18.3	39.3	
27.	D	8.4	19.3	14.3	58.0		p	11.0	26.2	13.6	49.0		p	11.7	26.3	12.8	49.0
28.	B	7.6	53.8	23.5	12.6	q		11.0	55.9	23.0	9.7	q	11.5	56.2	23.1	9.0	
29.	C	11.8	14.3	66.4	6.7	q		8.9	13.0	68.5	9.5	q	8.1	12.5	69.8	9.5	
30.	B	2.5	76.5	19.3	1.7	q		5.3	83.8	9.6	1.3	q	4.3	85.0	9.4	1.2	
31.	D	21.9	10.1	12.6	54.6		p	17.8	13.0	15.5	53.2		p	18.1	13.0	15.9	52.6
32.	D	6.7	6.7	10.9	75.6		p	6.3	8.2	11.5	74.1		p	6.0	8.3	11.2	74.4
33.	C	15.1	35.3	36.1	12.6	q		13.0	20.2	49.1	17.1	q	12.8	19.5	50.6	16.4	
34.	C	5.9	1.7	81.5	10.9	q		5.0	2.0	86.1	7.0	q	4.9	1.6	86.6	6.9	
35.	C	5.9	12.6	64.7	16.0	q		6.8	11.3	69.1	12.6	q	6.6	12.0	68.3	12.8	
36.	B	6.7	84.9	6.7	1.7	q		2.8	89.6	5.4	2.2	q	2.7	90.0	5.1	2.2	
37.	C	10.9	26.1	59.7	3.4	q		6.6	25.3	61.9	6.1	q	6.5	24.3	63.5	5.5	
38.	A	78.2	10.9	6.7	4.2		p	77.7	6.3	10.3	5.6		p	77.3	7.1	9.9	5.6
39.	B	16.8	59.7	10.1	13.5	q		12.4	69.7	7.5	10.4	q	11.5	72.3	6.3	9.8	
40.	C	5.0	13.5	79.0	2.5		p	5.6	12.7	77.9	3.8		p	5.2	12.7	78.5	3.7
41.	D	19.3	21.0	22.7	34.5	q		17.0	21.3	21.3	40.0	q	17.1	20.3	20.7	41.5	
42.	B	13.5	80.7	2.5	2.5	q		10.1	83.0	3.7	3.2	q	9.3	84.1	3.7	2.8	
43.	B	16.0	38.7	21.0	23.5	q		22.3	41.8	17.8	17.5	q	23.3	42.0	16.9	17.3	
44.	C	7.6	13.5	68.1	10.1	q		7.3	10.5	72.1	9.8	q	7.1	10.7	72.8	9.2	
45.	B	34.5	56.3	5.9	2.5		p	29.5	48.0	15.7	6.5		p	30.2	47.9	15.5	6.2
46.	B	14.3	57.1	9.2	19.3	q		17.0	62.9	10.3	9.6	q	16.9	64.4	9.2	9.2	
47.	B	5.9	51.3	38.7	3.4		p	7.9	45.8	39.5	6.3		p	7.1	47.6	39.5	5.3
48.	B	3.4	79.8	11.8	5.0	q		4.1	85.3	6.5	3.9	q	3.8	85.0	6.8	4.2	
49.	C	5.9	9.2	62.2	21.0		p	5.9	10.6	61.8	21.3	q	6.3	10.3	62.6	20.3	
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

District 4 - Eastern

(percentage of students who selected each response)

#327 - Bishops College, St. John's

Grades: 10-12

Item	Key	School [N=99]				School Below Above District		District [N=1,840]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	39.4	31.3	19.2	10.1		P	37.5	39.0	10.4	13.1		P	37.7	39.4	10.0	12.9
2.	A	20.2	22.2	8.1	49.5		P	18.9	24.2	7.7	48.9		P	19.5	23.4	7.8	49.0
3.	C	2.0	1.0	77.8	19.2		Q	3.6	2.4	79.4	14.6		Q	3.9	2.8	77.9	15.5
4.	C	6.1	12.1	64.7	17.2		P	5.9	15.9	61.4	16.5		P	5.2	16.6	61.0	16.8
5.	D	9.1	19.2	25.3	46.5		Q	12.1	19.6	20.5	47.6		Q	11.7	18.5	21.1	48.6
6.	B	1.0	90.9	6.1	2.0		P	2.1	90.7	5.1	2.0		P	2.1	90.5	5.2	2.2
7.	D	10.1	14.1	8.1	67.7		Q	8.2	12.9	9.7	68.8		Q	7.2	13.2	8.5	70.8
8.	B	6.1	83.8	3.0	7.1		Q	4.9	85.6	2.8	6.7		Q	4.5	86.6	2.8	6.2
9.	C	11.1	22.2	62.6	4.0		P	4.9	23.3	62.3	9.2		P	4.5	25.9	60.3	9.1
10.	D	12.1	18.2	16.2	53.5		P	15.5	18.9	20.8	44.6		P	14.6	18.2	20.2	46.9
11.	D	14.1	45.5	10.1	30.3		Q	10.8	46.4	6.6	36.1		Q	10.2	45.8	6.6	37.4
12.	B	6.1	71.7	16.2	6.1		P	10.4	67.3	15.7	6.5		P	9.0	70.5	14.3	6.1
*13.	B,D	18.2	33.3	14.1	34.3		P	19.0	28.7	17.9	34.0		P	18.9	29.9	16.4	34.2
14.	C	22.2	12.1	38.4	27.3		Q	24.0	15.9	39.5	20.4		Q	23.7	16.1	39.0	20.9
15.	D	13.1	12.1	28.3	46.5		Q	12.4	11.9	20.5	55.1		Q	12.2	12.2	19.7	55.8
16.	D	27.3	10.1	16.2	46.5		Q	22.9	8.9	11.5	56.7		Q	21.7	8.2	11.4	58.6
17.	D	1.0	0.0	14.1	83.8		P	3.0	1.7	14.6	80.4		P	3.1	1.8	14.1	80.8
18.	D	9.1	38.4	10.1	42.4		Q	7.7	36.6	8.5	47.1		Q	7.0	35.6	7.6	49.7
19.	A	53.5	40.4	3.0	3.0		Q	53.6	37.3	5.4	3.6		Q	54.2	38.1	4.6	3.1
20.	D	16.2	3.0	22.2	58.6		Q	12.2	2.6	25.2	60.0		Q	12.7	2.6	23.9	60.8
21.	B	7.1	60.6	13.1	19.2		Q	9.1	61.0	10.2	19.7		Q	9.2	62.3	9.6	18.9
22.	A	45.5	47.5	5.1	1.0		Q	49.0	44.7	4.4	1.7		Q	48.5	45.4	4.3	1.6
23.	A	32.3	42.4	17.2	8.1		P	30.9	45.4	13.4	10.2		P	31.3	47.2	12.0	9.5
24.	D	4.0	35.4	10.1	50.5		P	3.0	38.8	11.4	46.6		P	3.1	38.1	10.4	48.3
25.	A	44.4	5.1	44.4	6.1		Q	47.2	4.8	37.9	10.1		Q	50.0	5.0	35.6	9.4
26.	D	14.1	21.2	17.2	47.5		P	20.2	22.8	19.0	37.8		P	20.2	22.1	18.3	39.3
27.	D	13.1	33.3	9.1	44.4		Q	11.0	26.2	13.6	49.0		Q	11.7	26.3	12.8	49.0
28.	B	13.1	45.5	31.3	10.1		Q	11.0	55.9	23.0	9.7		Q	11.5	56.2	23.1	9.0
29.	C	8.1	5.1	74.8	12.1		P	8.9	13.0	68.5	9.5		P	8.1	12.5	69.8	9.5
30.	B	13.1	76.8	9.1	1.0		Q	5.3	83.8	9.6	1.3		Q	4.3	85.0	9.4	1.2
31.	D	19.2	13.1	14.1	53.5		P	17.8	13.0	15.5	53.2		P	18.1	13.0	15.9	52.6
32.	D	9.1	5.1	17.2	68.7		Q	6.3	8.2	11.5	74.1		Q	6.0	8.3	11.2	74.4
33.	C	10.1	24.2	49.5	16.2		P	13.0	20.2	49.1	17.1		Q	12.8	19.5	50.6	16.4
34.	C	7.1	3.0	83.8	6.1		Q	5.0	2.0	86.1	7.0		Q	4.9	1.6	86.6	6.9
35.	C	9.1	12.1	62.6	16.2		Q	6.8	11.3	69.1	12.6		Q	6.6	12.0	68.3	12.8
36.	B	4.0	83.8	8.1	4.0		Q	2.8	89.6	5.4	2.2		Q	2.7	90.0	5.1	2.2
37.	C	2.0	24.2	69.7	4.0		P	6.6	25.3	61.9	6.1		P	6.5	24.3	63.5	5.5
38.	A	86.9	2.0	8.1	3.0		P	77.7	6.3	10.3	5.6		P	77.3	7.1	9.9	5.6
39.	B	9.1	75.8	7.1	8.1		P	12.4	69.7	7.5	10.4		P	11.5	72.3	6.3	9.8
40.	C	4.0	15.2	75.8	5.1		Q	5.6	12.7	77.9	3.8		Q	5.2	12.7	78.5	3.7
41.	D	13.1	25.3	22.2	39.4		Q	17.0	21.3	21.3	40.0		Q	17.1	20.3	20.7	41.5
42.	B	19.2	71.7	6.1	3.0		Q	10.1	83.0	3.7	3.2		Q	9.3	84.1	3.7	2.8
43.	B	27.3	47.5	10.1	15.2		P	22.3	41.8	17.8	17.5		P	23.3	42.0	16.9	17.3
44.	C	8.1	10.1	70.7	11.1		Q	7.3	10.5	72.1	9.8		Q	7.1	10.7	72.8	9.2
45.	B	24.2	47.5	23.2	5.1		Q	29.5	48.0	15.7	6.5		Q	30.2	47.9	15.5	6.2
46.	B	13.1	66.7	10.1	10.1		P	17.0	62.9	10.3	9.6		P	16.9	64.4	9.2	9.2
47.	B	7.1	50.5	34.3	8.1		P	7.9	45.8	39.5	6.3		P	7.1	47.6	39.5	5.3
48.	B	2.0	89.9	4.0	4.0		P	4.1	85.3	6.5	3.9		P	3.8	85.0	6.8	4.2
49.	C	6.1	9.1	62.6	21.2		P	5.9	10.6	61.8	21.3		P	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 4 - Eastern

(percentage of students who selected each response)

#328 - Booth Memorial High School, St. John's

Grades: 10-12

Item	Key	School [N=88]				School Below Above District	District [N=1,840]				School Below Above Province	Province [N=3,011]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	A	35.2	38.6	9.1	17.1	q	37.5	39.0	10.4	13.1	q	37.7	39.4	10.0	12.9
2.	A	17.1	21.6	9.1	52.3	q	18.9	24.2	7.7	48.9	q	19.5	23.4	7.8	49.0
3.	C	3.4	1.1	84.1	11.4	p	3.6	2.4	79.4	14.6	p	3.9	2.8	77.9	15.5
4.	C	8.0	13.6	63.6	14.8	p	5.9	15.9	61.4	16.5	p	5.2	16.6	61.0	16.8
5.	D	22.7	26.1	17.1	34.1	q	12.1	19.6	20.5	47.6	q	11.7	18.5	21.1	48.6
6.	B	3.4	95.5	1.1	0.0	p	2.1	90.7	5.1	2.0	p	2.1	90.5	5.2	2.2
7.	D	8.0	9.1	13.6	69.3	p	8.2	12.9	9.7	68.8	q	7.2	13.2	8.5	70.8
8.	B	1.1	83.0	6.8	9.1	q	4.9	85.6	2.8	6.7	q	4.5	86.6	2.8	6.2
9.	C	3.4	20.5	64.8	11.4	p	4.9	23.3	62.3	9.2	p	4.5	25.9	60.3	9.1
10.	D	17.1	19.3	22.7	40.9	q	15.5	18.9	20.8	44.6	q	14.6	18.2	20.2	46.9
11.	D	8.0	58.0	4.6	29.6	q	10.8	46.4	6.6	36.1	q	10.2	45.8	6.6	37.4
12.	B	17.1	58.0	13.6	11.4	q	10.4	67.3	15.7	6.5	q	9.0	70.5	14.3	6.1
*13.	B,D	17.1	21.6	21.6	39.8	q	19.0	28.7	17.9	34.0	q	18.9	29.9	16.4	34.2
14.	C	26.1	14.8	36.4	22.7	q	24.0	15.9	39.5	20.4	q	23.7	16.1	39.0	20.9
15.	D	10.2	15.9	28.4	45.5	q	12.4	11.9	20.5	55.1	q	12.2	12.2	19.7	55.8
16.	D	15.9	5.7	14.8	63.6	p	22.9	8.9	11.5	56.7	p	21.7	8.2	11.4	58.6
17.	D	2.3	2.3	12.5	83.0	p	3.0	1.7	14.6	80.4	p	3.1	1.8	14.1	80.8
18.	D	8.0	37.5	9.1	45.5	q	7.7	36.6	8.5	47.1	q	7.0	35.6	7.6	49.7
19.	A	47.7	38.6	9.1	4.6	q	53.6	37.3	5.4	3.6	q	54.2	38.1	4.6	3.1
20.	D	6.8	4.6	27.3	61.4	p	12.2	2.6	25.2	60.0	p	12.7	2.6	23.9	60.8
21.	B	6.8	56.8	5.7	30.7	q	9.1	61.0	10.2	19.7	q	9.2	62.3	9.6	18.9
22.	A	51.1	43.2	4.6	1.1	p	49.0	44.7	4.4	1.7	p	48.5	45.4	4.3	1.6
23.	A	28.4	39.8	20.5	11.4	q	30.9	45.4	13.4	10.2	q	31.3	47.2	12.0	9.5
24.	D	4.6	34.1	9.1	52.3	p	3.0	38.8	11.4	46.6	p	3.1	38.1	10.4	48.3
25.	A	45.5	6.8	39.8	8.0	q	47.2	4.8	37.9	10.1	q	50.0	5.0	35.6	9.4
26.	D	21.6	18.2	18.2	42.1	p	20.2	22.8	19.0	37.8	p	20.2	22.1	18.3	39.3
27.	D	8.0	37.5	12.5	42.1	q	11.0	26.2	13.6	49.0	q	11.7	26.3	12.8	49.0
28.	B	18.2	48.9	25.0	8.0	q	11.0	55.9	23.0	9.7	q	11.5	56.2	23.1	9.0
29.	C	9.1	18.2	62.5	10.2	q	8.9	13.0	68.5	9.5	q	8.1	12.5	69.8	9.5
30.	B	10.2	80.7	6.8	2.3	q	5.3	83.8	9.6	1.3	q	4.3	85.0	9.4	1.2
31.	D	17.1	13.6	14.8	54.6	p	17.8	13.0	15.5	53.2	p	18.1	13.0	15.9	52.6
32.	D	8.0	11.4	15.9	64.8	q	6.3	8.2	11.5	74.1	q	6.0	8.3	11.2	74.4
33.	C	11.4	23.9	48.9	15.9	q	13.0	20.2	49.1	17.1	q	12.8	19.5	50.6	16.4
34.	C	3.4	2.3	84.1	10.2	q	5.0	2.0	86.1	7.0	q	4.9	1.6	86.6	6.9
35.	C	8.0	10.2	67.1	14.8	q	6.8	11.3	69.1	12.6	q	6.6	12.0	68.3	12.8
36.	B	4.6	92.1	1.1	2.3	p	2.8	89.6	5.4	2.2	p	2.7	90.0	5.1	2.2
37.	C	5.7	25.0	63.6	5.7	p	6.6	25.3	61.9	6.1	p	6.5	24.3	63.5	5.5
38.	A	90.9	4.6	2.3	2.3	p	77.7	6.3	10.3	5.6	p	77.3	7.1	9.9	5.6
39.	B	26.1	56.8	10.2	6.8	q	12.4	69.7	7.5	10.4	q	11.5	72.3	6.3	9.8
40.	C	3.4	12.5	80.7	3.4	p	5.6	12.7	77.9	3.8	p	5.2	12.7	78.5	3.7
41.	D	18.2	12.5	23.9	45.5	p	17.0	21.3	21.3	40.0	p	17.1	20.3	20.7	41.5
42.	B	17.1	75.0	2.3	4.6	q	10.1	83.0	3.7	3.2	q	9.3	84.1	3.7	2.8
43.	B	20.5	47.7	15.9	15.9	p	22.3	41.8	17.8	17.5	p	23.3	42.0	16.9	17.3
44.	C	3.4	12.5	65.9	17.1	q	7.3	10.5	72.1	9.8	q	7.1	10.7	72.8	9.2
45.	B	23.9	64.8	6.8	4.6	p	29.5	48.0	15.7	6.5	p	30.2	47.9	15.5	6.2
46.	B	23.9	56.8	10.2	9.1	q	17.0	62.9	10.3	9.6	q	16.9	64.4	9.2	9.2
47.	B	4.6	52.3	38.6	3.4	p	7.9	45.8	39.5	6.3	p	7.1	47.6	39.5	5.3
48.	B	6.8	85.2	6.8	1.1	q	4.1	85.3	6.5	3.9	p	3.8	85.0	6.8	4.2
49.	C	4.6	9.1	67.1	19.3	p	5.9	10.6	61.8	21.3	p	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 4 - Eastern

(percentage of students who selected each response)

#336 - Gonzaga High School, St. John's

Grades: 10-12

Item	Key	School [N=149]				School Below Above District		District [N=1,840]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D	A	B	C	D		
1.	A	25.5	47.7	11.4	15.4		q	37.5	39.0	10.4	13.1		q	37.7	39.4	10.0	12.9
2.	A	30.9	22.8	6.0	40.3		p	18.9	24.2	7.7	48.9		p	19.5	23.4	7.8	49.0
3.	C	2.0	0.7	84.6	12.8		p	3.6	2.4	79.4	14.6		p	3.9	2.8	77.9	15.5
4.	C	4.0	10.1	65.8	19.5		p	5.9	15.9	61.4	16.5		p	5.2	16.6	61.0	16.8
5.	D	10.1	18.1	12.8	59.1		p	12.1	19.6	20.5	47.6		p	11.7	18.5	21.1	48.6
6.	B	0.7	96.0	2.7	0.7		p	2.1	90.7	5.1	2.0		p	2.1	90.5	5.2	2.2
7.	D	4.7	14.8	6.7	73.8		p	8.2	12.9	9.7	68.8		p	7.2	13.2	8.5	70.8
8.	B	3.4	87.9	0.7	8.1		p	4.9	85.6	2.8	6.7		p	4.5	86.6	2.8	6.2
9.	C	2.7	28.2	62.4	6.0		p	4.9	23.3	62.3	9.2		p	4.5	25.9	60.3	9.1
10.	D	13.4	14.1	20.8	51.7		p	15.5	18.9	20.8	44.6		p	14.6	18.2	20.2	46.9
11.	D	10.7	47.7	6.7	34.9		q	10.8	46.4	6.6	36.1		q	10.2	45.8	6.6	37.4
12.	B	7.4	74.5	12.1	6.0		p	10.4	67.3	15.7	6.5		p	9.0	70.5	14.3	6.1
*13.	B,D	18.1	28.2	21.5	32.2		q	19.0	28.7	17.9	34.0		q	18.9	29.9	16.4	34.2
14.	C	22.8	16.8	40.9	19.5		p	24.0	15.9	39.5	20.4		p	23.7	16.1	39.0	20.9
15.	D	12.8	14.1	12.8	59.7		p	12.4	11.9	20.5	55.1		p	12.2	12.2	19.7	55.8
16.	D	22.8	6.7	10.7	59.7		p	22.9	8.9	11.5	56.7		p	21.7	8.2	11.4	58.6
17.	D	4.0	2.0	15.4	78.5		q	3.0	1.7	14.6	80.4		q	3.1	1.8	14.1	80.8
18.	D	6.0	34.2	8.7	51.0		p	7.7	36.6	8.5	47.1		p	7.0	35.6	7.6	49.7
19.	A	54.4	37.6	6.0	2.0		p	53.6	37.3	5.4	3.6		p	54.2	38.1	4.6	3.1
20.	D	10.7	0.0	16.1	73.2		p	12.2	2.6	25.2	60.0		p	12.7	2.6	23.9	60.8
21.	B	5.4	63.1	7.4	24.2		p	9.1	61.0	10.2	19.7		p	9.2	62.3	9.6	18.9
22.	A	56.4	37.6	3.4	2.7		p	49.0	44.7	4.4	1.7		p	48.5	45.4	4.3	1.6
23.	A	33.6	47.7	8.7	10.1		p	30.9	45.4	13.4	10.2		p	31.3	47.2	12.0	9.5
24.	D	0.0	31.5	9.4	59.1		p	3.0	38.8	11.4	46.6		p	3.1	38.1	10.4	48.3
25.	A	53.7	0.7	34.9	10.7		p	47.2	4.8	37.9	10.1		p	50.0	5.0	35.6	9.4
26.	D	20.1	24.8	20.1	34.2		q	20.2	22.8	19.0	37.8		q	20.2	22.1	18.3	39.3
27.	D	10.7	14.8	10.7	63.1		p	11.0	26.2	13.6	49.0		p	11.7	26.3	12.8	49.0
28.	B	9.4	63.1	19.5	8.1		p	11.0	55.9	23.0	9.7		p	11.5	56.2	23.1	9.0
29.	C	4.0	16.1	67.8	12.1		q	8.9	13.0	68.5	9.5		q	8.1	12.5	69.8	9.5
30.	B	3.4	89.3	5.4	2.0		p	5.3	83.8	9.6	1.3		p	4.3	85.0	9.4	1.2
31.	D	14.8	12.1	15.4	55.7		p	17.8	13.0	15.5	53.2		p	18.1	13.0	15.9	52.6
32.	D	3.4	6.7	5.4	84.6		p	6.3	8.2	11.5	74.1		p	6.0	8.3	11.2	74.4
33.	C	10.7	18.8	50.3	18.8		p	13.0	20.2	49.1	17.1		q	12.8	19.5	50.6	16.4
34.	C	6.7	1.3	86.6	5.4		p	5.0	2.0	86.1	7.0		p	4.9	1.6	86.6	6.9
35.	C	6.0	8.7	74.5	10.1		p	6.8	11.3	69.1	12.6		p	6.6	12.0	68.3	12.8
36.	B	3.4	89.9	6.0	0.7		p	2.8	89.6	5.4	2.2		q	2.7	90.0	5.1	2.2
37.	C	6.0	16.8	73.8	3.4		p	6.6	25.3	61.9	6.1		p	6.5	24.3	63.5	5.5
38.	A	87.9	3.4	5.4	3.4		p	77.7	6.3	10.3	5.6		p	77.3	7.1	9.9	5.6
39.	B	16.1	67.1	6.7	10.1		q	12.4	69.7	7.5	10.4		q	11.5	72.3	6.3	9.8
40.	C	4.7	10.1	81.9	3.4		p	5.6	12.7	77.9	3.8		p	5.2	12.7	78.5	3.7
41.	D	16.1	14.8	26.2	41.6		p	17.0	21.3	21.3	40.0		p	17.1	20.3	20.7	41.5
42.	B	8.7	83.9	3.4	4.0		p	10.1	83.0	3.7	3.2		q	9.3	84.1	3.7	2.8
43.	B	21.5	53.0	10.1	14.1		p	22.3	41.8	17.8	17.5		p	23.3	42.0	16.9	17.3
44.	C	4.0	10.1	76.5	9.4		p	7.3	10.5	72.1	9.8		p	7.1	10.7	72.8	9.2
45.	B	32.9	49.0	12.8	5.4		p	29.5	48.0	15.7	6.5		p	30.2	47.9	15.5	6.2
46.	B	18.8	65.1	9.4	6.7		p	17.0	62.9	10.3	9.6		p	16.9	64.4	9.2	9.2
47.	B	8.1	48.3	34.2	9.4		p	7.9	45.8	39.5	6.3		p	7.1	47.6	39.5	5.3
48.	B	2.0	90.6	5.4	2.0		p	4.1	85.3	6.5	3.9		p	3.8	85.0	6.8	4.2
49.	C	8.1	11.4	55.7	22.2		q	5.9	10.6	61.8	21.3		q	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 4 - Eastern

(percentage of students who selected each response)

#340 - Holy Heart High School, St. John's

Grades: 10-12

Item	Key	School [N=161]				School Below Above District		District [N=1,840]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D	A	B	C	D		
1.	A	42.2	37.9	11.2	8.7		P	37.5	39.0	10.4	13.1		P	37.7	39.4	10.0	12.9
2.	A	20.5	22.4	3.7	53.4		P	18.9	24.2	7.7	48.9		P	19.5	23.4	7.8	49.0
3.	C	3.7	2.5	83.2	10.6		P	3.6	2.4	79.4	14.6		P	3.9	2.8	77.9	15.5
4.	C	9.3	11.2	65.2	13.7		P	5.9	15.9	61.4	16.5		P	5.2	16.6	61.0	16.8
5.	D	15.5	18.6	13.7	52.2		P	12.1	19.6	20.5	47.6		P	11.7	18.5	21.1	48.6
6.	B	1.9	94.4	2.5	1.2		P	2.1	90.7	5.1	2.0		P	2.1	90.5	5.2	2.2
7.	D	3.7	13.0	13.0	68.9		P	8.2	12.9	9.7	68.8		Q	7.2	13.2	8.5	70.8
8.	B	7.5	83.2	4.4	5.0		Q	4.9	85.6	2.8	6.7		Q	4.5	86.6	2.8	6.2
9.	C	6.8	20.5	62.1	8.7		Q	4.9	23.3	62.3	9.2		P	4.5	25.9	60.3	9.1
10.	D	11.2	24.2	18.6	46.0		P	15.5	18.9	20.8	44.6		Q	14.6	18.2	20.2	46.9
11.	D	9.9	51.6	6.8	31.7		Q	10.8	46.4	6.6	36.1		Q	10.2	45.8	6.6	37.4
12.	B	11.8	67.7	17.4	3.1		P	10.4	67.3	15.7	6.5		Q	9.0	70.5	14.3	6.1
*13.	B,D	16.8	29.2	19.3	34.2		P	19.0	28.7	17.9	34.0		Q	18.9	29.9	16.4	34.2
14.	C	27.3	8.7	32.9	30.4		Q	24.0	15.9	39.5	20.4		Q	23.7	16.1	39.0	20.9
15.	D	8.1	9.3	14.9	67.7		P	12.4	11.9	20.5	55.1		P	12.2	12.2	19.7	55.8
16.	D	18.0	11.8	9.9	59.6		P	22.9	8.9	11.5	56.7		P	21.7	8.2	11.4	58.6
17.	D	2.5	1.9	13.0	82.0		P	3.0	1.7	14.6	80.4		P	3.1	1.8	14.1	80.8
18.	D	7.5	36.7	6.2	49.7		P	7.7	36.6	8.5	47.1		Q	7.0	35.6	7.6	49.7
19.	A	54.0	35.4	7.5	2.5		P	53.6	37.3	5.4	3.6		Q	54.2	38.1	4.6	3.1
20.	D	9.9	3.7	23.6	62.7		P	12.2	2.6	25.2	60.0		P	12.7	2.6	23.9	60.8
21.	B	9.9	65.2	5.6	19.3		P	9.1	61.0	10.2	19.7		P	9.2	62.3	9.6	18.9
22.	A	55.9	37.9	3.7	2.5		P	49.0	44.7	4.4	1.7		P	48.5	45.4	4.3	1.6
23.	A	28.0	45.3	15.5	11.2		Q	30.9	45.4	13.4	10.2		Q	31.3	47.2	12.0	9.5
24.	D	1.9	37.9	7.5	52.2		P	3.0	38.8	11.4	46.6		P	3.1	38.1	10.4	48.3
25.	A	47.8	5.0	35.4	11.8		P	47.2	4.8	37.9	10.1		Q	50.0	5.0	35.6	9.4
26.	D	20.5	19.9	21.7	37.3		Q	20.2	22.8	19.0	37.8		Q	20.2	22.1	18.3	39.3
27.	D	10.6	30.4	16.8	42.2		Q	11.0	26.2	13.6	49.0		Q	11.7	26.3	12.8	49.0
28.	B	15.5	53.4	19.3	11.8		Q	11.0	55.9	23.0	9.7		Q	11.5	56.2	23.1	9.0
29.	C	5.6	9.9	72.1	12.4		P	8.9	13.0	68.5	9.5		P	8.1	12.5	69.8	9.5
30.	B	5.0	82.6	11.2	1.2		Q	5.3	83.8	9.6	1.3		Q	4.3	85.0	9.4	1.2
31.	D	16.8	13.0	14.3	55.3		P	17.8	13.0	15.5	53.2		P	18.1	13.0	15.9	52.6
32.	D	9.9	10.6	11.8	67.7		Q	6.3	8.2	11.5	74.1		Q	6.0	8.3	11.2	74.4
33.	C	9.3	19.9	55.3	14.9		P	13.0	20.2	49.1	17.1		P	12.8	19.5	50.6	16.4
34.	C	3.1	3.1	85.7	8.1		Q	5.0	2.0	86.1	7.0		Q	4.9	1.6	86.6	6.9
35.	C	9.9	10.6	64.6	14.3		Q	6.8	11.3	69.1	12.6		Q	6.6	12.0	68.3	12.8
36.	B	2.5	88.8	6.8	1.9		Q	2.8	89.6	5.4	2.2		Q	2.7	90.0	5.1	2.2
37.	C	9.9	21.7	59.6	7.5		Q	6.6	25.3	61.9	6.1		Q	6.5	24.3	63.5	5.5
38.	A	82.0	2.5	11.8	3.7		P	77.7	6.3	10.3	5.6		P	77.3	7.1	9.9	5.6
39.	B	12.4	68.9	5.0	13.7		Q	12.4	69.7	7.5	10.4		Q	11.5	72.3	6.3	9.8
40.	C	5.6	16.8	74.5	2.5		Q	5.6	12.7	77.9	3.8		Q	5.2	12.7	78.5	3.7
41.	D	18.0	25.5	21.7	34.2		Q	17.0	21.3	21.3	40.0		Q	17.1	20.3	20.7	41.5
42.	B	6.8	84.5	4.4	4.4		P	10.1	83.0	3.7	3.2		P	9.3	84.1	3.7	2.8
43.	B	20.5	37.9	20.5	20.5		Q	22.3	41.8	17.8	17.5		Q	23.3	42.0	16.9	17.3
44.	C	8.7	8.7	72.7	9.9		P	7.3	10.5	72.1	9.8		Q	7.1	10.7	72.8	9.2
45.	B	32.3	46.0	12.4	9.3		Q	29.5	48.0	15.7	6.5		Q	30.2	47.9	15.5	6.2
46.	B	14.9	62.1	8.7	13.7		Q	17.0	62.9	10.3	9.6		Q	16.9	64.4	9.2	9.2
47.	B	9.3	49.7	33.5	6.8		P	7.9	45.8	39.5	6.3		P	7.1	47.6	39.5	5.3
48.	B	1.9	90.1	6.2	1.9		P	4.1	85.3	6.5	3.9		P	3.8	85.0	6.8	4.2
49.	C	7.5	15.5	58.4	18.6		Q	5.9	10.6	61.8	21.3		Q	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

District 4 - Eastern

(percentage of students who selected each response)

#347 - Prince of Wales Collegiate, St. John's

Grades: 10-12

Item	Key	School [N=110]				School Below Above District		District [N=1,840]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	38.2	50.0	6.4	5.5		P	37.5	39.0	10.4	13.1		P	37.7	39.4	10.0	12.9
2.	A	17.3	17.3	12.7	52.7	q		18.9	24.2	7.7	48.9	q		19.5	23.4	7.8	49.0
3.	C	3.6	2.7	81.8	11.8		P	3.6	2.4	79.4	14.6		P	3.9	2.8	77.9	15.5
4.	C	1.8	29.1	51.8	17.3	q		5.9	15.9	61.4	16.5	q		5.2	16.6	61.0	16.8
5.	D	14.6	21.8	15.5	48.2		P	12.1	19.6	20.5	47.6	q		11.7	18.5	21.1	48.6
6.	B	0.9	90.0	6.4	2.7	q		2.1	90.7	5.1	2.0	q		2.1	90.5	5.2	2.2
7.	D	7.3	18.2	10.9	63.6	q		8.2	12.9	9.7	68.8	q		7.2	13.2	8.5	70.8
8.	B	10.0	75.5	6.4	8.2	q		4.9	85.6	2.8	6.7	q		4.5	86.6	2.8	6.2
9.	C	5.5	23.6	57.3	13.6	q		4.9	23.3	62.3	9.2	q		4.5	25.9	60.3	9.1
10.	D	22.7	18.2	31.8	27.3	q		15.5	18.9	20.8	44.6	q		14.6	18.2	20.2	46.9
11.	D	17.3	49.1	5.5	28.2	q		10.8	46.4	6.6	36.1	q		10.2	45.8	6.6	37.4
12.	B	12.7	60.9	18.2	8.2	q		10.4	67.3	15.7	6.5	q		9.0	70.5	14.3	6.1
*13.	B,D	19.1	23.6	24.6	32.7	q		19.0	28.7	17.9	34.0	q		18.9	29.9	16.4	34.2
14.	C	28.2	18.2	35.5	18.2	q		24.0	15.9	39.5	20.4	q		23.7	16.1	39.0	20.9
15.	D	15.5	18.2	20.9	45.5	q		12.4	11.9	20.5	55.1	q		12.2	12.2	19.7	55.8
16.	D	30.0	13.6	19.1	37.3	q		22.9	8.9	11.5	56.7	q		21.7	8.2	11.4	58.6
17.	D	4.6	0.9	17.3	76.4	q		3.0	1.7	14.6	80.4	q		3.1	1.8	14.1	80.8
18.	D	7.3	34.6	9.1	49.1		P	7.7	36.6	8.5	47.1	q		7.0	35.6	7.6	49.7
19.	A	59.1	34.6	5.5	0.9		P	53.6	37.3	5.4	3.6		P	54.2	38.1	4.6	3.1
20.	D	11.8	0.9	24.6	62.7		P	12.2	2.6	25.2	60.0		P	12.7	2.6	23.9	60.8
21.	B	11.8	59.1	10.0	19.1	q		9.1	61.0	10.2	19.7	q		9.2	62.3	9.6	18.9
22.	A	40.0	52.7	4.6	2.7	q		49.0	44.7	4.4	1.7	q		48.5	45.4	4.3	1.6
23.	A	22.7	47.3	16.4	13.6	q		30.9	45.4	13.4	10.2	q		31.3	47.2	12.0	9.5
24.	D	3.6	48.2	20.9	27.3	q		3.0	38.8	11.4	46.6	q		3.1	38.1	10.4	48.3
25.	A	35.5	5.5	46.4	12.7	q		47.2	4.8	37.9	10.1	q		50.0	5.0	35.6	9.4
26.	D	13.6	36.4	18.2	31.8	q		20.2	22.8	19.0	37.8	q		20.2	22.1	18.3	39.3
27.	D	11.8	29.1	13.6	45.5	q		11.0	26.2	13.6	49.0	q		11.7	26.3	12.8	49.0
28.	B	16.4	45.5	28.2	10.0	q		11.0	55.9	23.0	9.7	q		11.5	56.2	23.1	9.0
29.	C	10.0	17.3	68.2	4.6	q		8.9	13.0	68.5	9.5	q		8.1	12.5	69.8	9.5
30.	B	11.8	76.4	10.9	0.9	q		5.3	83.8	9.6	1.3	q		4.3	85.0	9.4	1.2
31.	D	17.3	20.0	23.6	38.2	q		17.8	13.0	15.5	53.2	q		18.1	13.0	15.9	52.6
32.	D	13.6	10.0	13.6	61.8	q		6.3	8.2	11.5	74.1	q		6.0	8.3	11.2	74.4
33.	C	14.6	26.4	35.5	23.6	q		13.0	20.2	49.1	17.1	q		12.8	19.5	50.6	16.4
34.	C	8.2	4.6	80.0	6.4	q		5.0	2.0	86.1	7.0	q		4.9	1.6	86.6	6.9
35.	C	13.6	13.6	62.7	10.0	q		6.8	11.3	69.1	12.6	q		6.6	12.0	68.3	12.8
36.	B	4.6	82.7	8.2	4.6	q		2.8	89.6	5.4	2.2	q		2.7	90.0	5.1	2.2
37.	C	7.3	35.5	47.3	10.0	q		6.6	25.3	61.9	6.1	q		6.5	24.3	63.5	5.5
38.	A	59.1	14.6	19.1	7.3	q		77.7	6.3	10.3	5.6	q		77.3	7.1	9.9	5.6
39.	B	23.6	54.6	15.5	6.4	q		12.4	69.7	7.5	10.4	q		11.5	72.3	6.3	9.8
40.	C	2.7	17.3	77.3	2.7	q		5.6	12.7	77.9	3.8	q		5.2	12.7	78.5	3.7
41.	D	13.6	32.7	27.3	26.4	q		17.0	21.3	21.3	40.0	q		17.1	20.3	20.7	41.5
42.	B	10.0	83.6	1.8	4.6		P	10.1	83.0	3.7	3.2	q		9.3	84.1	3.7	2.8
43.	B	25.5	36.4	21.8	16.4	q		22.3	41.8	17.8	17.5	q		23.3	42.0	16.9	17.3
44.	C	10.0	11.8	67.3	10.9	q		7.3	10.5	72.1	9.8	q		7.1	10.7	72.8	9.2
45.	B	29.1	38.2	28.2	4.6	q		29.5	48.0	15.7	6.5	q		30.2	47.9	15.5	6.2
46.	B	23.6	50.0	14.6	11.8	q		17.0	62.9	10.3	9.6	q		16.9	64.4	9.2	9.2
47.	B	7.3	43.6	45.5	3.6	q		7.9	45.8	39.5	6.3	q		7.1	47.6	39.5	5.3
48.	B	7.3	79.1	8.2	5.5	q		4.1	85.3	6.5	3.9	q		3.8	85.0	6.8	4.2
49.	C	6.4	13.6	55.5	24.6	q		5.9	10.6	61.8	21.3	q		6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 4 - Eastern

(percentage of students who selected each response)

#354 - St. Kevin's High, St. John's (Goulds)

Grades: 10-12

Item	Key	School [N=56]				School Below Above District	District [N=1,840]				School Below Above Province	Province [N=3,011]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	A	23.2	48.2	14.3	14.3	q	37.5	39.0	10.4	13.1	q	37.7	39.4	10.0	12.9
2.	A	16.1	30.4	12.5	41.1	q	18.9	24.2	7.7	48.9	q	19.5	23.4	7.8	49.0
3.	C	3.6	1.8	91.1	3.6	p	3.6	2.4	79.4	14.6	p	3.9	2.8	77.9	15.5
4.	C	12.5	17.9	51.8	17.9	q	5.9	15.9	61.4	16.5	q	5.2	16.6	61.0	16.8
5.	D	12.5	17.9	23.2	46.4	q	12.1	19.6	20.5	47.6	q	11.7	18.5	21.1	48.6
6.	B	0.0	85.7	12.5	1.8	q	2.1	90.7	5.1	2.0	q	2.1	90.5	5.2	2.2
7.	D	12.5	8.9	14.3	64.3	q	8.2	12.9	9.7	68.8	q	7.2	13.2	8.5	70.8
8.	B	1.8	83.9	1.8	12.5	q	4.9	85.6	2.8	6.7	q	4.5	86.6	2.8	6.2
9.	C	5.4	23.2	66.1	5.4	p	4.9	23.3	62.3	9.2	p	4.5	25.9	60.3	9.1
10.	D	19.6	12.5	14.3	53.6	p	15.5	18.9	20.8	44.6	p	14.6	18.2	20.2	46.9
11.	D	10.7	57.1	1.8	30.4	q	10.8	46.4	6.6	36.1	q	10.2	45.8	6.6	37.4
12.	B	5.4	55.4	33.9	5.4	q	10.4	67.3	15.7	6.5	q	9.0	70.5	14.3	6.1
*13.	B,D	19.6	26.8	21.4	32.1	q	19.0	28.7	17.9	34.0	q	18.9	29.9	16.4	34.2
14.	C	23.2	16.1	53.6	7.1	p	24.0	15.9	39.5	20.4	p	23.7	16.1	39.0	20.9
15.	D	8.9	5.4	25.0	60.7	p	12.4	11.9	20.5	55.1	p	12.2	12.2	19.7	55.8
16.	D	21.4	14.3	19.6	44.6	q	22.9	8.9	11.5	56.7	q	21.7	8.2	11.4	58.6
17.	D	1.8	5.4	21.4	71.4	q	3.0	1.7	14.6	80.4	q	3.1	1.8	14.1	80.8
18.	D	10.7	44.6	8.9	35.7	q	7.7	36.6	8.5	47.1	q	7.0	35.6	7.6	49.7
19.	A	58.9	37.5	1.8	1.8	p	53.6	37.3	5.4	3.6	p	54.2	38.1	4.6	3.1
20.	D	14.3	1.8	33.9	50.0	q	12.2	2.6	25.2	60.0	q	12.7	2.6	23.9	60.8
21.	B	7.1	55.4	16.1	21.4	q	9.1	61.0	10.2	19.7	q	9.2	62.3	9.6	18.9
22.	A	53.6	39.3	5.4	1.8	p	49.0	44.7	4.4	1.7	p	48.5	45.4	4.3	1.6
23.	A	19.6	62.5	10.7	7.1	q	30.9	45.4	13.4	10.2	q	31.3	47.2	12.0	9.5
24.	D	0.0	32.1	12.5	55.4	p	3.0	38.8	11.4	46.6	p	3.1	38.1	10.4	48.3
25.	A	55.4	5.4	33.9	5.4	p	47.2	4.8	37.9	10.1	p	50.0	5.0	35.6	9.4
26.	D	17.9	25.0	23.2	33.9	q	20.2	22.8	19.0	37.8	q	20.2	22.1	18.3	39.3
27.	D	12.5	10.7	10.7	66.1	p	11.0	26.2	13.6	49.0	p	11.7	26.3	12.8	49.0
28.	B	5.4	66.1	19.6	8.9	p	11.0	55.9	23.0	9.7	p	11.5	56.2	23.1	9.0
29.	C	12.5	8.9	71.4	7.1	p	8.9	13.0	68.5	9.5	p	8.1	12.5	69.8	9.5
30.	B	0.0	87.5	10.7	1.8	p	5.3	83.8	9.6	1.3	p	4.3	85.0	9.4	1.2
31.	D	12.5	12.5	17.9	57.1	p	17.8	13.0	15.5	53.2	p	18.1	13.0	15.9	52.6
32.	D	5.4	16.1	3.6	75.0	p	6.3	8.2	11.5	74.1	p	6.0	8.3	11.2	74.4
33.	C	12.5	17.9	53.6	16.1	p	13.0	20.2	49.1	17.1	p	12.8	19.5	50.6	16.4
34.	C	7.1	0.0	82.1	10.7	q	5.0	2.0	86.1	7.0	q	4.9	1.6	86.6	6.9
35.	C	1.8	5.4	82.1	10.7	p	6.8	11.3	69.1	12.6	p	6.6	12.0	68.3	12.8
36.	B	1.8	96.4	0.0	1.8	p	2.8	89.6	5.4	2.2	p	2.7	90.0	5.1	2.2
37.	C	7.1	10.7	76.8	5.4	p	6.6	25.3	61.9	6.1	p	6.5	24.3	63.5	5.5
38.	A	83.9	3.6	7.1	5.4	p	77.7	6.3	10.3	5.6	p	77.3	7.1	9.9	5.6
39.	B	10.7	69.6	10.7	8.9	q	12.4	69.7	7.5	10.4	q	11.5	72.3	6.3	9.8
40.	C	7.1	12.5	76.8	3.6	q	5.6	12.7	77.9	3.8	q	5.2	12.7	78.5	3.7
41.	D	14.3	8.9	25.0	51.8	p	17.0	21.3	21.3	40.0	p	17.1	20.3	20.7	41.5
42.	B	8.9	85.7	1.8	3.6	p	10.1	83.0	3.7	3.2	p	9.3	84.1	3.7	2.8
43.	B	16.1	42.9	25.0	16.1	p	22.3	41.8	17.8	17.5	p	23.3	42.0	16.9	17.3
44.	C	7.1	10.7	69.6	10.7	q	7.3	10.5	72.1	9.8	q	7.1	10.7	72.8	9.2
45.	B	28.6	57.1	7.1	7.1	p	29.5	48.0	15.7	6.5	p	30.2	47.9	15.5	6.2
46.	B	21.4	64.3	5.4	8.9	p	17.0	62.9	10.3	9.6	q	16.9	64.4	9.2	9.2
47.	B	5.4	37.5	48.2	8.9	q	7.9	45.8	39.5	6.3	q	7.1	47.6	39.5	5.3
48.	B	5.4	83.9	5.4	5.4	q	4.1	85.3	6.5	3.9	q	3.8	85.0	6.8	4.2
49.	C	3.6	10.7	58.9	26.8	q	5.9	10.6	61.8	21.3	q	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 4 - Eastern

(percentage of students who selected each response)

#368 - Holy Trinity High School, Torbay

Grades: 7-12

Item	Key	School [N=60]				School Below Above District		District [N=1,840]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	35.0	56.7	1.7	6.7	q		37.5	39.0	10.4	13.1	q		37.7	39.4	10.0	12.9
2.	A	21.7	20.0	15.0	43.3		p	18.9	24.2	7.7	48.9		p	19.5	23.4	7.8	49.0
3.	C	6.7	1.7	73.3	18.3	q		3.6	2.4	79.4	14.6	q		3.9	2.8	77.9	15.5
4.	C	1.7	26.7	45.0	25.0	q		5.9	15.9	61.4	16.5	q		5.2	16.6	61.0	16.8
5.	D	5.0	36.7	23.3	35.0	q		12.1	19.6	20.5	47.6	q		11.7	18.5	21.1	48.6
6.	B	1.7	91.7	6.7	0.0		p	2.1	90.7	5.1	2.0		p	2.1	90.5	5.2	2.2
7.	D	11.7	8.3	1.7	76.7		p	8.2	12.9	9.7	68.8		p	7.2	13.2	8.5	70.8
8.	B	11.7	85.0	1.7	1.7	q		4.9	85.6	2.8	6.7	q		4.5	86.6	2.8	6.2
9.	C	1.7	20.0	71.7	6.7		p	4.9	23.3	62.3	9.2		p	4.5	25.9	60.3	9.1
10.	D	26.7	15.0	26.7	31.7	q		15.5	18.9	20.8	44.6	q		14.6	18.2	20.2	46.9
11.	D	6.7	53.3	6.7	33.3	q		10.8	46.4	6.6	36.1	q		10.2	45.8	6.6	37.4
12.	B	10.0	73.3	10.0	6.7		p	10.4	67.3	15.7	6.5		p	9.0	70.5	14.3	6.1
*13.	B,D	18.3	33.3	16.7	31.7		p	19.0	28.7	17.9	34.0		p	18.9	29.9	16.4	34.2
14.	C	26.7	16.7	38.3	16.7	q		24.0	15.9	39.5	20.4	q		23.7	16.1	39.0	20.9
15.	D	8.3	21.7	30.0	40.0	q		12.4	11.9	20.5	55.1	q		12.2	12.2	19.7	55.8
16.	D	36.7	6.7	1.7	55.0	q		22.9	8.9	11.5	56.7	q		21.7	8.2	11.4	58.6
17.	D	5.0	0.0	20.0	75.0	q		3.0	1.7	14.6	80.4	q		3.1	1.8	14.1	80.8
18.	D	10.0	55.0	13.3	21.7	q		7.7	36.6	8.5	47.1	q		7.0	35.6	7.6	49.7
19.	A	38.3	48.3	5.0	8.3	q		53.6	37.3	5.4	3.6	q		54.2	38.1	4.6	3.1
20.	D	15.0	1.7	30.0	53.3	q		12.2	2.6	25.2	60.0	q		12.7	2.6	23.9	60.8
21.	B	11.7	66.7	10.0	11.7		p	9.1	61.0	10.2	19.7		p	9.2	62.3	9.6	18.9
22.	A	35.0	53.3	10.0	1.7	q		49.0	44.7	4.4	1.7	q		48.5	45.4	4.3	1.6
23.	A	20.0	50.0	20.0	10.0	q		30.9	45.4	13.4	10.2	q		31.3	47.2	12.0	9.5
24.	D	3.3	48.3	20.0	28.3	q		3.0	38.8	11.4	46.6	q		3.1	38.1	10.4	48.3
25.	A	33.3	1.7	53.3	11.7	q		47.2	4.8	37.9	10.1	q		50.0	5.0	35.6	9.4
26.	D	11.7	33.3	25.0	30.0	q		20.2	22.8	19.0	37.8	q		20.2	22.1	18.3	39.3
27.	D	13.3	45.0	10.0	30.0	q		11.0	26.2	13.6	49.0	q		11.7	26.3	12.8	49.0
28.	B	13.3	43.3	31.7	11.7	q		11.0	55.9	23.0	9.7	q		11.5	56.2	23.1	9.0
29.	C	13.3	8.3	65.0	13.3	q		8.9	13.0	68.5	9.5	q		8.1	12.5	69.8	9.5
30.	B	3.3	78.3	15.0	3.3	q		5.3	83.8	9.6	1.3	q		4.3	85.0	9.4	1.2
31.	D	16.7	15.0	25.0	43.3	q		17.8	13.0	15.5	53.2	q		18.1	13.0	15.9	52.6
32.	D	3.3	11.7	15.0	70.0	q		6.3	8.2	11.5	74.1	q		6.0	8.3	11.2	74.4
33.	C	23.3	25.0	40.0	11.7	q		13.0	20.2	49.1	17.1	q		12.8	19.5	50.6	16.4
34.	C	0.0	0.0	91.7	8.3		p	5.0	2.0	86.1	7.0		p	4.9	1.6	86.6	6.9
35.	C	10.0	10.0	68.3	11.7	q		6.8	11.3	69.1	12.6		p	6.6	12.0	68.3	12.8
36.	B	0.0	96.7	1.7	1.7		p	2.8	89.6	5.4	2.2		p	2.7	90.0	5.1	2.2
37.	C	1.7	30.0	63.3	5.0		p	6.6	25.3	61.9	6.1	q		6.5	24.3	63.5	5.5
38.	A	73.3	8.3	13.3	5.0	q		77.7	6.3	10.3	5.6	q		77.3	7.1	9.9	5.6
39.	B	13.3	58.3	5.0	23.3	q		12.4	69.7	7.5	10.4	q		11.5	72.3	6.3	9.8
40.	C	5.0	18.3	75.0	1.7	q		5.6	12.7	77.9	3.8	q		5.2	12.7	78.5	3.7
41.	D	21.7	25.0	21.7	28.3	q		17.0	21.3	21.3	40.0	q		17.1	20.3	20.7	41.5
42.	B	10.0	76.7	10.0	3.3	q		10.1	83.0	3.7	3.2	q		9.3	84.1	3.7	2.8
43.	B	31.7	35.0	20.0	13.3	q		22.3	41.8	17.8	17.5	q		23.3	42.0	16.9	17.3
44.	C	3.3	11.7	71.7	13.3	q		7.3	10.5	72.1	9.8	q		7.1	10.7	72.8	9.2
45.	B	23.3	36.7	26.7	13.3	q		29.5	48.0	15.7	6.5	q		30.2	47.9	15.5	6.2
46.	B	15.0	63.3	8.3	11.7		p	17.0	62.9	10.3	9.6	q		16.9	64.4	9.2	9.2
47.	B	15.0	38.3	38.3	8.3	q		7.9	45.8	39.5	6.3	q		7.1	47.6	39.5	5.3
48.	B	0.0	93.3	3.3	1.7		p	4.1	85.3	6.5	3.9		p	3.8	85.0	6.8	4.2
49.	C	3.3	15.0	50.0	31.7	q		5.9	10.6	61.8	21.3	q		6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT



District 4 - Eastern

(percentage of students who selected each response)

#370 - Stella Maris Academy, Trepassey

Grades: K-12

Item	Key	School [N=12]				School Below Above District		District [N=1,840]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	8.3	75.0	8.3	8.3	q		37.5	39.0	10.4	13.1	q		37.7	39.4	10.0	12.9
2.	A	33.3	16.7	0.0	50.0		p	18.9	24.2	7.7	48.9		p	19.5	23.4	7.8	49.0
3.	C	0.0	0.0	91.7	8.3		p	3.6	2.4	79.4	14.6		p	3.9	2.8	77.9	15.5
4.	C	8.3	8.3	66.7	16.7		p	5.9	15.9	61.4	16.5		p	5.2	16.6	61.0	16.8
5.	D	0.0	25.0	8.3	66.7		p	12.1	19.6	20.5	47.6		p	11.7	18.5	21.1	48.6
6.	B	0.0	91.7	8.3	0.0		p	2.1	90.7	5.1	2.0		p	2.1	90.5	5.2	2.2
7.	D	8.3	16.7	0.0	75.0		p	8.2	12.9	9.7	68.8		p	7.2	13.2	8.5	70.8
8.	B	8.3	91.7	0.0	0.0		p	4.9	85.6	2.8	6.7		p	4.5	86.6	2.8	6.2
9.	C	16.7	25.0	58.3	0.0	q		4.9	23.3	62.3	9.2	q		4.5	25.9	60.3	9.1
10.	D	16.7	16.7	0.0	66.7		p	15.5	18.9	20.8	44.6		p	14.6	18.2	20.2	46.9
11.	D	8.3	50.0	8.3	33.3	q		10.8	46.4	6.6	36.1	q		10.2	45.8	6.6	37.4
12.	B	8.3	75.0	0.0	16.7		p	10.4	67.3	15.7	6.5		p	9.0	70.5	14.3	6.1
*13.	B,D	33.3	25.0	16.7	25.0	q		19.0	28.7	17.9	34.0	q		18.9	29.9	16.4	34.2
14.	C	16.7	8.3	58.3	16.7		p	24.0	15.9	39.5	20.4		p	23.7	16.1	39.0	20.9
15.	D	0.0	8.3	16.7	75.0		p	12.4	11.9	20.5	55.1		p	12.2	12.2	19.7	55.8
16.	D	16.7	0.0	16.7	66.7		p	22.9	8.9	11.5	56.7		p	21.7	8.2	11.4	58.6
17.	D	0.0	0.0	8.3	91.7		p	3.0	1.7	14.6	80.4		p	3.1	1.8	14.1	80.8
18.	D	8.3	25.0	0.0	66.7		p	7.7	36.6	8.5	47.1		p	7.0	35.6	7.6	49.7
19.	A	50.0	50.0	0.0	0.0	q		53.6	37.3	5.4	3.6	q		54.2	38.1	4.6	3.1
20.	D	8.3	0.0	8.3	83.3		p	12.2	2.6	25.2	60.0		p	12.7	2.6	23.9	60.8
21.	B	8.3	41.7	16.7	33.3	q		9.1	61.0	10.2	19.7	q		9.2	62.3	9.6	18.9
22.	A	33.3	66.7	0.0	0.0	q		49.0	44.7	4.4	1.7	q		48.5	45.4	4.3	1.6
23.	A	8.3	33.3	41.7	16.7	q		30.9	45.4	13.4	10.2	q		31.3	47.2	12.0	9.5
24.	D	25.0	33.3	16.7	25.0	q		3.0	38.8	11.4	46.6	q		3.1	38.1	10.4	48.3
25.	A	41.7	8.3	50.0	0.0	q		47.2	4.8	37.9	10.1	q		50.0	5.0	35.6	9.4
26.	D	0.0	41.7	25.0	33.3	q		20.2	22.8	19.0	37.8	q		20.2	22.1	18.3	39.3
27.	D	16.7	33.3	8.3	41.7	q		11.0	26.2	13.6	49.0	q		11.7	26.3	12.8	49.0
28.	B	8.3	33.3	25.0	33.3	q		11.0	55.9	23.0	9.7	q		11.5	56.2	23.1	9.0
29.	C	16.7	16.7	58.3	8.3	q		8.9	13.0	68.5	9.5	q		8.1	12.5	69.8	9.5
30.	B	0.0	83.3	16.7	0.0	q		5.3	83.8	9.6	1.3	q		4.3	85.0	9.4	1.2
31.	D	8.3	16.7	33.3	41.7	q		17.8	13.0	15.5	53.2	q		18.1	13.0	15.9	52.6
32.	D	8.3	8.3	8.3	75.0		p	6.3	8.2	11.5	74.1		p	6.0	8.3	11.2	74.4
33.	C	8.3	8.3	58.3	25.0		p	13.0	20.2	49.1	17.1		p	12.8	19.5	50.6	16.4
34.	C	0.0	0.0	83.3	16.7	q		5.0	2.0	86.1	7.0	q		4.9	1.6	86.6	6.9
35.	C	0.0	8.3	83.3	8.3		p	6.8	11.3	69.1	12.6		p	6.6	12.0	68.3	12.8
36.	B	0.0	91.7	8.3	0.0		p	2.8	89.6	5.4	2.2		p	2.7	90.0	5.1	2.2
37.	C	0.0	33.3	41.7	25.0	q		6.6	25.3	61.9	6.1	q		6.5	24.3	63.5	5.5
38.	A	50.0	16.7	16.7	16.7	q		77.7	6.3	10.3	5.6	q		77.3	7.1	9.9	5.6
39.	B	0.0	58.3	0.0	41.7	q		12.4	69.7	7.5	10.4	q		11.5	72.3	6.3	9.8
40.	C	8.3	8.3	66.7	16.7	q		5.6	12.7	77.9	3.8	q		5.2	12.7	78.5	3.7
41.	D	25.0	33.3	16.7	25.0	q		17.0	21.3	21.3	40.0	q		17.1	20.3	20.7	41.5
42.	B	25.0	75.0	0.0	0.0	q		10.1	83.0	3.7	3.2	q		9.3	84.1	3.7	2.8
43.	B	16.7	41.7	33.3	8.3	q		22.3	41.8	17.8	17.5	q		23.3	42.0	16.9	17.3
44.	C	8.3	8.3	58.3	25.0	q		7.3	10.5	72.1	9.8	q		7.1	10.7	72.8	9.2
45.	B	16.7	50.0	16.7	16.7		p	29.5	48.0	15.7	6.5		p	30.2	47.9	15.5	6.2
46.	B	16.7	58.3	8.3	16.7	q		17.0	62.9	10.3	9.6	q		16.9	64.4	9.2	9.2
47.	B	16.7	58.3	16.7	8.3		p	7.9	45.8	39.5	6.3		p	7.1	47.6	39.5	5.3
48.	B	8.3	91.7	0.0	0.0		p	4.1	85.3	6.5	3.9		p	3.8	85.0	6.8	4.2
49.	C	8.3	8.3	58.3	25.0	q		5.9	10.6	61.8	21.3	q		6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 4 - Eastern

(percentage of students who selected each response)

#427 - Holy Name of Mary Academy, Lawn

Grades: K-12

Item	Key	School [N=8]				School Below Above District		District [N=1,840]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	12.5	25.0	37.5	25.0		q	37.5	39.0	10.4	13.1		q	37.7	39.4	10.0	12.9
2.	A	12.5	0.0	0.0	87.5		q	18.9	24.2	7.7	48.9		q	19.5	23.4	7.8	49.0
3.	C	0.0	0.0	100.0	0.0		p	3.6	2.4	79.4	14.6		p	3.9	2.8	77.9	15.5
4.	C	0.0	50.0	37.5	12.5		q	5.9	15.9	61.4	16.5		q	5.2	16.6	61.0	16.8
5.	D	0.0	50.0	37.5	12.5		q	12.1	19.6	20.5	47.6		q	11.7	18.5	21.1	48.6
6.	B	0.0	100.0	0.0	0.0		p	2.1	90.7	5.1	2.0		p	2.1	90.5	5.2	2.2
7.	D	0.0	0.0	50.0	50.0		q	8.2	12.9	9.7	68.8		q	7.2	13.2	8.5	70.8
8.	B	12.5	75.0	0.0	12.5		q	4.9	85.6	2.8	6.7		q	4.5	86.6	2.8	6.2
9.	C	0.0	37.5	50.0	12.5		q	4.9	23.3	62.3	9.2		q	4.5	25.9	60.3	9.1
10.	D	12.5	62.5	12.5	12.5		q	15.5	18.9	20.8	44.6		q	14.6	18.2	20.2	46.9
11.	D	50.0	50.0	0.0	0.0		q	10.8	46.4	6.6	36.1		q	10.2	45.8	6.6	37.4
12.	B	0.0	75.0	25.0	0.0		p	10.4	67.3	15.7	6.5		p	9.0	70.5	14.3	6.1
*13.	B,D	37.5	12.5	12.5	37.5		q	19.0	28.7	17.9	34.0		q	18.9	29.9	16.4	34.2
14.	C	12.5	25.0	12.5	50.0		q	24.0	15.9	39.5	20.4		q	23.7	16.1	39.0	20.9
15.	D	37.5	12.5	12.5	37.5		q	12.4	11.9	20.5	55.1		q	12.2	12.2	19.7	55.8
16.	D	25.0	25.0	12.5	37.5		q	22.9	8.9	11.5	56.7		q	21.7	8.2	11.4	58.6
17.	D	0.0	0.0	12.5	87.5		p	3.0	1.7	14.6	80.4		p	3.1	1.8	14.1	80.8
18.	D	25.0	12.5	0.0	62.5		p	7.7	36.6	8.5	47.1		p	7.0	35.6	7.6	49.7
19.	A	37.5	62.5	0.0	0.0		q	53.6	37.3	5.4	3.6		q	54.2	38.1	4.6	3.1
20.	D	0.0	0.0	50.0	50.0		q	12.2	2.6	25.2	60.0		q	12.7	2.6	23.9	60.8
21.	B	12.5	62.5	12.5	12.5		p	9.1	61.0	10.2	19.7		p	9.2	62.3	9.6	18.9
22.	A	50.0	37.5	12.5	0.0		p	49.0	44.7	4.4	1.7		p	48.5	45.4	4.3	1.6
23.	A	25.0	37.5	12.5	25.0		q	30.9	45.4	13.4	10.2		q	31.3	47.2	12.0	9.5
24.	D	12.5	50.0	12.5	25.0		q	3.0	38.8	11.4	46.6		q	3.1	38.1	10.4	48.3
25.	A	12.5	12.5	75.0	0.0		q	47.2	4.8	37.9	10.1		q	50.0	5.0	35.6	9.4
26.	D	12.5	50.0	0.0	37.5		q	20.2	22.8	19.0	37.8		q	20.2	22.1	18.3	39.3
27.	D	12.5	0.0	0.0	87.5		p	11.0	26.2	13.6	49.0		p	11.7	26.3	12.8	49.0
28.	B	37.5	25.0	37.5	0.0		q	11.0	55.9	23.0	9.7		q	11.5	56.2	23.1	9.0
29.	C	0.0	37.5	50.0	12.5		q	8.9	13.0	68.5	9.5		q	8.1	12.5	69.8	9.5
30.	B	12.5	75.0	12.5	0.0		q	5.3	83.8	9.6	1.3		q	4.3	85.0	9.4	1.2
31.	D	0.0	0.0	25.0	75.0		p	17.8	13.0	15.5	53.2		p	18.1	13.0	15.9	52.6
32.	D	0.0	0.0	25.0	75.0		p	6.3	8.2	11.5	74.1		p	6.0	8.3	11.2	74.4
33.	C	12.5	25.0	37.5	25.0		q	13.0	20.2	49.1	17.1		q	12.8	19.5	50.6	16.4
34.	C	0.0	0.0	87.5	12.5		p	5.0	2.0	86.1	7.0		p	4.9	1.6	86.6	6.9
35.	C	12.5	12.5	75.0	0.0		p	6.8	11.3	69.1	12.6		p	6.6	12.0	68.3	12.8
36.	B	0.0	100.0	0.0	0.0		p	2.8	89.6	5.4	2.2		p	2.7	90.0	5.1	2.2
37.	C	37.5	37.5	12.5	12.5		q	6.6	25.3	61.9	6.1		q	6.5	24.3	63.5	5.5
38.	A	75.0	0.0	25.0	0.0		q	77.7	6.3	10.3	5.6		q	77.3	7.1	9.9	5.6
39.	B	0.0	87.5	12.5	0.0		p	12.4	69.7	7.5	10.4		p	11.5	72.3	6.3	9.8
40.	C	12.5	25.0	50.0	12.5		q	5.6	12.7	77.9	3.8		q	5.2	12.7	78.5	3.7
41.	D	25.0	37.5	25.0	12.5		q	17.0	21.3	21.3	40.0		q	17.1	20.3	20.7	41.5
42.	B	12.5	87.5	0.0	0.0		p	10.1	83.0	3.7	3.2		p	9.3	84.1	3.7	2.8
43.	B	37.5	50.0	0.0	12.5		p	22.3	41.8	17.8	17.5		p	23.3	42.0	16.9	17.3
44.	C	0.0	0.0	100.0	0.0		p	7.3	10.5	72.1	9.8		p	7.1	10.7	72.8	9.2
45.	B	37.5	25.0	25.0	12.5		q	29.5	48.0	15.7	6.5		q	30.2	47.9	15.5	6.2
46.	B	12.5	87.5	0.0	0.0		p	17.0	62.9	10.3	9.6		p	16.9	64.4	9.2	9.2
47.	B	12.5	37.5	37.5	12.5		q	7.9	45.8	39.5	6.3		q	7.1	47.6	39.5	5.3
48.	B	0.0	75.0	0.0	25.0		q	4.1	85.3	6.5	3.9		q	3.8	85.0	6.8	4.2
49.	C	25.0	25.0	37.5	12.5		q	5.9	10.6	61.8	21.3		q	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT



District 4 - Eastern

(percentage of students who selected each response)

#447 - Baltimore School, Ferryland

Grades: K-12

Item	Key	School [N=25]				School Below Above District		District [N=1,840]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D	A	B	C	D		
1.	A	36.0	44.0	12.0	8.0	q		37.5	39.0	10.4	13.1	q		37.7	39.4	10.0	12.9
2.	A	24.0	36.0	8.0	32.0		p	18.9	24.2	7.7	48.9		p	19.5	23.4	7.8	49.0
3.	C	4.0	4.0	88.0	4.0		p	3.6	2.4	79.4	14.6		p	3.9	2.8	77.9	15.5
4.	C	0.0	16.0	72.0	12.0		p	5.9	15.9	61.4	16.5		p	5.2	16.6	61.0	16.8
5.	D	20.0	16.0	20.0	44.0	q		12.1	19.6	20.5	47.6	q		11.7	18.5	21.1	48.6
6.	B	0.0	96.0	4.0	0.0		p	2.1	90.7	5.1	2.0		p	2.1	90.5	5.2	2.2
7.	D	4.0	16.0	8.0	72.0		p	8.2	12.9	9.7	68.8		p	7.2	13.2	8.5	70.8
8.	B	0.0	100.0	0.0	0.0		p	4.9	85.6	2.8	6.7		p	4.5	86.6	2.8	6.2
9.	C	4.0	24.0	52.0	20.0	q		4.9	23.3	62.3	9.2	q		4.5	25.9	60.3	9.1
10.	D	16.0	20.0	16.0	48.0		p	15.5	18.9	20.8	44.6		p	14.6	18.2	20.2	46.9
11.	D	8.0	56.0	4.0	32.0	q		10.8	46.4	6.6	36.1	q		10.2	45.8	6.6	37.4
12.	B	4.0	72.0	24.0	0.0		p	10.4	67.3	15.7	6.5		p	9.0	70.5	14.3	6.1
*13.	B,D	20.0	28.0	20.0	28.0	q		19.0	28.7	17.9	34.0	q		18.9	29.9	16.4	34.2
14.	C	32.0	20.0	36.0	12.0	q		24.0	15.9	39.5	20.4	q		23.7	16.1	39.0	20.9
15.	D	20.0	12.0	12.0	56.0		p	12.4	11.9	20.5	55.1		p	12.2	12.2	19.7	55.8
16.	D	4.0	16.0	16.0	64.0		p	22.9	8.9	11.5	56.7		p	21.7	8.2	11.4	58.6
17.	D	4.0	4.0	8.0	84.0		p	3.0	1.7	14.6	80.4		p	3.1	1.8	14.1	80.8
18.	D	12.0	16.0	12.0	60.0		p	7.7	36.6	8.5	47.1		p	7.0	35.6	7.6	49.7
19.	A	56.0	44.0	0.0	0.0		p	53.6	37.3	5.4	3.6		p	54.2	38.1	4.6	3.1
20.	D	4.0	4.0	36.0	56.0	q		12.2	2.6	25.2	60.0	q		12.7	2.6	23.9	60.8
21.	B	16.0	56.0	16.0	12.0	q		9.1	61.0	10.2	19.7	q		9.2	62.3	9.6	18.9
22.	A	56.0	32.0	8.0	4.0		p	49.0	44.7	4.4	1.7		p	48.5	45.4	4.3	1.6
23.	A	20.0	56.0	20.0	4.0	q		30.9	45.4	13.4	10.2	q		31.3	47.2	12.0	9.5
24.	D	0.0	52.0	8.0	40.0	q		3.0	38.8	11.4	46.6	q		3.1	38.1	10.4	48.3
25.	A	44.0	0.0	36.0	20.0	q		47.2	4.8	37.9	10.1	q		50.0	5.0	35.6	9.4
26.	D	8.0	24.0	8.0	60.0		p	20.2	22.8	19.0	37.8		p	20.2	22.1	18.3	39.3
27.	D	8.0	20.0	24.0	48.0	q		11.0	26.2	13.6	49.0	q		11.7	26.3	12.8	49.0
28.	B	8.0	68.0	8.0	16.0		p	11.0	55.9	23.0	9.7		p	11.5	56.2	23.1	9.0
29.	C	12.0	12.0	72.0	4.0		p	8.9	13.0	68.5	9.5		p	8.1	12.5	69.8	9.5
30.	B	0.0	80.0	20.0	0.0	q		5.3	83.8	9.6	1.3	q		4.3	85.0	9.4	1.2
31.	D	28.0	4.0	12.0	56.0		p	17.8	13.0	15.5	53.2		p	18.1	13.0	15.9	52.6
32.	D	8.0	4.0	20.0	68.0	q		6.3	8.2	11.5	74.1	q		6.0	8.3	11.2	74.4
33.	C	4.0	8.0	72.0	12.0		p	13.0	20.2	49.1	17.1		p	12.8	19.5	50.6	16.4
34.	C	4.0	4.0	92.0	0.0		p	5.0	2.0	86.1	7.0		p	4.9	1.6	86.6	6.9
35.	C	12.0	4.0	72.0	12.0		p	6.8	11.3	69.1	12.6		p	6.6	12.0	68.3	12.8
36.	B	0.0	92.0	4.0	4.0		p	2.8	89.6	5.4	2.2		p	2.7	90.0	5.1	2.2
37.	C	4.0	20.0	68.0	8.0		p	6.6	25.3	61.9	6.1		p	6.5	24.3	63.5	5.5
38.	A	80.0	0.0	12.0	8.0		p	77.7	6.3	10.3	5.6		p	77.3	7.1	9.9	5.6
39.	B	8.0	80.0	8.0	4.0		p	12.4	69.7	7.5	10.4		p	11.5	72.3	6.3	9.8
40.	C	4.0	4.0	84.0	8.0		p	5.6	12.7	77.9	3.8		p	5.2	12.7	78.5	3.7
41.	D	16.0	24.0	16.0	44.0		p	17.0	21.3	21.3	40.0		p	17.1	20.3	20.7	41.5
42.	B	8.0	92.0	0.0	0.0		p	10.1	83.0	3.7	3.2		p	9.3	84.1	3.7	2.8
43.	B	40.0	52.0	0.0	4.0		p	22.3	41.8	17.8	17.5		p	23.3	42.0	16.9	17.3
44.	C	0.0	20.0	76.0	4.0		p	7.3	10.5	72.1	9.8		p	7.1	10.7	72.8	9.2
45.	B	40.0	40.0	16.0	4.0	q		29.5	48.0	15.7	6.5	q		30.2	47.9	15.5	6.2
46.	B	4.0	80.0	12.0	4.0		p	17.0	62.9	10.3	9.6		p	16.9	64.4	9.2	9.2
47.	B	0.0	60.0	40.0	0.0		p	7.9	45.8	39.5	6.3		p	7.1	47.6	39.5	5.3
48.	B	8.0	80.0	0.0	12.0	q		4.1	85.3	6.5	3.9	q		3.8	85.0	6.8	4.2
49.	C	8.0	8.0	76.0	8.0		p	5.9	10.6	61.8	21.3		p	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 4 - Eastern

(percentage of students who selected each response)

#464 - Crescent Collegiate, Blaketown

Grades: 7-12

Item	Key	School [N=60]				School Below Above District	District [N=1,840]				School Below Above Province	Province [N=3,011]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	A	8.3	25.0	20.0	46.7	q	37.5	39.0	10.4	13.1	q	37.7	39.4	10.0	12.9
2.	A	31.7	25.0	0.0	43.3	p	18.9	24.2	7.7	48.9	p	19.5	23.4	7.8	49.0
3.	C	3.3	0.0	81.7	15.0	p	3.6	2.4	79.4	14.6	p	3.9	2.8	77.9	15.5
4.	C	0.0	13.3	71.7	15.0	p	5.9	15.9	61.4	16.5	p	5.2	16.6	61.0	16.8
5.	D	8.3	26.7	8.3	56.7	p	12.1	19.6	20.5	47.6	p	11.7	18.5	21.1	48.6
6.	B	3.3	90.0	5.0	1.7	q	2.1	90.7	5.1	2.0	q	2.1	90.5	5.2	2.2
7.	D	8.3	21.7	13.3	56.7	q	8.2	12.9	9.7	68.8	q	7.2	13.2	8.5	70.8
8.	B	1.7	98.3	0.0	0.0	p	4.9	85.6	2.8	6.7	p	4.5	86.6	2.8	6.2
9.	C	1.7	20.0	71.7	6.7	p	4.9	23.3	62.3	9.2	p	4.5	25.9	60.3	9.1
10.	D	3.3	15.0	25.0	56.7	p	15.5	18.9	20.8	44.6	p	14.6	18.2	20.2	46.9
11.	D	6.7	56.7	3.3	33.3	q	10.8	46.4	6.6	36.1	q	10.2	45.8	6.6	37.4
12.	B	5.0	48.3	30.0	16.7	q	10.4	67.3	15.7	6.5	q	9.0	70.5	14.3	6.1
*13.	B,D	26.7	25.0	20.0	25.0	q	19.0	28.7	17.9	34.0	q	18.9	29.9	16.4	34.2
14.	C	25.0	11.7	40.0	23.3	p	24.0	15.9	39.5	20.4	p	23.7	16.1	39.0	20.9
15.	D	8.3	13.3	20.0	58.3	p	12.4	11.9	20.5	55.1	p	12.2	12.2	19.7	55.8
16.	D	23.3	8.3	8.3	60.0	p	22.9	8.9	11.5	56.7	p	21.7	8.2	11.4	58.6
17.	D	5.0	1.7	20.0	73.3	q	3.0	1.7	14.6	80.4	q	3.1	1.8	14.1	80.8
18.	D	16.7	41.7	15.0	26.7	q	7.7	36.6	8.5	47.1	q	7.0	35.6	7.6	49.7
19.	A	55.0	38.3	1.7	5.0	p	53.6	37.3	5.4	3.6	p	54.2	38.1	4.6	3.1
20.	D	18.3	3.3	28.3	50.0	q	12.2	2.6	25.2	60.0	q	12.7	2.6	23.9	60.8
21.	B	15.0	45.0	18.3	21.7	q	9.1	61.0	10.2	19.7	q	9.2	62.3	9.6	18.9
22.	A	56.7	41.7	1.7	0.0	p	49.0	44.7	4.4	1.7	p	48.5	45.4	4.3	1.6
23.	A	45.0	26.7	21.7	6.7	p	30.9	45.4	13.4	10.2	p	31.3	47.2	12.0	9.5
24.	D	8.3	55.0	6.7	30.0	q	3.0	38.8	11.4	46.6	q	3.1	38.1	10.4	48.3
25.	A	60.0	5.0	28.3	6.7	p	47.2	4.8	37.9	10.1	p	50.0	5.0	35.6	9.4
26.	D	25.0	25.0	6.7	43.3	p	20.2	22.8	19.0	37.8	p	20.2	22.1	18.3	39.3
27.	D	13.3	10.0	18.3	58.3	p	11.0	26.2	13.6	49.0	p	11.7	26.3	12.8	49.0
28.	B	1.7	81.7	10.0	6.7	p	11.0	55.9	23.0	9.7	p	11.5	56.2	23.1	9.0
29.	C	18.3	11.7	66.7	3.3	q	8.9	13.0	68.5	9.5	q	8.1	12.5	69.8	9.5
30.	B	5.0	91.7	1.7	1.7	p	5.3	83.8	9.6	1.3	p	4.3	85.0	9.4	1.2
31.	D	13.3	8.3	6.7	71.7	p	17.8	13.0	15.5	53.2	p	18.1	13.0	15.9	52.6
32.	D	5.0	6.7	8.3	80.0	p	6.3	8.2	11.5	74.1	p	6.0	8.3	11.2	74.4
33.	C	20.0	15.0	45.0	20.0	q	13.0	20.2	49.1	17.1	q	12.8	19.5	50.6	16.4
34.	C	3.3	1.7	85.0	10.0	q	5.0	2.0	86.1	7.0	q	4.9	1.6	86.6	6.9
35.	C	0.0	5.0	80.0	15.0	p	6.8	11.3	69.1	12.6	p	6.6	12.0	68.3	12.8
36.	B	1.7	90.0	5.0	3.3	p	2.8	89.6	5.4	2.2	p	2.7	90.0	5.1	2.2
37.	C	10.0	15.0	70.0	5.0	p	6.6	25.3	61.9	6.1	p	6.5	24.3	63.5	5.5
38.	A	71.7	11.7	6.7	10.0	q	77.7	6.3	10.3	5.6	q	77.3	7.1	9.9	5.6
39.	B	10.0	66.7	18.3	5.0	q	12.4	69.7	7.5	10.4	q	11.5	72.3	6.3	9.8
40.	C	3.3	15.0	78.3	3.3	p	5.6	12.7	77.9	3.8	q	5.2	12.7	78.5	3.7
41.	D	15.0	16.7	18.3	50.0	p	17.0	21.3	21.3	40.0	p	17.1	20.3	20.7	41.5
42.	B	6.7	90.0	1.7	1.7	p	10.1	83.0	3.7	3.2	p	9.3	84.1	3.7	2.8
43.	B	18.3	50.0	18.3	11.7	p	22.3	41.8	17.8	17.5	p	23.3	42.0	16.9	17.3
44.	C	8.3	10.0	73.3	8.3	p	7.3	10.5	72.1	9.8	p	7.1	10.7	72.8	9.2
45.	B	26.7	50.0	16.7	6.7	p	29.5	48.0	15.7	6.5	p	30.2	47.9	15.5	6.2
46.	B	18.3	63.3	15.0	3.3	p	17.0	62.9	10.3	9.6	q	16.9	64.4	9.2	9.2
47.	B	10.0	53.3	30.0	6.7	p	7.9	45.8	39.5	6.3	p	7.1	47.6	39.5	5.3
48.	B	5.0	88.3	3.3	3.3	p	4.1	85.3	6.5	3.9	p	3.8	85.0	6.8	4.2
49.	C	1.7	6.7	68.3	23.3	p	5.9	10.6	61.8	21.3	p	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 4 - Eastern

(percentage of students who selected each response)

#471 - Heritage Collegiate, Lethbridge

Grades: 7-12

Item	Key	School [N=21]				School Below Above District	District [N=1,840]				School Below Above Province	Province [N=3,011]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	A	61.9	33.3	0.0	4.8	P	37.5	39.0	10.4	13.1	P	37.7	39.4	10.0	12.9
2.	A	28.6	23.8	0.0	47.6	P	18.9	24.2	7.7	48.9	P	19.5	23.4	7.8	49.0
3.	C	4.8	0.0	76.2	19.1	q	3.6	2.4	79.4	14.6	q	3.9	2.8	77.9	15.5
4.	C	0.0	0.0	76.2	23.8	P	5.9	15.9	61.4	16.5	P	5.2	16.6	61.0	16.8
5.	D	9.5	9.5	19.1	61.9	P	12.1	19.6	20.5	47.6	P	11.7	18.5	21.1	48.6
6.	B	4.8	95.2	0.0	0.0	P	2.1	90.7	5.1	2.0	P	2.1	90.5	5.2	2.2
7.	D	4.8	0.0	14.3	81.0	P	8.2	12.9	9.7	68.8	P	7.2	13.2	8.5	70.8
8.	B	0.0	95.2	0.0	4.8	P	4.9	85.6	2.8	6.7	P	4.5	86.6	2.8	6.2
9.	C	4.8	19.1	76.2	0.0	P	4.9	23.3	62.3	9.2	P	4.5	25.9	60.3	9.1
10.	D	4.8	14.3	4.8	76.2	P	15.5	18.9	20.8	44.6	P	14.6	18.2	20.2	46.9
11.	D	0.0	47.6	0.0	52.4	P	10.8	46.4	6.6	36.1	P	10.2	45.8	6.6	37.4
12.	B	0.0	81.0	9.5	9.5	P	10.4	67.3	15.7	6.5	P	9.0	70.5	14.3	6.1
*13.	B,D	4.8	47.6	4.8	42.9	P	19.0	28.7	17.9	34.0	P	18.9	29.9	16.4	34.2
14.	C	9.5	14.3	57.1	19.1	P	24.0	15.9	39.5	20.4	P	23.7	16.1	39.0	20.9
15.	D	4.8	0.0	9.5	85.7	P	12.4	11.9	20.5	55.1	P	12.2	12.2	19.7	55.8
16.	D	9.5	9.5	4.8	76.2	P	22.9	8.9	11.5	56.7	P	21.7	8.2	11.4	58.6
17.	D	0.0	0.0	9.5	90.5	P	3.0	1.7	14.6	80.4	P	3.1	1.8	14.1	80.8
18.	D	4.8	28.6	9.5	57.1	P	7.7	36.6	8.5	47.1	P	7.0	35.6	7.6	49.7
19.	A	61.9	28.6	4.8	4.8	P	53.6	37.3	5.4	3.6	P	54.2	38.1	4.6	3.1
20.	D	0.0	9.5	14.3	76.2	P	12.2	2.6	25.2	60.0	P	12.7	2.6	23.9	60.8
21.	B	4.8	66.7	9.5	19.1	P	9.1	61.0	10.2	19.7	P	9.2	62.3	9.6	18.9
22.	A	52.4	42.9	4.8	0.0	P	49.0	44.7	4.4	1.7	P	48.5	45.4	4.3	1.6
23.	A	52.4	33.3	4.8	9.5	P	30.9	45.4	13.4	10.2	P	31.3	47.2	12.0	9.5
24.	D	4.8	23.8	19.1	52.4	P	3.0	38.8	11.4	46.6	P	3.1	38.1	10.4	48.3
25.	A	57.1	0.0	33.3	9.5	P	47.2	4.8	37.9	10.1	P	50.0	5.0	35.6	9.4
26.	D	28.6	14.3	4.8	52.4	P	20.2	22.8	19.0	37.8	P	20.2	22.1	18.3	39.3
27.	D	9.5	19.1	9.5	61.9	P	11.0	26.2	13.6	49.0	P	11.7	26.3	12.8	49.0
28.	B	9.5	76.2	9.5	4.8	P	11.0	55.9	23.0	9.7	P	11.5	56.2	23.1	9.0
29.	C	14.3	9.5	76.2	0.0	P	8.9	13.0	68.5	9.5	P	8.1	12.5	69.8	9.5
30.	B	0.0	90.5	9.5	0.0	P	5.3	83.8	9.6	1.3	P	4.3	85.0	9.4	1.2
31.	D	23.8	4.8	14.3	57.1	P	17.8	13.0	15.5	53.2	P	18.1	13.0	15.9	52.6
32.	D	0.0	0.0	0.0	100.0	P	6.3	8.2	11.5	74.1	P	6.0	8.3	11.2	74.4
33.	C	0.0	14.3	76.2	9.5	P	13.0	20.2	49.1	17.1	P	12.8	19.5	50.6	16.4
34.	C	4.8	0.0	90.5	4.8	P	5.0	2.0	86.1	7.0	P	4.9	1.6	86.6	6.9
35.	C	4.8	9.5	71.4	14.3	P	6.8	11.3	69.1	12.6	P	6.6	12.0	68.3	12.8
36.	B	9.5	85.7	4.8	0.0	q	2.8	89.6	5.4	2.2	q	2.7	90.0	5.1	2.2
37.	C	4.8	28.6	66.7	0.0	P	6.6	25.3	61.9	6.1	P	6.5	24.3	63.5	5.5
38.	A	85.7	0.0	0.0	14.3	P	77.7	6.3	10.3	5.6	P	77.3	7.1	9.9	5.6
39.	B	14.3	71.4	4.8	9.5	P	12.4	69.7	7.5	10.4	q	11.5	72.3	6.3	9.8
40.	C	4.8	14.3	81.0	0.0	P	5.6	12.7	77.9	3.8	P	5.2	12.7	78.5	3.7
41.	D	14.3	19.1	19.1	47.6	P	17.0	21.3	21.3	40.0	P	17.1	20.3	20.7	41.5
42.	B	0.0	95.2	4.8	0.0	P	10.1	83.0	3.7	3.2	P	9.3	84.1	3.7	2.8
43.	B	9.5	42.9	23.8	23.8	P	22.3	41.8	17.8	17.5	P	23.3	42.0	16.9	17.3
44.	C	14.3	14.3	66.7	4.8	q	7.3	10.5	72.1	9.8	q	7.1	10.7	72.8	9.2
45.	B	19.1	57.1	19.1	4.8	P	29.5	48.0	15.7	6.5	P	30.2	47.9	15.5	6.2
46.	B	14.3	66.7	9.5	9.5	P	17.0	62.9	10.3	9.6	P	16.9	64.4	9.2	9.2
47.	B	14.3	42.9	38.1	4.8	q	7.9	45.8	39.5	6.3	q	7.1	47.6	39.5	5.3
48.	B	0.0	95.2	4.8	0.0	P	4.1	85.3	6.5	3.9	P	3.8	85.0	6.8	4.2
49.	C	4.8	0.0	66.7	28.6	P	5.9	10.6	61.8	21.3	P	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 4 - Eastern

(percentage of students who selected each response)

#476 - Baccalieu Collegiate, Old Perlican

Grades: 7-12

Item	Key	School [N=17]				School Below Above District	District [N=1,840]				School Below Above Province	Province [N=3,011]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	A	11.8	76.5	5.9	5.9	q	37.5	39.0	10.4	13.1	q	37.7	39.4	10.0	12.9
2.	A	0.0	17.7	0.0	82.4	q	18.9	24.2	7.7	48.9	q	19.5	23.4	7.8	49.0
3.	C	0.0	5.9	76.5	17.7	q	3.6	2.4	79.4	14.6	q	3.9	2.8	77.9	15.5
4.	C	23.5	0.0	47.1	29.4	q	5.9	15.9	61.4	16.5	q	5.2	16.6	61.0	16.8
5.	D	11.8	0.0	35.3	52.9	p	12.1	19.6	20.5	47.6	p	11.7	18.5	21.1	48.6
6.	B	11.8	82.4	0.0	5.9	q	2.1	90.7	5.1	2.0	q	2.1	90.5	5.2	2.2
7.	D	11.8	11.8	0.0	76.5	p	8.2	12.9	9.7	68.8	p	7.2	13.2	8.5	70.8
8.	B	0.0	88.2	0.0	11.8	p	4.9	85.6	2.8	6.7	p	4.5	86.6	2.8	6.2
9.	C	0.0	5.9	76.5	17.7	p	4.9	23.3	62.3	9.2	p	4.5	25.9	60.3	9.1
10.	D	11.8	0.0	23.5	58.8	p	15.5	18.9	20.8	44.6	p	14.6	18.2	20.2	46.9
11.	D	23.5	29.4	0.0	47.1	p	10.8	46.4	6.6	36.1	p	10.2	45.8	6.6	37.4
12.	B	0.0	76.5	17.7	5.9	p	10.4	67.3	15.7	6.5	p	9.0	70.5	14.3	6.1
*13.	B,D	35.3	17.7	23.5	23.5	q	19.0	28.7	17.9	34.0	q	18.9	29.9	16.4	34.2
14.	C	11.8	23.5	41.2	23.5	p	24.0	15.9	39.5	20.4	p	23.7	16.1	39.0	20.9
15.	D	23.5	11.8	23.5	41.2	q	12.4	11.9	20.5	55.1	q	12.2	12.2	19.7	55.8
16.	D	5.9	5.9	11.8	76.5	p	22.9	8.9	11.5	56.7	p	21.7	8.2	11.4	58.6
17.	D	0.0	5.9	0.0	94.1	p	3.0	1.7	14.6	80.4	p	3.1	1.8	14.1	80.8
18.	D	5.9	58.8	11.8	23.5	q	7.7	36.6	8.5	47.1	q	7.0	35.6	7.6	49.7
19.	A	52.9	35.3	5.9	5.9	q	53.6	37.3	5.4	3.6	q	54.2	38.1	4.6	3.1
20.	D	17.7	5.9	17.7	58.8	q	12.2	2.6	25.2	60.0	q	12.7	2.6	23.9	60.8
21.	B	17.7	41.2	11.8	29.4	q	9.1	61.0	10.2	19.7	q	9.2	62.3	9.6	18.9
22.	A	29.4	70.6	0.0	0.0	q	49.0	44.7	4.4	1.7	q	48.5	45.4	4.3	1.6
23.	A	29.4	47.1	5.9	17.7	q	30.9	45.4	13.4	10.2	q	31.3	47.2	12.0	9.5
24.	D	0.0	47.1	0.0	52.9	p	3.0	38.8	11.4	46.6	p	3.1	38.1	10.4	48.3
25.	A	41.2	0.0	52.9	5.9	q	47.2	4.8	37.9	10.1	q	50.0	5.0	35.6	9.4
26.	D	17.7	29.4	23.5	29.4	q	20.2	22.8	19.0	37.8	q	20.2	22.1	18.3	39.3
27.	D	11.8	35.3	23.5	29.4	q	11.0	26.2	13.6	49.0	q	11.7	26.3	12.8	49.0
28.	B	5.9	47.1	35.3	11.8	q	11.0	55.9	23.0	9.7	q	11.5	56.2	23.1	9.0
29.	C	5.9	11.8	70.6	11.8	p	8.9	13.0	68.5	9.5	p	8.1	12.5	69.8	9.5
30.	B	5.9	76.5	17.7	0.0	q	5.3	83.8	9.6	1.3	q	4.3	85.0	9.4	1.2
31.	D	35.3	5.9	35.3	23.5	q	17.8	13.0	15.5	53.2	q	18.1	13.0	15.9	52.6
32.	D	5.9	0.0	5.9	88.2	p	6.3	8.2	11.5	74.1	p	6.0	8.3	11.2	74.4
33.	C	11.8	17.7	35.3	35.3	q	13.0	20.2	49.1	17.1	q	12.8	19.5	50.6	16.4
34.	C	0.0	0.0	94.1	5.9	p	5.0	2.0	86.1	7.0	p	4.9	1.6	86.6	6.9
35.	C	11.8	17.7	29.4	41.2	q	6.8	11.3	69.1	12.6	q	6.6	12.0	68.3	12.8
36.	B	5.9	88.2	5.9	0.0	q	2.8	89.6	5.4	2.2	q	2.7	90.0	5.1	2.2
37.	C	0.0	58.8	35.3	5.9	q	6.6	25.3	61.9	6.1	q	6.5	24.3	63.5	5.5
38.	A	47.1	0.0	35.3	17.7	q	77.7	6.3	10.3	5.6	q	77.3	7.1	9.9	5.6
39.	B	23.5	47.1	5.9	23.5	q	12.4	69.7	7.5	10.4	q	11.5	72.3	6.3	9.8
40.	C	5.9	5.9	88.2	0.0	p	5.6	12.7	77.9	3.8	p	5.2	12.7	78.5	3.7
41.	D	11.8	47.1	17.7	23.5	q	17.0	21.3	21.3	40.0	q	17.1	20.3	20.7	41.5
42.	B	0.0	100.0	0.0	0.0	p	10.1	83.0	3.7	3.2	p	9.3	84.1	3.7	2.8
43.	B	41.2	5.9	41.2	11.8	q	22.3	41.8	17.8	17.5	q	23.3	42.0	16.9	17.3
44.	C	5.9	0.0	94.1	0.0	p	7.3	10.5	72.1	9.8	p	7.1	10.7	72.8	9.2
45.	B	52.9	29.4	11.8	5.9	q	29.5	48.0	15.7	6.5	q	30.2	47.9	15.5	6.2
46.	B	11.8	70.6	11.8	5.9	p	17.0	62.9	10.3	9.6	p	16.9	64.4	9.2	9.2
47.	B	11.8	17.7	70.6	0.0	q	7.9	45.8	39.5	6.3	q	7.1	47.6	39.5	5.3
48.	B	0.0	82.4	5.9	11.8	q	4.1	85.3	6.5	3.9	q	3.8	85.0	6.8	4.2
49.	C	0.0	17.7	82.4	0.0	p	5.9	10.6	61.8	21.3	p	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 4 - Eastern

(percentage of students who selected each response)

#924 - Tricentia Academy, Arnold's Cove

Grades: K-12

Item	Key	School [N=6]				School Below Above District		District [N=1,840]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	66.7	16.7	0.0	16.7		P	37.5	39.0	10.4	13.1		P	37.7	39.4	10.0	12.9
2.	A	16.7	33.3	33.3	16.7		Q	18.9	24.2	7.7	48.9		Q	19.5	23.4	7.8	49.0
3.	C	0.0	0.0	100.0	0.0		P	3.6	2.4	79.4	14.6		P	3.9	2.8	77.9	15.5
4.	C	16.7	16.7	50.0	16.7		Q	5.9	15.9	61.4	16.5		Q	5.2	16.6	61.0	16.8
5.	D	0.0	50.0	16.7	33.3		Q	12.1	19.6	20.5	47.6		Q	11.7	18.5	21.1	48.6
6.	B	0.0	83.3	0.0	16.7		Q	2.1	90.7	5.1	2.0		Q	2.1	90.5	5.2	2.2
7.	D	33.3	16.7	0.0	50.0		Q	8.2	12.9	9.7	68.8		Q	7.2	13.2	8.5	70.8
8.	B	0.0	66.7	16.7	16.7		Q	4.9	85.6	2.8	6.7		Q	4.5	86.6	2.8	6.2
9.	C	0.0	33.3	50.0	16.7		Q	4.9	23.3	62.3	9.2		Q	4.5	25.9	60.3	9.1
10.	D	16.7	33.3	16.7	33.3		Q	15.5	18.9	20.8	44.6		Q	14.6	18.2	20.2	46.9
11.	D	16.7	33.3	33.3	16.7		Q	10.8	46.4	6.6	36.1		Q	10.2	45.8	6.6	37.4
12.	B	0.0	83.3	0.0	16.7		P	10.4	67.3	15.7	6.5		P	9.0	70.5	14.3	6.1
*13.	B,D	16.7	16.7	0.0	66.7		P	19.0	28.7	17.9	34.0		P	18.9	29.9	16.4	34.2
14.	C	66.7	0.0	16.7	16.7		Q	24.0	15.9	39.5	20.4		Q	23.7	16.1	39.0	20.9
15.	D	16.7	0.0	16.7	66.7		P	12.4	11.9	20.5	55.1		P	12.2	12.2	19.7	55.8
16.	D	83.3	0.0	16.7	0.0		Q	22.9	8.9	11.5	56.7		Q	21.7	8.2	11.4	58.6
17.	D	0.0	16.7	16.7	66.7		Q	3.0	1.7	14.6	80.4		Q	3.1	1.8	14.1	80.8
18.	D	0.0	66.7	0.0	33.3		Q	7.7	36.6	8.5	47.1		Q	7.0	35.6	7.6	49.7
19.	A	50.0	50.0	0.0	0.0		Q	53.6	37.3	5.4	3.6		Q	54.2	38.1	4.6	3.1
20.	D	0.0	0.0	50.0	50.0		Q	12.2	2.6	25.2	60.0		Q	12.7	2.6	23.9	60.8
21.	B	16.7	50.0	0.0	33.3		Q	9.1	61.0	10.2	19.7		Q	9.2	62.3	9.6	18.9
22.	A	33.3	50.0	16.7	0.0		Q	49.0	44.7	4.4	1.7		Q	48.5	45.4	4.3	1.6
23.	A	0.0	83.3	0.0	16.7		Q	30.9	45.4	13.4	10.2		Q	31.3	47.2	12.0	9.5
24.	D	0.0	66.7	0.0	33.3		Q	3.0	38.8	11.4	46.6		Q	3.1	38.1	10.4	48.3
25.	A	66.7	0.0	16.7	16.7		P	47.2	4.8	37.9	10.1		P	50.0	5.0	35.6	9.4
26.	D	66.7	0.0	33.3	0.0		Q	20.2	22.8	19.0	37.8		Q	20.2	22.1	18.3	39.3
27.	D	16.7	16.7	0.0	66.7		P	11.0	26.2	13.6	49.0		P	11.7	26.3	12.8	49.0
28.	B	0.0	66.7	0.0	33.3		P	11.0	55.9	23.0	9.7		P	11.5	56.2	23.1	9.0
29.	C	0.0	16.7	83.3	0.0		P	8.9	13.0	68.5	9.5		P	8.1	12.5	69.8	9.5
30.	B	0.0	66.7	16.7	16.7		Q	5.3	83.8	9.6	1.3		Q	4.3	85.0	9.4	1.2
31.	D	66.7	0.0	16.7	16.7		Q	17.8	13.0	15.5	53.2		Q	18.1	13.0	15.9	52.6
32.	D	0.0	33.3	16.7	50.0		Q	6.3	8.2	11.5	74.1		Q	6.0	8.3	11.2	74.4
33.	C	16.7	0.0	50.0	33.3		P	13.0	20.2	49.1	17.1		Q	12.8	19.5	50.6	16.4
34.	C	0.0	0.0	100.0	0.0		P	5.0	2.0	86.1	7.0		P	4.9	1.6	86.6	6.9
35.	C	16.7	33.3	33.3	16.7		Q	6.8	11.3	69.1	12.6		Q	6.6	12.0	68.3	12.8
36.	B	0.0	83.3	16.7	0.0		Q	2.8	89.6	5.4	2.2		Q	2.7	90.0	5.1	2.2
37.	C	0.0	50.0	16.7	33.3		Q	6.6	25.3	61.9	6.1		Q	6.5	24.3	63.5	5.5
38.	A	83.3	0.0	16.7	0.0		P	77.7	6.3	10.3	5.6		P	77.3	7.1	9.9	5.6
39.	B	0.0	33.3	16.7	50.0		Q	12.4	69.7	7.5	10.4		Q	11.5	72.3	6.3	9.8
40.	C	0.0	33.3	66.7	0.0		Q	5.6	12.7	77.9	3.8		Q	5.2	12.7	78.5	3.7
41.	D	50.0	0.0	0.0	50.0		P	17.0	21.3	21.3	40.0		P	17.1	20.3	20.7	41.5
42.	B	16.7	66.7	16.7	0.0		Q	10.1	83.0	3.7	3.2		Q	9.3	84.1	3.7	2.8
43.	B	66.7	16.7	0.0	16.7		Q	22.3	41.8	17.8	17.5		Q	23.3	42.0	16.9	17.3
44.	C	16.7	16.7	66.7	0.0		Q	7.3	10.5	72.1	9.8		Q	7.1	10.7	72.8	9.2
45.	B	16.7	33.3	50.0	0.0		Q	29.5	48.0	15.7	6.5		Q	30.2	47.9	15.5	6.2
46.	B	33.3	33.3	16.7	16.7		Q	17.0	62.9	10.3	9.6		Q	16.9	64.4	9.2	9.2
47.	B	16.7	16.7	66.7	0.0		Q	7.9	45.8	39.5	6.3		Q	7.1	47.6	39.5	5.3
48.	B	0.0	83.3	16.7	0.0		Q	4.1	85.3	6.5	3.9		Q	3.8	85.0	6.8	4.2
49.	C	0.0	0.0	66.7	33.3		P	5.9	10.6	61.8	21.3		P	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.



District 803 - Private

(percentage of students who selected each response)

#374 - Brother T. I. Murphy, St. John's

Grades: 10-12

Item	Key	School [N=27]				District [N=59]				Province [N=3,011]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	A	44.4	37.0	14.8	3.7		P	33.9	44.1	11.9	10.2		P	37.7	39.4	10.0	12.9
2.	A	14.8	25.9	7.4	51.9		Q	18.6	25.4	5.1	50.9		Q	19.5	23.4	7.8	49.0
3.	C	3.7	3.7	74.1	18.5		P	5.1	5.1	69.5	20.3		Q	3.9	2.8	77.9	15.5
4.	C	0.0	7.4	66.7	25.9		P	1.7	13.6	59.3	25.4		P	5.2	16.6	61.0	16.8
5.	D	7.4	33.3	22.2	37.0		Q	6.8	32.2	23.7	37.3		Q	11.7	18.5	21.1	48.6
6.	B	0.0	96.3	3.7	0.0		P	1.7	94.9	1.7	1.7		P	2.1	90.5	5.2	2.2
7.	D	7.4	7.4	11.1	74.1		P	13.6	11.9	11.9	62.7		P	7.2	13.2	8.5	70.8
8.	B	7.4	81.5	7.4	3.7		Q	5.1	88.1	3.4	3.4		Q	4.5	86.6	2.8	6.2
9.	C	3.7	22.2	70.4	3.7		P	5.1	27.1	57.6	10.2		P	4.5	25.9	60.3	9.1
10.	D	25.9	18.5	11.1	44.4		P	15.3	17.0	23.7	44.1		Q	14.6	18.2	20.2	46.9
11.	D	3.7	33.3	7.4	55.6		P	8.5	39.0	10.2	42.4		P	10.2	45.8	6.6	37.4
12.	B	11.1	66.7	18.5	3.7		Q	8.5	74.6	13.6	3.4		Q	9.0	70.5	14.3	6.1
*13.	B,D	14.8	40.7	22.2	22.2		P	18.6	30.5	18.6	30.5		Q	18.9	29.9	16.4	34.2
14.	C	25.9	18.5	33.3	22.2		P	30.5	18.6	30.5	20.3		Q	23.7	16.1	39.0	20.9
15.	D	11.1	14.8	11.1	63.0		P	10.2	8.5	20.3	61.0		P	12.2	12.2	19.7	55.8
16.	D	37.0	11.1	7.4	44.4		P	33.9	20.3	8.5	37.3		Q	21.7	8.2	11.4	58.6
17.	D	0.0	3.7	0.0	96.3		P	0.0	3.4	8.5	88.1		P	3.1	1.8	14.1	80.8
18.	D	0.0	22.2	14.8	63.0		P	1.7	32.2	6.8	59.3		P	7.0	35.6	7.6	49.7
19.	A	66.7	25.9	7.4	0.0		P	52.5	42.4	3.4	1.7		P	54.2	38.1	4.6	3.1
20.	D	0.0	0.0	22.2	77.8		P	3.4	5.1	30.5	61.0		P	12.7	2.6	23.9	60.8
21.	B	11.1	66.7	0.0	22.2		P	11.9	59.3	5.1	23.7		P	9.2	62.3	9.6	18.9
22.	A	51.9	37.0	7.4	3.7		P	33.9	57.6	6.8	1.7		P	48.5	45.4	4.3	1.6
23.	A	55.6	40.7	3.7	0.0		P	40.7	52.5	6.8	0.0		P	31.3	47.2	12.0	9.5
24.	D	7.4	37.0	7.4	48.2		P	8.5	42.4	13.6	35.6		Q	3.1	38.1	10.4	48.3
25.	A	37.0	3.7	37.0	22.2		Q	44.1	1.7	33.9	20.3		Q	50.0	5.0	35.6	9.4
26.	D	25.9	11.1	37.0	25.9		Q	30.5	15.3	27.1	27.1		Q	20.2	22.1	18.3	39.3
27.	D	11.1	18.5	7.4	63.0		P	11.9	32.2	11.9	44.1		P	11.7	26.3	12.8	49.0
28.	B	14.8	63.0	14.8	7.4		P	11.9	55.9	25.4	6.8		P	11.5	56.2	23.1	9.0
29.	C	11.1	14.8	70.4	3.7		P	11.9	18.6	61.0	8.5		P	8.1	12.5	69.8	9.5
30.	B	3.7	85.2	11.1	0.0		P	5.1	83.1	11.9	0.0		P	4.3	85.0	9.4	1.2
31.	D	11.1	18.5	3.7	66.7		P	17.0	20.3	8.5	54.2		P	18.1	13.0	15.9	52.6
32.	D	3.7	3.7	11.1	81.5		P	10.2	10.2	8.5	71.2		P	6.0	8.3	11.2	74.4
33.	C	18.5	22.2	48.2	11.1		P	13.6	23.7	47.5	15.3		Q	12.8	19.5	50.6	16.4
34.	C	3.7	3.7	88.9	3.7		P	8.5	1.7	86.4	3.4		P	4.9	1.6	86.6	6.9
35.	C	7.4	11.1	66.7	14.8		P	6.8	8.5	61.0	23.7		Q	6.6	12.0	68.3	12.8
36.	B	3.7	85.2	3.7	7.4		Q	3.4	88.1	3.4	5.1		Q	2.7	90.0	5.1	2.2
37.	C	7.4	25.9	59.3	7.4		P	5.1	27.1	57.6	10.2		Q	6.5	24.3	63.5	5.5
38.	A	74.1	7.4	14.8	3.7		P	66.1	11.9	13.6	8.5		Q	77.3	7.1	9.9	5.6
39.	B	14.8	63.0	7.4	11.1		Q	13.6	66.1	11.9	6.8		Q	11.5	72.3	6.3	9.8
40.	C	7.4	11.1	81.5	0.0		P	6.8	13.6	74.6	5.1		P	5.2	12.7	78.5	3.7
41.	D	18.5	18.5	14.8	48.2		P	15.3	20.3	20.3	44.1		P	17.1	20.3	20.7	41.5
42.	B	11.1	81.5	7.4	0.0		P	11.9	79.7	6.8	1.7		Q	9.3	84.1	3.7	2.8
43.	B	7.4	59.3	22.2	11.1		P	18.6	44.1	17.0	20.3		P	23.3	42.0	16.9	17.3
44.	C	3.7	0.0	66.7	29.6		Q	11.9	3.4	69.5	15.3		Q	7.1	10.7	72.8	9.2
45.	B	44.4	37.0	7.4	11.1		P	35.6	33.9	13.6	17.0		Q	30.2	47.9	15.5	6.2
46.	B	11.1	66.7	7.4	14.8		P	28.8	52.5	8.5	10.2		P	16.9	64.4	9.2	9.2
47.	B	7.4	55.6	33.3	3.7		P	6.8	44.1	44.1	5.1		P	7.1	47.6	39.5	5.3
48.	B	0.0	88.9	7.4	3.7		P	1.7	88.1	6.8	3.4		P	3.8	85.0	6.8	4.2
49.	C	7.4	14.8	48.2	29.6		Q	3.4	13.6	54.2	28.8		Q	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 803 - Private

(percentage of students who selected each response)

#450 - St. Bonaventure's College, St. John's

Grades: K-12

Item	Key	School [N=7]				School Below Above District		District [N=59]				School Below Above Province		Province [N=3,011]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	14.3	71.4	14.3	0.0	q		33.9	44.1	11.9	10.2	q		37.7	39.4	10.0	12.9
2.	A	42.9	28.6	0.0	28.6		p	18.6	25.4	5.1	50.9		p	19.5	23.4	7.8	49.0
3.	C	0.0	0.0	71.4	28.6		p	5.1	5.1	69.5	20.3	q		3.9	2.8	77.9	15.5
4.	C	0.0	28.6	71.4	0.0		p	1.7	13.6	59.3	25.4		p	5.2	16.6	61.0	16.8
5.	D	28.6	0.0	28.6	42.9		p	6.8	32.2	23.7	37.3	q		11.7	18.5	21.1	48.6
6.	B	0.0	100.0	0.0	0.0		p	1.7	94.9	1.7	1.7		p	2.1	90.5	5.2	2.2
7.	D	28.6	28.6	14.3	28.6	q		13.6	11.9	11.9	62.7	q		7.2	13.2	8.5	70.8
8.	B	0.0	100.0	0.0	0.0		p	5.1	88.1	3.4	3.4		p	4.5	86.6	2.8	6.2
9.	C	0.0	14.3	57.1	28.6	q		5.1	27.1	57.6	10.2	q		4.5	25.9	60.3	9.1
10.	D	0.0	28.6	0.0	71.4		p	15.3	17.0	23.7	44.1		p	14.6	18.2	20.2	46.9
11.	D	0.0	71.4	0.0	28.6	q		8.5	39.0	10.2	42.4	q		10.2	45.8	6.6	37.4
12.	B	0.0	85.7	14.3	0.0		p	8.5	74.6	13.6	3.4		p	9.0	70.5	14.3	6.1
*13.	B,D	14.3	57.1	14.3	14.3		p	18.6	30.5	18.6	30.5		p	18.9	29.9	16.4	34.2
14.	C	28.6	0.0	71.4	0.0		p	30.5	18.6	30.5	20.3		p	23.7	16.1	39.0	20.9
15.	D	14.3	0.0	14.3	71.4		p	10.2	8.5	20.3	61.0		p	12.2	12.2	19.7	55.8
16.	D	0.0	14.3	14.3	71.4		p	33.9	20.3	8.5	37.3		p	21.7	8.2	11.4	58.6
17.	D	0.0	0.0	0.0	100.0		p	0.0	3.4	8.5	88.1		p	3.1	1.8	14.1	80.8
18.	D	0.0	14.3	0.0	85.7		p	1.7	32.2	6.8	59.3		p	7.0	35.6	7.6	49.7
19.	A	71.4	28.6	0.0	0.0		p	52.5	42.4	3.4	1.7		p	54.2	38.1	4.6	3.1
20.	D	14.3	0.0	14.3	71.4		p	3.4	5.1	30.5	61.0		p	12.7	2.6	23.9	60.8
21.	B	14.3	71.4	0.0	14.3		p	11.9	59.3	5.1	23.7		p	9.2	62.3	9.6	18.9
22.	A	28.6	71.4	0.0	0.0	q		33.9	57.6	6.8	1.7	q		48.5	45.4	4.3	1.6
23.	A	28.6	57.1	14.3	0.0	q		40.7	52.5	6.8	0.0	q		31.3	47.2	12.0	9.5
24.	D	14.3	0.0	14.3	71.4		p	8.5	42.4	13.6	35.6		p	3.1	38.1	10.4	48.3
25.	A	57.1	0.0	28.6	14.3		p	44.1	1.7	33.9	20.3		p	50.0	5.0	35.6	9.4
26.	D	42.9	28.6	0.0	28.6		p	30.5	15.3	27.1	27.1	q		20.2	22.1	18.3	39.3
27.	D	0.0	0.0	0.0	100.0		p	11.9	32.2	11.9	44.1		p	11.7	26.3	12.8	49.0
28.	B	0.0	57.1	28.6	14.3		p	11.9	55.9	25.4	6.8		p	11.5	56.2	23.1	9.0
29.	C	14.3	0.0	57.1	28.6	q		11.9	18.6	61.0	8.5	q		8.1	12.5	69.8	9.5
30.	B	0.0	100.0	0.0	0.0		p	5.1	83.1	11.9	0.0		p	4.3	85.0	9.4	1.2
31.	D	28.6	0.0	0.0	71.4		p	17.0	20.3	8.5	54.2		p	18.1	13.0	15.9	52.6
32.	D	0.0	14.3	0.0	85.7		p	10.2	10.2	8.5	71.2		p	6.0	8.3	11.2	74.4
33.	C	28.6	0.0	42.9	28.6	q		13.6	23.7	47.5	15.3	q		12.8	19.5	50.6	16.4
34.	C	0.0	0.0	100.0	0.0		p	8.5	1.7	86.4	3.4		p	4.9	1.6	86.6	6.9
35.	C	0.0	0.0	71.4	28.6		p	6.8	8.5	61.0	23.7		p	6.6	12.0	68.3	12.8
36.	B	0.0	100.0	0.0	0.0		p	3.4	88.1	3.4	5.1		p	2.7	90.0	5.1	2.2
37.	C	0.0	42.9	57.1	0.0	q		5.1	27.1	57.6	10.2	q		6.5	24.3	63.5	5.5
38.	A	100.0	0.0	0.0	0.0		p	66.1	11.9	13.6	8.5		p	77.3	7.1	9.9	5.6
39.	B	0.0	71.4	14.3	14.3		p	13.6	66.1	11.9	6.8	q		11.5	72.3	6.3	9.8
40.	C	0.0	0.0	100.0	0.0		p	6.8	13.6	74.6	5.1		p	5.2	12.7	78.5	3.7
41.	D	14.3	14.3	0.0	71.4		p	15.3	20.3	20.3	44.1		p	17.1	20.3	20.7	41.5
42.	B	14.3	85.7	0.0	0.0		p	11.9	79.7	6.8	1.7		p	9.3	84.1	3.7	2.8
43.	B	42.9	42.9	0.0	14.3	q		18.6	44.1	17.0	20.3		p	23.3	42.0	16.9	17.3
44.	C	0.0	0.0	100.0	0.0		p	11.9	3.4	69.5	15.3		p	7.1	10.7	72.8	9.2
45.	B	42.9	14.3	28.6	14.3	q		35.6	33.9	13.6	17.0	q		30.2	47.9	15.5	6.2
46.	B	14.3	57.1	14.3	14.3		p	28.8	52.5	8.5	10.2	q		16.9	64.4	9.2	9.2
47.	B	0.0	85.7	14.3	0.0		p	6.8	44.1	44.1	5.1		p	7.1	47.6	39.5	5.3
48.	B	0.0	85.7	14.3	0.0	q		1.7	88.1	6.8	3.4		p	3.8	85.0	6.8	4.2
49.	C	0.0	0.0	100.0	0.0		p	3.4	13.6	54.2	28.8		p	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

District 803 - Private

(percentage of students who selected each response)

#453 - Eric G. Lambert All-Grade, Churchill Falls

Grades: K-12

Item	Key	School [N=2]				District [N=59]				Province [N=3,011]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	A					P		33.9	44.1	11.9	10.2	P		37.7	39.4	10.0	12.9
2.	A	School data with 5 or fewer students withheld for reasons of confidentiality.				P		18.6	25.4	5.1	50.9	P		19.5	23.4	7.8	49.0
3.	C					P		5.1	5.1	69.5	20.3	P		3.9	2.8	77.9	15.5
4.	C					Q		1.7	13.6	59.3	25.4	Q		5.2	16.6	61.0	16.8
5.	D					P		6.8	32.2	23.7	37.3	P		11.7	18.5	21.1	48.6
6.	B					Q		1.7	94.9	1.7	1.7	Q		2.1	90.5	5.2	2.2
7.	D					P		13.6	11.9	11.9	62.7	P		7.2	13.2	8.5	70.8
8.	B					P		5.1	88.1	3.4	3.4	P		4.5	86.6	2.8	6.2
9.	C					Q		5.1	27.1	57.6	10.2	Q		4.5	25.9	60.3	9.1
10.	D					P		15.3	17.0	23.7	44.1	P		14.6	18.2	20.2	46.9
11.	D					P		8.5	39.0	10.2	42.4	P		10.2	45.8	6.6	37.4
12.	B					Q		8.5	74.6	13.6	3.4	Q		9.0	70.5	14.3	6.1
*13.	B,D					Q		18.6	30.5	18.6	30.5	Q		18.9	29.9	16.4	34.2
14.	C					Q		30.5	18.6	30.5	20.3	Q		23.7	16.1	39.0	20.9
15.	D					Q		10.2	8.5	20.3	61.0	Q		12.2	12.2	19.7	55.8
16.	D					P		33.9	20.3	8.5	37.3	Q		21.7	8.2	11.4	58.6
17.	D					P		0.0	3.4	8.5	88.1	P		3.1	1.8	14.1	80.8
18.	D					Q		1.7	32.2	6.8	59.3	Q		7.0	35.6	7.6	49.7
19.	A					Q		52.5	42.4	3.4	1.7	Q		54.2	38.1	4.6	3.1
20.	D					Q		3.4	5.1	30.5	61.0	Q		12.7	2.6	23.9	60.8
21.	B					Q		11.9	59.3	5.1	23.7	Q		9.2	62.3	9.6	18.9
22.	A					P		33.9	57.6	6.8	1.7	P		48.5	45.4	4.3	1.6
23.	A					P		40.7	52.5	6.8	0.0	P		31.3	47.2	12.0	9.5
24.	D					Q		8.5	42.4	13.6	35.6	Q		3.1	38.1	10.4	48.3
25.	A					Q		44.1	1.7	33.9	20.3	Q		50.0	5.0	35.6	9.4
26.	D					Q		30.5	15.3	27.1	27.1	Q		20.2	22.1	18.3	39.3
27.	D					Q		11.9	32.2	11.9	44.1	Q		11.7	26.3	12.8	49.0
28.	B					P		11.9	55.9	25.4	6.8	P		11.5	56.2	23.1	9.0
29.	C					P		11.9	18.6	61.0	8.5	P		8.1	12.5	69.8	9.5
30.	B					P		5.1	83.1	11.9	0.0	P		4.3	85.0	9.4	1.2
31.	D					Q		17.0	20.3	8.5	54.2	Q		18.1	13.0	15.9	52.6
32.	D					P		10.2	10.2	8.5	71.2	P		6.0	8.3	11.2	74.4
33.	C					P		13.6	23.7	47.5	15.3	P		12.8	19.5	50.6	16.4
34.	C					Q		8.5	1.7	86.4	3.4	Q		4.9	1.6	86.6	6.9
35.	C					Q		6.8	8.5	61.0	23.7	Q		6.6	12.0	68.3	12.8
36.	B					Q		3.4	88.1	3.4	5.1	Q		2.7	90.0	5.1	2.2
37.	C					P		5.1	27.1	57.6	10.2	P		6.5	24.3	63.5	5.5
38.	A					Q		66.1	11.9	13.6	8.5	Q		77.3	7.1	9.9	5.6
39.	B					Q		13.6	66.1	11.9	6.8	Q		11.5	72.3	6.3	9.8
40.	C					P		6.8	13.6	74.6	5.1	P		5.2	12.7	78.5	3.7
41.	D					P		15.3	20.3	20.3	44.1	P		17.1	20.3	20.7	41.5
42.	B					P		11.9	79.7	6.8	1.7	P		9.3	84.1	3.7	2.8
43.	B					P		18.6	44.1	17.0	20.3	P		23.3	42.0	16.9	17.3
44.	C					Q		11.9	3.4	69.5	15.3	Q		7.1	10.7	72.8	9.2
45.	B					P		35.6	33.9	13.6	17.0	P		30.2	47.9	15.5	6.2
46.	B					Q		28.8	52.5	8.5	10.2	Q		16.9	64.4	9.2	9.2
47.	B					Q		6.8	44.1	44.1	5.1	Q		7.1	47.6	39.5	5.3
48.	B					P		1.7	88.1	6.8	3.4	P		3.8	85.0	6.8	4.2
49.	C					P		3.4	13.6	54.2	28.8	P		6.3	10.3	62.6	20.3
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT

District 804 - Native Federal

(percentage of students who selected each response)

#376 - St. Anneway Kegnamogwom, Conne River

Grades: K-12

Item	Key	School [N=8]				District [N=8]				Province [N=3,011]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	A	50.0	0.0	12.5	37.5		P	50.0	0.0	12.5	37.5		P	37.7	39.4	10.0	12.9
2.	A	0.0	37.5	0.0	62.5		P	0.0	37.5	0.0	62.5		Q	19.5	23.4	7.8	49.0
3.	C	0.0	12.5	75.0	12.5		P	0.0	12.5	75.0	12.5		Q	3.9	2.8	77.9	15.5
4.	C	0.0	12.5	50.0	37.5		P	0.0	12.5	50.0	37.5		Q	5.2	16.6	61.0	16.8
5.	D	12.5	25.0	12.5	50.0		P	12.5	25.0	12.5	50.0		P	11.7	18.5	21.1	48.6
6.	B	0.0	75.0	12.5	12.5		P	0.0	75.0	12.5	12.5		Q	2.1	90.5	5.2	2.2
7.	D	0.0	0.0	0.0	100.0		P	0.0	0.0	0.0	100.0		P	7.2	13.2	8.5	70.8
8.	B	0.0	62.5	12.5	25.0		P	0.0	62.5	12.5	25.0		Q	4.5	86.6	2.8	6.2
9.	C	12.5	62.5	12.5	12.5		P	12.5	62.5	12.5	12.5		Q	4.5	25.9	60.3	9.1
10.	D	0.0	37.5	37.5	25.0		P	0.0	37.5	37.5	25.0		Q	14.6	18.2	20.2	46.9
11.	D	12.5	75.0	0.0	12.5		P	12.5	75.0	0.0	12.5		Q	10.2	45.8	6.6	37.4
12.	B	0.0	87.5	12.5	0.0		P	0.0	87.5	12.5	0.0		P	9.0	70.5	14.3	6.1
*13.	B,D	0.0	62.5	12.5	25.0		P	0.0	62.5	12.5	25.0		P	18.9	29.9	16.4	34.2
14.	C	25.0	0.0	50.0	25.0		P	25.0	0.0	50.0	25.0		P	23.7	16.1	39.0	20.9
15.	D	12.5	12.5	37.5	37.5		P	12.5	12.5	37.5	37.5		Q	12.2	12.2	19.7	55.8
16.	D	12.5	25.0	12.5	50.0		P	12.5	25.0	12.5	50.0		Q	21.7	8.2	11.4	58.6
17.	D	0.0	0.0	0.0	100.0		P	0.0	0.0	0.0	100.0		P	3.1	1.8	14.1	80.8
18.	D	0.0	37.5	0.0	62.5		P	0.0	37.5	0.0	62.5		P	7.0	35.6	7.6	49.7
19.	A	12.5	87.5	0.0	0.0		P	12.5	87.5	0.0	0.0		Q	54.2	38.1	4.6	3.1
20.	D	37.5	0.0	12.5	50.0		P	37.5	0.0	12.5	50.0		Q	12.7	2.6	23.9	60.8
21.	B	37.5	62.5	0.0	0.0		P	37.5	62.5	0.0	0.0		P	9.2	62.3	9.6	18.9
22.	A	37.5	62.5	0.0	0.0		P	37.5	62.5	0.0	0.0		Q	48.5	45.4	4.3	1.6
23.	A	62.5	12.5	25.0	0.0		P	62.5	12.5	25.0	0.0		P	31.3	47.2	12.0	9.5
24.	D	0.0	12.5	12.5	75.0		P	0.0	12.5	12.5	75.0		P	3.1	38.1	10.4	48.3
25.	A	37.5	12.5	50.0	0.0		P	37.5	12.5	50.0	0.0		Q	50.0	5.0	35.6	9.4
26.	D	12.5	25.0	37.5	25.0		P	12.5	25.0	37.5	25.0		Q	20.2	22.1	18.3	39.3
27.	D	12.5	37.5	12.5	37.5		P	12.5	37.5	12.5	37.5		Q	11.7	26.3	12.8	49.0
28.	B	12.5	62.5	25.0	0.0		P	12.5	62.5	25.0	0.0		P	11.5	56.2	23.1	9.0
29.	C	0.0	0.0	100.0	0.0		P	0.0	0.0	100.0	0.0		P	8.1	12.5	69.8	9.5
30.	B	0.0	75.0	25.0	0.0		P	0.0	75.0	25.0	0.0		Q	4.3	85.0	9.4	1.2
31.	D	25.0	25.0	0.0	50.0		P	25.0	25.0	0.0	50.0		Q	18.1	13.0	15.9	52.6
32.	D	0.0	25.0	0.0	75.0		P	0.0	25.0	0.0	75.0		P	6.0	8.3	11.2	74.4
33.	C	0.0	0.0	75.0	25.0		P	0.0	0.0	75.0	25.0		P	12.8	19.5	50.6	16.4
34.	C	0.0	0.0	100.0	0.0		P	0.0	0.0	100.0	0.0		P	4.9	1.6	86.6	6.9
35.	C	0.0	25.0	62.5	12.5		P	0.0	25.0	62.5	12.5		Q	6.6	12.0	68.3	12.8
36.	B	0.0	75.0	25.0	0.0		P	0.0	75.0	25.0	0.0		Q	2.7	90.0	5.1	2.2
37.	C	0.0	62.5	37.5	0.0		P	0.0	62.5	37.5	0.0		Q	6.5	24.3	63.5	5.5
38.	A	50.0	25.0	25.0	0.0		P	50.0	25.0	25.0	0.0		Q	77.3	7.1	9.9	5.6
39.	B	0.0	100.0	0.0	0.0		P	0.0	100.0	0.0	0.0		P	11.5	72.3	6.3	9.8
40.	C	12.5	0.0	87.5	0.0		P	12.5	0.0	87.5	0.0		P	5.2	12.7	78.5	3.7
41.	D	25.0	0.0	12.5	62.5		P	25.0	0.0	12.5	62.5		P	17.1	20.3	20.7	41.5
42.	B	12.5	62.5	12.5	12.5		P	12.5	62.5	12.5	12.5		Q	9.3	84.1	3.7	2.8
43.	B	37.5	12.5	25.0	25.0		P	37.5	12.5	25.0	25.0		Q	23.3	42.0	16.9	17.3
44.	C	25.0	0.0	50.0	25.0		P	25.0	0.0	50.0	25.0		Q	7.1	10.7	72.8	9.2
45.	B	37.5	62.5	0.0	0.0		P	37.5	62.5	0.0	0.0		P	30.2	47.9	15.5	6.2
46.	B	0.0	62.5	12.5	25.0		P	0.0	62.5	12.5	25.0		Q	16.9	64.4	9.2	9.2
47.	B	0.0	12.5	75.0	12.5		P	0.0	12.5	75.0	12.5		Q	7.1	47.6	39.5	5.3
48.	B	12.5	62.5	12.5	12.5		P	12.5	62.5	12.5	12.5		Q	3.8	85.0	6.8	4.2
49.	C	0.0	25.0	62.5	12.5		P	0.0	25.0	62.5	12.5		Q	6.3	10.3	62.6	20.3
*50.	---	---	---	---	---		---	---	---	---	---		---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

District 902 - Institutional

(percentage of students who selected each response)

#377 - NF School for the Deaf, St. John's

Grades: K-12

Item	Key	School [N=4]				District [N=4]				Province [N=3,011]				
		A	B	C	D	A	B	C	D	A	B	C	D	
1.	A													
2.	A	School data with 5 or fewer students withheld for reasons of confidentiality.												
3.	C													
4.	C													
5.	D													
6.	B													
7.	D													
8.	B													
9.	C													
10.	D													
11.	D													
12.	B													
*13.	B,D													
14.	C													
15.	D													
16.	D													
17.	D													
18.	D													
19.	A													
20.	D													
21.	B													
22.	A													
23.	A													
24.	D													
25.	A													
26.	D													
27.	D													
28.	B													
29.	C													
30.	B													
31.	D													
32.	D													
33.	C													
34.	C													
35.	C													
36.	B													
37.	C													
38.	A													
39.	B													
40.	C													
41.	D													
42.	B													
43.	B													
44.	C													
45.	B													
46.	B													
47.	B													
48.	B													
49.	C													
*50.	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Note: percentages may not add to 100% due to missing values.

\* Note: Test marked out of 49 instead of 50.

Source: Division of Evaluation and Research, Department of Education

\* Note: Item 13 has two answers B and D.

H:\ELEM\_SEC\ITEMANAL\JUNE06\PART1\093204\093204\_R.RPT