

(percentage of students who selected each response)

District 1 - Labrador

#010 - Menihek High School, Labrador City

Grades: 8-12

Item	Key	School [N=45]				School Below Above District	District [N=106]				School Below Above Province	Province [N=1,381]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	D	20.0	0.0	2.2	77.8		19.8	2.8	3.8	73.6		17.1	1.7	3.8	77.2
2.	A	88.9	2.2	0.0	8.9		76.4	9.4	6.6	7.6		78.1	12.6	3.1	6.2
*3.	X	---	---	---	---		---	---	---	---		---	---	---	---
4.	A	62.2	2.2	22.2	13.3		48.1	4.7	34.0	13.2		59.9	8.2	20.6	11.3
5.	A	60.0	6.7	17.8	15.6		50.0	9.4	22.6	17.9	q	62.9	5.7	18.3	13.2
6.	C	11.1	0.0	77.8	11.1		17.0	2.8	54.7	25.5		15.6	4.4	67.1	12.8
7.	C	8.9	6.7	80.0	4.4		15.1	10.4	70.8	3.8		20.8	4.4	70.5	4.1
8.	C	0.0	2.2	97.8	0.0		0.0	1.9	93.4	4.7		1.0	0.5	96.5	2.0
9.	B	0.0	91.1	6.7	2.2		7.6	83.0	7.6	1.9		3.8	85.2	9.3	1.6
10.	C	13.3	13.3	40.0	33.3	q	15.1	13.2	40.6	31.1	q	12.1	16.4	44.7	26.7
11.	B	13.3	80.0	6.7	0.0		14.2	58.5	13.2	14.2		12.4	70.4	10.0	7.1
12.	C	4.4	0.0	86.7	8.9		4.7	3.8	82.1	9.4		4.5	4.4	85.2	5.7
13.	B	13.3	57.8	15.6	13.3		9.4	44.3	27.4	18.9		13.6	51.6	21.1	13.5
14.	D	37.8	2.2	2.2	57.8		40.6	1.9	4.7	52.8		32.6	2.3	8.2	56.9
15.	D	2.2	11.1	11.1	75.6		9.4	16.0	13.2	61.3		5.7	19.4	9.9	65.0
16.	A	80.0	6.7	13.3	0.0		69.8	10.4	17.0	2.8		77.3	5.0	13.0	4.8
17.	A	71.1	8.9	20.0	0.0	q	74.5	7.6	16.0	1.9	q	79.7	3.8	16.0	0.5
18.	A	86.7	2.2	4.4	6.7		84.9	0.9	6.6	7.6		84.4	1.8	5.4	8.3
19.	A	60.0	4.4	11.1	24.4	q	65.1	3.8	11.3	19.8	q	73.9	3.6	8.5	14.1
20.	C	6.7	8.9	75.6	8.9		10.4	13.2	66.0	10.4		7.0	7.5	73.6	11.8
21.	D	17.8	8.9	4.4	68.9		23.6	11.3	3.8	61.3	q	14.2	10.9	5.0	69.9
22.	A	88.9	6.7	0.0	4.4	q	90.6	3.8	2.8	2.8	q	91.2	4.0	1.3	3.5
23.	C	6.7	2.2	86.7	4.4		9.4	4.7	80.2	5.7		6.0	4.0	85.5	4.5
24.	C	40.0	6.7	35.6	17.8		36.8	6.6	33.0	23.6	q	33.6	8.6	40.2	17.6
25.	A	77.8	8.9	2.2	11.1		63.2	10.4	2.8	23.6		73.9	7.5	3.4	15.1
26.	B	8.9	80.0	0.0	11.1		6.6	68.9	3.8	20.8		6.4	74.2	3.6	15.8
27.	C	2.2	2.2	93.3	2.2		6.6	12.3	76.4	4.7		4.6	7.2	85.2	2.9
28.	A	77.8	13.3	8.9	0.0		66.0	18.9	13.2	1.9	q	78.3	9.7	10.4	1.4
29.	D	0.0	15.6	8.9	75.6		5.7	17.9	9.4	67.0		4.1	18.8	7.3	69.6
30.	B	15.6	80.0	2.2	2.2		11.3	67.0	13.2	8.5	q	8.8	81.3	6.3	3.6
31.	A	84.4	4.4	4.4	6.7		67.9	8.5	12.3	11.3	q	86.5	3.3	7.5	2.8
*32.	A,C	64.4	22.2	11.1	2.2		61.3	22.6	10.4	5.7		64.4	19.1	9.9	6.5
33.	A	95.6	2.2	2.2	0.0		84.9	4.7	6.6	3.8	q	96.3	1.2	1.3	1.2
34.	C	4.4	0.0	93.3	2.2		6.6	0.0	87.7	5.7	q	2.0	0.9	94.9	2.1
35.	B	15.6	80.0	2.2	2.2		14.2	72.6	8.5	4.7		12.5	79.7	4.8	3.0
36.	B	0.0	97.8	0.0	2.2		11.3	80.2	2.8	5.7		11.3	84.3	2.8	1.6
37.	C	17.8	0.0	68.9	13.3	q	13.2	1.9	72.6	12.3	q	11.7	1.7	77.4	9.0
38.	A	95.6	2.2	2.2	0.0		89.6	6.6	3.8	0.0		85.3	7.2	6.7	0.9
39.	A	77.8	11.1	6.7	4.4		68.9	15.1	5.7	10.4		76.2	11.4	5.3	7.2
40.	B	4.4	68.9	11.1	13.3		15.1	66.0	6.6	11.3		11.7	66.7	11.2	10.3
41.	A	91.1	2.2	2.2	4.4		79.3	2.8	7.6	10.4		77.3	1.2	6.7	14.7
42.	C	11.1	6.7	64.4	17.8		8.5	12.3	61.3	17.9	q	8.6	6.9	72.1	12.0
43.	A	93.3	2.2	4.4	0.0		85.9	6.6	7.6	0.0		91.3	3.8	4.0	0.7
44.	C	2.2	8.9	68.9	20.0		7.6	13.2	58.5	20.8		7.6	7.0	63.2	21.9
45.	A	46.7	2.2	28.9	20.0	q	47.2	2.8	27.4	21.7	q	48.6	5.7	27.6	17.6
46.	C	4.4	6.7	57.8	28.9	q	3.8	3.8	65.1	26.4	q	4.9	3.0	69.8	22.0
47.	C	2.2	2.2	95.6	0.0		14.2	3.8	80.2	1.9		8.7	2.0	88.4	0.8
48.	D	2.2	2.2	0.0	95.6		4.7	7.6	3.8	84.0		0.9	3.3	2.8	92.9
49.	B	17.8	73.3	6.7	2.2	q	15.1	76.4	6.6	1.9	q	15.1	77.3	6.4	0.9
50.	C	0.0	4.4	93.3	2.2		0.9	6.6	89.6	2.8		1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 1 - Labrador

#014 - Jens Haven Memorial, Nain

Item	Key	School [N=19]				School Below Above District	District [N=106]				School Below Above Province	Province [N=1,381]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	D	47.4	10.5	0.0	42.1	q	19.8	2.8	3.8	73.6	q	17.1	1.7	3.8	77.2
2.	A	52.6	15.8	26.3	5.3	q	76.4	9.4	6.6	7.6	q	78.1	12.6	3.1	6.2
*3.	X	---	---	---	---		---	---	---	---		---	---	---	---
4.	A	10.5	5.3	52.6	31.6	q	48.1	4.7	34.0	13.2	q	59.9	8.2	20.6	11.3
5.	A	26.3	15.8	31.6	26.3	q	50.0	9.4	22.6	17.9	q	62.9	5.7	18.3	13.2
6.	C	21.1	5.3	15.8	57.9	q	17.0	2.8	54.7	25.5	q	15.6	4.4	67.1	12.8
7.	C	21.1	31.6	47.4	0.0	q	15.1	10.4	70.8	3.8	q	20.8	4.4	70.5	4.1
8.	C	0.0	5.3	73.7	21.1	q	0.0	1.9	93.4	4.7	q	1.0	0.5	96.5	2.0
9.	B	21.1	63.2	15.8	0.0	q	7.6	83.0	7.6	1.9	q	3.8	85.2	9.3	1.6
10.	C	10.5	21.1	31.6	36.8	q	15.1	13.2	40.6	31.1	q	12.1	16.4	44.7	26.7
11.	B	21.1	10.5	31.6	36.8	q	14.2	58.5	13.2	14.2	q	12.4	70.4	10.0	7.1
12.	C	10.5	15.8	57.9	15.8	q	4.7	3.8	82.1	9.4	q	4.5	4.4	85.2	5.7
13.	B	10.5	10.5	36.8	42.1	q	9.4	44.3	27.4	18.9	q	13.6	51.6	21.1	13.5
14.	D	21.1	0.0	10.5	68.4		40.6	1.9	4.7	52.8		32.6	2.3	8.2	56.9
15.	D	21.1	42.1	5.3	31.6	q	9.4	16.0	13.2	61.3	q	5.7	19.4	9.9	65.0
16.	A	47.4	15.8	26.3	10.5	q	69.8	10.4	17.0	2.8	q	77.3	5.0	13.0	4.8
17.	A	63.2	10.5	15.8	10.5	q	74.5	7.6	16.0	1.9	q	79.7	3.8	16.0	0.5
18.	A	84.2	0.0	10.5	5.3	q	84.9	0.9	6.6	7.6	q	84.4	1.8	5.4	8.3
19.	A	47.4	0.0	15.8	36.8	q	65.1	3.8	11.3	19.8	q	73.9	3.6	8.5	14.1
20.	C	31.6	36.8	15.8	15.8	q	10.4	13.2	66.0	10.4	q	7.0	7.5	73.6	11.8
21.	D	42.1	0.0	10.5	47.4	q	23.6	11.3	3.8	61.3	q	14.2	10.9	5.0	69.9
22.	A	89.5	5.3	5.3	0.0	q	90.6	3.8	2.8	2.8	q	91.2	4.0	1.3	3.5
23.	C	5.3	15.8	68.4	10.5	q	9.4	4.7	80.2	5.7	q	6.0	4.0	85.5	4.5
24.	C	52.6	0.0	15.8	31.6	q	36.8	6.6	33.0	23.6	q	33.6	8.6	40.2	17.6
25.	A	31.6	21.1	5.3	42.1	q	63.2	10.4	2.8	23.6	q	73.9	7.5	3.4	15.1
26.	B	5.3	57.9	21.1	15.8	q	6.6	68.9	3.8	20.8	q	6.4	74.2	3.6	15.8
27.	C	15.8	26.3	36.8	21.1	q	6.6	12.3	76.4	4.7	q	4.6	7.2	85.2	2.9
28.	A	36.8	31.6	26.3	5.3	q	66.0	18.9	13.2	1.9	q	78.3	9.7	10.4	1.4
29.	D	15.8	26.3	15.8	42.1	q	5.7	17.9	9.4	67.0	q	4.1	18.8	7.3	69.6
30.	B	0.0	47.4	21.1	31.6	q	11.3	67.0	13.2	8.5	q	8.8	81.3	6.3	3.6
31.	A	47.4	26.3	10.5	15.8	q	67.9	8.5	12.3	11.3	q	86.5	3.3	7.5	2.8
*32.	A,C	26.3	47.4	15.8	10.5	q	61.3	22.6	10.4	5.7	q	64.4	19.1	9.9	6.5
33.	A	52.6	15.8	31.6	0.0	q	84.9	4.7	6.6	3.8	q	96.3	1.2	1.3	1.2
34.	C	21.1	0.0	73.7	5.3	q	6.6	0.0	87.7	5.7	q	2.0	0.9	94.9	2.1
35.	B	10.5	47.4	31.6	10.5	q	14.2	72.6	8.5	4.7	q	12.5	79.7	4.8	3.0
36.	B	26.3	47.4	0.0	26.3	q	11.3	80.2	2.8	5.7	q	11.3	84.3	2.8	1.6
37.	C	5.3	10.5	57.9	26.3	q	13.2	1.9	72.6	12.3	q	11.7	1.7	77.4	9.0
38.	A	89.5	5.3	5.3	0.0	q	89.6	6.6	3.8	0.0		85.3	7.2	6.7	0.9
39.	A	36.8	21.1	10.5	31.6	q	68.9	15.1	5.7	10.4	q	76.2	11.4	5.3	7.2
40.	B	42.1	42.1	0.0	15.8	q	15.1	66.0	6.6	11.3	q	11.7	66.7	11.2	10.3
41.	A	63.2	0.0	26.3	10.5	q	79.3	2.8	7.6	10.4	q	77.3	1.2	6.7	14.7
42.	C	5.3	21.1	26.3	47.4	q	8.5	12.3	61.3	17.9	q	8.6	6.9	72.1	12.0
43.	A	73.7	15.8	10.5	0.0	q	85.9	6.6	7.6	0.0	q	91.3	3.8	4.0	0.7
44.	C	26.3	31.6	36.8	5.3	q	7.6	13.2	58.5	20.8	q	7.6	7.0	63.2	21.9
45.	A	26.3	5.3	15.8	52.6	q	47.2	2.8	27.4	21.7	q	48.6	5.7	27.6	17.6
46.	C	0.0	5.3	79.0	15.8		3.8	3.8	65.1	26.4		4.9	3.0	69.8	22.0
47.	C	36.8	5.3	52.6	5.3	q	14.2	3.8	80.2	1.9	q	8.7	2.0	88.4	0.8
48.	D	21.1	15.8	10.5	52.6	q	4.7	7.6	3.8	84.0	q	0.9	3.3	2.8	92.9
49.	B	21.1	73.7	0.0	5.3	q	15.1	76.4	6.6	1.9	q	15.1	77.3	6.4	0.9
50.	C	0.0	10.5	84.2	5.3	q	0.9	6.6	89.6	2.8	q	1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 1 - Labrador

#477 - Mealy Mountain Collegiate, Happy Valley-Goose Bay

Grades: 8-12

Item	Key	School [N=42]				School [N=106]		Province [N=1,381]									
		A	B	C	D	Below District	Above District	A	B	C	D						
1.	D	7.1	2.4	7.1	83.3		P	19.8	2.8	3.8	73.6		P	17.1	1.7	3.8	77.2
2.	A	73.8	14.3	4.8	7.1		Q	76.4	9.4	6.6	7.6		Q	78.1	12.6	3.1	6.2
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A	50.0	7.1	38.1	4.8		P	48.1	4.7	34.0	13.2		Q	59.9	8.2	20.6	11.3
5.	A	50.0	9.5	23.8	16.7		P	50.0	9.4	22.6	17.9		Q	62.9	5.7	18.3	13.2
6.	C	21.4	4.8	47.6	26.2		Q	17.0	2.8	54.7	25.5		Q	15.6	4.4	67.1	12.8
7.	C	19.1	4.8	71.4	4.8		P	15.1	10.4	70.8	3.8		P	20.8	4.4	70.5	4.1
8.	C	0.0	0.0	97.6	2.4		P	0.0	1.9	93.4	4.7		P	1.0	0.5	96.5	2.0
9.	B	9.5	83.3	4.8	2.4		P	7.6	83.0	7.6	1.9		Q	3.8	85.2	9.3	1.6
10.	C	19.1	9.5	45.2	26.2		P	15.1	13.2	40.6	31.1		P	12.1	16.4	44.7	26.7
11.	B	11.9	57.1	11.9	19.1		Q	14.2	58.5	13.2	14.2		Q	12.4	70.4	10.0	7.1
12.	C	2.4	2.4	88.1	7.1		P	4.7	3.8	82.1	9.4		P	4.5	4.4	85.2	5.7
13.	B	4.8	45.2	35.7	14.3		P	9.4	44.3	27.4	18.9		Q	13.6	51.6	21.1	13.5
14.	D	52.4	2.4	4.8	40.5		Q	40.6	1.9	4.7	52.8		Q	32.6	2.3	8.2	56.9
15.	D	11.9	9.5	19.1	59.5		Q	9.4	16.0	13.2	61.3		Q	5.7	19.4	9.9	65.0
16.	A	69.1	11.9	16.7	2.4		Q	69.8	10.4	17.0	2.8		Q	77.3	5.0	13.0	4.8
17.	A	83.3	4.8	11.9	0.0		P	74.5	7.6	16.0	1.9		P	79.7	3.8	16.0	0.5
18.	A	83.3	0.0	7.1	9.5		Q	84.9	0.9	6.6	7.6		Q	84.4	1.8	5.4	8.3
19.	A	78.6	4.8	9.5	7.1		P	65.1	3.8	11.3	19.8		P	73.9	3.6	8.5	14.1
20.	C	4.8	7.1	78.6	9.5		P	10.4	13.2	66.0	10.4		P	7.0	7.5	73.6	11.8
21.	D	21.4	19.1	0.0	59.5		Q	23.6	11.3	3.8	61.3		Q	14.2	10.9	5.0	69.9
22.	A	92.9	0.0	4.8	2.4		P	90.6	3.8	2.8	2.8		P	91.2	4.0	1.3	3.5
23.	C	14.3	2.4	78.6	4.8		Q	9.4	4.7	80.2	5.7		Q	6.0	4.0	85.5	4.5
24.	C	26.2	9.5	38.1	26.2		P	36.8	6.6	33.0	23.6		Q	33.6	8.6	40.2	17.6
25.	A	61.9	7.1	2.4	28.6		Q	63.2	10.4	2.8	23.6		Q	73.9	7.5	3.4	15.1
26.	B	4.8	61.9	0.0	33.3		Q	6.6	68.9	3.8	20.8		Q	6.4	74.2	3.6	15.8
27.	C	7.1	16.7	76.2	0.0		Q	6.6	12.3	76.4	4.7		Q	4.6	7.2	85.2	2.9
28.	A	66.7	19.1	11.9	2.4		P	66.0	18.9	13.2	1.9		Q	78.3	9.7	10.4	1.4
29.	D	7.1	16.7	7.1	69.1		P	5.7	17.9	9.4	67.0		Q	4.1	18.8	7.3	69.6
30.	B	11.9	61.9	21.4	4.8		Q	11.3	67.0	13.2	8.5		Q	8.8	81.3	6.3	3.6
31.	A	59.5	4.8	21.4	14.3		Q	67.9	8.5	12.3	11.3		Q	86.5	3.3	7.5	2.8
*32.	A,C	73.8	11.9	7.1	7.1		P	61.3	22.6	10.4	5.7		P	64.4	19.1	9.9	6.5
33.	A	88.1	2.4	0.0	9.5		P	84.9	4.7	6.6	3.8		Q	96.3	1.2	1.3	1.2
34.	C	2.4	0.0	88.1	9.5		P	6.6	0.0	87.7	5.7		Q	2.0	0.9	94.9	2.1
35.	B	14.3	76.2	4.8	4.8		P	14.2	72.6	8.5	4.7		Q	12.5	79.7	4.8	3.0
36.	B	16.7	76.2	7.1	0.0		Q	11.3	80.2	2.8	5.7		Q	11.3	84.3	2.8	1.6
37.	C	11.9	0.0	83.3	4.8		P	13.2	1.9	72.6	12.3		P	11.7	1.7	77.4	9.0
38.	A	83.3	11.9	4.8	0.0		Q	89.6	6.6	3.8	0.0		Q	85.3	7.2	6.7	0.9
39.	A	73.8	16.7	2.4	7.1		P	68.9	15.1	5.7	10.4		Q	76.2	11.4	5.3	7.2
40.	B	14.3	73.8	4.8	7.1		P	15.1	66.0	6.6	11.3		P	11.7	66.7	11.2	10.3
41.	A	73.8	4.8	4.8	16.7		Q	79.3	2.8	7.6	10.4		Q	77.3	1.2	6.7	14.7
42.	C	7.1	14.3	73.8	4.8		P	8.5	12.3	61.3	17.9		P	8.6	6.9	72.1	12.0
43.	A	83.3	7.1	9.5	0.0		Q	85.9	6.6	7.6	0.0		Q	91.3	3.8	4.0	0.7
44.	C	4.8	9.5	57.1	28.6		Q	7.6	13.2	58.5	20.8		Q	7.6	7.0	63.2	21.9
45.	A	57.1	2.4	31.0	9.5		P	47.2	2.8	27.4	21.7		P	48.6	5.7	27.6	17.6
46.	C	4.8	0.0	66.7	28.6		P	3.8	3.8	65.1	26.4		Q	4.9	3.0	69.8	22.0
47.	C	16.7	4.8	76.2	2.4		Q	14.2	3.8	80.2	1.9		Q	8.7	2.0	88.4	0.8
48.	D	0.0	9.5	4.8	85.7		P	4.7	7.6	3.8	84.0		Q	0.9	3.3	2.8	92.9
49.	B	9.5	81.0	9.5	0.0		P	15.1	76.4	6.6	1.9		P	15.1	77.3	6.4	0.9
50.	C	2.4	7.1	88.1	2.4		Q	0.9	6.6	89.6	2.8		Q	1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 2 - Western

#022 - William Gillett Academy, Charlottetown, LAB

Grades: K-12

Item	Key	School [N=12]				School Below Above District	District [N=210]				School Below Above Province	Province [N=1,381]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	D	8.3	8.3	8.3	75.0		21.0	2.4	4.8	71.9	q	17.1	1.7	3.8	77.2
2.	A	66.7	8.3	8.3	16.7	q	73.8	13.3	1.9	11.0	q	78.1	12.6	3.1	6.2
*3.	X	---	---	---	---		---	---	---	---		---	---	---	---
4.	A	25.0	25.0	41.7	8.3	q	66.2	5.7	21.0	7.1	q	59.9	8.2	20.6	11.3
5.	A	58.3	25.0	0.0	16.7	p	57.1	9.1	19.5	14.3	q	62.9	5.7	18.3	13.2
6.	C	8.3	25.0	41.7	25.0	q	11.9	4.8	66.2	17.1	q	15.6	4.4	67.1	12.8
7.	C	25.0	25.0	50.0	0.0	q	29.1	5.7	60.5	3.8	q	20.8	4.4	70.5	4.1
8.	C	8.3	0.0	83.3	8.3	q	1.4	0.5	94.8	3.3	q	1.0	0.5	96.5	2.0
9.	B	8.3	91.7	0.0	0.0	p	3.8	83.8	10.5	1.9	p	3.8	85.2	9.3	1.6
10.	C	25.0	0.0	50.0	25.0	p	15.7	9.5	48.1	26.7	p	12.1	16.4	44.7	26.7
11.	B	25.0	0.0	41.7	33.3	q	12.9	62.9	12.9	11.4	q	12.4	70.4	10.0	7.1
12.	C	0.0	16.7	75.0	8.3	q	3.3	7.6	83.8	5.2	q	4.5	4.4	85.2	5.7
13.	B	25.0	8.3	41.7	16.7	q	11.9	47.1	24.3	16.2	q	13.6	51.6	21.1	13.5
14.	D	50.0	0.0	0.0	50.0	p	42.9	3.3	11.9	41.9	q	32.6	2.3	8.2	56.9
15.	D	0.0	25.0	58.3	16.7	q	7.1	13.3	14.3	65.2	q	5.7	19.4	9.9	65.0
16.	A	66.7	16.7	8.3	8.3	q	75.7	4.8	13.3	6.2	q	77.3	5.0	13.0	4.8
17.	A	83.3	8.3	8.3	0.0	p	76.2	4.8	18.6	0.5	p	79.7	3.8	16.0	0.5
18.	A	83.3	0.0	16.7	0.0	q	84.8	1.9	5.7	7.6	q	84.4	1.8	5.4	8.3
19.	A	66.7	0.0	16.7	16.7	q	71.4	6.7	9.1	12.9	q	73.9	3.6	8.5	14.1
20.	C	8.3	25.0	58.3	8.3	q	6.7	8.1	78.1	7.1	q	7.0	7.5	73.6	11.8
21.	D	8.3	25.0	8.3	58.3	q	22.9	10.0	3.3	63.8	q	14.2	10.9	5.0	69.9
22.	A	91.7	0.0	0.0	8.3	p	88.6	2.9	2.4	6.2	p	91.2	4.0	1.3	3.5
23.	C	8.3	0.0	91.7	0.0	p	6.7	2.9	85.7	4.8	p	6.0	4.0	85.5	4.5
24.	C	25.0	0.0	41.7	33.3	q	22.4	8.1	49.5	20.0	p	33.6	8.6	40.2	17.6
25.	A	58.3	25.0	0.0	16.7	q	73.8	13.3	1.0	11.9	q	73.9	7.5	3.4	15.1
26.	B	25.0	58.3	16.7	0.0	q	9.1	70.5	5.7	14.8	q	6.4	74.2	3.6	15.8
27.	C	16.7	8.3	75.0	0.0	q	6.2	8.1	83.8	1.4	q	4.6	7.2	85.2	2.9
28.	A	58.3	16.7	25.0	0.0	q	74.3	11.4	11.9	2.4	q	78.3	9.7	10.4	1.4
29.	D	8.3	33.3	16.7	41.7	q	4.3	23.3	6.2	66.2	q	4.1	18.8	7.3	69.6
30.	B	8.3	75.0	16.7	0.0	q	5.7	87.1	4.8	2.4	q	8.8	81.3	6.3	3.6
31.	A	58.3	16.7	0.0	25.0	q	83.3	2.9	9.1	4.8	q	86.5	3.3	7.5	2.8
*32.	A,C	66.7	8.3	16.7	8.3	p	65.2	19.5	8.1	7.1	p	64.4	19.1	9.9	6.5
33.	A	83.3	0.0	8.3	8.3	q	96.7	1.4	1.0	1.0	q	96.3	1.2	1.3	1.2
34.	C	8.3	0.0	91.7	0.0	q	1.0	0.5	97.1	1.4	q	2.0	0.9	94.9	2.1
35.	B	16.7	75.0	8.3	0.0	q	12.4	80.0	4.3	3.3	q	12.5	79.7	4.8	3.0
36.	B	16.7	66.7	8.3	8.3	q	10.0	84.8	2.9	2.4	q	11.3	84.3	2.8	1.6
37.	C	0.0	0.0	83.3	16.7	p	17.6	1.9	70.5	9.5	p	11.7	1.7	77.4	9.0
38.	A	100.0	0.0	0.0	0.0	p	87.1	7.1	5.2	0.5	p	85.3	7.2	6.7	0.9
39.	A	50.0	0.0	16.7	33.3	q	67.6	12.9	9.1	10.5	q	76.2	11.4	5.3	7.2
40.	B	33.3	50.0	8.3	8.3	q	8.1	61.0	16.7	14.3	q	11.7	66.7	11.2	10.3
41.	A	41.7	0.0	25.0	33.3	q	73.8	0.5	9.5	15.7	q	77.3	1.2	6.7	14.7
42.	C	0.0	25.0	50.0	25.0	q	11.0	8.1	66.2	13.3	q	8.6	6.9	72.1	12.0
43.	A	91.7	8.3	0.0	0.0	p	87.1	5.7	5.7	1.0	p	91.3	3.8	4.0	0.7
44.	C	8.3	33.3	41.7	16.7	q	4.3	9.5	61.9	23.3	q	7.6	7.0	63.2	21.9
45.	A	66.7	0.0	25.0	8.3	p	46.7	2.4	31.9	17.6	p	48.6	5.7	27.6	17.6
46.	C	8.3	0.0	83.3	8.3	p	6.2	2.4	73.3	17.6	p	4.9	3.0	69.8	22.0
47.	C	0.0	8.3	91.7	0.0	p	12.4	2.4	83.8	1.0	p	8.7	2.0	88.4	0.8
48.	D	0.0	8.3	0.0	91.7	p	0.5	4.8	3.8	90.5	q	0.9	3.3	2.8	92.9
49.	B	8.3	75.0	16.7	0.0	p	16.7	72.4	9.5	1.0	q	15.1	77.3	6.4	0.9
50.	C	0.0	16.7	83.3	0.0	p	2.9	8.6	81.4	6.7	q	1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 2 - Western

#046 - D.C. Young School, Port Hope Simpson

Grades: K-12

Item	Key	School [N=12]				School Below Above District	District [N=210]				School Below Above Province	Province [N=1,381]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	D	50.0	0.0	0.0	50.0	q	21.0	2.4	4.8	71.9	q	17.1	1.7	3.8	77.2
2.	A	41.7	25.0	8.3	25.0	q	73.8	13.3	1.9	11.0	q	78.1	12.6	3.1	6.2
*3.	X	---	---	---	---		---	---	---	---		---	---	---	---
4.	A	33.3	0.0	16.7	50.0	q	66.2	5.7	21.0	7.1	q	59.9	8.2	20.6	11.3
5.	A	58.3	16.7	25.0	0.0	p	57.1	9.1	19.5	14.3	q	62.9	5.7	18.3	13.2
6.	C	25.0	0.0	25.0	50.0	q	11.9	4.8	66.2	17.1	q	15.6	4.4	67.1	12.8
7.	C	25.0	16.7	58.3	0.0	q	29.1	5.7	60.5	3.8	q	20.8	4.4	70.5	4.1
8.	C	0.0	0.0	75.0	25.0	q	1.4	0.5	94.8	3.3	q	1.0	0.5	96.5	2.0
9.	B	8.3	75.0	8.3	8.3	q	3.8	83.8	10.5	1.9	q	3.8	85.2	9.3	1.6
10.	C	0.0	8.3	41.7	50.0	q	15.7	9.5	48.1	26.7	q	12.1	16.4	44.7	26.7
11.	B	58.3	8.3	25.0	8.3	q	12.9	62.9	12.9	11.4	q	12.4	70.4	10.0	7.1
12.	C	0.0	16.7	83.3	0.0	q	3.3	7.6	83.8	5.2	q	4.5	4.4	85.2	5.7
13.	B	8.3	33.3	41.7	16.7	q	11.9	47.1	24.3	16.2	q	13.6	51.6	21.1	13.5
14.	D	41.7	8.3	0.0	50.0	p	42.9	3.3	11.9	41.9	q	32.6	2.3	8.2	56.9
15.	D	0.0	25.0	41.7	33.3	q	7.1	13.3	14.3	65.2	q	5.7	19.4	9.9	65.0
16.	A	58.3	16.7	8.3	16.7	q	75.7	4.8	13.3	6.2	q	77.3	5.0	13.0	4.8
17.	A	66.7	0.0	33.3	0.0	q	76.2	4.8	18.6	0.5	q	79.7	3.8	16.0	0.5
18.	A	66.7	8.3	8.3	16.7	q	84.8	1.9	5.7	7.6	q	84.4	1.8	5.4	8.3
19.	A	50.0	25.0	8.3	16.7	q	71.4	6.7	9.1	12.9	q	73.9	3.6	8.5	14.1
20.	C	8.3	16.7	50.0	25.0	q	6.7	8.1	78.1	7.1	q	7.0	7.5	73.6	11.8
21.	D	16.7	41.7	0.0	41.7	q	22.9	10.0	3.3	63.8	q	14.2	10.9	5.0	69.9
22.	A	83.3	0.0	16.7	0.0	q	88.6	2.9	2.4	6.2	q	91.2	4.0	1.3	3.5
23.	C	16.7	8.3	50.0	25.0	q	6.7	2.9	85.7	4.8	q	6.0	4.0	85.5	4.5
24.	C	33.3	25.0	16.7	25.0	q	22.4	8.1	49.5	20.0	q	33.6	8.6	40.2	17.6
25.	A	66.7	8.3	0.0	25.0	q	73.8	13.3	1.0	11.9	q	73.9	7.5	3.4	15.1
26.	B	16.7	66.7	0.0	16.7	q	9.1	70.5	5.7	14.8	q	6.4	74.2	3.6	15.8
27.	C	8.3	25.0	66.7	0.0	q	6.2	8.1	83.8	1.4	q	4.6	7.2	85.2	2.9
28.	A	58.3	33.3	8.3	0.0	q	74.3	11.4	11.9	2.4	q	78.3	9.7	10.4	1.4
29.	D	0.0	41.7	8.3	50.0	q	4.3	23.3	6.2	66.2	q	4.1	18.8	7.3	69.6
30.	B	0.0	100.0	0.0	0.0	p	5.7	87.1	4.8	2.4	p	8.8	81.3	6.3	3.6
31.	A	91.7	0.0	8.3	0.0	p	83.3	2.9	9.1	4.8	p	86.5	3.3	7.5	2.8
*32.	A,C	50.0	33.3	0.0	16.7	q	65.2	19.5	8.1	7.1	q	64.4	19.1	9.9	6.5
33.	A	91.7	0.0	8.3	0.0	q	96.7	1.4	1.0	1.0	q	96.3	1.2	1.3	1.2
34.	C	8.3	0.0	91.7	0.0	q	1.0	0.5	97.1	1.4	q	2.0	0.9	94.9	2.1
35.	B	16.7	75.0	8.3	0.0	q	12.4	80.0	4.3	3.3	q	12.5	79.7	4.8	3.0
36.	B	16.7	66.7	8.3	8.3	q	10.0	84.8	2.9	2.4	q	11.3	84.3	2.8	1.6
37.	C	25.0	0.0	58.3	8.3	q	17.6	1.9	70.5	9.5	q	11.7	1.7	77.4	9.0
38.	A	83.3	0.0	16.7	0.0	q	87.1	7.1	5.2	0.5	q	85.3	7.2	6.7	0.9
39.	A	25.0	33.3	25.0	16.7	q	67.6	12.9	9.1	10.5	q	76.2	11.4	5.3	7.2
40.	B	33.3	16.7	25.0	25.0	q	8.1	61.0	16.7	14.3	q	11.7	66.7	11.2	10.3
41.	A	50.0	0.0	16.7	33.3	q	73.8	0.5	9.5	15.7	q	77.3	1.2	6.7	14.7
42.	C	16.7	8.3	33.3	41.7	q	11.0	8.1	66.2	13.3	q	8.6	6.9	72.1	12.0
43.	A	83.3	8.3	8.3	0.0	q	87.1	5.7	5.7	1.0	q	91.3	3.8	4.0	0.7
44.	C	16.7	16.7	50.0	16.7	q	4.3	9.5	61.9	23.3	q	7.6	7.0	63.2	21.9
45.	A	25.0	8.3	33.3	33.3	q	46.7	2.4	31.9	17.6	q	48.6	5.7	27.6	17.6
46.	C	8.3	8.3	66.7	16.7	q	6.2	2.4	73.3	17.6	q	4.9	3.0	69.8	22.0
47.	C	33.3	25.0	41.7	0.0	q	12.4	2.4	83.8	1.0	q	8.7	2.0	88.4	0.8
48.	D	0.0	8.3	16.7	75.0	q	0.5	4.8	3.8	90.5	q	0.9	3.3	2.8	92.9
49.	B	8.3	66.7	25.0	0.0	q	16.7	72.4	9.5	1.0	q	15.1	77.3	6.4	0.9
50.	C	0.0	0.0	100.0	0.0	p	2.9	8.6	81.4	6.7	p	1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 2 - Western

#063 - Herdman Collegiate, Corner Brook

Grades: 10-12

Item	Key	School [N=75]				School Below Above District	District [N=210]				School Below Above Province	Province [N=1,381]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	D	10.7	1.3	5.3	82.7	p	21.0	2.4	4.8	71.9	p	17.1	1.7	3.8	77.2
2.	A	81.3	12.0	1.3	5.3	p	73.8	13.3	1.9	11.0	p	78.1	12.6	3.1	6.2
*3.	X	---	---	---	---		---	---	---	---		---	---	---	---
4.	A	66.7	4.0	24.0	5.3	p	66.2	5.7	21.0	7.1	p	59.9	8.2	20.6	11.3
5.	A	56.0	6.7	17.3	20.0	q	57.1	9.1	19.5	14.3	q	62.9	5.7	18.3	13.2
6.	C	14.7	1.3	74.7	9.3	p	11.9	4.8	66.2	17.1	p	15.6	4.4	67.1	12.8
7.	C	33.3	0.0	62.7	4.0	p	29.1	5.7	60.5	3.8	q	20.8	4.4	70.5	4.1
8.	C	0.0	0.0	98.7	1.3	p	1.4	0.5	94.8	3.3	p	1.0	0.5	96.5	2.0
9.	B	2.7	82.7	13.3	1.3	q	3.8	83.8	10.5	1.9	q	3.8	85.2	9.3	1.6
10.	C	13.3	20.0	46.7	20.0	q	15.7	9.5	48.1	26.7	p	12.1	16.4	44.7	26.7
11.	B	6.7	74.7	2.7	16.0	p	12.9	62.9	12.9	11.4	p	12.4	70.4	10.0	7.1
12.	C	4.0	6.7	88.0	1.3	p	3.3	7.6	83.8	5.2	p	4.5	4.4	85.2	5.7
13.	B	14.7	42.7	22.7	20.0	q	11.9	47.1	24.3	16.2	q	13.6	51.6	21.1	13.5
14.	D	53.3	2.7	9.3	34.7	q	42.9	3.3	11.9	41.9	q	32.6	2.3	8.2	56.9
15.	D	6.7	14.7	6.7	72.0	p	7.1	13.3	14.3	65.2	p	5.7	19.4	9.9	65.0
16.	A	80.0	1.3	14.7	4.0	p	75.7	4.8	13.3	6.2	p	77.3	5.0	13.0	4.8
17.	A	62.7	8.0	29.3	0.0	q	76.2	4.8	18.6	0.5	q	79.7	3.8	16.0	0.5
18.	A	93.3	1.3	1.3	4.0	p	84.8	1.9	5.7	7.6	p	84.4	1.8	5.4	8.3
19.	A	72.0	8.0	8.0	12.0	p	71.4	6.7	9.1	12.9	q	73.9	3.6	8.5	14.1
20.	C	8.0	9.3	74.7	8.0	q	6.7	8.1	78.1	7.1	p	7.0	7.5	73.6	11.8
21.	D	20.0	10.7	2.7	66.7	p	22.9	10.0	3.3	63.8	q	14.2	10.9	5.0	69.9
22.	A	92.0	2.7	0.0	5.3	p	88.6	2.9	2.4	6.2	p	91.2	4.0	1.3	3.5
23.	C	9.3	2.7	81.3	6.7	q	6.7	2.9	85.7	4.8	q	6.0	4.0	85.5	4.5
24.	C	16.0	6.7	56.0	21.3	p	22.4	8.1	49.5	20.0	p	33.6	8.6	40.2	17.6
25.	A	76.0	14.7	1.3	8.0	p	73.8	13.3	1.0	11.9	p	73.9	7.5	3.4	15.1
26.	B	12.0	74.7	5.3	8.0	p	9.1	70.5	5.7	14.8	p	6.4	74.2	3.6	15.8
27.	C	5.3	4.0	88.0	1.3	p	6.2	8.1	83.8	1.4	p	4.6	7.2	85.2	2.9
28.	A	86.7	6.7	5.3	1.3	p	74.3	11.4	11.9	2.4	p	78.3	9.7	10.4	1.4
29.	D	6.7	26.7	5.3	61.3	q	4.3	23.3	6.2	66.2	q	4.1	18.8	7.3	69.6
30.	B	2.7	92.0	2.7	2.7	p	5.7	87.1	4.8	2.4	p	8.8	81.3	6.3	3.6
31.	A	84.0	5.3	4.0	6.7	p	83.3	2.9	9.1	4.8	q	86.5	3.3	7.5	2.8
*32.	A,C	60.0	25.3	6.7	8.0	q	65.2	19.5	8.1	7.1	q	64.4	19.1	9.9	6.5
33.	A	97.3	2.7	0.0	0.0	p	96.7	1.4	1.0	1.0	p	96.3	1.2	1.3	1.2
34.	C	0.0	0.0	98.7	1.3	p	1.0	0.5	97.1	1.4	p	2.0	0.9	94.9	2.1
35.	B	16.0	72.0	5.3	6.7	q	12.4	80.0	4.3	3.3	q	12.5	79.7	4.8	3.0
36.	B	8.0	89.3	2.7	0.0	p	10.0	84.8	2.9	2.4	p	11.3	84.3	2.8	1.6
37.	C	22.7	4.0	61.3	12.0	q	17.6	1.9	70.5	9.5	q	11.7	1.7	77.4	9.0
38.	A	81.3	10.7	6.7	1.3	q	87.1	7.1	5.2	0.5	q	85.3	7.2	6.7	0.9
39.	A	70.7	14.7	6.7	8.0	p	67.6	12.9	9.1	10.5	q	76.2	11.4	5.3	7.2
40.	B	5.3	58.7	20.0	16.0	q	8.1	61.0	16.7	14.3	q	11.7	66.7	11.2	10.3
41.	A	73.3	0.0	10.7	14.7	q	73.8	0.5	9.5	15.7	q	77.3	1.2	6.7	14.7
42.	C	5.3	13.3	68.0	10.7	p	11.0	8.1	66.2	13.3	q	8.6	6.9	72.1	12.0
43.	A	86.7	8.0	2.7	1.3	q	87.1	5.7	5.7	1.0	q	91.3	3.8	4.0	0.7
44.	C	8.0	12.0	53.3	24.0	q	4.3	9.5	61.9	23.3	q	7.6	7.0	63.2	21.9
45.	A	40.0	2.7	32.0	21.3	q	46.7	2.4	31.9	17.6	q	48.6	5.7	27.6	17.6
46.	C	8.0	1.3	61.3	28.0	q	6.2	2.4	73.3	17.6	q	4.9	3.0	69.8	22.0
47.	C	9.3	0.0	86.7	2.7	p	12.4	2.4	83.8	1.0	q	8.7	2.0	88.4	0.8
48.	D	0.0	4.0	2.7	92.0	p	0.5	4.8	3.8	90.5	q	0.9	3.3	2.8	92.9
49.	B	17.3	68.0	10.7	2.7	q	16.7	72.4	9.5	1.0	q	15.1	77.3	6.4	0.9
50.	C	2.7	13.3	78.7	4.0	q	2.9	8.6	81.4	6.7	q	1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 2 - Western

#068 - Regina High School, Corner Brook

Grades: 10-12

Item	Key	School [N=15]				School Below Above District	District [N=210]				School Below Above Province	Province [N=1,381]					
		A	B	C	D		A	B	C	D		A	B	C	D		
1.	D	20.0	0.0	0.0	80.0		P	21.0	2.4	4.8	71.9		P	17.1	1.7	3.8	77.2
2.	A	80.0	13.3	0.0	6.7		P	73.8	13.3	1.9	11.0		P	78.1	12.6	3.1	6.2
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A	86.7	0.0	13.3	0.0		P	66.2	5.7	21.0	7.1		P	59.9	8.2	20.6	11.3
5.	A	66.7	6.7	26.7	0.0		P	57.1	9.1	19.5	14.3		P	62.9	5.7	18.3	13.2
6.	C	6.7	0.0	60.0	33.3		Q	11.9	4.8	66.2	17.1		Q	15.6	4.4	67.1	12.8
7.	C	20.0	6.7	66.7	0.0		P	29.1	5.7	60.5	3.8		Q	20.8	4.4	70.5	4.1
8.	C	0.0	0.0	100.0	0.0		P	1.4	0.5	94.8	3.3		P	1.0	0.5	96.5	2.0
9.	B	6.7	86.7	6.7	0.0		P	3.8	83.8	10.5	1.9		P	3.8	85.2	9.3	1.6
10.	C	20.0	0.0	60.0	20.0		P	15.7	9.5	48.1	26.7		P	12.1	16.4	44.7	26.7
11.	B	13.3	80.0	0.0	6.7		P	12.9	62.9	12.9	11.4		P	12.4	70.4	10.0	7.1
12.	C	0.0	0.0	86.7	13.3		P	3.3	7.6	83.8	5.2		P	4.5	4.4	85.2	5.7
13.	B	0.0	80.0	20.0	0.0		P	11.9	47.1	24.3	16.2		P	13.6	51.6	21.1	13.5
14.	D	13.3	6.7	6.7	73.3		P	42.9	3.3	11.9	41.9		P	32.6	2.3	8.2	56.9
15.	D	13.3	20.0	13.3	53.3		Q	7.1	13.3	14.3	65.2		Q	5.7	19.4	9.9	65.0
16.	A	86.7	6.7	6.7	0.0		P	75.7	4.8	13.3	6.2		P	77.3	5.0	13.0	4.8
17.	A	93.3	0.0	0.0	6.7		P	76.2	4.8	18.6	0.5		P	79.7	3.8	16.0	0.5
18.	A	93.3	0.0	6.7	0.0		P	84.8	1.9	5.7	7.6		P	84.4	1.8	5.4	8.3
19.	A	80.0	6.7	6.7	6.7		P	71.4	6.7	9.1	12.9		P	73.9	3.6	8.5	14.1
20.	C	0.0	6.7	93.3	0.0		P	6.7	8.1	78.1	7.1		P	7.0	7.5	73.6	11.8
21.	D	13.3	0.0	0.0	86.7		P	22.9	10.0	3.3	63.8		P	14.2	10.9	5.0	69.9
22.	A	100.0	0.0	0.0	0.0		P	88.6	2.9	2.4	6.2		P	91.2	4.0	1.3	3.5
23.	C	0.0	0.0	100.0	0.0		P	6.7	2.9	85.7	4.8		P	6.0	4.0	85.5	4.5
24.	C	13.3	13.3	73.3	0.0		P	22.4	8.1	49.5	20.0		P	33.6	8.6	40.2	17.6
25.	A	86.7	13.3	0.0	0.0		P	73.8	13.3	1.0	11.9		P	73.9	7.5	3.4	15.1
26.	B	20.0	66.7	0.0	13.3		Q	9.1	70.5	5.7	14.8		Q	6.4	74.2	3.6	15.8
27.	C	6.7	6.7	86.7	0.0		P	6.2	8.1	83.8	1.4		P	4.6	7.2	85.2	2.9
28.	A	86.7	6.7	0.0	6.7		P	74.3	11.4	11.9	2.4		P	78.3	9.7	10.4	1.4
29.	D	0.0	13.3	13.3	73.3		P	4.3	23.3	6.2	66.2		P	4.1	18.8	7.3	69.6
30.	B	13.3	80.0	6.7	0.0		Q	5.7	87.1	4.8	2.4		Q	8.8	81.3	6.3	3.6
31.	A	93.3	0.0	0.0	6.7		P	83.3	2.9	9.1	4.8		P	86.5	3.3	7.5	2.8
*32.	A,C	80.0	20.0	0.0	0.0		P	65.2	19.5	8.1	7.1		P	64.4	19.1	9.9	6.5
33.	A	100.0	0.0	0.0	0.0		P	96.7	1.4	1.0	1.0		P	96.3	1.2	1.3	1.2
34.	C	0.0	0.0	100.0	0.0		P	1.0	0.5	97.1	1.4		P	2.0	0.9	94.9	2.1
35.	B	13.3	86.7	0.0	0.0		P	12.4	80.0	4.3	3.3		P	12.5	79.7	4.8	3.0
36.	B	0.0	86.7	6.7	6.7		P	10.0	84.8	2.9	2.4		P	11.3	84.3	2.8	1.6
37.	C	33.3	0.0	66.7	0.0		Q	17.6	1.9	70.5	9.5		Q	11.7	1.7	77.4	9.0
38.	A	86.7	6.7	6.7	0.0		Q	87.1	7.1	5.2	0.5		P	85.3	7.2	6.7	0.9
39.	A	73.3	13.3	13.3	0.0		P	67.6	12.9	9.1	10.5		Q	76.2	11.4	5.3	7.2
40.	B	0.0	40.0	53.3	6.7		Q	8.1	61.0	16.7	14.3		Q	11.7	66.7	11.2	10.3
41.	A	93.3	0.0	6.7	0.0		P	73.8	0.5	9.5	15.7		P	77.3	1.2	6.7	14.7
42.	C	20.0	0.0	80.0	0.0		P	11.0	8.1	66.2	13.3		P	8.6	6.9	72.1	12.0
43.	A	86.7	6.7	6.7	0.0		Q	87.1	5.7	5.7	1.0		Q	91.3	3.8	4.0	0.7
44.	C	0.0	0.0	80.0	20.0		P	4.3	9.5	61.9	23.3		P	7.6	7.0	63.2	21.9
45.	A	40.0	0.0	60.0	0.0		Q	46.7	2.4	31.9	17.6		Q	48.6	5.7	27.6	17.6
46.	C	0.0	0.0	100.0	0.0		P	6.2	2.4	73.3	17.6		P	4.9	3.0	69.8	22.0
47.	C	0.0	0.0	100.0	0.0		P	12.4	2.4	83.8	1.0		P	8.7	2.0	88.4	0.8
48.	D	0.0	6.7	0.0	93.3		P	0.5	4.8	3.8	90.5		P	0.9	3.3	2.8	92.9
49.	B	20.0	73.3	6.7	0.0		P	16.7	72.4	9.5	1.0		Q	15.1	77.3	6.4	0.9
50.	C	0.0	0.0	100.0	0.0		P	2.9	8.6	81.4	6.7		P	1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 2 - Western

#099 - St. James' Regional High School, Channel-Port Aux Basques

Grades: 7-12

Item	Key	School [N=16]				School [N=210]		District [N=210]				School [N=1,381]		Province [N=1,381]			
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	D	25.0	12.5	18.8	43.8	q		21.0	2.4	4.8	71.9	q		17.1	1.7	3.8	77.2
2.	A	56.3	43.8	0.0	0.0	q		73.8	13.3	1.9	11.0	q		78.1	12.6	3.1	6.2
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A	56.3	0.0	31.3	12.5	q		66.2	5.7	21.0	7.1	q		59.9	8.2	20.6	11.3
5.	A	56.3	6.3	18.8	18.8	q		57.1	9.1	19.5	14.3	q		62.9	5.7	18.3	13.2
6.	C	18.8	6.3	62.5	12.5	q		11.9	4.8	66.2	17.1	q		15.6	4.4	67.1	12.8
7.	C	31.3	6.3	50.0	6.3	q		29.1	5.7	60.5	3.8	q		20.8	4.4	70.5	4.1
8.	C	6.3	0.0	87.5	6.3	q		1.4	0.5	94.8	3.3	q		1.0	0.5	96.5	2.0
9.	B	0.0	93.8	6.3	0.0		p	3.8	83.8	10.5	1.9		p	3.8	85.2	9.3	1.6
10.	C	31.3	6.3	31.3	31.3	q		15.7	9.5	48.1	26.7	q		12.1	16.4	44.7	26.7
11.	B	37.5	25.0	25.0	12.5	q		12.9	62.9	12.9	11.4	q		12.4	70.4	10.0	7.1
12.	C	6.3	12.5	81.3	0.0	q		3.3	7.6	83.8	5.2	q		4.5	4.4	85.2	5.7
13.	B	12.5	50.0	25.0	12.5		p	11.9	47.1	24.3	16.2	q		13.6	51.6	21.1	13.5
14.	D	62.5	0.0	18.8	18.8	q		42.9	3.3	11.9	41.9	q		32.6	2.3	8.2	56.9
15.	D	6.3	25.0	12.5	56.3	q		7.1	13.3	14.3	65.2	q		5.7	19.4	9.9	65.0
16.	A	75.0	0.0	18.8	6.3	q		75.7	4.8	13.3	6.2	q		77.3	5.0	13.0	4.8
17.	A	75.0	6.3	18.8	0.0	q		76.2	4.8	18.6	0.5	q		79.7	3.8	16.0	0.5
18.	A	62.5	6.3	6.3	25.0	q		84.8	1.9	5.7	7.6	q		84.4	1.8	5.4	8.3
19.	A	75.0	6.3	6.3	12.5		p	71.4	6.7	9.1	12.9		p	73.9	3.6	8.5	14.1
20.	C	0.0	12.5	87.5	0.0		p	6.7	8.1	78.1	7.1		p	7.0	7.5	73.6	11.8
21.	D	12.5	0.0	0.0	87.5		p	22.9	10.0	3.3	63.8		p	14.2	10.9	5.0	69.9
22.	A	100.0	0.0	0.0	0.0		p	88.6	2.9	2.4	6.2		p	91.2	4.0	1.3	3.5
23.	C	12.5	0.0	87.5	0.0		p	6.7	2.9	85.7	4.8		p	6.0	4.0	85.5	4.5
24.	C	12.5	12.5	43.8	31.3	q		22.4	8.1	49.5	20.0		p	33.6	8.6	40.2	17.6
25.	A	75.0	12.5	0.0	12.5		p	73.8	13.3	1.0	11.9		p	73.9	7.5	3.4	15.1
26.	B	0.0	87.5	12.5	0.0		p	9.1	70.5	5.7	14.8		p	6.4	74.2	3.6	15.8
27.	C	6.3	6.3	87.5	0.0		p	6.2	8.1	83.8	1.4		p	4.6	7.2	85.2	2.9
28.	A	68.8	6.3	18.8	6.3	q		74.3	11.4	11.9	2.4	q		78.3	9.7	10.4	1.4
29.	D	0.0	25.0	0.0	75.0		p	4.3	23.3	6.2	66.2		p	4.1	18.8	7.3	69.6
30.	B	0.0	93.8	6.3	0.0		p	5.7	87.1	4.8	2.4		p	8.8	81.3	6.3	3.6
31.	A	81.3	0.0	18.8	0.0	q		83.3	2.9	9.1	4.8	q		86.5	3.3	7.5	2.8
*32.	A,C	75.0	6.3	12.5	6.3		p	65.2	19.5	8.1	7.1		p	64.4	19.1	9.9	6.5
33.	A	100.0	0.0	0.0	0.0		p	96.7	1.4	1.0	1.0		p	96.3	1.2	1.3	1.2
34.	C	0.0	6.3	93.8	0.0	q		1.0	0.5	97.1	1.4	q		2.0	0.9	94.9	2.1
35.	B	12.5	75.0	6.3	6.3	q		12.4	80.0	4.3	3.3	q		12.5	79.7	4.8	3.0
36.	B	18.8	81.3	0.0	0.0	q		10.0	84.8	2.9	2.4	q		11.3	84.3	2.8	1.6
37.	C	18.8	0.0	81.3	0.0		p	17.6	1.9	70.5	9.5		p	11.7	1.7	77.4	9.0
38.	A	93.8	6.3	0.0	0.0		p	87.1	7.1	5.2	0.5		p	85.3	7.2	6.7	0.9
39.	A	31.3	25.0	12.5	31.3	q		67.6	12.9	9.1	10.5	q		76.2	11.4	5.3	7.2
40.	B	6.3	56.3	12.5	25.0	q		8.1	61.0	16.7	14.3	q		11.7	66.7	11.2	10.3
41.	A	62.5	6.3	12.5	18.8	q		73.8	0.5	9.5	15.7	q		77.3	1.2	6.7	14.7
42.	C	18.8	0.0	50.0	31.3	q		11.0	8.1	66.2	13.3	q		8.6	6.9	72.1	12.0
43.	A	68.8	6.3	18.8	6.3	q		87.1	5.7	5.7	1.0	q		91.3	3.8	4.0	0.7
44.	C	0.0	12.5	68.8	18.8		p	4.3	9.5	61.9	23.3		p	7.6	7.0	63.2	21.9
45.	A	37.5	6.3	18.8	37.5	q		46.7	2.4	31.9	17.6	q		48.6	5.7	27.6	17.6
46.	C	12.5	12.5	56.3	18.8	q		6.2	2.4	73.3	17.6	q		4.9	3.0	69.8	22.0
47.	C	25.0	0.0	75.0	0.0	q		12.4	2.4	83.8	1.0	q		8.7	2.0	88.4	0.8
48.	D	0.0	6.3	6.3	87.5	q		0.5	4.8	3.8	90.5	q		0.9	3.3	2.8	92.9
49.	B	0.0	100.0	0.0	0.0		p	16.7	72.4	9.5	1.0		p	15.1	77.3	6.4	0.9
50.	C	6.3	0.0	87.5	6.3		p	2.9	8.6	81.4	6.7	q		1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 2 - Western

#119 - Stephenville High, Stephenville

Grades: 9-12

Item	Key	School [N=20]				School Below Above District	District [N=210]				School Below Above Province	Province [N=1,381]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	D	25.0	0.0	5.0	70.0	q	21.0	2.4	4.8	71.9	q	17.1	1.7	3.8	77.2
2.	A	95.0	0.0	0.0	5.0	p	73.8	13.3	1.9	11.0	p	78.1	12.6	3.1	6.2
*3.	X	---	---	---	---		---	---	---	---		---	---	---	---
4.	A	80.0	0.0	15.0	5.0	p	66.2	5.7	21.0	7.1	p	59.9	8.2	20.6	11.3
5.	A	90.0	0.0	5.0	5.0	p	57.1	9.1	19.5	14.3	p	62.9	5.7	18.3	13.2
6.	C	0.0	0.0	90.0	10.0	p	11.9	4.8	66.2	17.1	p	15.6	4.4	67.1	12.8
7.	C	30.0	5.0	65.0	0.0	p	29.1	5.7	60.5	3.8	q	20.8	4.4	70.5	4.1
8.	C	5.0	0.0	95.0	0.0	p	1.4	0.5	94.8	3.3	q	1.0	0.5	96.5	2.0
9.	B	0.0	90.0	10.0	0.0	p	3.8	83.8	10.5	1.9	p	3.8	85.2	9.3	1.6
10.	C	25.0	10.0	30.0	35.0	q	15.7	9.5	48.1	26.7	q	12.1	16.4	44.7	26.7
11.	B	0.0	90.0	5.0	5.0	p	12.9	62.9	12.9	11.4	p	12.4	70.4	10.0	7.1
12.	C	5.0	0.0	90.0	5.0	p	3.3	7.6	83.8	5.2	p	4.5	4.4	85.2	5.7
13.	B	0.0	70.0	20.0	10.0	p	11.9	47.1	24.3	16.2	p	13.6	51.6	21.1	13.5
14.	D	15.0	0.0	5.0	80.0	p	42.9	3.3	11.9	41.9	p	32.6	2.3	8.2	56.9
15.	D	5.0	5.0	0.0	90.0	p	7.1	13.3	14.3	65.2	p	5.7	19.4	9.9	65.0
16.	A	90.0	0.0	10.0	0.0	p	75.7	4.8	13.3	6.2	p	77.3	5.0	13.0	4.8
17.	A	90.0	5.0	5.0	0.0	p	76.2	4.8	18.6	0.5	p	79.7	3.8	16.0	0.5
18.	A	90.0	0.0	10.0	0.0	p	84.8	1.9	5.7	7.6	p	84.4	1.8	5.4	8.3
19.	A	100.0	0.0	0.0	0.0	p	71.4	6.7	9.1	12.9	p	73.9	3.6	8.5	14.1
20.	C	10.0	0.0	75.0	15.0	q	6.7	8.1	78.1	7.1	p	7.0	7.5	73.6	11.8
21.	D	15.0	5.0	5.0	75.0	p	22.9	10.0	3.3	63.8	p	14.2	10.9	5.0	69.9
22.	A	95.0	0.0	0.0	5.0	p	88.6	2.9	2.4	6.2	p	91.2	4.0	1.3	3.5
23.	C	0.0	5.0	90.0	5.0	p	6.7	2.9	85.7	4.8	p	6.0	4.0	85.5	4.5
24.	C	35.0	5.0	50.0	10.0	p	22.4	8.1	49.5	20.0	p	33.6	8.6	40.2	17.6
25.	A	80.0	0.0	0.0	20.0	p	73.8	13.3	1.0	11.9	p	73.9	7.5	3.4	15.1
26.	B	5.0	85.0	5.0	5.0	p	9.1	70.5	5.7	14.8	p	6.4	74.2	3.6	15.8
27.	C	5.0	5.0	90.0	0.0	p	6.2	8.1	83.8	1.4	p	4.6	7.2	85.2	2.9
28.	A	95.0	0.0	5.0	0.0	p	74.3	11.4	11.9	2.4	p	78.3	9.7	10.4	1.4
29.	D	0.0	15.0	5.0	80.0	p	4.3	23.3	6.2	66.2	p	4.1	18.8	7.3	69.6
30.	B	5.0	90.0	0.0	5.0	p	5.7	87.1	4.8	2.4	p	8.8	81.3	6.3	3.6
31.	A	100.0	0.0	0.0	0.0	p	83.3	2.9	9.1	4.8	p	86.5	3.3	7.5	2.8
*32.	A,C	80.0	5.0	5.0	10.0	p	65.2	19.5	8.1	7.1	p	64.4	19.1	9.9	6.5
33.	A	100.0	0.0	0.0	0.0	p	96.7	1.4	1.0	1.0	p	96.3	1.2	1.3	1.2
34.	C	0.0	0.0	100.0	0.0	p	1.0	0.5	97.1	1.4	p	2.0	0.9	94.9	2.1
35.	B	10.0	90.0	0.0	0.0	p	12.4	80.0	4.3	3.3	p	12.5	79.7	4.8	3.0
36.	B	0.0	100.0	0.0	0.0	p	10.0	84.8	2.9	2.4	p	11.3	84.3	2.8	1.6
37.	C	5.0	0.0	85.0	10.0	p	17.6	1.9	70.5	9.5	p	11.7	1.7	77.4	9.0
38.	A	75.0	20.0	5.0	0.0	q	87.1	7.1	5.2	0.5	q	85.3	7.2	6.7	0.9
39.	A	85.0	10.0	5.0	0.0	p	67.6	12.9	9.1	10.5	p	76.2	11.4	5.3	7.2
40.	B	0.0	85.0	5.0	10.0	p	8.1	61.0	16.7	14.3	p	11.7	66.7	11.2	10.3
41.	A	85.0	0.0	0.0	15.0	p	73.8	0.5	9.5	15.7	p	77.3	1.2	6.7	14.7
42.	C	10.0	0.0	75.0	10.0	p	11.0	8.1	66.2	13.3	p	8.6	6.9	72.1	12.0
43.	A	95.0	5.0	0.0	0.0	p	87.1	5.7	5.7	1.0	p	91.3	3.8	4.0	0.7
44.	C	0.0	0.0	85.0	15.0	p	4.3	9.5	61.9	23.3	p	7.6	7.0	63.2	21.9
45.	A	80.0	0.0	5.0	15.0	p	46.7	2.4	31.9	17.6	p	48.6	5.7	27.6	17.6
46.	C	10.0	0.0	70.0	20.0	q	6.2	2.4	73.3	17.6	p	4.9	3.0	69.8	22.0
47.	C	10.0	0.0	90.0	0.0	p	12.4	2.4	83.8	1.0	p	8.7	2.0	88.4	0.8
48.	D	0.0	0.0	0.0	100.0	p	0.5	4.8	3.8	90.5	p	0.9	3.3	2.8	92.9
49.	B	5.0	95.0	0.0	0.0	p	16.7	72.4	9.5	1.0	p	15.1	77.3	6.4	0.9
50.	C	0.0	5.0	95.0	0.0	p	2.9	8.6	81.4	6.7	p	1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 2 - Western

#390 - Elwood High School, Deer Lake

Grades: 10-12

Item	Key	School [N=53]				School Below Above District		District [N=210]				School Below Above Province		Province [N=1,381]			
		A	B	C	D			A	B	C	D	A	B	C	D		
1.	D	24.5	0.0	0.0	75.5		P	21.0	2.4	4.8	71.9	q	17.1	1.7	3.8	77.2	
2.	A	73.6	5.7	1.9	18.9	q		73.8	13.3	1.9	11.0	q	78.1	12.6	3.1	6.2	
*3.	X	---	---	---	---			---	---	---	---		---	---	---	---	
4.	A	77.4	5.7	17.0	0.0		P	66.2	5.7	21.0	7.1		P	59.9	8.2	20.6	11.3
5.	A	45.3	13.2	28.3	13.2	q		57.1	9.1	19.5	14.3	q	62.9	5.7	18.3	13.2	
6.	C	9.4	7.6	64.2	18.9	q		11.9	4.8	66.2	17.1	q	15.6	4.4	67.1	12.8	
7.	C	28.3	3.8	62.3	5.7		P	29.1	5.7	60.5	3.8	q	20.8	4.4	70.5	4.1	
8.	C	0.0	1.9	96.2	1.9		P	1.4	0.5	94.8	3.3	q	1.0	0.5	96.5	2.0	
9.	B	5.7	81.1	9.4	3.8	q		3.8	83.8	10.5	1.9	q	3.8	85.2	9.3	1.6	
10.	C	13.2	0.0	58.5	28.3		P	15.7	9.5	48.1	26.7		P	12.1	16.4	44.7	26.7
11.	B	7.6	73.6	13.2	5.7		P	12.9	62.9	12.9	11.4		P	12.4	70.4	10.0	7.1
12.	C	3.8	7.6	81.1	7.6	q		3.3	7.6	83.8	5.2	q	4.5	4.4	85.2	5.7	
13.	B	13.2	47.2	24.5	15.1		P	11.9	47.1	24.3	16.2	q	13.6	51.6	21.1	13.5	
14.	D	35.9	5.7	24.5	34.0	q		42.9	3.3	11.9	41.9	q	32.6	2.3	8.2	56.9	
15.	D	7.6	0.0	17.0	75.5		P	7.1	13.3	14.3	65.2		P	5.7	19.4	9.9	65.0
16.	A	67.9	5.7	17.0	9.4	q		75.7	4.8	13.3	6.2	q	77.3	5.0	13.0	4.8	
17.	A	84.9	1.9	13.2	0.0		P	76.2	4.8	18.6	0.5		P	79.7	3.8	16.0	0.5
18.	A	81.1	1.9	3.8	13.2	q		84.8	1.9	5.7	7.6	q	84.4	1.8	5.4	8.3	
19.	A	66.0	5.7	15.1	13.2	q		71.4	6.7	9.1	12.9	q	73.9	3.6	8.5	14.1	
20.	C	5.7	3.8	86.8	3.8		P	6.7	8.1	78.1	7.1		P	7.0	7.5	73.6	11.8
21.	D	39.6	7.6	5.7	47.2	q		22.9	10.0	3.3	63.8	q	14.2	10.9	5.0	69.9	
22.	A	75.5	7.6	5.7	11.3	q		88.6	2.9	2.4	6.2	q	91.2	4.0	1.3	3.5	
23.	C	3.8	3.8	92.5	0.0		P	6.7	2.9	85.7	4.8		P	6.0	4.0	85.5	4.5
24.	C	30.2	7.6	39.6	22.6	q		22.4	8.1	49.5	20.0	q	33.6	8.6	40.2	17.6	
25.	A	71.7	15.1	0.0	13.2	q		73.8	13.3	1.0	11.9	q	73.9	7.5	3.4	15.1	
26.	B	1.9	58.5	3.8	35.9	q		9.1	70.5	5.7	14.8	q	6.4	74.2	3.6	15.8	
27.	C	5.7	13.2	77.4	3.8	q		6.2	8.1	83.8	1.4	q	4.6	7.2	85.2	2.9	
28.	A	50.9	20.8	24.5	3.8	q		74.3	11.4	11.9	2.4	q	78.3	9.7	10.4	1.4	
29.	D	5.7	15.1	3.8	75.5		P	4.3	23.3	6.2	66.2		P	4.1	18.8	7.3	69.6
30.	B	7.6	81.1	7.6	3.8	q		5.7	87.1	4.8	2.4	q	8.8	81.3	6.3	3.6	
31.	A	75.5	0.0	22.6	1.9	q		83.3	2.9	9.1	4.8	q	86.5	3.3	7.5	2.8	
*32.	A,C	62.3	20.8	11.3	5.7		P	65.2	19.5	8.1	7.1	q	64.4	19.1	9.9	6.5	
33.	A	96.2	1.9	0.0	1.9	q		96.7	1.4	1.0	1.0	q	96.3	1.2	1.3	1.2	
34.	C	0.0	0.0	96.2	3.8	q		1.0	0.5	97.1	1.4		P	2.0	0.9	94.9	2.1
35.	B	3.8	90.6	3.8	1.9		P	12.4	80.0	4.3	3.3		P	12.5	79.7	4.8	3.0
36.	B	15.1	79.3	1.9	3.8	q		10.0	84.8	2.9	2.4	q	11.3	84.3	2.8	1.6	
37.	C	13.2	1.9	73.6	11.3		P	17.6	1.9	70.5	9.5	q	11.7	1.7	77.4	9.0	
38.	A	94.3	1.9	3.8	0.0		P	87.1	7.1	5.2	0.5		P	85.3	7.2	6.7	0.9
39.	A	81.1	5.7	5.7	7.6		P	67.6	12.9	9.1	10.5		P	76.2	11.4	5.3	7.2
40.	B	5.7	77.4	7.6	9.4		P	8.1	61.0	16.7	14.3		P	11.7	66.7	11.2	10.3
41.	A	79.3	0.0	5.7	15.1		P	73.8	0.5	9.5	15.7		P	77.3	1.2	6.7	14.7
42.	C	11.3	5.7	77.4	5.7		P	11.0	8.1	66.2	13.3		P	8.6	6.9	72.1	12.0
43.	A	88.7	1.9	9.4	0.0		P	87.1	5.7	5.7	1.0	q	91.3	3.8	4.0	0.7	
44.	C	0.0	5.7	64.2	30.2		P	4.3	9.5	61.9	23.3		P	7.6	7.0	63.2	21.9
45.	A	50.9	1.9	35.9	11.3		P	46.7	2.4	31.9	17.6		P	48.6	5.7	27.6	17.6
46.	C	1.9	1.9	86.8	9.4		P	6.2	2.4	73.3	17.6		P	4.9	3.0	69.8	22.0
47.	C	13.2	0.0	86.8	0.0		P	12.4	2.4	83.8	1.0	q	8.7	2.0	88.4	0.8	
48.	D	1.9	5.7	3.8	88.7	q		0.5	4.8	3.8	90.5	q	0.9	3.3	2.8	92.9	
49.	B	24.5	67.9	7.6	0.0	q		16.7	72.4	9.5	1.0	q	15.1	77.3	6.4	0.9	
50.	C	5.7	7.6	67.9	18.9	q		2.9	8.6	81.4	6.7	q	1.2	6.7	88.1	3.7	

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 2 - Western

#397 - Belanger Memorial School, Upper Ferry

Grades: K-12

Item	Key	School [N=7]				School Below Above District		District [N=210]				School Below Above Province		Province [N=1,381]			
		A	B	C	D			A	B	C	D	A	B	C	D		
1.	D	57.1	14.3	14.3	14.3			21.0	2.4	4.8	71.9	q	17.1	1.7	3.8	77.2	
2.	A	28.6	42.9	0.0	28.6			73.8	13.3	1.9	11.0	q	78.1	12.6	3.1	6.2	
*3.	X	---	---	---	---			---	---	---	---		---	---	---	---	
4.	A	42.9	42.9	0.0	14.3			66.2	5.7	21.0	7.1	q	59.9	8.2	20.6	11.3	
5.	A	42.9	0.0	28.6	28.6			57.1	9.1	19.5	14.3	q	62.9	5.7	18.3	13.2	
6.	C	14.3	14.3	57.1	14.3			11.9	4.8	66.2	17.1	q	15.6	4.4	67.1	12.8	
7.	C	14.3	28.6	42.9	14.3			29.1	5.7	60.5	3.8	q	20.8	4.4	70.5	4.1	
8.	C	0.0	0.0	100.0	0.0		p	1.4	0.5	94.8	3.3	p	1.0	0.5	96.5	2.0	
9.	B	0.0	71.4	28.6	0.0		q	3.8	83.8	10.5	1.9	q	3.8	85.2	9.3	1.6	
10.	C	0.0	14.3	57.1	28.6		p	15.7	9.5	48.1	26.7	p	12.1	16.4	44.7	26.7	
11.	B	0.0	28.6	71.4	0.0		q	12.9	62.9	12.9	11.4	q	12.4	70.4	10.0	7.1	
12.	C	0.0	14.3	57.1	28.6		q	3.3	7.6	83.8	5.2	q	4.5	4.4	85.2	5.7	
13.	B	14.3	42.9	0.0	42.9		q	11.9	47.1	24.3	16.2	q	13.6	51.6	21.1	13.5	
14.	D	71.4	0.0	0.0	28.6		q	42.9	3.3	11.9	41.9	q	32.6	2.3	8.2	56.9	
15.	D	28.6	42.9	0.0	28.6		q	7.1	13.3	14.3	65.2	q	5.7	19.4	9.9	65.0	
16.	A	71.4	14.3	0.0	14.3		q	75.7	4.8	13.3	6.2	q	77.3	5.0	13.0	4.8	
17.	A	85.7	0.0	14.3	0.0		p	76.2	4.8	18.6	0.5	p	79.7	3.8	16.0	0.5	
18.	A	71.4	0.0	28.6	0.0		q	84.8	1.9	5.7	7.6	q	84.4	1.8	5.4	8.3	
19.	A	42.9	0.0	0.0	57.1		q	71.4	6.7	9.1	12.9	q	73.9	3.6	8.5	14.1	
20.	C	14.3	0.0	85.7	0.0		p	6.7	8.1	78.1	7.1	p	7.0	7.5	73.6	11.8	
21.	D	28.6	0.0	0.0	71.4		p	22.9	10.0	3.3	63.8	p	14.2	10.9	5.0	69.9	
22.	A	85.7	0.0	0.0	14.3		q	88.6	2.9	2.4	6.2	q	91.2	4.0	1.3	3.5	
23.	C	0.0	0.0	85.7	14.3		p	6.7	2.9	85.7	4.8	p	6.0	4.0	85.5	4.5	
24.	C	14.3	0.0	85.7	0.0		p	22.4	8.1	49.5	20.0	p	33.6	8.6	40.2	17.6	
25.	A	57.1	14.3	14.3	14.3		q	73.8	13.3	1.0	11.9	q	73.9	7.5	3.4	15.1	
26.	B	0.0	71.4	14.3	14.3		p	9.1	70.5	5.7	14.8	q	6.4	74.2	3.6	15.8	
27.	C	0.0	0.0	100.0	0.0		p	6.2	8.1	83.8	1.4	p	4.6	7.2	85.2	2.9	
28.	A	100.0	0.0	0.0	0.0		p	74.3	11.4	11.9	2.4	p	78.3	9.7	10.4	1.4	
29.	D	0.0	42.9	14.3	42.9		q	4.3	23.3	6.2	66.2	q	4.1	18.8	7.3	69.6	
30.	B	28.6	71.4	0.0	0.0		q	5.7	87.1	4.8	2.4	q	8.8	81.3	6.3	3.6	
31.	A	100.0	0.0	0.0	0.0		p	83.3	2.9	9.1	4.8	p	86.5	3.3	7.5	2.8	
*32.	A,C	71.4	14.3	14.3	0.0		p	65.2	19.5	8.1	7.1	p	64.4	19.1	9.9	6.5	
33.	A	100.0	0.0	0.0	0.0		p	96.7	1.4	1.0	1.0	p	96.3	1.2	1.3	1.2	
34.	C	0.0	0.0	100.0	0.0		p	1.0	0.5	97.1	1.4	p	2.0	0.9	94.9	2.1	
35.	B	28.6	71.4	0.0	0.0		q	12.4	80.0	4.3	3.3	q	12.5	79.7	4.8	3.0	
36.	B	0.0	100.0	0.0	0.0		p	10.0	84.8	2.9	2.4	p	11.3	84.3	2.8	1.6	
37.	C	14.3	0.0	85.7	0.0		p	17.6	1.9	70.5	9.5	p	11.7	1.7	77.4	9.0	
38.	A	100.0	0.0	0.0	0.0		p	87.1	7.1	5.2	0.5	p	85.3	7.2	6.7	0.9	
39.	A	57.1	14.3	14.3	14.3		q	67.6	12.9	9.1	10.5	q	76.2	11.4	5.3	7.2	
40.	B	14.3	42.9	14.3	28.6		q	8.1	61.0	16.7	14.3	q	11.7	66.7	11.2	10.3	
41.	A	85.7	0.0	14.3	0.0		p	73.8	0.5	9.5	15.7	p	77.3	1.2	6.7	14.7	
42.	C	42.9	0.0	28.6	28.6		q	11.0	8.1	66.2	13.3	q	8.6	6.9	72.1	12.0	
43.	A	100.0	0.0	0.0	0.0		p	87.1	5.7	5.7	1.0	p	91.3	3.8	4.0	0.7	
44.	C	0.0	0.0	71.4	28.6		p	4.3	9.5	61.9	23.3	p	7.6	7.0	63.2	21.9	
45.	A	28.6	0.0	57.1	14.3		q	46.7	2.4	31.9	17.6	q	48.6	5.7	27.6	17.6	
46.	C	0.0	0.0	85.7	14.3		p	6.2	2.4	73.3	17.6	p	4.9	3.0	69.8	22.0	
47.	C	28.6	14.3	57.1	0.0		q	12.4	2.4	83.8	1.0	q	8.7	2.0	88.4	0.8	
48.	D	0.0	0.0	14.3	85.7		q	0.5	4.8	3.8	90.5	q	0.9	3.3	2.8	92.9	
49.	B	42.9	28.6	28.6	0.0		q	16.7	72.4	9.5	1.0	q	15.1	77.3	6.4	0.9	
50.	C	0.0	14.3	85.7	0.0		p	2.9	8.6	81.4	6.7	q	1.2	6.7	88.1	3.7	

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 3 - Nova Central

#128 - Long Island Academy, Beaumont

Grades: K-1,3-12

Item	Key	School [N=1]				District [N=131]				Province [N=1,381]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	D					P		11.5	0.8	7.6	80.2	P		17.1	1.7	3.8	77.2
2.	A					P		82.4	12.2	2.3	3.1	P		78.1	12.6	3.1	6.2
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A					P		54.2	13.0	21.4	11.5	P		59.9	8.2	20.6	11.3
5.	A					P		67.2	9.9	16.0	6.9	P		62.9	5.7	18.3	13.2
6.	C					P		16.8	2.3	68.7	12.2	P		15.6	4.4	67.1	12.8
7.	C					P		20.6	6.1	68.7	3.8	P		20.8	4.4	70.5	4.1
8.	C					P		2.3	0.0	94.7	3.1	P		1.0	0.5	96.5	2.0
9.	B					P		3.1	84.7	9.9	2.3	P		3.8	85.2	9.3	1.6
10.	C					P		11.5	19.9	47.3	21.4	P		12.1	16.4	44.7	26.7
11.	B					P		10.7	71.8	11.5	5.3	P		12.4	70.4	10.0	7.1
12.	C					P		2.3	4.6	90.8	2.3	P		4.5	4.4	85.2	5.7
13.	B					q		16.0	59.5	12.2	12.2	q		13.6	51.6	21.1	13.5
14.	D					P		25.2	0.0	15.3	59.5	P		32.6	2.3	8.2	56.9
15.	D					q		14.5	26.7	11.5	47.3	q		5.7	19.4	9.9	65.0
16.	A					P		81.7	3.1	10.7	4.6	P		77.3	5.0	13.0	4.8
17.	A					P		64.9	4.6	30.5	0.0	P		79.7	3.8	16.0	0.5
18.	A					P		80.9	3.1	4.6	10.7	P		84.4	1.8	5.4	8.3
19.	A					P		70.2	3.1	8.4	18.3	P		73.9	3.6	8.5	14.1
20.	C					P		4.6	13.7	70.2	11.5	P		7.0	7.5	73.6	11.8
21.	D					P		9.2	9.2	5.3	76.3	P		14.2	10.9	5.0	69.9
22.	A					P		90.1	5.3	0.8	3.8	P		91.2	4.0	1.3	3.5
23.	C					P		5.3	8.4	83.2	3.1	P		6.0	4.0	85.5	4.5
24.	C					q		34.4	9.2	38.9	17.6	q		33.6	8.6	40.2	17.6
25.	A					q		77.9	4.6	3.8	13.7	q		73.9	7.5	3.4	15.1
26.	B					P		5.3	74.8	3.8	16.0	P		6.4	74.2	3.6	15.8
27.	C					P		0.0	7.6	90.1	2.3	P		4.6	7.2	85.2	2.9
28.	A					P		83.2	8.4	8.4	0.0	P		78.3	9.7	10.4	1.4
29.	D					P		6.1	19.9	6.9	67.2	P		4.1	18.8	7.3	69.6
30.	B					P		9.2	76.3	7.6	6.9	P		8.8	81.3	6.3	3.6
31.	A					P		87.0	3.8	8.4	0.8	P		86.5	3.3	7.5	2.8
*32.	A,C					P		64.1	18.3	6.1	11.5	P		64.4	19.1	9.9	6.5
33.	A					P		97.7	0.0	0.8	1.5	P		96.3	1.2	1.3	1.2
34.	C					P		0.0	0.8	98.5	0.8	P		2.0	0.9	94.9	2.1
35.	B					P		16.8	74.8	4.6	3.8	P		12.5	79.7	4.8	3.0
36.	B					P		13.7	84.7	0.8	0.8	P		11.3	84.3	2.8	1.6
37.	C					q		11.5	2.3	80.2	5.3	q		11.7	1.7	77.4	9.0
38.	A					P		85.5	3.8	8.4	2.3	P		85.3	7.2	6.7	0.9
39.	A					P		78.6	12.2	3.1	6.1	P		76.2	11.4	5.3	7.2
40.	B					P		10.7	74.8	6.9	7.6	P		11.7	66.7	11.2	10.3
41.	A					P		70.2	0.0	6.9	22.9	P		77.3	1.2	6.7	14.7
42.	C					P		5.3	5.3	71.0	17.6	P		8.6	6.9	72.1	12.0
43.	A					P		90.8	4.6	4.6	0.0	P		91.3	3.8	4.0	0.7
44.	C					P		11.5	6.1	59.5	22.9	P		7.6	7.0	63.2	21.9
45.	A					P		45.0	10.7	27.5	16.8	P		48.6	5.7	27.6	17.6
46.	C					P		7.6	6.1	59.5	26.7	P		4.9	3.0	69.8	22.0
47.	C					P		6.1	1.5	92.4	0.0	P		8.7	2.0	88.4	0.8
48.	D					P		0.8	0.8	1.5	97.0	P		0.9	3.3	2.8	92.9
49.	B					P		9.9	85.5	3.1	1.5	P		15.1	77.3	6.4	0.9
50.	C					P		0.0	6.1	89.3	3.8	P		1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 3 - Nova Central

#153 - Cape John Collegiate, La Scie

Grades: 7-12

Item	Key	School [N=1]				District [N=131]				Province [N=1,381]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	D						P	11.5	0.8	7.6	80.2		P	17.1	1.7	3.8	77.2
2.	A						P	82.4	12.2	2.3	3.1		P	78.1	12.6	3.1	6.2
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A						Q	54.2	13.0	21.4	11.5		Q	59.9	8.2	20.6	11.3
5.	A						P	67.2	9.9	16.0	6.9		P	62.9	5.7	18.3	13.2
6.	C						Q	16.8	2.3	68.7	12.2		Q	15.6	4.4	67.1	12.8
7.	C						Q	20.6	6.1	68.7	3.8		Q	20.8	4.4	70.5	4.1
8.	C						P	2.3	0.0	94.7	3.1		P	1.0	0.5	96.5	2.0
9.	B						Q	3.1	84.7	9.9	2.3		Q	3.8	85.2	9.3	1.6
10.	C						P	11.5	19.9	47.3	21.4		P	12.1	16.4	44.7	26.7
11.	B						Q	10.7	71.8	11.5	5.3		Q	12.4	70.4	10.0	7.1
12.	C						P	2.3	4.6	90.8	2.3		P	4.5	4.4	85.2	5.7
13.	B						P	16.0	59.5	12.2	12.2		P	13.6	51.6	21.1	13.5
14.	D						P	25.2	0.0	15.3	59.5		P	32.6	2.3	8.2	56.9
15.	D						Q	14.5	26.7	11.5	47.3		Q	5.7	19.4	9.9	65.0
16.	A						P	81.7	3.1	10.7	4.6		P	77.3	5.0	13.0	4.8
17.	A						Q	64.9	4.6	30.5	0.0		Q	79.7	3.8	16.0	0.5
18.	A						P	80.9	3.1	4.6	10.7		P	84.4	1.8	5.4	8.3
19.	A						P	70.2	3.1	8.4	18.3		P	73.9	3.6	8.5	14.1
20.	C						Q	4.6	13.7	70.2	11.5		Q	7.0	7.5	73.6	11.8
21.	D						Q	9.2	9.2	5.3	76.3		Q	14.2	10.9	5.0	69.9
22.	A						Q	90.1	5.3	0.8	3.8		Q	91.2	4.0	1.3	3.5
23.	C						Q	5.3	8.4	83.2	3.1		Q	6.0	4.0	85.5	4.5
24.	C						Q	34.4	9.2	38.9	17.6		Q	33.6	8.6	40.2	17.6
25.	A						P	77.9	4.6	3.8	13.7		P	73.9	7.5	3.4	15.1
26.	B						Q	5.3	74.8	3.8	16.0		Q	6.4	74.2	3.6	15.8
27.	C						P	0.0	7.6	90.1	2.3		P	4.6	7.2	85.2	2.9
28.	A						Q	83.2	8.4	8.4	0.0		Q	78.3	9.7	10.4	1.4
29.	D						P	6.1	19.9	6.9	67.2		P	4.1	18.8	7.3	69.6
30.	B						Q	9.2	76.3	7.6	6.9		Q	8.8	81.3	6.3	3.6
31.	A						P	87.0	3.8	8.4	0.8		P	86.5	3.3	7.5	2.8
*32.	A,C						P	64.1	18.3	6.1	11.5		P	64.4	19.1	9.9	6.5
33.	A						P	97.7	0.0	0.8	1.5		P	96.3	1.2	1.3	1.2
34.	C						Q	0.0	0.8	98.5	0.8		Q	2.0	0.9	94.9	2.1
35.	B						P	16.8	74.8	4.6	3.8		P	12.5	79.7	4.8	3.0
36.	B						P	13.7	84.7	0.8	0.8		P	11.3	84.3	2.8	1.6
37.	C						P	11.5	2.3	80.2	5.3		P	11.7	1.7	77.4	9.0
38.	A						P	85.5	3.8	8.4	2.3		P	85.3	7.2	6.7	0.9
39.	A						P	78.6	12.2	3.1	6.1		P	76.2	11.4	5.3	7.2
40.	B						Q	10.7	74.8	6.9	7.6		Q	11.7	66.7	11.2	10.3
41.	A						Q	70.2	0.0	6.9	22.9		Q	77.3	1.2	6.7	14.7
42.	C						Q	5.3	5.3	71.0	17.6		Q	8.6	6.9	72.1	12.0
43.	A						P	90.8	4.6	4.6	0.0		P	91.3	3.8	4.0	0.7
44.	C						P	11.5	6.1	59.5	22.9		P	7.6	7.0	63.2	21.9
45.	A						Q	45.0	10.7	27.5	16.8		Q	48.6	5.7	27.6	17.6
46.	C						Q	7.6	6.1	59.5	26.7		Q	4.9	3.0	69.8	22.0
47.	C						P	6.1	1.5	92.4	0.0		P	8.7	2.0	88.4	0.8
48.	D						P	0.8	0.8	1.5	97.0		P	0.9	3.3	2.8	92.9
49.	B						P	9.9	85.5	3.1	1.5		P	15.1	77.3	6.4	0.9
50.	C						P	0.0	6.1	89.3	3.8		P	1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 3 - Nova Central

#162 - Dorset Collegiate, Pilley's Island

Grades: 7-12

Item	Key	School [N=17]				School Below Above District	District [N=131]				School Below Above Province	Province [N=1,381]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	D	11.8	5.9	17.7	64.7	q	11.5	0.8	7.6	80.2	q	17.1	1.7	3.8	77.2
2.	A	100.0	0.0	0.0	0.0	p	82.4	12.2	2.3	3.1	p	78.1	12.6	3.1	6.2
*3.	X	---	---	---	---		---	---	---	---		---	---	---	---
4.	A	52.9	11.8	11.8	23.5	q	54.2	13.0	21.4	11.5	q	59.9	8.2	20.6	11.3
5.	A	58.8	17.7	23.5	0.0	q	67.2	9.9	16.0	6.9	q	62.9	5.7	18.3	13.2
6.	C	23.5	0.0	58.8	17.7	q	16.8	2.3	68.7	12.2	q	15.6	4.4	67.1	12.8
7.	C	29.4	0.0	64.7	5.9	q	20.6	6.1	68.7	3.8	q	20.8	4.4	70.5	4.1
8.	C	5.9	0.0	94.1	0.0	q	2.3	0.0	94.7	3.1	q	1.0	0.5	96.5	2.0
9.	B	0.0	88.2	11.8	0.0	p	3.1	84.7	9.9	2.3	p	3.8	85.2	9.3	1.6
10.	C	0.0	17.7	58.8	23.5	p	11.5	19.9	47.3	21.4	p	12.1	16.4	44.7	26.7
11.	B	17.7	52.9	23.5	5.9	q	10.7	71.8	11.5	5.3	q	12.4	70.4	10.0	7.1
12.	C	0.0	0.0	100.0	0.0	p	2.3	4.6	90.8	2.3	p	4.5	4.4	85.2	5.7
13.	B	11.8	58.8	23.5	5.9	q	16.0	59.5	12.2	12.2	p	13.6	51.6	21.1	13.5
14.	D	0.0	0.0	17.7	82.4	p	25.2	0.0	15.3	59.5	p	32.6	2.3	8.2	56.9
15.	D	0.0	29.4	11.8	58.8	p	14.5	26.7	11.5	47.3	q	5.7	19.4	9.9	65.0
16.	A	94.1	0.0	5.9	0.0	p	81.7	3.1	10.7	4.6	p	77.3	5.0	13.0	4.8
17.	A	76.5	5.9	17.7	0.0	p	64.9	4.6	30.5	0.0	q	79.7	3.8	16.0	0.5
18.	A	82.4	5.9	0.0	11.8	p	80.9	3.1	4.6	10.7	q	84.4	1.8	5.4	8.3
19.	A	76.5	0.0	0.0	23.5	p	70.2	3.1	8.4	18.3	p	73.9	3.6	8.5	14.1
20.	C	5.9	11.8	76.5	5.9	p	4.6	13.7	70.2	11.5	p	7.0	7.5	73.6	11.8
21.	D	0.0	0.0	5.9	94.1	p	9.2	9.2	5.3	76.3	p	14.2	10.9	5.0	69.9
22.	A	100.0	0.0	0.0	0.0	p	90.1	5.3	0.8	3.8	p	91.2	4.0	1.3	3.5
23.	C	0.0	0.0	100.0	0.0	p	5.3	8.4	83.2	3.1	p	6.0	4.0	85.5	4.5
24.	C	52.9	11.8	17.7	17.7	q	34.4	9.2	38.9	17.6	q	33.6	8.6	40.2	17.6
25.	A	76.5	17.7	5.9	0.0	q	77.9	4.6	3.8	13.7	p	73.9	7.5	3.4	15.1
26.	B	17.7	70.6	5.9	5.9	q	5.3	74.8	3.8	16.0	q	6.4	74.2	3.6	15.8
27.	C	0.0	17.7	76.5	5.9	q	0.0	7.6	90.1	2.3	q	4.6	7.2	85.2	2.9
28.	A	88.2	5.9	5.9	0.0	p	83.2	8.4	8.4	0.0	p	78.3	9.7	10.4	1.4
29.	D	5.9	5.9	0.0	88.2	p	6.1	19.9	6.9	67.2	p	4.1	18.8	7.3	69.6
30.	B	0.0	100.0	0.0	0.0	p	9.2	76.3	7.6	6.9	p	8.8	81.3	6.3	3.6
31.	A	100.0	0.0	0.0	0.0	p	87.0	3.8	8.4	0.8	p	86.5	3.3	7.5	2.8
*32.	A,C	58.8	5.9	11.8	23.5	p	64.1	18.3	6.1	11.5	q	64.4	19.1	9.9	6.5
33.	A	100.0	0.0	0.0	0.0	p	97.7	0.0	0.8	1.5	p	96.3	1.2	1.3	1.2
34.	C	0.0	0.0	100.0	0.0	p	0.0	0.8	98.5	0.8	p	2.0	0.9	94.9	2.1
35.	B	11.8	82.4	0.0	5.9	p	16.8	74.8	4.6	3.8	p	12.5	79.7	4.8	3.0
36.	B	0.0	100.0	0.0	0.0	p	13.7	84.7	0.8	0.8	p	11.3	84.3	2.8	1.6
37.	C	5.9	0.0	88.2	5.9	p	11.5	2.3	80.2	5.3	p	11.7	1.7	77.4	9.0
38.	A	100.0	0.0	0.0	0.0	p	85.5	3.8	8.4	2.3	p	85.3	7.2	6.7	0.9
39.	A	64.7	29.4	5.9	0.0	q	78.6	12.2	3.1	6.1	q	76.2	11.4	5.3	7.2
40.	B	5.9	70.6	17.7	5.9	q	10.7	74.8	6.9	7.6	p	11.7	66.7	11.2	10.3
41.	A	76.5	0.0	11.8	11.8	p	70.2	0.0	6.9	22.9	q	77.3	1.2	6.7	14.7
42.	C	0.0	11.8	64.7	23.5	q	5.3	5.3	71.0	17.6	q	8.6	6.9	72.1	12.0
43.	A	94.1	0.0	5.9	0.0	p	90.8	4.6	4.6	0.0	p	91.3	3.8	4.0	0.7
44.	C	29.4	0.0	47.1	23.5	q	11.5	6.1	59.5	22.9	q	7.6	7.0	63.2	21.9
45.	A	47.1	17.7	23.5	11.8	p	45.0	10.7	27.5	16.8	q	48.6	5.7	27.6	17.6
46.	C	23.5	5.9	52.9	17.7	q	7.6	6.1	59.5	26.7	q	4.9	3.0	69.8	22.0
47.	C	0.0	0.0	100.0	0.0	p	6.1	1.5	92.4	0.0	p	8.7	2.0	88.4	0.8
48.	D	0.0	0.0	0.0	100.0	p	0.8	0.8	1.5	97.0	p	0.9	3.3	2.8	92.9
49.	B	41.2	52.9	0.0	5.9	q	9.9	85.5	3.1	1.5	q	15.1	77.3	6.4	0.9
50.	C	0.0	0.0	94.1	5.9	p	0.0	6.1	89.3	3.8	p	1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 3 - Nova Central

#187 - Jane Collins Academy, Hare Bay

Grades: 9-12

Item	Key	School [N=22]				School Below Above District		District [N=131]				School Below Above Province		Province [N=1,381]			
		A	B	C	D			A	B	C	D	A	B	C	D		
1.	D	22.7	0.0	4.6	72.7	q		11.5	0.8	7.6	80.2	q		17.1	1.7	3.8	77.2
2.	A	81.8	13.6	0.0	4.6	q		82.4	12.2	2.3	3.1	p		78.1	12.6	3.1	6.2
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A	40.9	0.0	40.9	18.2	q		54.2	13.0	21.4	11.5	q		59.9	8.2	20.6	11.3
5.	A	54.6	18.2	9.1	18.2	q		67.2	9.9	16.0	6.9	q		62.9	5.7	18.3	13.2
6.	C	13.6	4.6	81.8	0.0		p	16.8	2.3	68.7	12.2		p	15.6	4.4	67.1	12.8
7.	C	22.7	4.6	68.2	4.6	q		20.6	6.1	68.7	3.8	q		20.8	4.4	70.5	4.1
8.	C	4.6	0.0	90.9	4.6	q		2.3	0.0	94.7	3.1	q		1.0	0.5	96.5	2.0
9.	B	4.6	90.9	0.0	4.6		p	3.1	84.7	9.9	2.3		p	3.8	85.2	9.3	1.6
10.	C	18.2	27.3	45.5	9.1	q		11.5	19.9	47.3	21.4		p	12.1	16.4	44.7	26.7
11.	B	13.6	72.7	4.6	9.1		p	10.7	71.8	11.5	5.3		p	12.4	70.4	10.0	7.1
12.	C	4.6	13.6	77.3	4.6	q		2.3	4.6	90.8	2.3	q		4.5	4.4	85.2	5.7
13.	B	18.2	50.0	18.2	13.6	q		16.0	59.5	12.2	12.2	q		13.6	51.6	21.1	13.5
14.	D	40.9	0.0	18.2	40.9	q		25.2	0.0	15.3	59.5	q		32.6	2.3	8.2	56.9
15.	D	31.8	36.4	13.6	18.2	q		14.5	26.7	11.5	47.3	q		5.7	19.4	9.9	65.0
16.	A	63.6	0.0	31.8	4.6	q		81.7	3.1	10.7	4.6	q		77.3	5.0	13.0	4.8
17.	A	50.0	0.0	50.0	0.0	q		64.9	4.6	30.5	0.0	q		79.7	3.8	16.0	0.5
18.	A	68.2	9.1	4.6	18.2	q		80.9	3.1	4.6	10.7	q		84.4	1.8	5.4	8.3
19.	A	45.5	0.0	18.2	36.4	q		70.2	3.1	8.4	18.3	q		73.9	3.6	8.5	14.1
20.	C	9.1	9.1	77.3	4.6		p	4.6	13.7	70.2	11.5		p	7.0	7.5	73.6	11.8
21.	D	9.1	22.7	18.2	50.0	q		9.2	9.2	5.3	76.3	q		14.2	10.9	5.0	69.9
22.	A	72.7	18.2	0.0	9.1	q		90.1	5.3	0.8	3.8	q		91.2	4.0	1.3	3.5
23.	C	4.6	9.1	86.4	0.0		p	5.3	8.4	83.2	3.1		p	6.0	4.0	85.5	4.5
24.	C	22.7	4.6	45.5	27.3		p	34.4	9.2	38.9	17.6		p	33.6	8.6	40.2	17.6
25.	A	63.6	4.6	9.1	22.7	q		77.9	4.6	3.8	13.7	q		73.9	7.5	3.4	15.1
26.	B	4.6	54.6	0.0	40.9	q		5.3	74.8	3.8	16.0	q		6.4	74.2	3.6	15.8
27.	C	0.0	9.1	86.4	4.6	q		0.0	7.6	90.1	2.3		p	4.6	7.2	85.2	2.9
28.	A	81.8	4.6	13.6	0.0	q		83.2	8.4	8.4	0.0		p	78.3	9.7	10.4	1.4
29.	D	9.1	18.2	4.6	68.2		p	6.1	19.9	6.9	67.2	q		4.1	18.8	7.3	69.6
30.	B	4.6	81.8	0.0	13.6		p	9.2	76.3	7.6	6.9		p	8.8	81.3	6.3	3.6
31.	A	77.3	4.6	18.2	0.0	q		87.0	3.8	8.4	0.8	q		86.5	3.3	7.5	2.8
*32.	A,C	54.6	22.7	4.6	18.2	q		64.1	18.3	6.1	11.5	q		64.4	19.1	9.9	6.5
33.	A	95.5	0.0	4.6	0.0	q		97.7	0.0	0.8	1.5	q		96.3	1.2	1.3	1.2
34.	C	0.0	0.0	95.5	4.6	q		0.0	0.8	98.5	0.8		p	2.0	0.9	94.9	2.1
35.	B	18.2	54.6	18.2	9.1	q		16.8	74.8	4.6	3.8	q		12.5	79.7	4.8	3.0
36.	B	18.2	81.8	0.0	0.0	q		13.7	84.7	0.8	0.8	q		11.3	84.3	2.8	1.6
37.	C	9.1	4.6	81.8	4.6		p	11.5	2.3	80.2	5.3		p	11.7	1.7	77.4	9.0
38.	A	86.4	4.6	9.1	0.0		p	85.5	3.8	8.4	2.3		p	85.3	7.2	6.7	0.9
39.	A	77.3	4.6	0.0	18.2	q		78.6	12.2	3.1	6.1		p	76.2	11.4	5.3	7.2
40.	B	4.6	81.8	4.6	9.1		p	10.7	74.8	6.9	7.6		p	11.7	66.7	11.2	10.3
41.	A	50.0	0.0	13.6	36.4	q		70.2	0.0	6.9	22.9	q		77.3	1.2	6.7	14.7
42.	C	9.1	4.6	77.3	9.1		p	5.3	5.3	71.0	17.6		p	8.6	6.9	72.1	12.0
43.	A	72.7	9.1	18.2	0.0	q		90.8	4.6	4.6	0.0	q		91.3	3.8	4.0	0.7
44.	C	4.6	0.0	63.6	31.8		p	11.5	6.1	59.5	22.9		p	7.6	7.0	63.2	21.9
45.	A	45.5	0.0	22.7	31.8		p	45.0	10.7	27.5	16.8	q		48.6	5.7	27.6	17.6
46.	C	4.6	4.6	50.0	40.9	q		7.6	6.1	59.5	26.7	q		4.9	3.0	69.8	22.0
47.	C	13.6	0.0	86.4	0.0	q		6.1	1.5	92.4	0.0	q		8.7	2.0	88.4	0.8
48.	D	4.6	4.6	4.6	86.4	q		0.8	0.8	1.5	97.0	q		0.9	3.3	2.8	92.9
49.	B	4.6	90.9	0.0	4.6		p	9.9	85.5	3.1	1.5		p	15.1	77.3	6.4	0.9
50.	C	0.0	4.6	86.4	9.1	q		0.0	6.1	89.3	3.8	q		1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 3 - Nova Central

#196 - St. Gabriel's AG, St. Brendan's

Grades: K.1,3-7,9-12

Item	Key	School [N=6]				School Below Above District	District [N=131]				School Below Above Province	Province [N=1,381]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	D	0.0	0.0	16.7	83.3	p	11.5	0.8	7.6	80.2	p	17.1	1.7	3.8	77.2
2.	A	83.3	16.7	0.0	0.0	p	82.4	12.2	2.3	3.1	p	78.1	12.6	3.1	6.2
*3.	X	---	---	---	---		---	---	---	---		---	---	---	---
4.	A	50.0	33.3	16.7	0.0	q	54.2	13.0	21.4	11.5	q	59.9	8.2	20.6	11.3
5.	A	66.7	0.0	33.3	0.0	q	67.2	9.9	16.0	6.9	p	62.9	5.7	18.3	13.2
6.	C	33.3	0.0	33.3	33.3	q	16.8	2.3	68.7	12.2	q	15.6	4.4	67.1	12.8
7.	C	0.0	0.0	100.0	0.0	p	20.6	6.1	68.7	3.8	p	20.8	4.4	70.5	4.1
8.	C	0.0	0.0	100.0	0.0	p	2.3	0.0	94.7	3.1	p	1.0	0.5	96.5	2.0
9.	B	0.0	100.0	0.0	0.0	p	3.1	84.7	9.9	2.3	p	3.8	85.2	9.3	1.6
10.	C	16.7	16.7	50.0	16.7	p	11.5	19.9	47.3	21.4	p	12.1	16.4	44.7	26.7
11.	B	16.7	50.0	0.0	16.7	q	10.7	71.8	11.5	5.3	q	12.4	70.4	10.0	7.1
12.	C	0.0	0.0	100.0	0.0	p	2.3	4.6	90.8	2.3	p	4.5	4.4	85.2	5.7
13.	B	0.0	50.0	33.3	16.7	q	16.0	59.5	12.2	12.2	q	13.6	51.6	21.1	13.5
14.	D	0.0	0.0	0.0	100.0	p	25.2	0.0	15.3	59.5	p	32.6	2.3	8.2	56.9
15.	D	0.0	16.7	0.0	83.3	p	14.5	26.7	11.5	47.3	p	5.7	19.4	9.9	65.0
16.	A	100.0	0.0	0.0	0.0	p	81.7	3.1	10.7	4.6	p	77.3	5.0	13.0	4.8
17.	A	100.0	0.0	0.0	0.0	p	64.9	4.6	30.5	0.0	p	79.7	3.8	16.0	0.5
18.	A	100.0	0.0	0.0	0.0	p	80.9	3.1	4.6	10.7	p	84.4	1.8	5.4	8.3
19.	A	100.0	0.0	0.0	0.0	p	70.2	3.1	8.4	18.3	p	73.9	3.6	8.5	14.1
20.	C	16.7	0.0	83.3	0.0	p	4.6	13.7	70.2	11.5	p	7.0	7.5	73.6	11.8
21.	D	0.0	0.0	0.0	100.0	p	9.2	9.2	5.3	76.3	p	14.2	10.9	5.0	69.9
22.	A	100.0	0.0	0.0	0.0	p	90.1	5.3	0.8	3.8	p	91.2	4.0	1.3	3.5
23.	C	0.0	0.0	100.0	0.0	p	5.3	8.4	83.2	3.1	p	6.0	4.0	85.5	4.5
24.	C	50.0	0.0	50.0	0.0	p	34.4	9.2	38.9	17.6	p	33.6	8.6	40.2	17.6
25.	A	83.3	0.0	0.0	16.7	p	77.9	4.6	3.8	13.7	p	73.9	7.5	3.4	15.1
26.	B	0.0	83.3	0.0	16.7	p	5.3	74.8	3.8	16.0	p	6.4	74.2	3.6	15.8
27.	C	0.0	16.7	83.3	0.0	q	0.0	7.6	90.1	2.3	q	4.6	7.2	85.2	2.9
28.	A	66.7	16.7	16.7	0.0	q	83.2	8.4	8.4	0.0	q	78.3	9.7	10.4	1.4
29.	D	0.0	33.3	0.0	66.7	q	6.1	19.9	6.9	67.2	q	4.1	18.8	7.3	69.6
30.	B	0.0	83.3	16.7	0.0	p	9.2	76.3	7.6	6.9	p	8.8	81.3	6.3	3.6
31.	A	83.3	0.0	16.7	0.0	q	87.0	3.8	8.4	0.8	q	86.5	3.3	7.5	2.8
*32.	A,C	83.3	16.7	0.0	0.0	p	64.1	18.3	6.1	11.5	p	64.4	19.1	9.9	6.5
33.	A	100.0	0.0	0.0	0.0	p	97.7	0.0	0.8	1.5	p	96.3	1.2	1.3	1.2
34.	C	0.0	0.0	100.0	0.0	p	0.0	0.8	98.5	0.8	p	2.0	0.9	94.9	2.1
35.	B	0.0	100.0	0.0	0.0	p	16.8	74.8	4.6	3.8	p	12.5	79.7	4.8	3.0
36.	B	0.0	100.0	0.0	0.0	p	13.7	84.7	0.8	0.8	p	11.3	84.3	2.8	1.6
37.	C	0.0	0.0	83.3	16.7	p	11.5	2.3	80.2	5.3	p	11.7	1.7	77.4	9.0
38.	A	100.0	0.0	0.0	0.0	p	85.5	3.8	8.4	2.3	p	85.3	7.2	6.7	0.9
39.	A	100.0	0.0	0.0	0.0	p	78.6	12.2	3.1	6.1	p	76.2	11.4	5.3	7.2
40.	B	16.7	83.3	0.0	0.0	p	10.7	74.8	6.9	7.6	p	11.7	66.7	11.2	10.3
41.	A	100.0	0.0	0.0	0.0	p	70.2	0.0	6.9	22.9	p	77.3	1.2	6.7	14.7
42.	C	0.0	0.0	83.3	16.7	p	5.3	5.3	71.0	17.6	p	8.6	6.9	72.1	12.0
43.	A	100.0	0.0	0.0	0.0	p	90.8	4.6	4.6	0.0	p	91.3	3.8	4.0	0.7
44.	C	0.0	16.7	83.3	0.0	p	11.5	6.1	59.5	22.9	p	7.6	7.0	63.2	21.9
45.	A	83.3	16.7	0.0	0.0	p	45.0	10.7	27.5	16.8	p	48.6	5.7	27.6	17.6
46.	C	0.0	0.0	50.0	50.0	q	7.6	6.1	59.5	26.7	q	4.9	3.0	69.8	22.0
47.	C	0.0	0.0	100.0	0.0	p	6.1	1.5	92.4	0.0	p	8.7	2.0	88.4	0.8
48.	D	0.0	0.0	16.7	83.3	q	0.8	0.8	1.5	97.0	q	0.9	3.3	2.8	92.9
49.	B	0.0	83.3	16.7	0.0	q	9.9	85.5	3.1	1.5	p	15.1	77.3	6.4	0.9
50.	C	0.0	0.0	100.0	0.0	p	0.0	6.1	89.3	3.8	p	1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 3 - Nova Central

#402 - Leo Burke Academy, Bishop's Falls

Grades: 9-12

Item	Key	School [N=4]				District [N=131]				Province [N=1,381]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	D						P	11.5	0.8	7.6	80.2		P	17.1	1.7	3.8	77.2
2.	A						P	82.4	12.2	2.3	3.1		P	78.1	12.6	3.1	6.2
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A						Q	54.2	13.0	21.4	11.5		Q	59.9	8.2	20.6	11.3
5.	A						P	67.2	9.9	16.0	6.9		P	62.9	5.7	18.3	13.2
6.	C						P	16.8	2.3	68.7	12.2		P	15.6	4.4	67.1	12.8
7.	C						Q	20.6	6.1	68.7	3.8		Q	20.8	4.4	70.5	4.1
8.	C						P	2.3	0.0	94.7	3.1		P	1.0	0.5	96.5	2.0
9.	B						P	3.1	84.7	9.9	2.3		P	3.8	85.2	9.3	1.6
10.	C						Q	11.5	19.9	47.3	21.4		Q	12.1	16.4	44.7	26.7
11.	B						Q	10.7	71.8	11.5	5.3		Q	12.4	70.4	10.0	7.1
12.	C						P	2.3	4.6	90.8	2.3		P	4.5	4.4	85.2	5.7
13.	B						P	16.0	59.5	12.2	12.2		P	13.6	51.6	21.1	13.5
14.	D						Q	25.2	0.0	15.3	59.5		Q	32.6	2.3	8.2	56.9
15.	D						P	14.5	26.7	11.5	47.3		P	5.7	19.4	9.9	65.0
16.	A						Q	81.7	3.1	10.7	4.6		Q	77.3	5.0	13.0	4.8
17.	A						P	64.9	4.6	30.5	0.0		P	79.7	3.8	16.0	0.5
18.	A						Q	80.9	3.1	4.6	10.7		Q	84.4	1.8	5.4	8.3
19.	A						P	70.2	3.1	8.4	18.3		P	73.9	3.6	8.5	14.1
20.	C						P	4.6	13.7	70.2	11.5		P	7.0	7.5	73.6	11.8
21.	D						P	9.2	9.2	5.3	76.3		P	14.2	10.9	5.0	69.9
22.	A						Q	90.1	5.3	0.8	3.8		Q	91.2	4.0	1.3	3.5
23.	C						P	5.3	8.4	83.2	3.1		P	6.0	4.0	85.5	4.5
24.	C						P	34.4	9.2	38.9	17.6		P	33.6	8.6	40.2	17.6
25.	A						P	77.9	4.6	3.8	13.7		P	73.9	7.5	3.4	15.1
26.	B						P	5.3	74.8	3.8	16.0		P	6.4	74.2	3.6	15.8
27.	C						P	0.0	7.6	90.1	2.3		P	4.6	7.2	85.2	2.9
28.	A						P	83.2	8.4	8.4	0.0		P	78.3	9.7	10.4	1.4
29.	D						P	6.1	19.9	6.9	67.2		P	4.1	18.8	7.3	69.6
30.	B						Q	9.2	76.3	7.6	6.9		Q	8.8	81.3	6.3	3.6
31.	A						P	87.0	3.8	8.4	0.8		P	86.5	3.3	7.5	2.8
*32.	A,C						P	64.1	18.3	6.1	11.5		P	64.4	19.1	9.9	6.5
33.	A						P	97.7	0.0	0.8	1.5		P	96.3	1.2	1.3	1.2
34.	C						P	0.0	0.8	98.5	0.8		P	2.0	0.9	94.9	2.1
35.	B						P	16.8	74.8	4.6	3.8		P	12.5	79.7	4.8	3.0
36.	B						P	13.7	84.7	0.8	0.8		P	11.3	84.3	2.8	1.6
37.	C						P	11.5	2.3	80.2	5.3		P	11.7	1.7	77.4	9.0
38.	A						Q	85.5	3.8	8.4	2.3		Q	85.3	7.2	6.7	0.9
39.	A						P	78.6	12.2	3.1	6.1		P	76.2	11.4	5.3	7.2
40.	B						P	10.7	74.8	6.9	7.6		P	11.7	66.7	11.2	10.3
41.	A						Q	70.2	0.0	6.9	22.9		Q	77.3	1.2	6.7	14.7
42.	C						Q	5.3	5.3	71.0	17.6		Q	8.6	6.9	72.1	12.0
43.	A						P	90.8	4.6	4.6	0.0		P	91.3	3.8	4.0	0.7
44.	C						P	11.5	6.1	59.5	22.9		P	7.6	7.0	63.2	21.9
45.	A						Q	45.0	10.7	27.5	16.8		Q	48.6	5.7	27.6	17.6
46.	C						Q	7.6	6.1	59.5	26.7		Q	4.9	3.0	69.8	22.0
47.	C						P	6.1	1.5	92.4	0.0		P	8.7	2.0	88.4	0.8
48.	D						P	0.8	0.8	1.5	97.0		P	0.9	3.3	2.8	92.9
49.	B						P	9.9	85.5	3.1	1.5		P	15.1	77.3	6.4	0.9
50.	C						P	0.0	6.1	89.3	3.8		P	1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 3 - Nova Central

#403 - Lakeside Academy, Buchans

Grades: K-12

Item	Key	School [N=3]				District [N=131]				Province [N=1,381]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	D					q		11.5	0.8	7.6	80.2	q		17.1	1.7	3.8	77.2
2.	A						p	82.4	12.2	2.3	3.1		p	78.1	12.6	3.1	6.2
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A					q		54.2	13.0	21.4	11.5	q		59.9	8.2	20.6	11.3
5.	A						p	67.2	9.9	16.0	6.9		p	62.9	5.7	18.3	13.2
6.	C						p	16.8	2.3	68.7	12.2		p	15.6	4.4	67.1	12.8
7.	C					q		20.6	6.1	68.7	3.8	q		20.8	4.4	70.5	4.1
8.	C						p	2.3	0.0	94.7	3.1		p	1.0	0.5	96.5	2.0
9.	B					q		3.1	84.7	9.9	2.3	q		3.8	85.2	9.3	1.6
10.	C					q		11.5	19.9	47.3	21.4	q		12.1	16.4	44.7	26.7
11.	B					q		10.7	71.8	11.5	5.3	q		12.4	70.4	10.0	7.1
12.	C						p	2.3	4.6	90.8	2.3		p	4.5	4.4	85.2	5.7
13.	B						p	16.0	59.5	12.2	12.2		p	13.6	51.6	21.1	13.5
14.	D						p	25.2	0.0	15.3	59.5		p	32.6	2.3	8.2	56.9
15.	D						p	14.5	26.7	11.5	47.3		p	5.7	19.4	9.9	65.0
16.	A					q		81.7	3.1	10.7	4.6	q		77.3	5.0	13.0	4.8
17.	A					q		64.9	4.6	30.5	0.0	q		79.7	3.8	16.0	0.5
18.	A						p	80.9	3.1	4.6	10.7		p	84.4	1.8	5.4	8.3
19.	A					q		70.2	3.1	8.4	18.3	q		73.9	3.6	8.5	14.1
20.	C					q		4.6	13.7	70.2	11.5	q		7.0	7.5	73.6	11.8
21.	D					q		9.2	9.2	5.3	76.3	q		14.2	10.9	5.0	69.9
22.	A					q		90.1	5.3	0.8	3.8	q		91.2	4.0	1.3	3.5
23.	C						p	5.3	8.4	83.2	3.1		p	6.0	4.0	85.5	4.5
24.	C					q		34.4	9.2	38.9	17.6	q		33.6	8.6	40.2	17.6
25.	A						p	77.9	4.6	3.8	13.7		p	73.9	7.5	3.4	15.1
26.	B						p	5.3	74.8	3.8	16.0		p	6.4	74.2	3.6	15.8
27.	C						p	0.0	7.6	90.1	2.3		p	4.6	7.2	85.2	2.9
28.	A					q		83.2	8.4	8.4	0.0	q		78.3	9.7	10.4	1.4
29.	D					q		6.1	19.9	6.9	67.2	q		4.1	18.8	7.3	69.6
30.	B						p	9.2	76.3	7.6	6.9		p	8.8	81.3	6.3	3.6
31.	A					q		87.0	3.8	8.4	0.8	q		86.5	3.3	7.5	2.8
*32.	A,C					q		64.1	18.3	6.1	11.5	q		64.4	19.1	9.9	6.5
33.	A						p	97.7	0.0	0.8	1.5		p	96.3	1.2	1.3	1.2
34.	C						p	0.0	0.8	98.5	0.8		p	2.0	0.9	94.9	2.1
35.	B					q		16.8	74.8	4.6	3.8	q		12.5	79.7	4.8	3.0
36.	B					q		13.7	84.7	0.8	0.8	q		11.3	84.3	2.8	1.6
37.	C						p	11.5	2.3	80.2	5.3		p	11.7	1.7	77.4	9.0
38.	A					q		85.5	3.8	8.4	2.3	q		85.3	7.2	6.7	0.9
39.	A					q		78.6	12.2	3.1	6.1	q		76.2	11.4	5.3	7.2
40.	B					q		10.7	74.8	6.9	7.6	q		11.7	66.7	11.2	10.3
41.	A						p	70.2	0.0	6.9	22.9		p	77.3	1.2	6.7	14.7
42.	C						p	5.3	5.3	71.0	17.6		p	8.6	6.9	72.1	12.0
43.	A						p	90.8	4.6	4.6	0.0		p	91.3	3.8	4.0	0.7
44.	C						p	11.5	6.1	59.5	22.9		p	7.6	7.0	63.2	21.9
45.	A						p	45.0	10.7	27.5	16.8		p	48.6	5.7	27.6	17.6
46.	C						p	7.6	6.1	59.5	26.7	q		4.9	3.0	69.8	22.0
47.	C						p	6.1	1.5	92.4	0.0		p	8.7	2.0	88.4	0.8
48.	D						p	0.8	0.8	1.5	97.0		p	0.9	3.3	2.8	92.9
49.	B						p	9.9	85.5	3.1	1.5		p	15.1	77.3	6.4	0.9
50.	C						p	0.0	6.1	89.3	3.8		p	1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 3 - Nova Central

#416 - Smallwood Academy, Gambo

Grades: K-12

Item	Key	School [N=1]				District [N=131]				Province [N=1,381]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	D						P	11.5	0.8	7.6	80.2		P	17.1	1.7	3.8	77.2
2.	A						Q	82.4	12.2	2.3	3.1		Q	78.1	12.6	3.1	6.2
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A						Q	54.2	13.0	21.4	11.5		Q	59.9	8.2	20.6	11.3
5.	A						Q	67.2	9.9	16.0	6.9		Q	62.9	5.7	18.3	13.2
6.	C						P	16.8	2.3	68.7	12.2		P	15.6	4.4	67.1	12.8
7.	C						P	20.6	6.1	68.7	3.8		P	20.8	4.4	70.5	4.1
8.	C						P	2.3	0.0	94.7	3.1		P	1.0	0.5	96.5	2.0
9.	B						P	3.1	84.7	9.9	2.3		P	3.8	85.2	9.3	1.6
10.	C						P	11.5	19.9	47.3	21.4		P	12.1	16.4	44.7	26.7
11.	B						P	10.7	71.8	11.5	5.3		P	12.4	70.4	10.0	7.1
12.	C						P	2.3	4.6	90.8	2.3		P	4.5	4.4	85.2	5.7
13.	B						P	16.0	59.5	12.2	12.2		P	13.6	51.6	21.1	13.5
14.	D						P	25.2	0.0	15.3	59.5		P	32.6	2.3	8.2	56.9
15.	D						Q	14.5	26.7	11.5	47.3		Q	5.7	19.4	9.9	65.0
16.	A						P	81.7	3.1	10.7	4.6		P	77.3	5.0	13.0	4.8
17.	A						P	64.9	4.6	30.5	0.0		P	79.7	3.8	16.0	0.5
18.	A						P	80.9	3.1	4.6	10.7		P	84.4	1.8	5.4	8.3
19.	A						P	70.2	3.1	8.4	18.3		P	73.9	3.6	8.5	14.1
20.	C						P	4.6	13.7	70.2	11.5		P	7.0	7.5	73.6	11.8
21.	D						P	9.2	9.2	5.3	76.3		P	14.2	10.9	5.0	69.9
22.	A						P	90.1	5.3	0.8	3.8		P	91.2	4.0	1.3	3.5
23.	C						P	5.3	8.4	83.2	3.1		P	6.0	4.0	85.5	4.5
24.	C						P	34.4	9.2	38.9	17.6		P	33.6	8.6	40.2	17.6
25.	A						P	77.9	4.6	3.8	13.7		P	73.9	7.5	3.4	15.1
26.	B						P	5.3	74.8	3.8	16.0		P	6.4	74.2	3.6	15.8
27.	C						P	0.0	7.6	90.1	2.3		P	4.6	7.2	85.2	2.9
28.	A						P	83.2	8.4	8.4	0.0		P	78.3	9.7	10.4	1.4
29.	D						P	6.1	19.9	6.9	67.2		P	4.1	18.8	7.3	69.6
30.	B						P	9.2	76.3	7.6	6.9		P	8.8	81.3	6.3	3.6
31.	A						P	87.0	3.8	8.4	0.8		P	86.5	3.3	7.5	2.8
*32.	A,C						P	64.1	18.3	6.1	11.5		P	64.4	19.1	9.9	6.5
33.	A						P	97.7	0.0	0.8	1.5		P	96.3	1.2	1.3	1.2
34.	C						P	0.0	0.8	98.5	0.8		P	2.0	0.9	94.9	2.1
35.	B						P	16.8	74.8	4.6	3.8		P	12.5	79.7	4.8	3.0
36.	B						P	13.7	84.7	0.8	0.8		P	11.3	84.3	2.8	1.6
37.	C						P	11.5	2.3	80.2	5.3		P	11.7	1.7	77.4	9.0
38.	A						P	85.5	3.8	8.4	2.3		P	85.3	7.2	6.7	0.9
39.	A						P	78.6	12.2	3.1	6.1		P	76.2	11.4	5.3	7.2
40.	B						P	10.7	74.8	6.9	7.6		P	11.7	66.7	11.2	10.3
41.	A						P	70.2	0.0	6.9	22.9		P	77.3	1.2	6.7	14.7
42.	C						Q	5.3	5.3	71.0	17.6		Q	8.6	6.9	72.1	12.0
43.	A						Q	90.8	4.6	4.6	0.0		Q	91.3	3.8	4.0	0.7
44.	C						P	11.5	6.1	59.5	22.9		P	7.6	7.0	63.2	21.9
45.	A						P	45.0	10.7	27.5	16.8		P	48.6	5.7	27.6	17.6
46.	C						Q	7.6	6.1	59.5	26.7		Q	4.9	3.0	69.8	22.0
47.	C						P	6.1	1.5	92.4	0.0		P	8.7	2.0	88.4	0.8
48.	D						P	0.8	0.8	1.5	97.0		P	0.9	3.3	2.8	92.9
49.	B						P	9.9	85.5	3.1	1.5		P	15.1	77.3	6.4	0.9
50.	C						P	0.0	6.1	89.3	3.8		P	1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 3 - Nova Central

#418 - Gander Collegiate, Gander

Grades: 10-12

Item	Key	School [N=54]				School Below Above District		District [N=131]				School Below Above Province		Province [N=1,381]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	D	7.4	0.0	5.6	87.0		P	11.5	0.8	7.6	80.2		P	17.1	1.7	3.8	77.2
2.	A	74.1	16.7	5.6	3.7		Q	82.4	12.2	2.3	3.1		Q	78.1	12.6	3.1	6.2
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A	63.0	18.5	11.1	7.4		P	54.2	13.0	21.4	11.5		P	59.9	8.2	20.6	11.3
5.	A	70.4	9.3	18.5	1.9		P	67.2	9.9	16.0	6.9		P	62.9	5.7	18.3	13.2
6.	C	14.8	3.7	64.8	16.7		Q	16.8	2.3	68.7	12.2		Q	15.6	4.4	67.1	12.8
7.	C	20.4	9.3	63.0	5.6		Q	20.6	6.1	68.7	3.8		Q	20.8	4.4	70.5	4.1
8.	C	1.9	0.0	94.4	3.7		Q	2.3	0.0	94.7	3.1		Q	1.0	0.5	96.5	2.0
9.	B	0.0	81.5	16.7	1.9		Q	3.1	84.7	9.9	2.3		Q	3.8	85.2	9.3	1.6
10.	C	13.0	13.0	51.9	22.2		P	11.5	19.9	47.3	21.4		P	12.1	16.4	44.7	26.7
11.	B	9.3	75.9	13.0	1.9		P	10.7	71.8	11.5	5.3		P	12.4	70.4	10.0	7.1
12.	C	3.7	3.7	88.9	3.7		Q	2.3	4.6	90.8	2.3		P	4.5	4.4	85.2	5.7
13.	B	13.0	64.8	3.7	18.5		P	16.0	59.5	12.2	12.2		P	13.6	51.6	21.1	13.5
14.	D	35.2	0.0	20.4	44.4		Q	25.2	0.0	15.3	59.5		Q	32.6	2.3	8.2	56.9
15.	D	16.7	24.1	7.4	51.9		P	14.5	26.7	11.5	47.3		Q	5.7	19.4	9.9	65.0
16.	A	81.5	7.4	7.4	3.7		Q	81.7	3.1	10.7	4.6		P	77.3	5.0	13.0	4.8
17.	A	63.0	5.6	31.5	0.0		Q	64.9	4.6	30.5	0.0		Q	79.7	3.8	16.0	0.5
18.	A	79.6	1.9	5.6	13.0		Q	80.9	3.1	4.6	10.7		Q	84.4	1.8	5.4	8.3
19.	A	70.4	5.6	11.1	13.0		P	70.2	3.1	8.4	18.3		Q	73.9	3.6	8.5	14.1
20.	C	3.7	22.2	61.1	13.0		Q	4.6	13.7	70.2	11.5		Q	7.0	7.5	73.6	11.8
21.	D	11.1	11.1	1.9	75.9		Q	9.2	9.2	5.3	76.3		P	14.2	10.9	5.0	69.9
22.	A	96.3	0.0	1.9	1.9		P	90.1	5.3	0.8	3.8		P	91.2	4.0	1.3	3.5
23.	C	5.6	13.0	75.9	5.6		Q	5.3	8.4	83.2	3.1		Q	6.0	4.0	85.5	4.5
24.	C	37.0	7.4	40.7	14.8		P	34.4	9.2	38.9	17.6		P	33.6	8.6	40.2	17.6
25.	A	81.5	0.0	3.7	14.8		P	77.9	4.6	3.8	13.7		P	73.9	7.5	3.4	15.1
26.	B	1.9	83.3	3.7	11.1		P	5.3	74.8	3.8	16.0		P	6.4	74.2	3.6	15.8
27.	C	0.0	3.7	94.4	1.9		P	0.0	7.6	90.1	2.3		P	4.6	7.2	85.2	2.9
28.	A	85.2	7.4	7.4	0.0		P	83.2	8.4	8.4	0.0		P	78.3	9.7	10.4	1.4
29.	D	5.6	25.9	9.3	59.3		Q	6.1	19.9	6.9	67.2		Q	4.1	18.8	7.3	69.6
30.	B	14.8	64.8	11.1	9.3		Q	9.2	76.3	7.6	6.9		Q	8.8	81.3	6.3	3.6
31.	A	85.2	3.7	9.3	1.9		Q	87.0	3.8	8.4	0.8		Q	86.5	3.3	7.5	2.8
*32.	A,C	64.8	20.4	7.4	7.4		P	64.1	18.3	6.1	11.5		Q	64.4	19.1	9.9	6.5
33.	A	96.3	0.0	0.0	3.7		Q	97.7	0.0	0.8	1.5		Q	96.3	1.2	1.3	1.2
34.	C	0.0	0.0	100.0	0.0		P	0.0	0.8	98.5	0.8		P	2.0	0.9	94.9	2.1
35.	B	18.5	74.1	3.7	3.7		Q	16.8	74.8	4.6	3.8		Q	12.5	79.7	4.8	3.0
36.	B	22.2	74.1	1.9	1.9		Q	13.7	84.7	0.8	0.8		Q	11.3	84.3	2.8	1.6
37.	C	11.1	3.7	79.6	3.7		Q	11.5	2.3	80.2	5.3		P	11.7	1.7	77.4	9.0
38.	A	88.9	3.7	3.7	3.7		P	85.5	3.8	8.4	2.3		P	85.3	7.2	6.7	0.9
39.	A	79.6	11.1	5.6	3.7		P	78.6	12.2	3.1	6.1		P	76.2	11.4	5.3	7.2
40.	B	13.0	79.6	5.6	1.9		P	10.7	74.8	6.9	7.6		P	11.7	66.7	11.2	10.3
41.	A	70.4	0.0	5.6	24.1		P	70.2	0.0	6.9	22.9		Q	77.3	1.2	6.7	14.7
42.	C	5.6	3.7	74.1	14.8		P	5.3	5.3	71.0	17.6		P	8.6	6.9	72.1	12.0
43.	A	92.6	7.4	0.0	0.0		P	90.8	4.6	4.6	0.0		P	91.3	3.8	4.0	0.7
44.	C	7.4	9.3	55.6	27.8		Q	11.5	6.1	59.5	22.9		Q	7.6	7.0	63.2	21.9
45.	A	38.9	9.3	31.5	20.4		Q	45.0	10.7	27.5	16.8		Q	48.6	5.7	27.6	17.6
46.	C	5.6	5.6	64.8	24.1		P	7.6	6.1	59.5	26.7		Q	4.9	3.0	69.8	22.0
47.	C	7.4	1.9	90.7	0.0		Q	6.1	1.5	92.4	0.0		P	8.7	2.0	88.4	0.8
48.	D	0.0	0.0	0.0	100.0		P	0.8	0.8	1.5	97.0		P	0.9	3.3	2.8	92.9
49.	B	3.7	92.6	3.7	0.0		P	9.9	85.5	3.1	1.5		P	15.1	77.3	6.4	0.9
50.	C	0.0	9.3	87.0	1.9		Q	0.0	6.1	89.3	3.8		Q	1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 3 - Nova Central

#421 - Lakewood Academy, Glenwood

Grades: K-12

Item	Key	School [N=1]				District [N=131]				Province [N=1,381]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	D					P		11.5	0.8	7.6	80.2	P		17.1	1.7	3.8	77.2
2.	A					P		82.4	12.2	2.3	3.1	P		78.1	12.6	3.1	6.2
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A					P		54.2	13.0	21.4	11.5	P		59.9	8.2	20.6	11.3
5.	A					P		67.2	9.9	16.0	6.9	P		62.9	5.7	18.3	13.2
6.	C					P		16.8	2.3	68.7	12.2	P		15.6	4.4	67.1	12.8
7.	C					P		20.6	6.1	68.7	3.8	P		20.8	4.4	70.5	4.1
8.	C					P		2.3	0.0	94.7	3.1	P		1.0	0.5	96.5	2.0
9.	B					P		3.1	84.7	9.9	2.3	P		3.8	85.2	9.3	1.6
10.	C					Q		11.5	19.9	47.3	21.4	Q		12.1	16.4	44.7	26.7
11.	B					P		10.7	71.8	11.5	5.3	P		12.4	70.4	10.0	7.1
12.	C					P		2.3	4.6	90.8	2.3	P		4.5	4.4	85.2	5.7
13.	B					Q		16.0	59.5	12.2	12.2	Q		13.6	51.6	21.1	13.5
14.	D					P		25.2	0.0	15.3	59.5	P		32.6	2.3	8.2	56.9
15.	D					P		14.5	26.7	11.5	47.3	P		5.7	19.4	9.9	65.0
16.	A					P		81.7	3.1	10.7	4.6	P		77.3	5.0	13.0	4.8
17.	A					P		64.9	4.6	30.5	0.0	P		79.7	3.8	16.0	0.5
18.	A					P		80.9	3.1	4.6	10.7	P		84.4	1.8	5.4	8.3
19.	A					P		70.2	3.1	8.4	18.3	P		73.9	3.6	8.5	14.1
20.	C					P		4.6	13.7	70.2	11.5	P		7.0	7.5	73.6	11.8
21.	D					P		9.2	9.2	5.3	76.3	P		14.2	10.9	5.0	69.9
22.	A					P		90.1	5.3	0.8	3.8	P		91.2	4.0	1.3	3.5
23.	C					P		5.3	8.4	83.2	3.1	P		6.0	4.0	85.5	4.5
24.	C					Q		34.4	9.2	38.9	17.6	Q		33.6	8.6	40.2	17.6
25.	A					P		77.9	4.6	3.8	13.7	P		73.9	7.5	3.4	15.1
26.	B					P		5.3	74.8	3.8	16.0	P		6.4	74.2	3.6	15.8
27.	C					P		0.0	7.6	90.1	2.3	P		4.6	7.2	85.2	2.9
28.	A					P		83.2	8.4	8.4	0.0	P		78.3	9.7	10.4	1.4
29.	D					P		6.1	19.9	6.9	67.2	P		4.1	18.8	7.3	69.6
30.	B					Q		9.2	76.3	7.6	6.9	Q		8.8	81.3	6.3	3.6
31.	A					P		87.0	3.8	8.4	0.8	P		86.5	3.3	7.5	2.8
*32.	A,C					P		64.1	18.3	6.1	11.5	P		64.4	19.1	9.9	6.5
33.	A					P		97.7	0.0	0.8	1.5	P		96.3	1.2	1.3	1.2
34.	C					P		0.0	0.8	98.5	0.8	P		2.0	0.9	94.9	2.1
35.	B					Q		16.8	74.8	4.6	3.8	Q		12.5	79.7	4.8	3.0
36.	B					P		13.7	84.7	0.8	0.8	P		11.3	84.3	2.8	1.6
37.	C					P		11.5	2.3	80.2	5.3	P		11.7	1.7	77.4	9.0
38.	A					P		85.5	3.8	8.4	2.3	P		85.3	7.2	6.7	0.9
39.	A					P		78.6	12.2	3.1	6.1	P		76.2	11.4	5.3	7.2
40.	B					P		10.7	74.8	6.9	7.6	P		11.7	66.7	11.2	10.3
41.	A					P		70.2	0.0	6.9	22.9	P		77.3	1.2	6.7	14.7
42.	C					Q		5.3	5.3	71.0	17.6	Q		8.6	6.9	72.1	12.0
43.	A					P		90.8	4.6	4.6	0.0	P		91.3	3.8	4.0	0.7
44.	C					Q		11.5	6.1	59.5	22.9	Q		7.6	7.0	63.2	21.9
45.	A					Q		45.0	10.7	27.5	16.8	Q		48.6	5.7	27.6	17.6
46.	C					P		7.6	6.1	59.5	26.7	P		4.9	3.0	69.8	22.0
47.	C					P		6.1	1.5	92.4	0.0	P		8.7	2.0	88.4	0.8
48.	D					P		0.8	0.8	1.5	97.0	P		0.9	3.3	2.8	92.9
49.	B					Q		9.9	85.5	3.1	1.5	Q		15.1	77.3	6.4	0.9
50.	C					P		0.0	6.1	89.3	3.8	P		1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 3 - Nova Central

#422 - Glovertown Academy, Glovertown

Grades: K-12

Item	Key	School [N=2]				District [N=131]				Province [N=1,381]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	D					P		11.5	0.8	7.6	80.2	P		17.1	1.7	3.8	77.2
2.	A					P		82.4	12.2	2.3	3.1	P		78.1	12.6	3.1	6.2
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A					q		54.2	13.0	21.4	11.5	q		59.9	8.2	20.6	11.3
5.	A					P		67.2	9.9	16.0	6.9	P		62.9	5.7	18.3	13.2
6.	C					q		16.8	2.3	68.7	12.2	q		15.6	4.4	67.1	12.8
7.	C					P		20.6	6.1	68.7	3.8	P		20.8	4.4	70.5	4.1
8.	C					P		2.3	0.0	94.7	3.1	P		1.0	0.5	96.5	2.0
9.	B					P		3.1	84.7	9.9	2.3	P		3.8	85.2	9.3	1.6
10.	C					P		11.5	19.9	47.3	21.4	P		12.1	16.4	44.7	26.7
11.	B					P		10.7	71.8	11.5	5.3	P		12.4	70.4	10.0	7.1
12.	C					P		2.3	4.6	90.8	2.3	P		4.5	4.4	85.2	5.7
13.	B					P		16.0	59.5	12.2	12.2	P		13.6	51.6	21.1	13.5
14.	D					P		25.2	0.0	15.3	59.5	P		32.6	2.3	8.2	56.9
15.	D					P		14.5	26.7	11.5	47.3	q		5.7	19.4	9.9	65.0
16.	A					P		81.7	3.1	10.7	4.6	P		77.3	5.0	13.0	4.8
17.	A					P		64.9	4.6	30.5	0.0	P		79.7	3.8	16.0	0.5
18.	A					P		80.9	3.1	4.6	10.7	P		84.4	1.8	5.4	8.3
19.	A					P		70.2	3.1	8.4	18.3	P		73.9	3.6	8.5	14.1
20.	C					P		4.6	13.7	70.2	11.5	P		7.0	7.5	73.6	11.8
21.	D					P		9.2	9.2	5.3	76.3	P		14.2	10.9	5.0	69.9
22.	A					P		90.1	5.3	0.8	3.8	P		91.2	4.0	1.3	3.5
23.	C					P		5.3	8.4	83.2	3.1	P		6.0	4.0	85.5	4.5
24.	C					P		34.4	9.2	38.9	17.6	P		33.6	8.6	40.2	17.6
25.	A					P		77.9	4.6	3.8	13.7	P		73.9	7.5	3.4	15.1
26.	B					P		5.3	74.8	3.8	16.0	P		6.4	74.2	3.6	15.8
27.	C					P		0.0	7.6	90.1	2.3	P		4.6	7.2	85.2	2.9
28.	A					P		83.2	8.4	8.4	0.0	P		78.3	9.7	10.4	1.4
29.	D					q		6.1	19.9	6.9	67.2	q		4.1	18.8	7.3	69.6
30.	B					P		9.2	76.3	7.6	6.9	P		8.8	81.3	6.3	3.6
31.	A					P		87.0	3.8	8.4	0.8	P		86.5	3.3	7.5	2.8
*32.	A,C					P		64.1	18.3	6.1	11.5	P		64.4	19.1	9.9	6.5
33.	A					P		97.7	0.0	0.8	1.5	P		96.3	1.2	1.3	1.2
34.	C					P		0.0	0.8	98.5	0.8	P		2.0	0.9	94.9	2.1
35.	B					P		16.8	74.8	4.6	3.8	P		12.5	79.7	4.8	3.0
36.	B					P		13.7	84.7	0.8	0.8	P		11.3	84.3	2.8	1.6
37.	C					P		11.5	2.3	80.2	5.3	P		11.7	1.7	77.4	9.0
38.	A					q		85.5	3.8	8.4	2.3	q		85.3	7.2	6.7	0.9
39.	A					P		78.6	12.2	3.1	6.1	P		76.2	11.4	5.3	7.2
40.	B					P		10.7	74.8	6.9	7.6	P		11.7	66.7	11.2	10.3
41.	A					P		70.2	0.0	6.9	22.9	P		77.3	1.2	6.7	14.7
42.	C					P		5.3	5.3	71.0	17.6	P		8.6	6.9	72.1	12.0
43.	A					P		90.8	4.6	4.6	0.0	P		91.3	3.8	4.0	0.7
44.	C					q		11.5	6.1	59.5	22.9	q		7.6	7.0	63.2	21.9
45.	A					P		45.0	10.7	27.5	16.8	P		48.6	5.7	27.6	17.6
46.	C					q		7.6	6.1	59.5	26.7	q		4.9	3.0	69.8	22.0
47.	C					P		6.1	1.5	92.4	0.0	P		8.7	2.0	88.4	0.8
48.	D					P		0.8	0.8	1.5	97.0	P		0.9	3.3	2.8	92.9
49.	B					P		9.9	85.5	3.1	1.5	P		15.1	77.3	6.4	0.9
50.	C					P		0.0	6.1	89.3	3.8	P		1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 3 - Nova Central

#480 - Exploits Valley High, Grand Falls-Windsor

Grades: 10-12

Item	Key	School [N=19]				School Below Above District		District [N=131]				School Below Above Province		Province [N=1,381]			
		A	B	C	D			A	B	C	D	A	B	C	D		
1.	D	10.5	0.0	10.5	79.0	q		11.5	0.8	7.6	80.2	p		17.1	1.7	3.8	77.2
2.	A	84.2	10.5	0.0	5.3		p	82.4	12.2	2.3	3.1		p	78.1	12.6	3.1	6.2
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A	52.6	10.5	31.6	5.3	q		54.2	13.0	21.4	11.5	q		59.9	8.2	20.6	11.3
5.	A	63.2	5.3	10.5	21.1	q		67.2	9.9	16.0	6.9		p	62.9	5.7	18.3	13.2
6.	C	10.5	0.0	79.0	10.5		p	16.8	2.3	68.7	12.2		p	15.6	4.4	67.1	12.8
7.	C	21.1	0.0	79.0	0.0		p	20.6	6.1	68.7	3.8		p	20.8	4.4	70.5	4.1
8.	C	0.0	0.0	94.7	5.3		p	2.3	0.0	94.7	3.1	q		1.0	0.5	96.5	2.0
9.	B	5.3	84.2	5.3	5.3	q		3.1	84.7	9.9	2.3	q		3.8	85.2	9.3	1.6
10.	C	10.5	36.8	26.3	26.3	q		11.5	19.9	47.3	21.4	q		12.1	16.4	44.7	26.7
11.	B	10.5	84.2	0.0	5.3		p	10.7	71.8	11.5	5.3		p	12.4	70.4	10.0	7.1
12.	C	0.0	5.3	94.7	0.0		p	2.3	4.6	90.8	2.3		p	4.5	4.4	85.2	5.7
13.	B	36.8	47.4	15.8	0.0	q		16.0	59.5	12.2	12.2	q		13.6	51.6	21.1	13.5
14.	D	10.5	0.0	10.5	79.0		p	25.2	0.0	15.3	59.5		p	32.6	2.3	8.2	56.9
15.	D	15.8	31.6	15.8	36.8	q		14.5	26.7	11.5	47.3	q		5.7	19.4	9.9	65.0
16.	A	84.2	0.0	5.3	10.5		p	81.7	3.1	10.7	4.6		p	77.3	5.0	13.0	4.8
17.	A	57.9	5.3	36.8	0.0	q		64.9	4.6	30.5	0.0	q		79.7	3.8	16.0	0.5
18.	A	84.2	0.0	10.5	0.0		p	80.9	3.1	4.6	10.7	q		84.4	1.8	5.4	8.3
19.	A	68.4	0.0	5.3	26.3	q		70.2	3.1	8.4	18.3	q		73.9	3.6	8.5	14.1
20.	C	0.0	10.5	68.4	21.1	q		4.6	13.7	70.2	11.5	q		7.0	7.5	73.6	11.8
21.	D	10.5	5.3	5.3	79.0		p	9.2	9.2	5.3	76.3		p	14.2	10.9	5.0	69.9
22.	A	89.5	0.0	0.0	10.5	q		90.1	5.3	0.8	3.8	q		91.2	4.0	1.3	3.5
23.	C	10.5	10.5	73.7	5.3	q		5.3	8.4	83.2	3.1	q		6.0	4.0	85.5	4.5
24.	C	26.3	15.8	36.8	21.1	q		34.4	9.2	38.9	17.6	q		33.6	8.6	40.2	17.6
25.	A	73.7	10.5	0.0	15.8	q		77.9	4.6	3.8	13.7	q		73.9	7.5	3.4	15.1
26.	B	10.5	63.2	10.5	15.8	q		5.3	74.8	3.8	16.0	q		6.4	74.2	3.6	15.8
27.	C	0.0	10.5	89.5	0.0	q		0.0	7.6	90.1	2.3		p	4.6	7.2	85.2	2.9
28.	A	79.0	15.8	5.3	0.0	q		83.2	8.4	8.4	0.0		p	78.3	9.7	10.4	1.4
29.	D	5.3	15.8	15.8	63.2	q		6.1	19.9	6.9	67.2	q		4.1	18.8	7.3	69.6
30.	B	10.5	79.0	10.5	0.0		p	9.2	76.3	7.6	6.9	q		8.8	81.3	6.3	3.6
31.	A	89.5	5.3	5.3	0.0		p	87.0	3.8	8.4	0.8		p	86.5	3.3	7.5	2.8
*32.	A,C	63.2	21.1	0.0	15.8	q		64.1	18.3	6.1	11.5	q		64.4	19.1	9.9	6.5
33.	A	100.0	0.0	0.0	0.0		p	97.7	0.0	0.8	1.5		p	96.3	1.2	1.3	1.2
34.	C	0.0	0.0	100.0	0.0		p	0.0	0.8	98.5	0.8		p	2.0	0.9	94.9	2.1
35.	B	15.8	84.2	0.0	0.0		p	16.8	74.8	4.6	3.8		p	12.5	79.7	4.8	3.0
36.	B	5.3	94.7	0.0	0.0		p	13.7	84.7	0.8	0.8		p	11.3	84.3	2.8	1.6
37.	C	26.3	0.0	63.2	10.5	q		11.5	2.3	80.2	5.3	q		11.7	1.7	77.4	9.0
38.	A	73.7	0.0	21.1	5.3	q		85.5	3.8	8.4	2.3	q		85.3	7.2	6.7	0.9
39.	A	79.0	10.5	0.0	10.5		p	78.6	12.2	3.1	6.1		p	76.2	11.4	5.3	7.2
40.	B	15.8	47.4	5.3	31.6	q		10.7	74.8	6.9	7.6	q		11.7	66.7	11.2	10.3
41.	A	73.7	0.0	0.0	26.3		p	70.2	0.0	6.9	22.9	q		77.3	1.2	6.7	14.7
42.	C	5.3	10.5	63.2	21.1	q		5.3	5.3	71.0	17.6	q		8.6	6.9	72.1	12.0
43.	A	100.0	0.0	0.0	0.0		p	90.8	4.6	4.6	0.0		p	91.3	3.8	4.0	0.7
44.	C	5.3	10.5	63.2	21.1		p	11.5	6.1	59.5	22.9	q		7.6	7.0	63.2	21.9
45.	A	42.1	15.8	31.6	10.5	q		45.0	10.7	27.5	16.8	q		48.6	5.7	27.6	17.6
46.	C	5.3	5.3	73.7	15.8		p	7.6	6.1	59.5	26.7		p	4.9	3.0	69.8	22.0
47.	C	5.3	5.3	89.5	0.0	q		6.1	1.5	92.4	0.0		p	8.7	2.0	88.4	0.8
48.	D	0.0	0.0	0.0	100.0		p	0.8	0.8	1.5	97.0		p	0.9	3.3	2.8	92.9
49.	B	10.5	84.2	5.3	0.0	q		9.9	85.5	3.1	1.5		p	15.1	77.3	6.4	0.9
50.	C	0.0	10.5	84.2	5.3	q		0.0	6.1	89.3	3.8	q		1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 4 - Eastern

#219 - Marystown Central High, Marystown

Grades: 10-12

Item	Key	School [N=85]				School Below Above District		District [N=886]				School Below Above Province		Province [N=1,381]			
		A	B	C	D			A	B	C	D	A	B	C	D		
1.	D	16.5	0.0	3.5	80.0		P	17.0	1.5	2.9	78.2		P	17.1	1.7	3.8	77.2
2.	A	83.5	9.4	0.0	7.1		P	79.1	12.6	2.9	5.2		P	78.1	12.6	3.1	6.2
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A	50.6	12.9	20.0	16.5		Q	60.7	8.6	18.6	12.0		Q	59.9	8.2	20.6	11.3
5.	A	69.4	3.5	16.5	10.6		P	64.6	3.8	18.1	13.4		P	62.9	5.7	18.3	13.2
6.	C	21.2	12.9	56.5	9.4		Q	16.3	4.4	68.6	10.6		Q	15.6	4.4	67.1	12.8
7.	C	24.7	4.7	68.2	2.4		Q	19.3	3.4	72.9	4.3		Q	20.8	4.4	70.5	4.1
8.	C	1.2	1.2	97.7	0.0		P	0.9	0.3	97.6	1.1		P	1.0	0.5	96.5	2.0
9.	B	2.4	88.2	8.2	1.2		P	3.5	85.8	9.1	1.4		P	3.8	85.2	9.3	1.6
10.	C	11.8	16.5	30.6	40.0		Q	11.1	17.7	43.6	27.3		Q	12.1	16.4	44.7	26.7
11.	B	7.1	78.8	10.6	3.5		P	11.4	74.5	8.4	5.6		P	12.4	70.4	10.0	7.1
12.	C	2.4	7.1	84.7	5.9		Q	5.0	3.8	85.0	5.9		Q	4.5	4.4	85.2	5.7
13.	B	12.9	58.8	16.5	11.8		P	14.0	52.6	21.1	12.2		P	13.6	51.6	21.1	13.5
14.	D	25.9	0.0	10.6	63.5		P	30.3	2.5	6.9	60.4		P	32.6	2.3	8.2	56.9
15.	D	4.7	16.5	7.1	71.8		P	3.7	19.3	8.4	68.6		P	5.7	19.4	9.9	65.0
16.	A	69.4	4.7	23.5	2.4		Q	77.7	4.5	13.0	4.9		Q	77.3	5.0	13.0	4.8
17.	A	94.1	1.2	4.7	0.0		P	84.2	3.1	12.4	0.3		P	79.7	3.8	16.0	0.5
18.	A	88.2	0.0	4.7	7.1		P	84.9	1.6	5.1	8.5		P	84.4	1.8	5.4	8.3
19.	A	80.0	1.2	4.7	14.1		P	76.5	2.8	7.7	13.0		P	73.9	3.6	8.5	14.1
20.	C	4.7	5.9	82.4	7.1		P	6.7	5.8	74.6	12.9		P	7.0	7.5	73.6	11.8
21.	D	7.1	2.4	1.2	89.4		P	11.7	11.0	5.4	71.9		P	14.2	10.9	5.0	69.9
22.	A	91.8	3.5	0.0	4.7		Q	92.4	4.0	0.9	2.7		P	91.2	4.0	1.3	3.5
23.	C	5.9	0.0	88.2	5.9		P	5.5	3.6	86.5	4.4		P	6.0	4.0	85.5	4.5
24.	C	45.9	15.3	18.8	20.0		Q	36.9	8.7	38.5	15.9		Q	33.6	8.6	40.2	17.6
25.	A	75.3	8.2	5.9	10.6		P	74.5	6.4	4.1	14.9		P	73.9	7.5	3.4	15.1
26.	B	2.4	83.5	5.9	8.2		P	5.2	76.1	3.2	15.6		P	6.4	74.2	3.6	15.8
27.	C	4.7	14.1	76.5	4.7		Q	4.5	6.4	85.7	3.3		Q	4.6	7.2	85.2	2.9
28.	A	75.3	11.8	9.4	2.4		Q	80.0	8.2	10.1	1.4		Q	78.3	9.7	10.4	1.4
29.	D	4.7	18.8	10.6	65.9		Q	3.7	17.5	7.3	71.1		Q	4.1	18.8	7.3	69.6
30.	B	1.2	91.8	3.5	3.5		P	9.3	82.4	5.4	2.9		P	8.8	81.3	6.3	3.6
31.	A	95.3	2.4	2.4	0.0		P	89.3	2.5	6.6	1.7		P	86.5	3.3	7.5	2.8
*32.	A,C	62.4	18.8	9.4	9.4		Q	64.5	19.0	11.1	5.3		Q	64.4	19.1	9.9	6.5
33.	A	100.0	0.0	0.0	0.0		P	97.4	1.0	0.7	0.9		P	96.3	1.2	1.3	1.2
34.	C	0.0	1.2	96.5	2.4		P	2.1	0.9	94.7	2.1		P	2.0	0.9	94.9	2.1
35.	B	8.2	90.6	1.2	0.0		P	11.3	81.6	4.3	2.8		P	12.5	79.7	4.8	3.0
36.	B	10.6	87.1	2.4	0.0		P	11.0	85.1	2.9	1.0		P	11.3	84.3	2.8	1.6
37.	C	17.7	1.2	65.9	15.3		Q	9.9	1.5	79.5	9.0		Q	11.7	1.7	77.4	9.0
38.	A	87.1	7.1	5.9	0.0		P	84.5	7.8	6.9	0.8		P	85.3	7.2	6.7	0.9
39.	A	82.4	9.4	1.2	7.1		P	79.2	10.4	4.4	6.0		P	76.2	11.4	5.3	7.2
40.	B	21.2	55.3	11.8	10.6		Q	12.2	67.4	10.8	9.5		Q	11.7	66.7	11.2	10.3
41.	A	70.6	1.2	4.7	23.5		Q	78.9	1.2	5.6	14.1		Q	77.3	1.2	6.7	14.7
42.	C	5.9	7.1	84.7	2.4		P	8.2	6.0	75.3	10.3		P	8.6	6.9	72.1	12.0
43.	A	96.5	1.2	1.2	1.2		P	92.8	3.2	3.1	0.9		P	91.3	3.8	4.0	0.7
44.	C	5.9	5.9	78.8	9.4		P	7.8	5.9	64.8	21.4		P	7.6	7.0	63.2	21.9
45.	A	56.5	8.2	15.3	20.0		P	48.8	6.1	27.2	17.5		P	48.6	5.7	27.6	17.6
46.	C	4.7	1.2	81.2	12.9		P	4.2	2.6	70.9	22.1		P	4.9	3.0	69.8	22.0
47.	C	2.4	1.2	96.5	0.0		P	7.8	1.8	89.6	0.8		P	8.7	2.0	88.4	0.8
48.	D	3.5	5.9	2.4	88.2		Q	0.5	2.8	2.7	94.0		Q	0.9	3.3	2.8	92.9
49.	B	11.8	83.5	3.5	1.2		P	14.9	77.7	6.4	0.8		P	15.1	77.3	6.4	0.9
50.	C	5.9	2.4	84.7	7.1		Q	1.0	6.7	89.2	3.1		Q	1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 4 - Eastern

#242 - Random Island Academy, Random Island

Grades: K-12

Item	Key	School [N=4]				District [N=886]				Province [N=1,381]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	D						P	17.0	1.5	2.9	78.2		P	17.1	1.7	3.8	77.2
2.	A						Q	79.1	12.6	2.9	5.2		Q	78.1	12.6	3.1	6.2
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A						P	60.7	8.6	18.6	12.0		P	59.9	8.2	20.6	11.3
5.	A						P	64.6	3.8	18.1	13.4		P	62.9	5.7	18.3	13.2
6.	C						P	16.3	4.4	68.6	10.6		P	15.6	4.4	67.1	12.8
7.	C						P	19.3	3.4	72.9	4.3		P	20.8	4.4	70.5	4.1
8.	C						P	0.9	0.3	97.6	1.1		P	1.0	0.5	96.5	2.0
9.	B						P	3.5	85.8	9.1	1.4		P	3.8	85.2	9.3	1.6
10.	C						Q	11.1	17.7	43.6	27.3		Q	12.1	16.4	44.7	26.7
11.	B						Q	11.4	74.5	8.4	5.6		Q	12.4	70.4	10.0	7.1
12.	C						P	5.0	3.8	85.0	5.9		P	4.5	4.4	85.2	5.7
13.	B						Q	14.0	52.6	21.1	12.2		Q	13.6	51.6	21.1	13.5
14.	D						Q	30.3	2.5	6.9	60.4		Q	32.6	2.3	8.2	56.9
15.	D						Q	3.7	19.3	8.4	68.6		Q	5.7	19.4	9.9	65.0
16.	A						Q	77.7	4.5	13.0	4.9		Q	77.3	5.0	13.0	4.8
17.	A						Q	84.2	3.1	12.4	0.3		Q	79.7	3.8	16.0	0.5
18.	A						Q	84.9	1.6	5.1	8.5		Q	84.4	1.8	5.4	8.3
19.	A						Q	76.5	2.8	7.7	13.0		P	73.9	3.6	8.5	14.1
20.	C						Q	6.7	5.8	74.6	12.9		Q	7.0	7.5	73.6	11.8
21.	D						P	11.7	11.0	5.4	71.9		P	14.2	10.9	5.0	69.9
22.	A						P	92.4	4.0	0.9	2.7		P	91.2	4.0	1.3	3.5
23.	C						P	5.5	3.6	86.5	4.4		P	6.0	4.0	85.5	4.5
24.	C						P	36.9	8.7	38.5	15.9		P	33.6	8.6	40.2	17.6
25.	A						Q	74.5	6.4	4.1	14.9		Q	73.9	7.5	3.4	15.1
26.	B						Q	5.2	76.1	3.2	15.6		P	6.4	74.2	3.6	15.8
27.	C						P	4.5	6.4	85.7	3.3		P	4.6	7.2	85.2	2.9
28.	A						Q	80.0	8.2	10.1	1.4		Q	78.3	9.7	10.4	1.4
29.	D						P	3.7	17.5	7.3	71.1		P	4.1	18.8	7.3	69.6
30.	B						P	9.3	82.4	5.4	2.9		P	8.8	81.3	6.3	3.6
31.	A						P	89.3	2.5	6.6	1.7		P	86.5	3.3	7.5	2.8
*32.	A,C						Q	64.5	19.0	11.1	5.3		P	64.4	19.1	9.9	6.5
33.	A						P	97.4	1.0	0.7	0.9		P	96.3	1.2	1.3	1.2
34.	C						P	2.1	0.9	94.7	2.1		P	2.0	0.9	94.9	2.1
35.	B						P	11.3	81.6	4.3	2.8		P	12.5	79.7	4.8	3.0
36.	B						Q	11.0	85.1	2.9	1.0		Q	11.3	84.3	2.8	1.6
37.	C						P	9.9	1.5	79.5	9.0		P	11.7	1.7	77.4	9.0
38.	A						Q	84.5	7.8	6.9	0.8		Q	85.3	7.2	6.7	0.9
39.	A						Q	79.2	10.4	4.4	6.0		Q	76.2	11.4	5.3	7.2
40.	B						P	12.2	67.4	10.8	9.5		P	11.7	66.7	11.2	10.3
41.	A						Q	78.9	1.2	5.6	14.1		Q	77.3	1.2	6.7	14.7
42.	C						Q	8.2	6.0	75.3	10.3		P	8.6	6.9	72.1	12.0
43.	A						P	92.8	3.2	3.1	0.9		P	91.3	3.8	4.0	0.7
44.	C						P	7.8	5.9	64.8	21.4		P	7.6	7.0	63.2	21.9
45.	A						P	48.8	6.1	27.2	17.5		P	48.6	5.7	27.6	17.6
46.	C						P	4.2	2.6	70.9	22.1		P	4.9	3.0	69.8	22.0
47.	C						P	7.8	1.8	89.6	0.8		P	8.7	2.0	88.4	0.8
48.	D						P	0.5	2.8	2.7	94.0		P	0.9	3.3	2.8	92.9
49.	B						Q	14.9	77.7	6.4	0.8		Q	15.1	77.3	6.4	0.9
50.	C						Q	1.0	6.7	89.2	3.1		Q	1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 4 - Eastern

#249 - Ascension Collegiate, Bay Roberts

Grades: 10-12

Item	Key	School [N=65]				School Below Above District		District [N=886]				School Below Above Province		Province [N=1,381]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	D	10.8	1.5	3.1	83.1		P	17.0	1.5	2.9	78.2		P	17.1	1.7	3.8	77.2
2.	A	87.7	7.7	1.5	3.1		P	79.1	12.6	2.9	5.2		P	78.1	12.6	3.1	6.2
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A	64.6	4.6	20.0	10.8		P	60.7	8.6	18.6	12.0		P	59.9	8.2	20.6	11.3
5.	A	53.9	0.0	27.7	18.5		Q	64.6	3.8	18.1	13.4		Q	62.9	5.7	18.3	13.2
6.	C	33.9	1.5	55.4	9.2		Q	16.3	4.4	68.6	10.6		Q	15.6	4.4	67.1	12.8
7.	C	21.5	6.2	61.5	9.2		Q	19.3	3.4	72.9	4.3		Q	20.8	4.4	70.5	4.1
8.	C	0.0	0.0	98.5	1.5		P	0.9	0.3	97.6	1.1		P	1.0	0.5	96.5	2.0
9.	B	6.2	90.8	3.1	0.0		P	3.5	85.8	9.1	1.4		P	3.8	85.2	9.3	1.6
10.	C	12.3	18.5	56.9	12.3		P	11.1	17.7	43.6	27.3		P	12.1	16.4	44.7	26.7
11.	B	1.5	87.7	6.2	4.6		P	11.4	74.5	8.4	5.6		P	12.4	70.4	10.0	7.1
12.	C	4.6	10.8	76.9	6.2		Q	5.0	3.8	85.0	5.9		Q	4.5	4.4	85.2	5.7
13.	B	10.8	49.2	16.9	21.5		Q	14.0	52.6	21.1	12.2		Q	13.6	51.6	21.1	13.5
14.	D	35.4	3.1	10.8	50.8		Q	30.3	2.5	6.9	60.4		Q	32.6	2.3	8.2	56.9
15.	D	1.5	16.9	9.2	72.3		P	3.7	19.3	8.4	68.6		P	5.7	19.4	9.9	65.0
16.	A	87.7	1.5	9.2	1.5		P	77.7	4.5	13.0	4.9		P	77.3	5.0	13.0	4.8
17.	A	81.5	3.1	15.4	0.0		Q	84.2	3.1	12.4	0.3		P	79.7	3.8	16.0	0.5
18.	A	80.0	3.1	0.0	16.9		Q	84.9	1.6	5.1	8.5		Q	84.4	1.8	5.4	8.3
19.	A	72.3	4.6	12.3	10.8		Q	76.5	2.8	7.7	13.0		Q	73.9	3.6	8.5	14.1
20.	C	9.2	13.9	66.2	10.8		Q	6.7	5.8	74.6	12.9		Q	7.0	7.5	73.6	11.8
21.	D	20.0	10.8	0.0	69.2		Q	11.7	11.0	5.4	71.9		Q	14.2	10.9	5.0	69.9
22.	A	92.3	1.5	0.0	6.2		Q	92.4	4.0	0.9	2.7		P	91.2	4.0	1.3	3.5
23.	C	9.2	0.0	87.7	3.1		P	5.5	3.6	86.5	4.4		P	6.0	4.0	85.5	4.5
24.	C	41.5	9.2	35.4	13.9		Q	36.9	8.7	38.5	15.9		Q	33.6	8.6	40.2	17.6
25.	A	66.2	9.2	3.1	21.5		Q	74.5	6.4	4.1	14.9		Q	73.9	7.5	3.4	15.1
26.	B	1.5	76.9	7.7	13.9		P	5.2	76.1	3.2	15.6		P	6.4	74.2	3.6	15.8
27.	C	4.6	7.7	84.6	3.1		Q	4.5	6.4	85.7	3.3		Q	4.6	7.2	85.2	2.9
28.	A	81.5	13.9	4.6	0.0		P	80.0	8.2	10.1	1.4		P	78.3	9.7	10.4	1.4
29.	D	4.6	21.5	9.2	64.6		Q	3.7	17.5	7.3	71.1		Q	4.1	18.8	7.3	69.6
30.	B	4.6	83.1	4.6	7.7		P	9.3	82.4	5.4	2.9		P	8.8	81.3	6.3	3.6
31.	A	95.4	0.0	4.6	0.0		P	89.3	2.5	6.6	1.7		P	86.5	3.3	7.5	2.8
*32.	A,C	63.1	26.2	7.7	3.1		Q	64.5	19.0	11.1	5.3		Q	64.4	19.1	9.9	6.5
33.	A	95.4	3.1	1.5	0.0		Q	97.4	1.0	0.7	0.9		Q	96.3	1.2	1.3	1.2
34.	C	3.1	0.0	92.3	4.6		Q	2.1	0.9	94.7	2.1		Q	2.0	0.9	94.9	2.1
35.	B	26.2	66.2	3.1	4.6		Q	11.3	81.6	4.3	2.8		Q	12.5	79.7	4.8	3.0
36.	B	7.7	86.2	4.6	1.5		P	11.0	85.1	2.9	1.0		P	11.3	84.3	2.8	1.6
37.	C	6.2	0.0	75.4	18.5		Q	9.9	1.5	79.5	9.0		Q	11.7	1.7	77.4	9.0
38.	A	78.5	10.8	9.2	1.5		Q	84.5	7.8	6.9	0.8		Q	85.3	7.2	6.7	0.9
39.	A	73.9	6.2	4.6	15.4		Q	79.2	10.4	4.4	6.0		Q	76.2	11.4	5.3	7.2
40.	B	15.4	60.0	20.0	4.6		Q	12.2	67.4	10.8	9.5		Q	11.7	66.7	11.2	10.3
41.	A	78.5	1.5	4.6	15.4		Q	78.9	1.2	5.6	14.1		P	77.3	1.2	6.7	14.7
42.	C	16.9	9.2	66.2	7.7		Q	8.2	6.0	75.3	10.3		Q	8.6	6.9	72.1	12.0
43.	A	96.9	1.5	0.0	1.5		P	92.8	3.2	3.1	0.9		P	91.3	3.8	4.0	0.7
44.	C	4.6	4.6	63.1	27.7		Q	7.8	5.9	64.8	21.4		Q	7.6	7.0	63.2	21.9
45.	A	43.1	3.1	43.1	10.8		Q	48.8	6.1	27.2	17.5		Q	48.6	5.7	27.6	17.6
46.	C	3.1	3.1	78.5	15.4		P	4.2	2.6	70.9	22.1		P	4.9	3.0	69.8	22.0
47.	C	9.2	0.0	89.2	1.5		Q	7.8	1.8	89.6	0.8		P	8.7	2.0	88.4	0.8
48.	D	0.0	0.0	1.5	98.5		P	0.5	2.8	2.7	94.0		P	0.9	3.3	2.8	92.9
49.	B	10.8	84.6	4.6	0.0		P	14.9	77.7	6.4	0.8		P	15.1	77.3	6.4	0.9
50.	C	1.5	10.8	84.6	3.1		Q	1.0	6.7	89.2	3.1		Q	1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 4 - Eastern

#253 - Carbonear Collegiate, Carbonear

Grades: 10-12

Item	Key	School [N=46]				School Below Above District	District [N=886]				School Below Above Province	Province [N=1,381]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	D	26.1	0.0	4.4	69.6	q	17.0	1.5	2.9	78.2	q	17.1	1.7	3.8	77.2
2.	A	95.7	0.0	0.0	4.4	p	79.1	12.6	2.9	5.2	p	78.1	12.6	3.1	6.2
*3.	X	---	---	---	---		---	---	---	---		---	---	---	---
4.	A	58.7	15.2	15.2	10.9	q	60.7	8.6	18.6	12.0	q	59.9	8.2	20.6	11.3
5.	A	63.0	2.2	30.4	4.4	q	64.6	3.8	18.1	13.4	p	62.9	5.7	18.3	13.2
6.	C	10.9	4.4	69.6	15.2	p	16.3	4.4	68.6	10.6	p	15.6	4.4	67.1	12.8
7.	C	15.2	0.0	82.6	2.2	p	19.3	3.4	72.9	4.3	p	20.8	4.4	70.5	4.1
8.	C	0.0	0.0	100.0	0.0	p	0.9	0.3	97.6	1.1	p	1.0	0.5	96.5	2.0
9.	B	6.5	84.8	8.7	0.0	q	3.5	85.8	9.1	1.4	q	3.8	85.2	9.3	1.6
10.	C	4.4	23.9	34.8	37.0	q	11.1	17.7	43.6	27.3	q	12.1	16.4	44.7	26.7
11.	B	6.5	76.1	10.9	6.5	p	11.4	74.5	8.4	5.6	p	12.4	70.4	10.0	7.1
12.	C	10.9	0.0	80.4	8.7	q	5.0	3.8	85.0	5.9	q	4.5	4.4	85.2	5.7
13.	B	4.4	60.9	17.4	17.4	p	14.0	52.6	21.1	12.2	p	13.6	51.6	21.1	13.5
14.	D	26.1	10.9	4.4	58.7	q	30.3	2.5	6.9	60.4	p	32.6	2.3	8.2	56.9
15.	D	0.0	28.3	6.5	65.2	q	3.7	19.3	8.4	68.6	p	5.7	19.4	9.9	65.0
16.	A	82.6	4.4	10.9	2.2	p	77.7	4.5	13.0	4.9	p	77.3	5.0	13.0	4.8
17.	A	100.0	0.0	0.0	0.0	p	84.2	3.1	12.4	0.3	p	79.7	3.8	16.0	0.5
18.	A	91.3	2.2	4.4	2.2	p	84.9	1.6	5.1	8.5	p	84.4	1.8	5.4	8.3
19.	A	82.6	0.0	8.7	8.7	p	76.5	2.8	7.7	13.0	p	73.9	3.6	8.5	14.1
20.	C	2.2	6.5	89.1	2.2	p	6.7	5.8	74.6	12.9	p	7.0	7.5	73.6	11.8
21.	D	15.2	4.4	4.4	76.1	p	11.7	11.0	5.4	71.9	p	14.2	10.9	5.0	69.9
22.	A	95.7	4.4	0.0	0.0	p	92.4	4.0	0.9	2.7	p	91.2	4.0	1.3	3.5
23.	C	6.5	8.7	84.8	0.0	q	5.5	3.6	86.5	4.4	q	6.0	4.0	85.5	4.5
24.	C	58.7	6.5	21.7	13.0	q	36.9	8.7	38.5	15.9	q	33.6	8.6	40.2	17.6
25.	A	82.6	4.4	4.4	8.7	p	74.5	6.4	4.1	14.9	p	73.9	7.5	3.4	15.1
26.	B	13.0	76.1	0.0	10.9	p	5.2	76.1	3.2	15.6	p	6.4	74.2	3.6	15.8
27.	C	0.0	6.5	91.3	2.2	p	4.5	6.4	85.7	3.3	p	4.6	7.2	85.2	2.9
28.	A	89.1	6.5	4.4	0.0	p	80.0	8.2	10.1	1.4	p	78.3	9.7	10.4	1.4
29.	D	0.0	15.2	0.0	84.8	p	3.7	17.5	7.3	71.1	p	4.1	18.8	7.3	69.6
30.	B	2.2	93.5	4.4	0.0	p	9.3	82.4	5.4	2.9	p	8.8	81.3	6.3	3.6
31.	A	100.0	0.0	0.0	0.0	p	89.3	2.5	6.6	1.7	p	86.5	3.3	7.5	2.8
*32.	A,C	78.3	13.0	8.7	0.0	p	64.5	19.0	11.1	5.3	p	64.4	19.1	9.9	6.5
33.	A	97.8	0.0	2.2	0.0	p	97.4	1.0	0.7	0.9	p	96.3	1.2	1.3	1.2
34.	C	6.5	2.2	91.3	0.0	q	2.1	0.9	94.7	2.1	q	2.0	0.9	94.9	2.1
35.	B	8.7	84.8	2.2	4.4	p	11.3	81.6	4.3	2.8	p	12.5	79.7	4.8	3.0
36.	B	4.4	84.8	8.7	2.2	q	11.0	85.1	2.9	1.0	p	11.3	84.3	2.8	1.6
37.	C	15.2	4.4	76.1	4.4	q	9.9	1.5	79.5	9.0	q	11.7	1.7	77.4	9.0
38.	A	84.8	10.9	4.4	0.0	p	84.5	7.8	6.9	0.8	q	85.3	7.2	6.7	0.9
39.	A	82.6	4.4	10.9	2.2	p	79.2	10.4	4.4	6.0	p	76.2	11.4	5.3	7.2
40.	B	8.7	78.3	2.2	10.9	p	12.2	67.4	10.8	9.5	p	11.7	66.7	11.2	10.3
41.	A	84.8	0.0	4.4	10.9	p	78.9	1.2	5.6	14.1	p	77.3	1.2	6.7	14.7
42.	C	6.5	4.4	82.6	4.4	p	8.2	6.0	75.3	10.3	p	8.6	6.9	72.1	12.0
43.	A	97.8	0.0	2.2	0.0	p	92.8	3.2	3.1	0.9	p	91.3	3.8	4.0	0.7
44.	C	6.5	8.7	67.4	17.4	p	7.8	5.9	64.8	21.4	p	7.6	7.0	63.2	21.9
45.	A	52.2	8.7	23.9	15.2	p	48.8	6.1	27.2	17.5	p	48.6	5.7	27.6	17.6
46.	C	0.0	4.4	69.6	26.1	q	4.2	2.6	70.9	22.1	q	4.9	3.0	69.8	22.0
47.	C	6.5	2.2	91.3	0.0	p	7.8	1.8	89.6	0.8	p	8.7	2.0	88.4	0.8
48.	D	0.0	0.0	2.2	97.8	p	0.5	2.8	2.7	94.0	p	0.9	3.3	2.8	92.9
49.	B	2.2	87.0	10.9	0.0	p	14.9	77.7	6.4	0.8	p	15.1	77.3	6.4	0.9
50.	C	0.0	4.4	95.7	0.0	p	1.0	6.7	89.2	3.1	p	1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 4 - Eastern

#274 - St. Catherine's Academy, Mount Carmel

Grades: K-12

Item	Key	School [N=1]				District [N=886]				Province [N=1,381]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	D					P		17.0	1.5	2.9	78.2	P		17.1	1.7	3.8	77.2
2.	A					P		79.1	12.6	2.9	5.2	P		78.1	12.6	3.1	6.2
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A					P		60.7	8.6	18.6	12.0	P		59.9	8.2	20.6	11.3
5.	A					q		64.6	3.8	18.1	13.4	q		62.9	5.7	18.3	13.2
6.	C					P		16.3	4.4	68.6	10.6	P		15.6	4.4	67.1	12.8
7.	C					P		19.3	3.4	72.9	4.3	P		20.8	4.4	70.5	4.1
8.	C					P		0.9	0.3	97.6	1.1	P		1.0	0.5	96.5	2.0
9.	B					P		3.5	85.8	9.1	1.4	P		3.8	85.2	9.3	1.6
10.	C					P		11.1	17.7	43.6	27.3	P		12.1	16.4	44.7	26.7
11.	B					P		11.4	74.5	8.4	5.6	P		12.4	70.4	10.0	7.1
12.	C					P		5.0	3.8	85.0	5.9	P		4.5	4.4	85.2	5.7
13.	B					P		14.0	52.6	21.1	12.2	P		13.6	51.6	21.1	13.5
14.	D					P		30.3	2.5	6.9	60.4	P		32.6	2.3	8.2	56.9
15.	D					q		3.7	19.3	8.4	68.6	q		5.7	19.4	9.9	65.0
16.	A					P		77.7	4.5	13.0	4.9	P		77.3	5.0	13.0	4.8
17.	A					P		84.2	3.1	12.4	0.3	P		79.7	3.8	16.0	0.5
18.	A					P		84.9	1.6	5.1	8.5	P		84.4	1.8	5.4	8.3
19.	A					q		76.5	2.8	7.7	13.0	q		73.9	3.6	8.5	14.1
20.	C					q		6.7	5.8	74.6	12.9	q		7.0	7.5	73.6	11.8
21.	D					P		11.7	11.0	5.4	71.9	P		14.2	10.9	5.0	69.9
22.	A					P		92.4	4.0	0.9	2.7	P		91.2	4.0	1.3	3.5
23.	C					P		5.5	3.6	86.5	4.4	P		6.0	4.0	85.5	4.5
24.	C					P		36.9	8.7	38.5	15.9	P		33.6	8.6	40.2	17.6
25.	A					P		74.5	6.4	4.1	14.9	P		73.9	7.5	3.4	15.1
26.	B					P		5.2	76.1	3.2	15.6	P		6.4	74.2	3.6	15.8
27.	C					P		4.5	6.4	85.7	3.3	P		4.6	7.2	85.2	2.9
28.	A					P		80.0	8.2	10.1	1.4	P		78.3	9.7	10.4	1.4
29.	D					P		3.7	17.5	7.3	71.1	P		4.1	18.8	7.3	69.6
30.	B					P		9.3	82.4	5.4	2.9	P		8.8	81.3	6.3	3.6
31.	A					P		89.3	2.5	6.6	1.7	P		86.5	3.3	7.5	2.8
*32.	A,C					P		64.5	19.0	11.1	5.3	P		64.4	19.1	9.9	6.5
33.	A					P		97.4	1.0	0.7	0.9	P		96.3	1.2	1.3	1.2
34.	C					P		2.1	0.9	94.7	2.1	P		2.0	0.9	94.9	2.1
35.	B					P		11.3	81.6	4.3	2.8	P		12.5	79.7	4.8	3.0
36.	B					P		11.0	85.1	2.9	1.0	P		11.3	84.3	2.8	1.6
37.	C					P		9.9	1.5	79.5	9.0	P		11.7	1.7	77.4	9.0
38.	A					P		84.5	7.8	6.9	0.8	P		85.3	7.2	6.7	0.9
39.	A					P		79.2	10.4	4.4	6.0	P		76.2	11.4	5.3	7.2
40.	B					q		12.2	67.4	10.8	9.5	q		11.7	66.7	11.2	10.3
41.	A					q		78.9	1.2	5.6	14.1	q		77.3	1.2	6.7	14.7
42.	C					P		8.2	6.0	75.3	10.3	P		8.6	6.9	72.1	12.0
43.	A					q		92.8	3.2	3.1	0.9	q		91.3	3.8	4.0	0.7
44.	C					q		7.8	5.9	64.8	21.4	q		7.6	7.0	63.2	21.9
45.	A					P		48.8	6.1	27.2	17.5	P		48.6	5.7	27.6	17.6
46.	C					q		4.2	2.6	70.9	22.1	q		4.9	3.0	69.8	22.0
47.	C					P		7.8	1.8	89.6	0.8	P		8.7	2.0	88.4	0.8
48.	D					P		0.5	2.8	2.7	94.0	P		0.9	3.3	2.8	92.9
49.	B					P		14.9	77.7	6.4	0.8	P		15.1	77.3	6.4	0.9
50.	C					P		1.0	6.7	89.2	3.1	P		1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 4 - Eastern

#280 - Laval High, Placentia

Grades: 9-12

Item	Key	School [N=21]				School Below Above District	District [N=886]				School Below Above Province	Province [N=1,381]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	D	19.1	0.0	0.0	81.0		17.0	1.5	2.9	78.2		17.1	1.7	3.8	77.2
2.	A	76.2	9.5	0.0	14.3	q	79.1	12.6	2.9	5.2	q	78.1	12.6	3.1	6.2
*3.	X	---	---	---	---		---	---	---	---		---	---	---	---
4.	A	76.2	4.8	14.3	4.8		60.7	8.6	18.6	12.0		59.9	8.2	20.6	11.3
5.	A	61.9	4.8	23.8	9.5	q	64.6	3.8	18.1	13.4	q	62.9	5.7	18.3	13.2
6.	C	9.5	0.0	81.0	9.5		16.3	4.4	68.6	10.6		15.6	4.4	67.1	12.8
7.	C	4.8	0.0	90.5	4.8		19.3	3.4	72.9	4.3		20.8	4.4	70.5	4.1
8.	C	0.0	0.0	100.0	0.0		0.9	0.3	97.6	1.1		1.0	0.5	96.5	2.0
9.	B	4.8	95.2	0.0	0.0		3.5	85.8	9.1	1.4		3.8	85.2	9.3	1.6
10.	C	23.8	23.8	23.8	28.6	q	11.1	17.7	43.6	27.3	q	12.1	16.4	44.7	26.7
11.	B	0.0	100.0	0.0	0.0		11.4	74.5	8.4	5.6		12.4	70.4	10.0	7.1
12.	C	0.0	4.8	95.2	0.0		5.0	3.8	85.0	5.9		4.5	4.4	85.2	5.7
13.	B	9.5	61.9	14.3	14.3		14.0	52.6	21.1	12.2		13.6	51.6	21.1	13.5
14.	D	4.8	0.0	0.0	95.2		30.3	2.5	6.9	60.4		32.6	2.3	8.2	56.9
15.	D	0.0	0.0	0.0	100.0		3.7	19.3	8.4	68.6		5.7	19.4	9.9	65.0
16.	A	100.0	0.0	0.0	0.0		77.7	4.5	13.0	4.9		77.3	5.0	13.0	4.8
17.	A	95.2	0.0	4.8	0.0		84.2	3.1	12.4	0.3		79.7	3.8	16.0	0.5
18.	A	95.2	0.0	0.0	4.8		84.9	1.6	5.1	8.5		84.4	1.8	5.4	8.3
19.	A	100.0	0.0	0.0	0.0		76.5	2.8	7.7	13.0		73.9	3.6	8.5	14.1
20.	C	0.0	0.0	100.0	0.0		6.7	5.8	74.6	12.9		7.0	7.5	73.6	11.8
21.	D	4.8	0.0	0.0	95.2		11.7	11.0	5.4	71.9		14.2	10.9	5.0	69.9
22.	A	100.0	0.0	0.0	0.0		92.4	4.0	0.9	2.7		91.2	4.0	1.3	3.5
23.	C	4.8	0.0	95.2	0.0		5.5	3.6	86.5	4.4		6.0	4.0	85.5	4.5
24.	C	33.3	4.8	42.9	19.1		36.9	8.7	38.5	15.9		33.6	8.6	40.2	17.6
25.	A	71.4	0.0	0.0	28.6	q	74.5	6.4	4.1	14.9	q	73.9	7.5	3.4	15.1
26.	B	0.0	90.5	0.0	9.5		5.2	76.1	3.2	15.6		6.4	74.2	3.6	15.8
27.	C	0.0	4.8	90.5	4.8		4.5	6.4	85.7	3.3		4.6	7.2	85.2	2.9
28.	A	81.0	4.8	14.3	0.0		80.0	8.2	10.1	1.4		78.3	9.7	10.4	1.4
29.	D	4.8	23.8	19.1	52.4	q	3.7	17.5	7.3	71.1	q	4.1	18.8	7.3	69.6
30.	B	0.0	90.5	4.8	4.8		9.3	82.4	5.4	2.9		8.8	81.3	6.3	3.6
31.	A	100.0	0.0	0.0	0.0		89.3	2.5	6.6	1.7		86.5	3.3	7.5	2.8
*32.	A,C	81.0	0.0	19.1	0.0		64.5	19.0	11.1	5.3		64.4	19.1	9.9	6.5
33.	A	100.0	0.0	0.0	0.0		97.4	1.0	0.7	0.9		96.3	1.2	1.3	1.2
34.	C	0.0	0.0	95.2	4.8		2.1	0.9	94.7	2.1		2.0	0.9	94.9	2.1
35.	B	4.8	95.2	0.0	0.0		11.3	81.6	4.3	2.8		12.5	79.7	4.8	3.0
36.	B	9.5	90.5	0.0	0.0		11.0	85.1	2.9	1.0		11.3	84.3	2.8	1.6
37.	C	0.0	0.0	100.0	0.0		9.9	1.5	79.5	9.0		11.7	1.7	77.4	9.0
38.	A	95.2	4.8	0.0	0.0		84.5	7.8	6.9	0.8		85.3	7.2	6.7	0.9
39.	A	90.5	4.8	0.0	4.8		79.2	10.4	4.4	6.0		76.2	11.4	5.3	7.2
40.	B	9.5	71.4	14.3	4.8		12.2	67.4	10.8	9.5		11.7	66.7	11.2	10.3
41.	A	95.2	0.0	0.0	4.8		78.9	1.2	5.6	14.1		77.3	1.2	6.7	14.7
42.	C	9.5	0.0	85.7	4.8		8.2	6.0	75.3	10.3		8.6	6.9	72.1	12.0
43.	A	100.0	0.0	0.0	0.0		92.8	3.2	3.1	0.9		91.3	3.8	4.0	0.7
44.	C	0.0	4.8	90.5	4.8		7.8	5.9	64.8	21.4		7.6	7.0	63.2	21.9
45.	A	71.4	0.0	19.1	9.5		48.8	6.1	27.2	17.5		48.6	5.7	27.6	17.6
46.	C	0.0	0.0	71.4	28.6		4.2	2.6	70.9	22.1		4.9	3.0	69.8	22.0
47.	C	0.0	0.0	95.2	4.8		7.8	1.8	89.6	0.8		8.7	2.0	88.4	0.8
48.	D	0.0	0.0	0.0	100.0		0.5	2.8	2.7	94.0		0.9	3.3	2.8	92.9
49.	B	0.0	95.2	4.8	0.0		14.9	77.7	6.4	0.8		15.1	77.3	6.4	0.9
50.	C	0.0	4.8	95.2	0.0		1.0	6.7	89.2	3.1		1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 4 - Eastern

#296 - St. Michael's Regional High, Bell Island

Grades: 7-12

Item	Key	School [N=12]				School Below Above District		District [N=886]				School Below Above Province		Province [N=1,381]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	D	16.7	0.0	0.0	83.3		P	17.0	1.5	2.9	78.2		P	17.1	1.7	3.8	77.2
2.	A	66.7	16.7	8.3	8.3		Q	79.1	12.6	2.9	5.2		Q	78.1	12.6	3.1	6.2
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A	50.0	16.7	16.7	16.7		Q	60.7	8.6	18.6	12.0		Q	59.9	8.2	20.6	11.3
5.	A	41.7	0.0	33.3	25.0		Q	64.6	3.8	18.1	13.4		Q	62.9	5.7	18.3	13.2
6.	C	8.3	16.7	50.0	25.0		Q	16.3	4.4	68.6	10.6		Q	15.6	4.4	67.1	12.8
7.	C	25.0	0.0	58.3	16.7		Q	19.3	3.4	72.9	4.3		Q	20.8	4.4	70.5	4.1
8.	C	0.0	0.0	91.7	8.3		Q	0.9	0.3	97.6	1.1		Q	1.0	0.5	96.5	2.0
9.	B	16.7	75.0	8.3	0.0		Q	3.5	85.8	9.1	1.4		Q	3.8	85.2	9.3	1.6
10.	C	25.0	25.0	16.7	33.3		Q	11.1	17.7	43.6	27.3		Q	12.1	16.4	44.7	26.7
11.	B	25.0	41.7	16.7	16.7		Q	11.4	74.5	8.4	5.6		Q	12.4	70.4	10.0	7.1
12.	C	0.0	8.3	91.7	0.0		P	5.0	3.8	85.0	5.9		P	4.5	4.4	85.2	5.7
13.	B	33.3	8.3	41.7	16.7		Q	14.0	52.6	21.1	12.2		Q	13.6	51.6	21.1	13.5
14.	D	33.3	0.0	0.0	66.7		P	30.3	2.5	6.9	60.4		P	32.6	2.3	8.2	56.9
15.	D	8.3	8.3	0.0	83.3		P	3.7	19.3	8.4	68.6		P	5.7	19.4	9.9	65.0
16.	A	41.7	16.7	33.3	8.3		Q	77.7	4.5	13.0	4.9		Q	77.3	5.0	13.0	4.8
17.	A	75.0	8.3	16.7	0.0		Q	84.2	3.1	12.4	0.3		Q	79.7	3.8	16.0	0.5
18.	A	66.7	0.0	16.7	16.7		Q	84.9	1.6	5.1	8.5		Q	84.4	1.8	5.4	8.3
19.	A	66.7	8.3	16.7	8.3		Q	76.5	2.8	7.7	13.0		Q	73.9	3.6	8.5	14.1
20.	C	25.0	0.0	75.0	0.0		P	6.7	5.8	74.6	12.9		P	7.0	7.5	73.6	11.8
21.	D	16.7	0.0	8.3	75.0		P	11.7	11.0	5.4	71.9		P	14.2	10.9	5.0	69.9
22.	A	83.3	16.7	0.0	0.0		Q	92.4	4.0	0.9	2.7		Q	91.2	4.0	1.3	3.5
23.	C	0.0	0.0	100.0	0.0		P	5.5	3.6	86.5	4.4		P	6.0	4.0	85.5	4.5
24.	C	33.3	0.0	50.0	16.7		P	36.9	8.7	38.5	15.9		P	33.6	8.6	40.2	17.6
25.	A	58.3	0.0	0.0	41.7		Q	74.5	6.4	4.1	14.9		Q	73.9	7.5	3.4	15.1
26.	B	0.0	75.0	0.0	25.0		Q	5.2	76.1	3.2	15.6		P	6.4	74.2	3.6	15.8
27.	C	16.7	0.0	75.0	8.3		Q	4.5	6.4	85.7	3.3		Q	4.6	7.2	85.2	2.9
28.	A	100.0	0.0	0.0	0.0		P	80.0	8.2	10.1	1.4		P	78.3	9.7	10.4	1.4
29.	D	25.0	33.3	0.0	41.7		Q	3.7	17.5	7.3	71.1		Q	4.1	18.8	7.3	69.6
30.	B	8.3	83.3	0.0	8.3		P	9.3	82.4	5.4	2.9		P	8.8	81.3	6.3	3.6
31.	A	58.3	0.0	25.0	16.7		Q	89.3	2.5	6.6	1.7		Q	86.5	3.3	7.5	2.8
*32.	A,C	75.0	8.3	0.0	16.7		Q	64.5	19.0	11.1	5.3		P	64.4	19.1	9.9	6.5
33.	A	100.0	0.0	0.0	0.0		P	97.4	1.0	0.7	0.9		P	96.3	1.2	1.3	1.2
34.	C	8.3	8.3	83.3	0.0		Q	2.1	0.9	94.7	2.1		Q	2.0	0.9	94.9	2.1
35.	B	8.3	66.7	8.3	16.7		Q	11.3	81.6	4.3	2.8		Q	12.5	79.7	4.8	3.0
36.	B	16.7	83.3	0.0	0.0		Q	11.0	85.1	2.9	1.0		Q	11.3	84.3	2.8	1.6
37.	C	16.7	0.0	75.0	8.3		Q	9.9	1.5	79.5	9.0		Q	11.7	1.7	77.4	9.0
38.	A	100.0	0.0	0.0	0.0		P	84.5	7.8	6.9	0.8		P	85.3	7.2	6.7	0.9
39.	A	75.0	16.7	8.3	0.0		Q	79.2	10.4	4.4	6.0		Q	76.2	11.4	5.3	7.2
40.	B	16.7	75.0	8.3	0.0		P	12.2	67.4	10.8	9.5		P	11.7	66.7	11.2	10.3
41.	A	66.7	0.0	0.0	33.3		Q	78.9	1.2	5.6	14.1		Q	77.3	1.2	6.7	14.7
42.	C	8.3	8.3	66.7	16.7		Q	8.2	6.0	75.3	10.3		Q	8.6	6.9	72.1	12.0
43.	A	100.0	0.0	0.0	0.0		P	92.8	3.2	3.1	0.9		P	91.3	3.8	4.0	0.7
44.	C	8.3	8.3	58.3	25.0		Q	7.8	5.9	64.8	21.4		Q	7.6	7.0	63.2	21.9
45.	A	50.0	0.0	0.0	50.0		P	48.8	6.1	27.2	17.5		P	48.6	5.7	27.6	17.6
46.	C	8.3	0.0	75.0	16.7		P	4.2	2.6	70.9	22.1		P	4.9	3.0	69.8	22.0
47.	C	25.0	0.0	75.0	0.0		Q	7.8	1.8	89.6	0.8		Q	8.7	2.0	88.4	0.8
48.	D	0.0	0.0	0.0	100.0		P	0.5	2.8	2.7	94.0		P	0.9	3.3	2.8	92.9
49.	B	8.3	91.7	0.0	0.0		P	14.9	77.7	6.4	0.8		P	15.1	77.3	6.4	0.9
50.	C	0.0	16.7	75.0	8.3		Q	1.0	6.7	89.2	3.1		Q	1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 4 - Eastern

#302 - Queen Elizabeth Regional High School, Conception Bay Sout

Grades: 10-12

Item	Key	School [N=33]				School [N=886]		Province [N=1,381]									
		A	B	C	D	Below District	Above District	A	B	C	D						
1.	D	15.2	3.0	3.0	78.8		P	17.0	1.5	2.9	78.2		P	17.1	1.7	3.8	77.2
2.	A	54.6	30.3	9.1	6.1		Q	79.1	12.6	2.9	5.2		Q	78.1	12.6	3.1	6.2
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A	60.6	9.1	21.2	9.1		Q	60.7	8.6	18.6	12.0		P	59.9	8.2	20.6	11.3
5.	A	69.7	9.1	6.1	15.2		P	64.6	3.8	18.1	13.4		P	62.9	5.7	18.3	13.2
6.	C	9.1	3.0	75.8	12.1		P	16.3	4.4	68.6	10.6		P	15.6	4.4	67.1	12.8
7.	C	21.2	3.0	72.7	3.0		Q	19.3	3.4	72.9	4.3		P	20.8	4.4	70.5	4.1
8.	C	3.0	3.0	93.9	0.0		Q	0.9	0.3	97.6	1.1		Q	1.0	0.5	96.5	2.0
9.	B	0.0	93.9	3.0	3.0		P	3.5	85.8	9.1	1.4		P	3.8	85.2	9.3	1.6
10.	C	18.2	15.2	36.4	30.3		Q	11.1	17.7	43.6	27.3		Q	12.1	16.4	44.7	26.7
11.	B	42.4	18.2	33.3	6.1		Q	11.4	74.5	8.4	5.6		Q	12.4	70.4	10.0	7.1
12.	C	3.0	3.0	84.9	9.1		Q	5.0	3.8	85.0	5.9		Q	4.5	4.4	85.2	5.7
13.	B	18.2	45.5	24.2	12.1		Q	14.0	52.6	21.1	12.2		Q	13.6	51.6	21.1	13.5
14.	D	36.4	3.0	9.1	51.5		Q	30.3	2.5	6.9	60.4		Q	32.6	2.3	8.2	56.9
15.	D	9.1	30.3	21.2	39.4		Q	3.7	19.3	8.4	68.6		Q	5.7	19.4	9.9	65.0
16.	A	60.6	18.2	6.1	15.2		Q	77.7	4.5	13.0	4.9		Q	77.3	5.0	13.0	4.8
17.	A	81.8	3.0	15.2	0.0		Q	84.2	3.1	12.4	0.3		P	79.7	3.8	16.0	0.5
18.	A	87.9	0.0	12.1	0.0		P	84.9	1.6	5.1	8.5		P	84.4	1.8	5.4	8.3
19.	A	69.7	6.1	9.1	15.2		Q	76.5	2.8	7.7	13.0		Q	73.9	3.6	8.5	14.1
20.	C	15.2	6.1	57.6	21.2		Q	6.7	5.8	74.6	12.9		Q	7.0	7.5	73.6	11.8
21.	D	3.0	0.0	6.1	90.9		P	11.7	11.0	5.4	71.9		P	14.2	10.9	5.0	69.9
22.	A	97.0	3.0	0.0	0.0		P	92.4	4.0	0.9	2.7		P	91.2	4.0	1.3	3.5
23.	C	15.2	0.0	78.8	6.1		Q	5.5	3.6	86.5	4.4		Q	6.0	4.0	85.5	4.5
24.	C	48.5	6.1	18.2	27.3		Q	36.9	8.7	38.5	15.9		Q	33.6	8.6	40.2	17.6
25.	A	69.7	12.1	6.1	12.1		Q	74.5	6.4	4.1	14.9		Q	73.9	7.5	3.4	15.1
26.	B	3.0	75.8	3.0	18.2		Q	5.2	76.1	3.2	15.6		P	6.4	74.2	3.6	15.8
27.	C	3.0	6.1	87.9	3.0		P	4.5	6.4	85.7	3.3		P	4.6	7.2	85.2	2.9
28.	A	90.9	6.1	3.0	0.0		P	80.0	8.2	10.1	1.4		P	78.3	9.7	10.4	1.4
29.	D	3.0	12.1	6.1	78.8		P	3.7	17.5	7.3	71.1		P	4.1	18.8	7.3	69.6
30.	B	3.0	75.8	15.2	6.1		Q	9.3	82.4	5.4	2.9		Q	8.8	81.3	6.3	3.6
31.	A	84.9	3.0	9.1	3.0		Q	89.3	2.5	6.6	1.7		Q	86.5	3.3	7.5	2.8
*32.	A,C	57.6	15.2	21.2	6.1		P	64.5	19.0	11.1	5.3		P	64.4	19.1	9.9	6.5
33.	A	97.0	3.0	0.0	0.0		Q	97.4	1.0	0.7	0.9		P	96.3	1.2	1.3	1.2
34.	C	6.1	0.0	90.9	3.0		Q	2.1	0.9	94.7	2.1		Q	2.0	0.9	94.9	2.1
35.	B	15.2	75.8	6.1	3.0		Q	11.3	81.6	4.3	2.8		Q	12.5	79.7	4.8	3.0
36.	B	39.4	57.6	0.0	3.0		Q	11.0	85.1	2.9	1.0		Q	11.3	84.3	2.8	1.6
37.	C	15.2	0.0	69.7	15.2		Q	9.9	1.5	79.5	9.0		Q	11.7	1.7	77.4	9.0
38.	A	75.8	9.1	15.2	0.0		Q	84.5	7.8	6.9	0.8		Q	85.3	7.2	6.7	0.9
39.	A	63.6	24.2	9.1	3.0		Q	79.2	10.4	4.4	6.0		Q	76.2	11.4	5.3	7.2
40.	B	9.1	72.7	9.1	9.1		P	12.2	67.4	10.8	9.5		P	11.7	66.7	11.2	10.3
41.	A	72.7	3.0	9.1	15.2		Q	78.9	1.2	5.6	14.1		Q	77.3	1.2	6.7	14.7
42.	C	6.1	3.0	78.8	12.1		P	8.2	6.0	75.3	10.3		P	8.6	6.9	72.1	12.0
43.	A	63.6	12.1	15.2	9.1		Q	92.8	3.2	3.1	0.9		Q	91.3	3.8	4.0	0.7
44.	C	24.2	6.1	42.4	27.3		Q	7.8	5.9	64.8	21.4		Q	7.6	7.0	63.2	21.9
45.	A	33.3	6.1	24.2	36.4		Q	48.8	6.1	27.2	17.5		Q	48.6	5.7	27.6	17.6
46.	C	3.0	3.0	72.7	21.2		P	4.2	2.6	70.9	22.1		P	4.9	3.0	69.8	22.0
47.	C	6.1	3.0	90.9	0.0		P	7.8	1.8	89.6	0.8		P	8.7	2.0	88.4	0.8
48.	D	3.0	0.0	12.1	84.9		Q	0.5	2.8	2.7	94.0		Q	0.9	3.3	2.8	92.9
49.	B	30.3	60.6	3.0	6.1		Q	14.9	77.7	6.4	0.8		Q	15.1	77.3	6.4	0.9
50.	C	0.0	9.1	87.9	3.0		Q	1.0	6.7	89.2	3.1		Q	1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 4 - Eastern

#304 - Holy Spirit High, Conception Bay South (Manuels)

Grades: 10-12

Item	Key	School [N=99]				School [N=886]		Province [N=1,381]									
		A	B	C	D	Below District	Above District	A	B	C	D						
1.	D	22.2	3.0	2.0	71.7	q		17.0	1.5	2.9	78.2	q	17.1	1.7	3.8	77.2	
2.	A	69.7	16.2	7.1	6.1	q		79.1	12.6	2.9	5.2	q	78.1	12.6	3.1	6.2	
*3.	X	---	---	---	---			---	---	---	---		---	---	---	---	
4.	A	65.7	2.0	23.2	8.1		p	60.7	8.6	18.6	12.0		p	59.9	8.2	20.6	11.3
5.	A	51.5	4.0	23.2	21.2	q		64.6	3.8	18.1	13.4	q	62.9	5.7	18.3	13.2	
6.	C	16.2	8.1	65.7	9.1	q		16.3	4.4	68.6	10.6	q	15.6	4.4	67.1	12.8	
7.	C	22.2	4.0	68.7	5.1	q		19.3	3.4	72.9	4.3	q	20.8	4.4	70.5	4.1	
8.	C	1.0	0.0	98.0	1.0		p	0.9	0.3	97.6	1.1		p	1.0	0.5	96.5	2.0
9.	B	7.1	74.8	14.1	2.0	q		3.5	85.8	9.1	1.4	q	3.8	85.2	9.3	1.6	
10.	C	16.2	14.1	41.4	26.3	q		11.1	17.7	43.6	27.3	q	12.1	16.4	44.7	26.7	
11.	B	18.2	55.6	15.2	11.1	q		11.4	74.5	8.4	5.6	q	12.4	70.4	10.0	7.1	
12.	C	8.1	3.0	76.8	11.1	q		5.0	3.8	85.0	5.9	q	4.5	4.4	85.2	5.7	
13.	B	11.1	42.4	32.3	14.1	q		14.0	52.6	21.1	12.2	q	13.6	51.6	21.1	13.5	
14.	D	38.4	1.0	6.1	54.6	q		30.3	2.5	6.9	60.4	q	32.6	2.3	8.2	56.9	
15.	D	5.1	22.2	2.0	70.7		p	3.7	19.3	8.4	68.6		p	5.7	19.4	9.9	65.0
16.	A	73.7	5.1	12.1	9.1	q		77.7	4.5	13.0	4.9	q	77.3	5.0	13.0	4.8	
17.	A	80.8	2.0	17.2	0.0	q		84.2	3.1	12.4	0.3		p	79.7	3.8	16.0	0.5
18.	A	81.8	1.0	9.1	8.1	q		84.9	1.6	5.1	8.5	q	84.4	1.8	5.4	8.3	
19.	A	57.6	6.1	14.1	22.2	q		76.5	2.8	7.7	13.0	q	73.9	3.6	8.5	14.1	
20.	C	4.0	6.1	74.8	14.1		p	6.7	5.8	74.6	12.9		p	7.0	7.5	73.6	11.8
21.	D	23.2	12.1	10.1	54.6	q		11.7	11.0	5.4	71.9	q	14.2	10.9	5.0	69.9	
22.	A	85.9	6.1	1.0	7.1	q		92.4	4.0	0.9	2.7	q	91.2	4.0	1.3	3.5	
23.	C	4.0	2.0	88.9	5.1		p	5.5	3.6	86.5	4.4		p	6.0	4.0	85.5	4.5
24.	C	30.3	18.2	35.4	16.2	q		36.9	8.7	38.5	15.9	q	33.6	8.6	40.2	17.6	
25.	A	71.7	7.1	4.0	16.2	q		74.5	6.4	4.1	14.9	q	73.9	7.5	3.4	15.1	
26.	B	6.1	73.7	5.1	15.2	q		5.2	76.1	3.2	15.6	q	6.4	74.2	3.6	15.8	
27.	C	4.0	4.0	84.9	7.1	q		4.5	6.4	85.7	3.3	q	4.6	7.2	85.2	2.9	
28.	A	75.8	5.1	15.2	4.0	q		80.0	8.2	10.1	1.4	q	78.3	9.7	10.4	1.4	
29.	D	2.0	27.3	11.1	58.6	q		3.7	17.5	7.3	71.1	q	4.1	18.8	7.3	69.6	
30.	B	8.1	84.9	5.1	2.0		p	9.3	82.4	5.4	2.9		p	8.8	81.3	6.3	3.6
31.	A	81.8	4.0	11.1	3.0	q		89.3	2.5	6.6	1.7	q	86.5	3.3	7.5	2.8	
*32.	A,C	52.5	31.3	9.1	6.1	q		64.5	19.0	11.1	5.3	q	64.4	19.1	9.9	6.5	
33.	A	93.9	3.0	0.0	3.0	q		97.4	1.0	0.7	0.9	q	96.3	1.2	1.3	1.2	
34.	C	2.0	0.0	91.9	6.1	q		2.1	0.9	94.7	2.1	q	2.0	0.9	94.9	2.1	
35.	B	9.1	85.9	4.0	1.0		p	11.3	81.6	4.3	2.8		p	12.5	79.7	4.8	3.0
36.	B	12.1	87.9	0.0	0.0		p	11.0	85.1	2.9	1.0		p	11.3	84.3	2.8	1.6
37.	C	13.1	2.0	79.8	5.1		p	9.9	1.5	79.5	9.0		p	11.7	1.7	77.4	9.0
38.	A	89.9	6.1	4.0	0.0		p	84.5	7.8	6.9	0.8		p	85.3	7.2	6.7	0.9
39.	A	75.8	12.1	2.0	10.1	q		79.2	10.4	4.4	6.0	q	76.2	11.4	5.3	7.2	
40.	B	10.1	63.6	12.1	14.1	q		12.2	67.4	10.8	9.5	q	11.7	66.7	11.2	10.3	
41.	A	81.8	3.0	8.1	7.1		p	78.9	1.2	5.6	14.1		p	77.3	1.2	6.7	14.7
42.	C	9.1	9.1	67.7	14.1	q		8.2	6.0	75.3	10.3	q	8.6	6.9	72.1	12.0	
43.	A	89.9	4.0	5.1	0.0	q		92.8	3.2	3.1	0.9	q	91.3	3.8	4.0	0.7	
44.	C	8.1	11.1	55.6	24.2	q		7.8	5.9	64.8	21.4	q	7.6	7.0	63.2	21.9	
45.	A	36.4	6.1	41.4	15.2	q		48.8	6.1	27.2	17.5	q	48.6	5.7	27.6	17.6	
46.	C	5.1	5.1	65.7	23.2	q		4.2	2.6	70.9	22.1	q	4.9	3.0	69.8	22.0	
47.	C	12.1	2.0	83.8	2.0	q		7.8	1.8	89.6	0.8	q	8.7	2.0	88.4	0.8	
48.	D	0.0	6.1	2.0	91.9	q		0.5	2.8	2.7	94.0	q	0.9	3.3	2.8	92.9	
49.	B	11.1	79.8	7.1	1.0		p	14.9	77.7	6.4	0.8		p	15.1	77.3	6.4	0.9
50.	C	1.0	13.1	80.8	5.1	q		1.0	6.7	89.2	3.1	q	1.2	6.7	88.1	3.7	

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 4 - Eastern

#307 - Mobile Central High School, Mobile

Grades: 7-12

Item	Key	School [N=21]				School Below Above District		District [N=886]				School Below Above Province		Province [N=1,381]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	D	14.3	0.0	0.0	85.7		P	17.0	1.5	2.9	78.2		P	17.1	1.7	3.8	77.2
2.	A	61.9	28.6	0.0	9.5		Q	79.1	12.6	2.9	5.2		Q	78.1	12.6	3.1	6.2
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A	66.7	19.1	4.8	9.5		P	60.7	8.6	18.6	12.0		P	59.9	8.2	20.6	11.3
5.	A	85.7	0.0	4.8	9.5		P	64.6	3.8	18.1	13.4		P	62.9	5.7	18.3	13.2
6.	C	9.5	4.8	76.2	9.5		P	16.3	4.4	68.6	10.6		P	15.6	4.4	67.1	12.8
7.	C	38.1	0.0	61.9	0.0		Q	19.3	3.4	72.9	4.3		Q	20.8	4.4	70.5	4.1
8.	C	0.0	4.8	85.7	9.5		Q	0.9	0.3	97.6	1.1		Q	1.0	0.5	96.5	2.0
9.	B	4.8	85.7	9.5	0.0		Q	3.5	85.8	9.1	1.4		P	3.8	85.2	9.3	1.6
10.	C	19.1	9.5	47.6	23.8		P	11.1	17.7	43.6	27.3		P	12.1	16.4	44.7	26.7
11.	B	0.0	81.0	14.3	4.8		P	11.4	74.5	8.4	5.6		P	12.4	70.4	10.0	7.1
12.	C	0.0	0.0	95.2	4.8		P	5.0	3.8	85.0	5.9		P	4.5	4.4	85.2	5.7
13.	B	23.8	52.4	14.3	9.5		Q	14.0	52.6	21.1	12.2		P	13.6	51.6	21.1	13.5
14.	D	23.8	0.0	9.5	66.7		P	30.3	2.5	6.9	60.4		P	32.6	2.3	8.2	56.9
15.	D	0.0	38.1	9.5	52.4		Q	3.7	19.3	8.4	68.6		Q	5.7	19.4	9.9	65.0
16.	A	81.0	9.5	4.8	4.8		P	77.7	4.5	13.0	4.9		P	77.3	5.0	13.0	4.8
17.	A	81.0	0.0	14.3	4.8		Q	84.2	3.1	12.4	0.3		P	79.7	3.8	16.0	0.5
18.	A	90.5	0.0	9.5	0.0		P	84.9	1.6	5.1	8.5		P	84.4	1.8	5.4	8.3
19.	A	81.0	0.0	4.8	14.3		P	76.5	2.8	7.7	13.0		P	73.9	3.6	8.5	14.1
20.	C	9.5	0.0	85.7	4.8		P	6.7	5.8	74.6	12.9		P	7.0	7.5	73.6	11.8
21.	D	23.8	4.8	0.0	71.4		Q	11.7	11.0	5.4	71.9		P	14.2	10.9	5.0	69.9
22.	A	95.2	0.0	4.8	0.0		P	92.4	4.0	0.9	2.7		P	91.2	4.0	1.3	3.5
23.	C	4.8	0.0	90.5	4.8		P	5.5	3.6	86.5	4.4		P	6.0	4.0	85.5	4.5
24.	C	19.1	9.5	66.7	4.8		P	36.9	8.7	38.5	15.9		P	33.6	8.6	40.2	17.6
25.	A	76.2	9.5	0.0	14.3		P	74.5	6.4	4.1	14.9		P	73.9	7.5	3.4	15.1
26.	B	4.8	76.2	0.0	19.1		P	5.2	76.1	3.2	15.6		P	6.4	74.2	3.6	15.8
27.	C	4.8	0.0	95.2	0.0		P	4.5	6.4	85.7	3.3		P	4.6	7.2	85.2	2.9
28.	A	90.5	4.8	4.8	0.0		P	80.0	8.2	10.1	1.4		P	78.3	9.7	10.4	1.4
29.	D	9.5	33.3	4.8	52.4		Q	3.7	17.5	7.3	71.1		Q	4.1	18.8	7.3	69.6
30.	B	19.1	81.0	0.0	0.0		Q	9.3	82.4	5.4	2.9		Q	8.8	81.3	6.3	3.6
31.	A	100.0	0.0	0.0	0.0		P	89.3	2.5	6.6	1.7		P	86.5	3.3	7.5	2.8
*32.	A,C	61.9	19.1	19.1	0.0		P	64.5	19.0	11.1	5.3		P	64.4	19.1	9.9	6.5
33.	A	100.0	0.0	0.0	0.0		P	97.4	1.0	0.7	0.9		P	96.3	1.2	1.3	1.2
34.	C	4.8	0.0	95.2	0.0		P	2.1	0.9	94.7	2.1		P	2.0	0.9	94.9	2.1
35.	B	4.8	90.5	0.0	4.8		P	11.3	81.6	4.3	2.8		P	12.5	79.7	4.8	3.0
36.	B	9.5	76.2	14.3	0.0		Q	11.0	85.1	2.9	1.0		Q	11.3	84.3	2.8	1.6
37.	C	14.3	0.0	71.4	14.3		Q	9.9	1.5	79.5	9.0		Q	11.7	1.7	77.4	9.0
38.	A	90.5	4.8	4.8	0.0		P	84.5	7.8	6.9	0.8		P	85.3	7.2	6.7	0.9
39.	A	71.4	14.3	4.8	9.5		Q	79.2	10.4	4.4	6.0		Q	76.2	11.4	5.3	7.2
40.	B	14.3	47.6	14.3	23.8		Q	12.2	67.4	10.8	9.5		Q	11.7	66.7	11.2	10.3
41.	A	95.2	0.0	4.8	0.0		P	78.9	1.2	5.6	14.1		P	77.3	1.2	6.7	14.7
42.	C	4.8	0.0	85.7	9.5		P	8.2	6.0	75.3	10.3		P	8.6	6.9	72.1	12.0
43.	A	100.0	0.0	0.0	0.0		P	92.8	3.2	3.1	0.9		P	91.3	3.8	4.0	0.7
44.	C	9.5	4.8	57.1	28.6		Q	7.8	5.9	64.8	21.4		Q	7.6	7.0	63.2	21.9
45.	A	47.6	4.8	33.3	14.3		Q	48.8	6.1	27.2	17.5		Q	48.6	5.7	27.6	17.6
46.	C	9.5	0.0	71.4	19.1		P	4.2	2.6	70.9	22.1		P	4.9	3.0	69.8	22.0
47.	C	19.1	4.8	76.2	0.0		Q	7.8	1.8	89.6	0.8		Q	8.7	2.0	88.4	0.8
48.	D	0.0	0.0	0.0	100.0		P	0.5	2.8	2.7	94.0		P	0.9	3.3	2.8	92.9
49.	B	23.8	71.4	0.0	4.8		Q	14.9	77.7	6.4	0.8		Q	15.1	77.3	6.4	0.9
50.	C	0.0	4.8	95.2	0.0		P	1.0	6.7	89.2	3.1		P	1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 4 - Eastern

#311 - Mount Pearl Senior High, Mount Pearl

Grades: 10-12

Item	Key	School [N=34]				School Below Above District	District [N=886]				School Below Above Province	Province [N=1,381]					
		A	B	C	D		A	B	C	D		A	B	C	D		
1.	D	8.8	2.9	5.9	82.4		p	17.0	1.5	2.9	78.2		p	17.1	1.7	3.8	77.2
2.	A	76.5	20.6	2.9	0.0		q	79.1	12.6	2.9	5.2		q	78.1	12.6	3.1	6.2
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A	76.5	2.9	17.7	2.9		p	60.7	8.6	18.6	12.0		p	59.9	8.2	20.6	11.3
5.	A	70.6	5.9	17.7	5.9		p	64.6	3.8	18.1	13.4		p	62.9	5.7	18.3	13.2
6.	C	32.4	5.9	58.8	2.9		q	16.3	4.4	68.6	10.6		q	15.6	4.4	67.1	12.8
7.	C	14.7	5.9	76.5	2.9		p	19.3	3.4	72.9	4.3		p	20.8	4.4	70.5	4.1
8.	C	2.9	0.0	97.1	0.0		q	0.9	0.3	97.6	1.1		p	1.0	0.5	96.5	2.0
9.	B	2.9	82.4	11.8	2.9		q	3.5	85.8	9.1	1.4		q	3.8	85.2	9.3	1.6
10.	C	11.8	26.5	35.3	26.5		q	11.1	17.7	43.6	27.3		q	12.1	16.4	44.7	26.7
11.	B	26.5	61.8	8.8	2.9		q	11.4	74.5	8.4	5.6		q	12.4	70.4	10.0	7.1
12.	C	8.8	8.8	67.7	14.7		q	5.0	3.8	85.0	5.9		q	4.5	4.4	85.2	5.7
13.	B	20.6	50.0	20.6	8.8		q	14.0	52.6	21.1	12.2		q	13.6	51.6	21.1	13.5
14.	D	38.2	0.0	5.9	55.9		q	30.3	2.5	6.9	60.4		q	32.6	2.3	8.2	56.9
15.	D	2.9	23.5	8.8	64.7		q	3.7	19.3	8.4	68.6		q	5.7	19.4	9.9	65.0
16.	A	61.8	17.7	20.6	0.0		q	77.7	4.5	13.0	4.9		q	77.3	5.0	13.0	4.8
17.	A	79.4	2.9	17.7	0.0		q	84.2	3.1	12.4	0.3		q	79.7	3.8	16.0	0.5
18.	A	70.6	0.0	11.8	17.7		q	84.9	1.6	5.1	8.5		q	84.4	1.8	5.4	8.3
19.	A	44.1	5.9	20.6	29.4		q	76.5	2.8	7.7	13.0		q	73.9	3.6	8.5	14.1
20.	C	17.7	2.9	38.2	41.2		q	6.7	5.8	74.6	12.9		q	7.0	7.5	73.6	11.8
21.	D	0.0	23.5	0.0	76.5		p	11.7	11.0	5.4	71.9		p	14.2	10.9	5.0	69.9
22.	A	85.3	5.9	5.9	2.9		q	92.4	4.0	0.9	2.7		q	91.2	4.0	1.3	3.5
23.	C	11.8	5.9	82.4	0.0		q	5.5	3.6	86.5	4.4		q	6.0	4.0	85.5	4.5
24.	C	26.5	5.9	38.2	29.4		q	36.9	8.7	38.5	15.9		q	33.6	8.6	40.2	17.6
25.	A	67.7	5.9	8.8	17.7		q	74.5	6.4	4.1	14.9		q	73.9	7.5	3.4	15.1
26.	B	0.0	61.8	5.9	32.4		q	5.2	76.1	3.2	15.6		q	6.4	74.2	3.6	15.8
27.	C	5.9	5.9	85.3	2.9		q	4.5	6.4	85.7	3.3		p	4.6	7.2	85.2	2.9
28.	A	73.5	11.8	11.8	2.9		q	80.0	8.2	10.1	1.4		q	78.3	9.7	10.4	1.4
29.	D	2.9	14.7	0.0	82.4		p	3.7	17.5	7.3	71.1		p	4.1	18.8	7.3	69.6
30.	B	8.8	76.5	14.7	0.0		q	9.3	82.4	5.4	2.9		q	8.8	81.3	6.3	3.6
31.	A	88.2	2.9	8.8	0.0		q	89.3	2.5	6.6	1.7		p	86.5	3.3	7.5	2.8
*32.	A,C	82.4	0.0	8.8	8.8		p	64.5	19.0	11.1	5.3		p	64.4	19.1	9.9	6.5
33.	A	97.1	2.9	0.0	0.0		q	97.4	1.0	0.7	0.9		p	96.3	1.2	1.3	1.2
34.	C	0.0	8.8	79.4	8.8		q	2.1	0.9	94.7	2.1		q	2.0	0.9	94.9	2.1
35.	B	23.5	76.5	0.0	0.0		q	11.3	81.6	4.3	2.8		q	12.5	79.7	4.8	3.0
36.	B	8.8	82.4	5.9	2.9		q	11.0	85.1	2.9	1.0		q	11.3	84.3	2.8	1.6
37.	C	2.9	2.9	88.2	5.9		p	9.9	1.5	79.5	9.0		p	11.7	1.7	77.4	9.0
38.	A	97.1	0.0	2.9	0.0		p	84.5	7.8	6.9	0.8		p	85.3	7.2	6.7	0.9
39.	A	73.5	14.7	5.9	5.9		q	79.2	10.4	4.4	6.0		q	76.2	11.4	5.3	7.2
40.	B	14.7	73.5	0.0	11.8		p	12.2	67.4	10.8	9.5		p	11.7	66.7	11.2	10.3
41.	A	76.5	0.0	8.8	14.7		q	78.9	1.2	5.6	14.1		q	77.3	1.2	6.7	14.7
42.	C	2.9	0.0	79.4	17.7		p	8.2	6.0	75.3	10.3		p	8.6	6.9	72.1	12.0
43.	A	85.3	5.9	8.8	0.0		q	92.8	3.2	3.1	0.9		q	91.3	3.8	4.0	0.7
44.	C	0.0	2.9	58.8	38.2		q	7.8	5.9	64.8	21.4		q	7.6	7.0	63.2	21.9
45.	A	58.8	2.9	23.5	14.7		p	48.8	6.1	27.2	17.5		p	48.6	5.7	27.6	17.6
46.	C	5.9	8.8	73.5	11.8		p	4.2	2.6	70.9	22.1		p	4.9	3.0	69.8	22.0
47.	C	8.8	0.0	91.2	0.0		p	7.8	1.8	89.6	0.8		p	8.7	2.0	88.4	0.8
48.	D	0.0	0.0	0.0	100.0		p	0.5	2.8	2.7	94.0		p	0.9	3.3	2.8	92.9
49.	B	23.5	70.6	5.9	0.0		q	14.9	77.7	6.4	0.8		q	15.1	77.3	6.4	0.9
50.	C	0.0	2.9	97.1	0.0		p	1.0	6.7	89.2	3.1		p	1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 4 - Eastern

#313 - O'Donel High, Mount Pearl

Grades: 10-12

Item	Key	School [N=52]				School Below Above District	District [N=886]				School Below Above Province	Province [N=1,381]					
		A	B	C	D		A	B	C	D		A	B	C	D		
1.	D	7.7	1.9	1.9	88.5		P	17.0	1.5	2.9	78.2		P	17.1	1.7	3.8	77.2
2.	A	69.2	13.5	1.9	15.4		q	79.1	12.6	2.9	5.2		q	78.1	12.6	3.1	6.2
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A	71.2	9.6	7.7	11.5		P	60.7	8.6	18.6	12.0		P	59.9	8.2	20.6	11.3
5.	A	63.5	1.9	19.2	15.4		q	64.6	3.8	18.1	13.4		P	62.9	5.7	18.3	13.2
6.	C	15.4	1.9	73.1	9.6		P	16.3	4.4	68.6	10.6		P	15.6	4.4	67.1	12.8
7.	C	17.3	0.0	80.8	1.9		P	19.3	3.4	72.9	4.3		P	20.8	4.4	70.5	4.1
8.	C	0.0	0.0	94.2	5.8		q	0.9	0.3	97.6	1.1		q	1.0	0.5	96.5	2.0
9.	B	1.9	86.5	11.5	0.0		P	3.5	85.8	9.1	1.4		P	3.8	85.2	9.3	1.6
10.	C	11.5	17.3	38.5	32.7		q	11.1	17.7	43.6	27.3		q	12.1	16.4	44.7	26.7
11.	B	9.6	78.9	3.9	7.7		P	11.4	74.5	8.4	5.6		P	12.4	70.4	10.0	7.1
12.	C	1.9	3.9	94.2	0.0		P	5.0	3.8	85.0	5.9		P	4.5	4.4	85.2	5.7
13.	B	19.2	53.9	15.4	11.5		P	14.0	52.6	21.1	12.2		P	13.6	51.6	21.1	13.5
14.	D	44.2	5.8	5.8	44.2		q	30.3	2.5	6.9	60.4		q	32.6	2.3	8.2	56.9
15.	D	3.9	30.8	21.2	44.2		q	3.7	19.3	8.4	68.6		q	5.7	19.4	9.9	65.0
16.	A	76.9	1.9	19.2	1.9		q	77.7	4.5	13.0	4.9		q	77.3	5.0	13.0	4.8
17.	A	78.9	5.8	15.4	0.0		q	84.2	3.1	12.4	0.3		q	79.7	3.8	16.0	0.5
18.	A	92.3	0.0	1.9	5.8		P	84.9	1.6	5.1	8.5		P	84.4	1.8	5.4	8.3
19.	A	82.7	1.9	5.8	9.6		P	76.5	2.8	7.7	13.0		P	73.9	3.6	8.5	14.1
20.	C	9.6	3.9	71.2	15.4		q	6.7	5.8	74.6	12.9		q	7.0	7.5	73.6	11.8
21.	D	0.0	19.2	9.6	71.2		q	11.7	11.0	5.4	71.9		P	14.2	10.9	5.0	69.9
22.	A	84.6	5.8	3.9	5.8		q	92.4	4.0	0.9	2.7		q	91.2	4.0	1.3	3.5
23.	C	5.8	1.9	92.3	0.0		P	5.5	3.6	86.5	4.4		P	6.0	4.0	85.5	4.5
24.	C	32.7	7.7	50.0	9.6		P	36.9	8.7	38.5	15.9		P	33.6	8.6	40.2	17.6
25.	A	80.8	5.8	5.8	7.7		P	74.5	6.4	4.1	14.9		P	73.9	7.5	3.4	15.1
26.	B	13.5	73.1	0.0	13.5		q	5.2	76.1	3.2	15.6		q	6.4	74.2	3.6	15.8
27.	C	5.8	1.9	90.4	1.9		P	4.5	6.4	85.7	3.3		P	4.6	7.2	85.2	2.9
28.	A	86.5	3.9	9.6	0.0		P	80.0	8.2	10.1	1.4		P	78.3	9.7	10.4	1.4
29.	D	1.9	19.2	5.8	71.2		P	3.7	17.5	7.3	71.1		P	4.1	18.8	7.3	69.6
30.	B	25.0	65.4	7.7	1.9		q	9.3	82.4	5.4	2.9		q	8.8	81.3	6.3	3.6
31.	A	82.7	5.8	7.7	3.9		q	89.3	2.5	6.6	1.7		q	86.5	3.3	7.5	2.8
*32.	A,C	61.5	19.2	17.3	1.9		P	64.5	19.0	11.1	5.3		P	64.4	19.1	9.9	6.5
33.	A	100.0	0.0	0.0	0.0		P	97.4	1.0	0.7	0.9		P	96.3	1.2	1.3	1.2
34.	C	0.0	0.0	98.1	1.9		P	2.1	0.9	94.7	2.1		P	2.0	0.9	94.9	2.1
35.	B	15.4	80.8	1.9	1.9		q	11.3	81.6	4.3	2.8		P	12.5	79.7	4.8	3.0
36.	B	7.7	90.4	0.0	1.9		P	11.0	85.1	2.9	1.0		P	11.3	84.3	2.8	1.6
37.	C	17.3	5.8	65.4	11.5		q	9.9	1.5	79.5	9.0		q	11.7	1.7	77.4	9.0
38.	A	80.8	7.7	11.5	0.0		q	84.5	7.8	6.9	0.8		q	85.3	7.2	6.7	0.9
39.	A	86.5	7.7	3.9	1.9		P	79.2	10.4	4.4	6.0		P	76.2	11.4	5.3	7.2
40.	B	7.7	75.0	7.7	9.6		P	12.2	67.4	10.8	9.5		P	11.7	66.7	11.2	10.3
41.	A	88.5	1.9	1.9	7.7		P	78.9	1.2	5.6	14.1		P	77.3	1.2	6.7	14.7
42.	C	5.8	5.8	82.7	5.8		P	8.2	6.0	75.3	10.3		P	8.6	6.9	72.1	12.0
43.	A	96.2	1.9	1.9	0.0		P	92.8	3.2	3.1	0.9		P	91.3	3.8	4.0	0.7
44.	C	26.9	5.8	51.9	15.4		q	7.8	5.9	64.8	21.4		q	7.6	7.0	63.2	21.9
45.	A	46.2	5.8	21.2	25.0		q	48.8	6.1	27.2	17.5		q	48.6	5.7	27.6	17.6
46.	C	3.9	0.0	65.4	30.8		q	4.2	2.6	70.9	22.1		q	4.9	3.0	69.8	22.0
47.	C	9.6	0.0	88.5	1.9		q	7.8	1.8	89.6	0.8		P	8.7	2.0	88.4	0.8
48.	D	0.0	5.8	1.9	92.3		q	0.5	2.8	2.7	94.0		q	0.9	3.3	2.8	92.9
49.	B	5.8	92.3	1.9	0.0		P	14.9	77.7	6.4	0.8		P	15.1	77.3	6.4	0.9
50.	C	0.0	7.7	88.5	3.9		q	1.0	6.7	89.2	3.1		P	1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 4 - Eastern

#327 - Bishops College, St. John's

Grades: 10-12

Item	Key	School [N=66]				School Below Above District		District [N=886]				School Below Above Province		Province [N=1,381]			
		A	B	C	D			A	B	C	D	A	B	C	D		
1.	D	30.3	1.5	1.5	66.7	q		17.0	1.5	2.9	78.2	q		17.1	1.7	3.8	77.2
2.	A	86.4	13.6	0.0	0.0		p	79.1	12.6	2.9	5.2		p	78.1	12.6	3.1	6.2
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A	60.6	9.1	22.7	7.6	q		60.7	8.6	18.6	12.0		p	59.9	8.2	20.6	11.3
5.	A	74.2	1.5	12.1	12.1		p	64.6	3.8	18.1	13.4		p	62.9	5.7	18.3	13.2
6.	C	9.1	1.5	75.8	13.6		p	16.3	4.4	68.6	10.6		p	15.6	4.4	67.1	12.8
7.	C	21.2	4.6	68.2	6.1	q		19.3	3.4	72.9	4.3	q		20.8	4.4	70.5	4.1
8.	C	3.0	0.0	97.0	0.0	q		0.9	0.3	97.6	1.1		p	1.0	0.5	96.5	2.0
9.	B	6.1	78.8	13.6	1.5	q		3.5	85.8	9.1	1.4	q		3.8	85.2	9.3	1.6
10.	C	19.7	13.6	36.4	30.3	q		11.1	17.7	43.6	27.3	q		12.1	16.4	44.7	26.7
11.	B	16.7	77.3	1.5	4.6		p	11.4	74.5	8.4	5.6		p	12.4	70.4	10.0	7.1
12.	C	6.1	3.0	87.9	3.0		p	5.0	3.8	85.0	5.9		p	4.5	4.4	85.2	5.7
13.	B	15.2	66.7	10.6	7.6		p	14.0	52.6	21.1	12.2		p	13.6	51.6	21.1	13.5
14.	D	18.2	0.0	1.5	80.3		p	30.3	2.5	6.9	60.4		p	32.6	2.3	8.2	56.9
15.	D	1.5	10.6	3.0	84.9		p	3.7	19.3	8.4	68.6		p	5.7	19.4	9.9	65.0
16.	A	83.3	3.0	13.6	0.0		p	77.7	4.5	13.0	4.9		p	77.3	5.0	13.0	4.8
17.	A	87.9	3.0	9.1	0.0		p	84.2	3.1	12.4	0.3		p	79.7	3.8	16.0	0.5
18.	A	90.9	0.0	6.1	3.0		p	84.9	1.6	5.1	8.5		p	84.4	1.8	5.4	8.3
19.	A	87.9	3.0	3.0	6.1		p	76.5	2.8	7.7	13.0		p	73.9	3.6	8.5	14.1
20.	C	3.0	9.1	78.8	9.1		p	6.7	5.8	74.6	12.9		p	7.0	7.5	73.6	11.8
21.	D	15.2	6.1	7.6	71.2	q		11.7	11.0	5.4	71.9		p	14.2	10.9	5.0	69.9
22.	A	95.5	3.0	1.5	0.0		p	92.4	4.0	0.9	2.7		p	91.2	4.0	1.3	3.5
23.	C	4.6	4.6	83.3	7.6	q		5.5	3.6	86.5	4.4	q		6.0	4.0	85.5	4.5
24.	C	37.9	6.1	36.4	19.7	q		36.9	8.7	38.5	15.9	q		33.6	8.6	40.2	17.6
25.	A	80.3	1.5	3.0	15.2		p	74.5	6.4	4.1	14.9		p	73.9	7.5	3.4	15.1
26.	B	7.6	65.2	1.5	25.8	q		5.2	76.1	3.2	15.6	q		6.4	74.2	3.6	15.8
27.	C	7.6	13.6	77.3	1.5	q		4.5	6.4	85.7	3.3	q		4.6	7.2	85.2	2.9
28.	A	74.2	7.6	13.6	3.0	q		80.0	8.2	10.1	1.4	q		78.3	9.7	10.4	1.4
29.	D	3.0	18.2	1.5	77.3		p	3.7	17.5	7.3	71.1		p	4.1	18.8	7.3	69.6
30.	B	7.6	84.9	1.5	6.1		p	9.3	82.4	5.4	2.9		p	8.8	81.3	6.3	3.6
31.	A	89.4	3.0	4.6	3.0		p	89.3	2.5	6.6	1.7		p	86.5	3.3	7.5	2.8
*32.	A,C	62.1	21.2	10.6	6.1	q		64.5	19.0	11.1	5.3	q		64.4	19.1	9.9	6.5
33.	A	98.5	0.0	0.0	1.5		p	97.4	1.0	0.7	0.9		p	96.3	1.2	1.3	1.2
34.	C	1.5	0.0	97.0	1.5		p	2.1	0.9	94.7	2.1		p	2.0	0.9	94.9	2.1
35.	B	16.7	75.8	1.5	6.1	q		11.3	81.6	4.3	2.8	q		12.5	79.7	4.8	3.0
36.	B	7.6	89.4	1.5	1.5		p	11.0	85.1	2.9	1.0		p	11.3	84.3	2.8	1.6
37.	C	9.1	0.0	78.8	12.1	q		9.9	1.5	79.5	9.0		p	11.7	1.7	77.4	9.0
38.	A	77.3	12.1	10.6	0.0	q		84.5	7.8	6.9	0.8	q		85.3	7.2	6.7	0.9
39.	A	74.2	21.2	3.0	1.5	q		79.2	10.4	4.4	6.0	q		76.2	11.4	5.3	7.2
40.	B	13.6	69.7	7.6	9.1		p	12.2	67.4	10.8	9.5		p	11.7	66.7	11.2	10.3
41.	A	74.2	3.0	7.6	15.2	q		78.9	1.2	5.6	14.1	q		77.3	1.2	6.7	14.7
42.	C	12.1	4.6	68.2	15.2	q		8.2	6.0	75.3	10.3	q		8.6	6.9	72.1	12.0
43.	A	92.4	1.5	3.0	3.0	q		92.8	3.2	3.1	0.9		p	91.3	3.8	4.0	0.7
44.	C	4.6	6.1	62.1	27.3	q		7.8	5.9	64.8	21.4	q		7.6	7.0	63.2	21.9
45.	A	57.6	4.6	16.7	21.2		p	48.8	6.1	27.2	17.5		p	48.6	5.7	27.6	17.6
46.	C	3.0	6.1	66.7	24.2	q		4.2	2.6	70.9	22.1	q		4.9	3.0	69.8	22.0
47.	C	6.1	1.5	92.4	0.0		p	7.8	1.8	89.6	0.8		p	8.7	2.0	88.4	0.8
48.	D	0.0	3.0	4.6	92.4	q		0.5	2.8	2.7	94.0	q		0.9	3.3	2.8	92.9
49.	B	22.7	72.7	4.6	0.0	q		14.9	77.7	6.4	0.8	q		15.1	77.3	6.4	0.9
50.	C	3.0	3.0	89.4	4.6		p	1.0	6.7	89.2	3.1		p	1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 4 - Eastern

#328 - Booth Memorial High School, St. John's

Grades: 10-12

Item	Key	School [N=60]				School Below Above District	District [N=886]				School Below Above Province	Province [N=1,381]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	D	15.0	1.7	5.0	78.3		17.0	1.5	2.9	78.2		17.1	1.7	3.8	77.2
2.	A	88.3	6.7	5.0	0.0		79.1	12.6	2.9	5.2		78.1	12.6	3.1	6.2
*3.	X	---	---	---	---		---	---	---	---		---	---	---	---
4.	A	56.7	6.7	18.3	18.3	q	60.7	8.6	18.6	12.0	q	59.9	8.2	20.6	11.3
5.	A	70.0	0.0	15.0	15.0		64.6	3.8	18.1	13.4		62.9	5.7	18.3	13.2
6.	C	5.0	1.7	83.3	10.0		16.3	4.4	68.6	10.6		15.6	4.4	67.1	12.8
7.	C	18.3	0.0	78.3	3.3		19.3	3.4	72.9	4.3		20.8	4.4	70.5	4.1
8.	C	1.7	0.0	98.3	0.0		0.9	0.3	97.6	1.1		1.0	0.5	96.5	2.0
9.	B	0.0	86.7	10.0	3.3		3.5	85.8	9.1	1.4		3.8	85.2	9.3	1.6
10.	C	3.3	23.3	45.0	28.3		11.1	17.7	43.6	27.3		12.1	16.4	44.7	26.7
11.	B	0.0	98.3	1.7	0.0		11.4	74.5	8.4	5.6		12.4	70.4	10.0	7.1
12.	C	5.0	0.0	90.0	5.0		5.0	3.8	85.0	5.9		4.5	4.4	85.2	5.7
13.	B	11.7	53.3	16.7	18.3		14.0	52.6	21.1	12.2		13.6	51.6	21.1	13.5
14.	D	18.3	1.7	5.0	75.0		30.3	2.5	6.9	60.4		32.6	2.3	8.2	56.9
15.	D	5.0	6.7	11.7	76.7		3.7	19.3	8.4	68.6		5.7	19.4	9.9	65.0
16.	A	88.3	1.7	3.3	6.7		77.7	4.5	13.0	4.9		77.3	5.0	13.0	4.8
17.	A	85.0	3.3	11.7	0.0		84.2	3.1	12.4	0.3		79.7	3.8	16.0	0.5
18.	A	86.7	0.0	0.0	13.3		84.9	1.6	5.1	8.5		84.4	1.8	5.4	8.3
19.	A	90.0	3.3	3.3	3.3		76.5	2.8	7.7	13.0		73.9	3.6	8.5	14.1
20.	C	3.3	1.7	91.7	3.3		6.7	5.8	74.6	12.9		7.0	7.5	73.6	11.8
21.	D	1.7	8.3	0.0	90.0		11.7	11.0	5.4	71.9		14.2	10.9	5.0	69.9
22.	A	100.0	0.0	0.0	0.0		92.4	4.0	0.9	2.7		91.2	4.0	1.3	3.5
23.	C	1.7	1.7	85.0	11.7	q	5.5	3.6	86.5	4.4	q	6.0	4.0	85.5	4.5
24.	C	15.0	1.7	75.0	8.3		36.9	8.7	38.5	15.9		33.6	8.6	40.2	17.6
25.	A	76.7	3.3	6.7	13.3		74.5	6.4	4.1	14.9		73.9	7.5	3.4	15.1
26.	B	1.7	75.0	5.0	18.3	q	5.2	76.1	3.2	15.6		6.4	74.2	3.6	15.8
27.	C	3.3	5.0	90.0	1.7		4.5	6.4	85.7	3.3		4.6	7.2	85.2	2.9
28.	A	80.0	6.7	13.3	0.0	q	80.0	8.2	10.1	1.4		78.3	9.7	10.4	1.4
29.	D	10.0	5.0	8.3	76.7		3.7	17.5	7.3	71.1		4.1	18.8	7.3	69.6
30.	B	11.7	81.7	6.7	0.0	q	9.3	82.4	5.4	2.9		8.8	81.3	6.3	3.6
31.	A	95.0	3.3	0.0	1.7		89.3	2.5	6.6	1.7		86.5	3.3	7.5	2.8
*32.	A,C	73.3	11.7	6.7	8.3		64.5	19.0	11.1	5.3		64.4	19.1	9.9	6.5
33.	A	96.7	0.0	1.7	1.7	q	97.4	1.0	0.7	0.9		96.3	1.2	1.3	1.2
34.	C	1.7	0.0	98.3	0.0		2.1	0.9	94.7	2.1		2.0	0.9	94.9	2.1
35.	B	8.3	81.7	6.7	3.3		11.3	81.6	4.3	2.8		12.5	79.7	4.8	3.0
36.	B	8.3	90.0	1.7	0.0		11.0	85.1	2.9	1.0		11.3	84.3	2.8	1.6
37.	C	5.0	0.0	90.0	3.3		9.9	1.5	79.5	9.0		11.7	1.7	77.4	9.0
38.	A	90.0	1.7	6.7	1.7		84.5	7.8	6.9	0.8		85.3	7.2	6.7	0.9
39.	A	83.3	5.0	5.0	6.7		79.2	10.4	4.4	6.0		76.2	11.4	5.3	7.2
40.	B	8.3	75.0	10.0	6.7		12.2	67.4	10.8	9.5		11.7	66.7	11.2	10.3
41.	A	81.7	1.7	3.3	11.7		78.9	1.2	5.6	14.1		77.3	1.2	6.7	14.7
42.	C	3.3	6.7	75.0	15.0	q	8.2	6.0	75.3	10.3		8.6	6.9	72.1	12.0
43.	A	98.3	1.7	0.0	0.0		92.8	3.2	3.1	0.9		91.3	3.8	4.0	0.7
44.	C	10.0	0.0	68.3	21.7		7.8	5.9	64.8	21.4		7.6	7.0	63.2	21.9
45.	A	46.7	5.0	31.7	16.7	q	48.8	6.1	27.2	17.5	q	48.6	5.7	27.6	17.6
46.	C	1.7	0.0	80.0	18.3		4.2	2.6	70.9	22.1		4.9	3.0	69.8	22.0
47.	C	1.7	0.0	96.7	1.7		7.8	1.8	89.6	0.8		8.7	2.0	88.4	0.8
48.	D	0.0	3.3	1.7	95.0		0.5	2.8	2.7	94.0		0.9	3.3	2.8	92.9
49.	B	6.7	70.0	23.3	0.0	q	14.9	77.7	6.4	0.8	q	15.1	77.3	6.4	0.9
50.	C	0.0	3.3	91.7	3.3		1.0	6.7	89.2	3.1		1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

World History 3201 Item Analysis
Multiple Choice Questions, Part I
June 2006

(percentage of students who selected each response)

District 4 - Eastern

#336 - Gonzaga High School, St. John's

Grades: 10-12

Item	Key	School [N=64]				School Below Above District		District [N=886]				School Below Above Province		Province [N=1,381]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	D	17.2	0.0	3.1	79.7		P	17.0	1.5	2.9	78.2		P	17.1	1.7	3.8	77.2
2.	A	79.7	17.2	1.6	1.6		P	79.1	12.6	2.9	5.2		P	78.1	12.6	3.1	6.2
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A	54.7	10.9	21.9	12.5		Q	60.7	8.6	18.6	12.0		Q	59.9	8.2	20.6	11.3
5.	A	60.9	6.3	23.4	9.4		Q	64.6	3.8	18.1	13.4		Q	62.9	5.7	18.3	13.2
6.	C	12.5	1.6	79.7	6.3		P	16.3	4.4	68.6	10.6		P	15.6	4.4	67.1	12.8
7.	C	17.2	1.6	79.7	1.6		P	19.3	3.4	72.9	4.3		P	20.8	4.4	70.5	4.1
8.	C	0.0	0.0	100.0	0.0		P	0.9	0.3	97.6	1.1		P	1.0	0.5	96.5	2.0
9.	B	1.6	95.3	3.1	0.0		P	3.5	85.8	9.1	1.4		P	3.8	85.2	9.3	1.6
10.	C	3.1	28.1	40.6	28.1		Q	11.1	17.7	43.6	27.3		Q	12.1	16.4	44.7	26.7
11.	B	4.7	84.4	4.7	6.3		P	11.4	74.5	8.4	5.6		P	12.4	70.4	10.0	7.1
12.	C	1.6	3.1	90.6	3.1		P	5.0	3.8	85.0	5.9		P	4.5	4.4	85.2	5.7
13.	B	17.2	62.5	17.2	3.1		P	14.0	52.6	21.1	12.2		P	13.6	51.6	21.1	13.5
14.	D	28.1	3.1	9.4	59.4		Q	30.3	2.5	6.9	60.4		P	32.6	2.3	8.2	56.9
15.	D	0.0	7.8	3.1	89.1		P	3.7	19.3	8.4	68.6		P	5.7	19.4	9.9	65.0
16.	A	79.7	4.7	14.1	1.6		P	77.7	4.5	13.0	4.9		P	77.3	5.0	13.0	4.8
17.	A	93.8	0.0	6.3	0.0		P	84.2	3.1	12.4	0.3		P	79.7	3.8	16.0	0.5
18.	A	87.5	3.1	1.6	7.8		P	84.9	1.6	5.1	8.5		P	84.4	1.8	5.4	8.3
19.	A	81.3	0.0	6.3	12.5		P	76.5	2.8	7.7	13.0		P	73.9	3.6	8.5	14.1
20.	C	1.6	1.6	89.1	7.8		P	6.7	5.8	74.6	12.9		P	7.0	7.5	73.6	11.8
21.	D	15.6	18.8	1.6	64.1		Q	11.7	11.0	5.4	71.9		Q	14.2	10.9	5.0	69.9
22.	A	90.6	6.3	1.6	1.6		Q	92.4	4.0	0.9	2.7		Q	91.2	4.0	1.3	3.5
23.	C	3.1	6.3	90.6	0.0		P	5.5	3.6	86.5	4.4		P	6.0	4.0	85.5	4.5
24.	C	29.7	6.3	50.0	14.1		P	36.9	8.7	38.5	15.9		P	33.6	8.6	40.2	17.6
25.	A	85.9	1.6	3.1	9.4		P	74.5	6.4	4.1	14.9		P	73.9	7.5	3.4	15.1
26.	B	1.6	84.4	1.6	12.5		P	5.2	76.1	3.2	15.6		P	6.4	74.2	3.6	15.8
27.	C	1.6	3.1	90.6	3.1		P	4.5	6.4	85.7	3.3		P	4.6	7.2	85.2	2.9
28.	A	87.5	4.7	7.8	0.0		P	80.0	8.2	10.1	1.4		P	78.3	9.7	10.4	1.4
29.	D	1.6	6.3	3.1	87.5		P	3.7	17.5	7.3	71.1		P	4.1	18.8	7.3	69.6
30.	B	7.8	85.9	6.3	0.0		P	9.3	82.4	5.4	2.9		P	8.8	81.3	6.3	3.6
31.	A	89.1	1.6	6.3	3.1		Q	89.3	2.5	6.6	1.7		P	86.5	3.3	7.5	2.8
*32.	A,C	67.2	18.8	10.9	3.1		P	64.5	19.0	11.1	5.3		P	64.4	19.1	9.9	6.5
33.	A	100.0	0.0	0.0	0.0		P	97.4	1.0	0.7	0.9		P	96.3	1.2	1.3	1.2
34.	C	0.0	1.6	98.4	0.0		P	2.1	0.9	94.7	2.1		P	2.0	0.9	94.9	2.1
35.	B	6.3	87.5	3.1	3.1		P	11.3	81.6	4.3	2.8		P	12.5	79.7	4.8	3.0
36.	B	3.1	95.3	1.6	0.0		P	11.0	85.1	2.9	1.0		P	11.3	84.3	2.8	1.6
37.	C	4.7	0.0	92.2	3.1		P	9.9	1.5	79.5	9.0		P	11.7	1.7	77.4	9.0
38.	A	84.4	7.8	6.3	1.6		Q	84.5	7.8	6.9	0.8		Q	85.3	7.2	6.7	0.9
39.	A	84.4	9.4	3.1	3.1		P	79.2	10.4	4.4	6.0		P	76.2	11.4	5.3	7.2
40.	B	6.3	85.9	4.7	3.1		P	12.2	67.4	10.8	9.5		P	11.7	66.7	11.2	10.3
41.	A	78.1	0.0	3.1	18.8		Q	78.9	1.2	5.6	14.1		P	77.3	1.2	6.7	14.7
42.	C	4.7	7.8	75.0	10.9		Q	8.2	6.0	75.3	10.3		P	8.6	6.9	72.1	12.0
43.	A	96.9	3.1	0.0	0.0		P	92.8	3.2	3.1	0.9		P	91.3	3.8	4.0	0.7
44.	C	6.3	3.1	73.4	17.2		P	7.8	5.9	64.8	21.4		P	7.6	7.0	63.2	21.9
45.	A	53.1	6.3	23.4	14.1		P	48.8	6.1	27.2	17.5		P	48.6	5.7	27.6	17.6
46.	C	6.3	0.0	68.8	25.0		Q	4.2	2.6	70.9	22.1		Q	4.9	3.0	69.8	22.0
47.	C	4.7	6.3	89.1	0.0		Q	7.8	1.8	89.6	0.8		P	8.7	2.0	88.4	0.8
48.	D	0.0	0.0	3.1	96.9		P	0.5	2.8	2.7	94.0		P	0.9	3.3	2.8	92.9
49.	B	9.4	87.5	3.1	0.0		P	14.9	77.7	6.4	0.8		P	15.1	77.3	6.4	0.9
50.	C	0.0	1.6	96.9	1.6		P	1.0	6.7	89.2	3.1		P	1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 4 - Eastern

#340 - Holy Heart High School, St. John's

Grades: 10-12

Item	Key	School [N=72]				School Below Above District		District [N=886]				School Below Above Province		Province [N=1,381]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	D	11.1	1.4	2.8	84.7		P	17.0	1.5	2.9	78.2		P	17.1	1.7	3.8	77.2
2.	A	84.7	8.3	2.8	4.2		P	79.1	12.6	2.9	5.2		P	78.1	12.6	3.1	6.2
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A	55.6	6.9	12.5	25.0		Q	60.7	8.6	18.6	12.0		Q	59.9	8.2	20.6	11.3
5.	A	69.4	5.6	12.5	12.5		P	64.6	3.8	18.1	13.4		P	62.9	5.7	18.3	13.2
6.	C	9.7	0.0	79.2	11.1		P	16.3	4.4	68.6	10.6		P	15.6	4.4	67.1	12.8
7.	C	13.9	4.2	79.2	2.8		P	19.3	3.4	72.9	4.3		P	20.8	4.4	70.5	4.1
8.	C	1.4	0.0	97.2	1.4		Q	0.9	0.3	97.6	1.1		P	1.0	0.5	96.5	2.0
9.	B	1.4	84.7	12.5	1.4		Q	3.5	85.8	9.1	1.4		Q	3.8	85.2	9.3	1.6
10.	C	6.9	8.3	56.9	27.8		P	11.1	17.7	43.6	27.3		P	12.1	16.4	44.7	26.7
11.	B	19.4	72.2	5.6	2.8		Q	11.4	74.5	8.4	5.6		P	12.4	70.4	10.0	7.1
12.	C	4.2	2.8	91.7	1.4		P	5.0	3.8	85.0	5.9		P	4.5	4.4	85.2	5.7
13.	B	8.3	59.7	25.0	6.9		P	14.0	52.6	21.1	12.2		P	13.6	51.6	21.1	13.5
14.	D	30.6	1.4	2.8	65.3		P	30.3	2.5	6.9	60.4		P	32.6	2.3	8.2	56.9
15.	D	1.4	12.5	15.3	70.8		P	3.7	19.3	8.4	68.6		P	5.7	19.4	9.9	65.0
16.	A	77.8	1.4	11.1	9.7		P	77.7	4.5	13.0	4.9		P	77.3	5.0	13.0	4.8
17.	A	79.2	9.7	9.7	1.4		Q	84.2	3.1	12.4	0.3		Q	79.7	3.8	16.0	0.5
18.	A	81.9	2.8	2.8	12.5		Q	84.9	1.6	5.1	8.5		Q	84.4	1.8	5.4	8.3
19.	A	75.0	1.4	8.3	15.3		Q	76.5	2.8	7.7	13.0		P	73.9	3.6	8.5	14.1
20.	C	5.6	2.8	63.9	27.8		Q	6.7	5.8	74.6	12.9		Q	7.0	7.5	73.6	11.8
21.	D	13.9	18.1	6.9	61.1		Q	11.7	11.0	5.4	71.9		Q	14.2	10.9	5.0	69.9
22.	A	86.1	12.5	0.0	1.4		Q	92.4	4.0	0.9	2.7		Q	91.2	4.0	1.3	3.5
23.	C	9.7	12.5	75.0	2.8		Q	5.5	3.6	86.5	4.4		Q	6.0	4.0	85.5	4.5
24.	C	50.0	6.9	29.2	13.9		Q	36.9	8.7	38.5	15.9		Q	33.6	8.6	40.2	17.6
25.	A	84.7	5.6	5.6	4.2		P	74.5	6.4	4.1	14.9		P	73.9	7.5	3.4	15.1
26.	B	2.8	83.3	1.4	12.5		P	5.2	76.1	3.2	15.6		P	6.4	74.2	3.6	15.8
27.	C	4.2	6.9	86.1	2.8		P	4.5	6.4	85.7	3.3		P	4.6	7.2	85.2	2.9
28.	A	80.6	8.3	9.7	0.0		P	80.0	8.2	10.1	1.4		P	78.3	9.7	10.4	1.4
29.	D	1.4	13.9	2.8	81.9		P	3.7	17.5	7.3	71.1		P	4.1	18.8	7.3	69.6
30.	B	12.5	76.4	8.3	2.8		Q	9.3	82.4	5.4	2.9		Q	8.8	81.3	6.3	3.6
31.	A	91.7	1.4	6.9	0.0		P	89.3	2.5	6.6	1.7		P	86.5	3.3	7.5	2.8
*32.	A,C	66.7	13.9	12.5	5.6		P	64.5	19.0	11.1	5.3		P	64.4	19.1	9.9	6.5
33.	A	97.2	0.0	1.4	1.4		Q	97.4	1.0	0.7	0.9		P	96.3	1.2	1.3	1.2
34.	C	2.8	1.4	95.8	0.0		P	2.1	0.9	94.7	2.1		P	2.0	0.9	94.9	2.1
35.	B	5.6	87.5	5.6	1.4		P	11.3	81.6	4.3	2.8		P	12.5	79.7	4.8	3.0
36.	B	13.9	83.3	2.8	0.0		Q	11.0	85.1	2.9	1.0		Q	11.3	84.3	2.8	1.6
37.	C	8.3	1.4	81.9	8.3		P	9.9	1.5	79.5	9.0		P	11.7	1.7	77.4	9.0
38.	A	81.9	8.3	8.3	1.4		Q	84.5	7.8	6.9	0.8		Q	85.3	7.2	6.7	0.9
39.	A	79.2	11.1	4.2	5.6		Q	79.2	10.4	4.4	6.0		P	76.2	11.4	5.3	7.2
40.	B	6.9	73.6	6.9	12.5		P	12.2	67.4	10.8	9.5		P	11.7	66.7	11.2	10.3
41.	A	79.2	0.0	6.9	13.9		P	78.9	1.2	5.6	14.1		P	77.3	1.2	6.7	14.7
42.	C	9.7	5.6	75.0	9.7		Q	8.2	6.0	75.3	10.3		P	8.6	6.9	72.1	12.0
43.	A	77.8	9.7	11.1	1.4		Q	92.8	3.2	3.1	0.9		Q	91.3	3.8	4.0	0.7
44.	C	1.4	2.8	73.6	22.2		P	7.8	5.9	64.8	21.4		P	7.6	7.0	63.2	21.9
45.	A	47.2	11.1	27.8	13.9		Q	48.8	6.1	27.2	17.5		Q	48.6	5.7	27.6	17.6
46.	C	4.2	1.4	58.3	36.1		Q	4.2	2.6	70.9	22.1		Q	4.9	3.0	69.8	22.0
47.	C	13.9	2.8	83.3	0.0		Q	7.8	1.8	89.6	0.8		Q	8.7	2.0	88.4	0.8
48.	D	0.0	2.8	4.2	93.1		Q	0.5	2.8	2.7	94.0		P	0.9	3.3	2.8	92.9
49.	B	41.7	55.6	1.4	0.0		Q	14.9	77.7	6.4	0.8		Q	15.1	77.3	6.4	0.9
50.	C	0.0	1.4	97.2	1.4		P	1.0	6.7	89.2	3.1		P	1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 4 - Eastern

#347 - Prince of Wales Collegiate, St. John's

Grades: 10-12

Item	Key	School [N=42]				School Below Above District	District [N=886]				School Below Above Province	Province [N=1,381]					
		A	B	C	D		A	B	C	D		A	B	C	D		
1.	D	11.9	0.0	0.0	88.1		p	17.0	1.5	2.9	78.2		p	17.1	1.7	3.8	77.2
2.	A	69.1	14.3	4.8	11.9		q	79.1	12.6	2.9	5.2		q	78.1	12.6	3.1	6.2
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A	54.8	9.5	23.8	11.9		q	60.7	8.6	18.6	12.0		q	59.9	8.2	20.6	11.3
5.	A	73.8	2.4	9.5	14.3		p	64.6	3.8	18.1	13.4		p	62.9	5.7	18.3	13.2
6.	C	11.9	0.0	71.4	16.7		p	16.3	4.4	68.6	10.6		p	15.6	4.4	67.1	12.8
7.	C	19.1	2.4	73.8	4.8		p	19.3	3.4	72.9	4.3		p	20.8	4.4	70.5	4.1
8.	C	0.0	0.0	97.6	2.4		q	0.9	0.3	97.6	1.1		p	1.0	0.5	96.5	2.0
9.	B	0.0	85.7	11.9	2.4		q	3.5	85.8	9.1	1.4		p	3.8	85.2	9.3	1.6
10.	C	4.8	4.8	71.4	19.1		p	11.1	17.7	43.6	27.3		p	12.1	16.4	44.7	26.7
11.	B	9.5	78.6	7.1	4.8		p	11.4	74.5	8.4	5.6		p	12.4	70.4	10.0	7.1
12.	C	4.8	2.4	83.3	9.5		q	5.0	3.8	85.0	5.9		q	4.5	4.4	85.2	5.7
13.	B	26.2	54.8	11.9	7.1		p	14.0	52.6	21.1	12.2		p	13.6	51.6	21.1	13.5
14.	D	31.0	7.1	7.1	54.8		q	30.3	2.5	6.9	60.4		q	32.6	2.3	8.2	56.9
15.	D	4.8	26.2	2.4	66.7		q	3.7	19.3	8.4	68.6		p	5.7	19.4	9.9	65.0
16.	A	69.1	0.0	19.1	11.9		q	77.7	4.5	13.0	4.9		q	77.3	5.0	13.0	4.8
17.	A	90.5	0.0	9.5	0.0		p	84.2	3.1	12.4	0.3		p	79.7	3.8	16.0	0.5
18.	A	69.1	9.5	7.1	14.3		q	84.9	1.6	5.1	8.5		q	84.4	1.8	5.4	8.3
19.	A	85.7	2.4	0.0	11.9		p	76.5	2.8	7.7	13.0		p	73.9	3.6	8.5	14.1
20.	C	7.1	0.0	81.0	11.9		p	6.7	5.8	74.6	12.9		p	7.0	7.5	73.6	11.8
21.	D	0.0	9.5	2.4	88.1		p	11.7	11.0	5.4	71.9		p	14.2	10.9	5.0	69.9
22.	A	97.6	0.0	0.0	2.4		p	92.4	4.0	0.9	2.7		p	91.2	4.0	1.3	3.5
23.	C	7.1	0.0	88.1	4.8		p	5.5	3.6	86.5	4.4		p	6.0	4.0	85.5	4.5
24.	C	31.0	16.7	38.1	14.3		q	36.9	8.7	38.5	15.9		q	33.6	8.6	40.2	17.6
25.	A	69.1	11.9	0.0	19.1		q	74.5	6.4	4.1	14.9		q	73.9	7.5	3.4	15.1
26.	B	16.7	64.3	4.8	14.3		q	5.2	76.1	3.2	15.6		q	6.4	74.2	3.6	15.8
27.	C	4.8	2.4	90.5	2.4		p	4.5	6.4	85.7	3.3		p	4.6	7.2	85.2	2.9
28.	A	69.1	11.9	19.1	0.0		q	80.0	8.2	10.1	1.4		q	78.3	9.7	10.4	1.4
29.	D	2.4	19.1	4.8	73.8		p	3.7	17.5	7.3	71.1		p	4.1	18.8	7.3	69.6
30.	B	21.4	73.8	2.4	2.4		q	9.3	82.4	5.4	2.9		q	8.8	81.3	6.3	3.6
31.	A	88.1	7.1	4.8	0.0		q	89.3	2.5	6.6	1.7		p	86.5	3.3	7.5	2.8
*32.	A,C	61.9	19.1	19.1	0.0		p	64.5	19.0	11.1	5.3		p	64.4	19.1	9.9	6.5
33.	A	95.2	0.0	0.0	4.8		q	97.4	1.0	0.7	0.9		q	96.3	1.2	1.3	1.2
34.	C	0.0	0.0	100.0	0.0		p	2.1	0.9	94.7	2.1		p	2.0	0.9	94.9	2.1
35.	B	7.1	78.6	11.9	2.4		q	11.3	81.6	4.3	2.8		q	12.5	79.7	4.8	3.0
36.	B	14.3	71.4	14.3	0.0		q	11.0	85.1	2.9	1.0		q	11.3	84.3	2.8	1.6
37.	C	11.9	0.0	83.3	4.8		p	9.9	1.5	79.5	9.0		p	11.7	1.7	77.4	9.0
38.	A	76.2	11.9	11.9	0.0		q	84.5	7.8	6.9	0.8		q	85.3	7.2	6.7	0.9
39.	A	78.6	11.9	9.5	0.0		q	79.2	10.4	4.4	6.0		p	76.2	11.4	5.3	7.2
40.	B	9.5	61.9	19.1	9.5		q	12.2	67.4	10.8	9.5		q	11.7	66.7	11.2	10.3
41.	A	78.6	0.0	7.1	14.3		q	78.9	1.2	5.6	14.1		p	77.3	1.2	6.7	14.7
42.	C	11.9	0.0	73.8	14.3		q	8.2	6.0	75.3	10.3		p	8.6	6.9	72.1	12.0
43.	A	97.6	2.4	0.0	0.0		p	92.8	3.2	3.1	0.9		p	91.3	3.8	4.0	0.7
44.	C	0.0	7.1	66.7	26.2		p	7.8	5.9	64.8	21.4		p	7.6	7.0	63.2	21.9
45.	A	50.0	11.9	31.0	7.1		p	48.8	6.1	27.2	17.5		p	48.6	5.7	27.6	17.6
46.	C	4.8	0.0	66.7	28.6		q	4.2	2.6	70.9	22.1		q	4.9	3.0	69.8	22.0
47.	C	0.0	0.0	100.0	0.0		p	7.8	1.8	89.6	0.8		p	8.7	2.0	88.4	0.8
48.	D	0.0	2.4	0.0	97.6		p	0.5	2.8	2.7	94.0		p	0.9	3.3	2.8	92.9
49.	B	16.7	66.7	14.3	2.4		q	14.9	77.7	6.4	0.8		q	15.1	77.3	6.4	0.9
50.	C	0.0	7.1	90.5	2.4		p	1.0	6.7	89.2	3.1		p	1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 4 - Eastern

#354 - St. Kevin's High, St. John's (Goulds)

Grades: 10-12

Item	Key	School [N=25]				School Below Above District	District [N=886]				School Below Above Province	Province [N=1,381]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	D	20.0	4.0	4.0	72.0	q	17.0	1.5	2.9	78.2	q	17.1	1.7	3.8	77.2
2.	A	80.0	8.0	4.0	8.0	p	79.1	12.6	2.9	5.2	p	78.1	12.6	3.1	6.2
*3.	X	---	---	---	---		---	---	---	---		---	---	---	---
4.	A	48.0	20.0	24.0	8.0	q	60.7	8.6	18.6	12.0	q	59.9	8.2	20.6	11.3
5.	A	72.0	16.0	0.0	12.0	p	64.6	3.8	18.1	13.4	p	62.9	5.7	18.3	13.2
6.	C	20.0	4.0	52.0	24.0	q	16.3	4.4	68.6	10.6	q	15.6	4.4	67.1	12.8
7.	C	16.0	4.0	80.0	0.0	p	19.3	3.4	72.9	4.3	p	20.8	4.4	70.5	4.1
8.	C	0.0	0.0	100.0	0.0	p	0.9	0.3	97.6	1.1	p	1.0	0.5	96.5	2.0
9.	B	4.0	84.0	4.0	8.0	q	3.5	85.8	9.1	1.4	q	3.8	85.2	9.3	1.6
10.	C	16.0	20.0	32.0	32.0	q	11.1	17.7	43.6	27.3	q	12.1	16.4	44.7	26.7
11.	B	16.0	68.0	8.0	8.0	q	11.4	74.5	8.4	5.6	q	12.4	70.4	10.0	7.1
12.	C	8.0	0.0	92.0	0.0	p	5.0	3.8	85.0	5.9	p	4.5	4.4	85.2	5.7
13.	B	8.0	60.0	16.0	16.0	p	14.0	52.6	21.1	12.2	p	13.6	51.6	21.1	13.5
14.	D	44.0	0.0	4.0	52.0	q	30.3	2.5	6.9	60.4	q	32.6	2.3	8.2	56.9
15.	D	16.0	36.0	4.0	44.0	q	3.7	19.3	8.4	68.6	q	5.7	19.4	9.9	65.0
16.	A	84.0	4.0	12.0	0.0	p	77.7	4.5	13.0	4.9	p	77.3	5.0	13.0	4.8
17.	A	84.0	4.0	12.0	0.0	q	84.2	3.1	12.4	0.3	p	79.7	3.8	16.0	0.5
18.	A	88.0	0.0	12.0	0.0	p	84.9	1.6	5.1	8.5	p	84.4	1.8	5.4	8.3
19.	A	64.0	4.0	12.0	20.0	q	76.5	2.8	7.7	13.0	q	73.9	3.6	8.5	14.1
20.	C	20.0	20.0	44.0	16.0	q	6.7	5.8	74.6	12.9	q	7.0	7.5	73.6	11.8
21.	D	8.0	36.0	24.0	32.0	q	11.7	11.0	5.4	71.9	q	14.2	10.9	5.0	69.9
22.	A	100.0	0.0	0.0	0.0	p	92.4	4.0	0.9	2.7	p	91.2	4.0	1.3	3.5
23.	C	0.0	0.0	84.0	16.0	q	5.5	3.6	86.5	4.4	q	6.0	4.0	85.5	4.5
24.	C	56.0	4.0	28.0	12.0	q	36.9	8.7	38.5	15.9	q	33.6	8.6	40.2	17.6
25.	A	60.0	8.0	0.0	32.0	q	74.5	6.4	4.1	14.9	q	73.9	7.5	3.4	15.1
26.	B	0.0	64.0	8.0	28.0	q	5.2	76.1	3.2	15.6	q	6.4	74.2	3.6	15.8
27.	C	8.0	12.0	80.0	0.0	q	4.5	6.4	85.7	3.3	q	4.6	7.2	85.2	2.9
28.	A	68.0	16.0	16.0	0.0	q	80.0	8.2	10.1	1.4	q	78.3	9.7	10.4	1.4
29.	D	0.0	20.0	24.0	56.0	q	3.7	17.5	7.3	71.1	q	4.1	18.8	7.3	69.6
30.	B	12.0	80.0	4.0	4.0	q	9.3	82.4	5.4	2.9	q	8.8	81.3	6.3	3.6
31.	A	88.0	4.0	8.0	0.0	q	89.3	2.5	6.6	1.7	p	86.5	3.3	7.5	2.8
*32.	A,C	56.0	20.0	16.0	8.0	q	64.5	19.0	11.1	5.3	q	64.4	19.1	9.9	6.5
33.	A	92.0	4.0	4.0	0.0	q	97.4	1.0	0.7	0.9	q	96.3	1.2	1.3	1.2
34.	C	4.0	0.0	96.0	0.0	p	2.1	0.9	94.7	2.1	p	2.0	0.9	94.9	2.1
35.	B	8.0	72.0	16.0	4.0	q	11.3	81.6	4.3	2.8	q	12.5	79.7	4.8	3.0
36.	B	8.0	80.0	4.0	8.0	q	11.0	85.1	2.9	1.0	q	11.3	84.3	2.8	1.6
37.	C	4.0	0.0	80.0	16.0	p	9.9	1.5	79.5	9.0	p	11.7	1.7	77.4	9.0
38.	A	80.0	12.0	8.0	0.0	q	84.5	7.8	6.9	0.8	q	85.3	7.2	6.7	0.9
39.	A	84.0	4.0	4.0	8.0	p	79.2	10.4	4.4	6.0	p	76.2	11.4	5.3	7.2
40.	B	24.0	56.0	12.0	8.0	q	12.2	67.4	10.8	9.5	q	11.7	66.7	11.2	10.3
41.	A	72.0	0.0	8.0	20.0	q	78.9	1.2	5.6	14.1	q	77.3	1.2	6.7	14.7
42.	C	20.0	0.0	68.0	12.0	q	8.2	6.0	75.3	10.3	q	8.6	6.9	72.1	12.0
43.	A	100.0	0.0	0.0	0.0	p	92.8	3.2	3.1	0.9	p	91.3	3.8	4.0	0.7
44.	C	8.0	8.0	64.0	20.0	q	7.8	5.9	64.8	21.4	p	7.6	7.0	63.2	21.9
45.	A	48.0	4.0	28.0	20.0	q	48.8	6.1	27.2	17.5	q	48.6	5.7	27.6	17.6
46.	C	0.0	4.0	88.0	8.0	p	4.2	2.6	70.9	22.1	p	4.9	3.0	69.8	22.0
47.	C	20.0	0.0	80.0	0.0	q	7.8	1.8	89.6	0.8	q	8.7	2.0	88.4	0.8
48.	D	0.0	4.0	8.0	88.0	q	0.5	2.8	2.7	94.0	q	0.9	3.3	2.8	92.9
49.	B	20.0	72.0	4.0	4.0	q	14.9	77.7	6.4	0.8	q	15.1	77.3	6.4	0.9
50.	C	0.0	4.0	96.0	0.0	p	1.0	6.7	89.2	3.1	p	1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 4 - Eastern

#368 - Holy Trinity High School, Torbay

Grades: 7-12

Item	Key	School [N=41]				School Below Above District	District [N=886]				School Below Above Province	Province [N=1,381]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	D	24.4	4.9	2.4	65.9	q	17.0	1.5	2.9	78.2	q	17.1	1.7	3.8	77.2
2.	A	75.6	17.1	4.9	2.4	q	79.1	12.6	2.9	5.2	q	78.1	12.6	3.1	6.2
*3.	X	---	---	---	---		---	---	---	---		---	---	---	---
4.	A	53.7	9.8	22.0	14.6	q	60.7	8.6	18.6	12.0	q	59.9	8.2	20.6	11.3
5.	A	68.3	4.9	12.2	12.2	p	64.6	3.8	18.1	13.4	p	62.9	5.7	18.3	13.2
6.	C	26.8	4.9	63.4	4.9	q	16.3	4.4	68.6	10.6	q	15.6	4.4	67.1	12.8
7.	C	14.6	4.9	68.3	12.2	q	19.3	3.4	72.9	4.3	q	20.8	4.4	70.5	4.1
8.	C	0.0	0.0	100.0	0.0	p	0.9	0.3	97.6	1.1	p	1.0	0.5	96.5	2.0
9.	B	4.9	87.8	7.3	0.0	p	3.5	85.8	9.1	1.4	p	3.8	85.2	9.3	1.6
10.	C	12.2	26.8	39.0	22.0	q	11.1	17.7	43.6	27.3	q	12.1	16.4	44.7	26.7
11.	B	12.2	65.9	9.8	9.8	q	11.4	74.5	8.4	5.6	q	12.4	70.4	10.0	7.1
12.	C	9.8	7.3	70.7	12.2	q	5.0	3.8	85.0	5.9	q	4.5	4.4	85.2	5.7
13.	B	12.2	43.9	22.0	22.0	q	14.0	52.6	21.1	12.2	q	13.6	51.6	21.1	13.5
14.	D	7.3	4.9	9.8	78.1	p	30.3	2.5	6.9	60.4	p	32.6	2.3	8.2	56.9
15.	D	9.8	26.8	19.5	43.9	q	3.7	19.3	8.4	68.6	q	5.7	19.4	9.9	65.0
16.	A	78.1	2.4	12.2	7.3	p	77.7	4.5	13.0	4.9	p	77.3	5.0	13.0	4.8
17.	A	58.5	4.9	34.2	2.4	q	84.2	3.1	12.4	0.3	q	79.7	3.8	16.0	0.5
18.	A	78.1	4.9	4.9	12.2	q	84.9	1.6	5.1	8.5	q	84.4	1.8	5.4	8.3
19.	A	70.7	4.9	12.2	12.2	q	76.5	2.8	7.7	13.0	q	73.9	3.6	8.5	14.1
20.	C	9.8	9.8	61.0	19.5	q	6.7	5.8	74.6	12.9	q	7.0	7.5	73.6	11.8
21.	D	24.4	12.2	12.2	51.2	q	11.7	11.0	5.4	71.9	q	14.2	10.9	5.0	69.9
22.	A	97.6	0.0	0.0	2.4	p	92.4	4.0	0.9	2.7	p	91.2	4.0	1.3	3.5
23.	C	2.4	2.4	85.4	9.8	q	5.5	3.6	86.5	4.4	q	6.0	4.0	85.5	4.5
24.	C	36.6	2.4	36.6	24.4	q	36.9	8.7	38.5	15.9	q	33.6	8.6	40.2	17.6
25.	A	78.1	2.4	4.9	14.6	p	74.5	6.4	4.1	14.9	p	73.9	7.5	3.4	15.1
26.	B	14.6	65.9	0.0	19.5	q	5.2	76.1	3.2	15.6	q	6.4	74.2	3.6	15.8
27.	C	4.9	7.3	82.9	4.9	q	4.5	6.4	85.7	3.3	q	4.6	7.2	85.2	2.9
28.	A	65.9	17.1	9.8	7.3	q	80.0	8.2	10.1	1.4	q	78.3	9.7	10.4	1.4
29.	D	9.8	22.0	22.0	46.3	q	3.7	17.5	7.3	71.1	q	4.1	18.8	7.3	69.6
30.	B	22.0	63.4	7.3	7.3	q	9.3	82.4	5.4	2.9	q	8.8	81.3	6.3	3.6
31.	A	65.9	2.4	26.8	4.9	q	89.3	2.5	6.6	1.7	q	86.5	3.3	7.5	2.8
*32.	A,C	61.0	17.1	9.8	12.2	q	64.5	19.0	11.1	5.3	q	64.4	19.1	9.9	6.5
33.	A	95.1	2.4	2.4	0.0	q	97.4	1.0	0.7	0.9	q	96.3	1.2	1.3	1.2
34.	C	7.3	0.0	90.2	2.4	q	2.1	0.9	94.7	2.1	q	2.0	0.9	94.9	2.1
35.	B	14.6	63.4	14.6	7.3	q	11.3	81.6	4.3	2.8	q	12.5	79.7	4.8	3.0
36.	B	22.0	75.6	0.0	2.4	q	11.0	85.1	2.9	1.0	q	11.3	84.3	2.8	1.6
37.	C	4.9	7.3	73.2	14.6	q	9.9	1.5	79.5	9.0	q	11.7	1.7	77.4	9.0
38.	A	80.5	9.8	4.9	4.9	q	84.5	7.8	6.9	0.8	q	85.3	7.2	6.7	0.9
39.	A	65.9	14.6	7.3	12.2	q	79.2	10.4	4.4	6.0	q	76.2	11.4	5.3	7.2
40.	B	26.8	43.9	12.2	17.1	q	12.2	67.4	10.8	9.5	q	11.7	66.7	11.2	10.3
41.	A	73.2	0.0	12.2	14.6	q	78.9	1.2	5.6	14.1	q	77.3	1.2	6.7	14.7
42.	C	7.3	14.6	61.0	17.1	q	8.2	6.0	75.3	10.3	q	8.6	6.9	72.1	12.0
43.	A	95.1	4.9	0.0	0.0	p	92.8	3.2	3.1	0.9	p	91.3	3.8	4.0	0.7
44.	C	14.6	17.1	41.5	26.8	q	7.8	5.9	64.8	21.4	q	7.6	7.0	63.2	21.9
45.	A	34.2	4.9	22.0	39.0	q	48.8	6.1	27.2	17.5	q	48.6	5.7	27.6	17.6
46.	C	14.6	2.4	58.5	22.0	q	4.2	2.6	70.9	22.1	q	4.9	3.0	69.8	22.0
47.	C	14.6	7.3	75.6	2.4	q	7.8	1.8	89.6	0.8	q	8.7	2.0	88.4	0.8
48.	D	0.0	4.9	2.4	92.7	q	0.5	2.8	2.7	94.0	q	0.9	3.3	2.8	92.9
49.	B	17.1	70.7	12.2	0.0	q	14.9	77.7	6.4	0.8	q	15.1	77.3	6.4	0.9
50.	C	0.0	17.1	78.1	4.9	q	1.0	6.7	89.2	3.1	q	1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 4 - Eastern

#464 - Crescent Collegiate, Blaketown

Grades: 7-12

Item	Key	School [N=1]				District [N=886]				Province [N=1,381]							
		A	B	C	D	School Below District	Above District	A	B	C	D	School Below Province	Above Province	A	B	C	D
1.	D					P		17.0	1.5	2.9	78.2	P		17.1	1.7	3.8	77.2
2.	A					P		79.1	12.6	2.9	5.2	P		78.1	12.6	3.1	6.2
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A					P		60.7	8.6	18.6	12.0	P		59.9	8.2	20.6	11.3
5.	A					P		64.6	3.8	18.1	13.4	P		62.9	5.7	18.3	13.2
6.	C					q		16.3	4.4	68.6	10.6	q		15.6	4.4	67.1	12.8
7.	C					P		19.3	3.4	72.9	4.3	P		20.8	4.4	70.5	4.1
8.	C					P		0.9	0.3	97.6	1.1	P		1.0	0.5	96.5	2.0
9.	B					P		3.5	85.8	9.1	1.4	P		3.8	85.2	9.3	1.6
10.	C					q		11.1	17.7	43.6	27.3	q		12.1	16.4	44.7	26.7
11.	B					P		11.4	74.5	8.4	5.6	P		12.4	70.4	10.0	7.1
12.	C					P		5.0	3.8	85.0	5.9	P		4.5	4.4	85.2	5.7
13.	B					P		14.0	52.6	21.1	12.2	P		13.6	51.6	21.1	13.5
14.	D					P		30.3	2.5	6.9	60.4	P		32.6	2.3	8.2	56.9
15.	D					P		3.7	19.3	8.4	68.6	P		5.7	19.4	9.9	65.0
16.	A					P		77.7	4.5	13.0	4.9	P		77.3	5.0	13.0	4.8
17.	A					P		84.2	3.1	12.4	0.3	P		79.7	3.8	16.0	0.5
18.	A					P		84.9	1.6	5.1	8.5	P		84.4	1.8	5.4	8.3
19.	A					P		76.5	2.8	7.7	13.0	P		73.9	3.6	8.5	14.1
20.	C					P		6.7	5.8	74.6	12.9	P		7.0	7.5	73.6	11.8
21.	D					P		11.7	11.0	5.4	71.9	P		14.2	10.9	5.0	69.9
22.	A					P		92.4	4.0	0.9	2.7	P		91.2	4.0	1.3	3.5
23.	C					P		5.5	3.6	86.5	4.4	P		6.0	4.0	85.5	4.5
24.	C					P		36.9	8.7	38.5	15.9	P		33.6	8.6	40.2	17.6
25.	A					P		74.5	6.4	4.1	14.9	P		73.9	7.5	3.4	15.1
26.	B					P		5.2	76.1	3.2	15.6	P		6.4	74.2	3.6	15.8
27.	C					P		4.5	6.4	85.7	3.3	P		4.6	7.2	85.2	2.9
28.	A					P		80.0	8.2	10.1	1.4	P		78.3	9.7	10.4	1.4
29.	D					P		3.7	17.5	7.3	71.1	P		4.1	18.8	7.3	69.6
30.	B					P		9.3	82.4	5.4	2.9	P		8.8	81.3	6.3	3.6
31.	A					P		89.3	2.5	6.6	1.7	P		86.5	3.3	7.5	2.8
*32.	A,C					P		64.5	19.0	11.1	5.3	P		64.4	19.1	9.9	6.5
33.	A					P		97.4	1.0	0.7	0.9	P		96.3	1.2	1.3	1.2
34.	C					P		2.1	0.9	94.7	2.1	P		2.0	0.9	94.9	2.1
35.	B					P		11.3	81.6	4.3	2.8	P		12.5	79.7	4.8	3.0
36.	B					P		11.0	85.1	2.9	1.0	P		11.3	84.3	2.8	1.6
37.	C					P		9.9	1.5	79.5	9.0	P		11.7	1.7	77.4	9.0
38.	A					P		84.5	7.8	6.9	0.8	P		85.3	7.2	6.7	0.9
39.	A					P		79.2	10.4	4.4	6.0	P		76.2	11.4	5.3	7.2
40.	B					P		12.2	67.4	10.8	9.5	P		11.7	66.7	11.2	10.3
41.	A					P		78.9	1.2	5.6	14.1	P		77.3	1.2	6.7	14.7
42.	C					P		8.2	6.0	75.3	10.3	P		8.6	6.9	72.1	12.0
43.	A					P		92.8	3.2	3.1	0.9	P		91.3	3.8	4.0	0.7
44.	C					P		7.8	5.9	64.8	21.4	P		7.6	7.0	63.2	21.9
45.	A					P		48.8	6.1	27.2	17.5	P		48.6	5.7	27.6	17.6
46.	C					P		4.2	2.6	70.9	22.1	P		4.9	3.0	69.8	22.0
47.	C					P		7.8	1.8	89.6	0.8	P		8.7	2.0	88.4	0.8
48.	D					P		0.5	2.8	2.7	94.0	P		0.9	3.3	2.8	92.9
49.	B					P		14.9	77.7	6.4	0.8	P		15.1	77.3	6.4	0.9
50.	C					P		1.0	6.7	89.2	3.1	P		1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 4 - Eastern

#471 - Heritage Collegiate, Lethbridge

Item	Key	School [N=27]				School Below Above District	District [N=886]				School Below Above Province	Province [N=1,381]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	D	14.8	0.0	11.1	74.1	q	17.0	1.5	2.9	78.2	q	17.1	1.7	3.8	77.2
2.	A	88.9	7.4	3.7	0.0	p	79.1	12.6	2.9	5.2	p	78.1	12.6	3.1	6.2
*3.	X	---	---	---	---		---	---	---	---		---	---	---	---
4.	A	70.4	3.7	22.2	3.7	p	60.7	8.6	18.6	12.0	p	59.9	8.2	20.6	11.3
5.	A	48.2	7.4	29.6	14.8	q	64.6	3.8	18.1	13.4	q	62.9	5.7	18.3	13.2
6.	C	29.6	14.8	44.4	11.1	q	16.3	4.4	68.6	10.6	q	15.6	4.4	67.1	12.8
7.	C	22.2	14.8	55.6	7.4	q	19.3	3.4	72.9	4.3	q	20.8	4.4	70.5	4.1
8.	C	0.0	0.0	100.0	0.0	p	0.9	0.3	97.6	1.1	p	1.0	0.5	96.5	2.0
9.	B	0.0	85.2	14.8	0.0	q	3.5	85.8	9.1	1.4	q	3.8	85.2	9.3	1.6
10.	C	3.7	11.1	85.2	0.0	p	11.1	17.7	43.6	27.3	p	12.1	16.4	44.7	26.7
11.	B	0.0	88.9	3.7	7.4	p	11.4	74.5	8.4	5.6	p	12.4	70.4	10.0	7.1
12.	C	3.7	0.0	88.9	7.4	p	5.0	3.8	85.0	5.9	p	4.5	4.4	85.2	5.7
13.	B	7.4	22.2	66.7	3.7	q	14.0	52.6	21.1	12.2	q	13.6	51.6	21.1	13.5
14.	D	55.6	3.7	18.5	22.2	q	30.3	2.5	6.9	60.4	q	32.6	2.3	8.2	56.9
15.	D	0.0	25.9	3.7	70.4	p	3.7	19.3	8.4	68.6	p	5.7	19.4	9.9	65.0
16.	A	81.5	3.7	7.4	7.4	p	77.7	4.5	13.0	4.9	p	77.3	5.0	13.0	4.8
17.	A	70.4	3.7	25.9	0.0	q	84.2	3.1	12.4	0.3	q	79.7	3.8	16.0	0.5
18.	A	96.3	0.0	0.0	3.7	p	84.9	1.6	5.1	8.5	p	84.4	1.8	5.4	8.3
19.	A	85.2	0.0	0.0	14.8	p	76.5	2.8	7.7	13.0	p	73.9	3.6	8.5	14.1
20.	C	7.4	11.1	74.1	7.4	q	6.7	5.8	74.6	12.9	p	7.0	7.5	73.6	11.8
21.	D	7.4	7.4	11.1	74.1	p	11.7	11.0	5.4	71.9	p	14.2	10.9	5.0	69.9
22.	A	96.3	0.0	0.0	3.7	p	92.4	4.0	0.9	2.7	p	91.2	4.0	1.3	3.5
23.	C	0.0	18.5	81.5	0.0	q	5.5	3.6	86.5	4.4	q	6.0	4.0	85.5	4.5
24.	C	33.3	7.4	40.7	18.5	p	36.9	8.7	38.5	15.9	p	33.6	8.6	40.2	17.6
25.	A	44.4	22.2	3.7	29.6	q	74.5	6.4	4.1	14.9	q	73.9	7.5	3.4	15.1
26.	B	0.0	96.3	0.0	3.7	p	5.2	76.1	3.2	15.6	p	6.4	74.2	3.6	15.8
27.	C	11.1	3.7	81.5	3.7	q	4.5	6.4	85.7	3.3	q	4.6	7.2	85.2	2.9
28.	A	92.6	7.4	0.0	0.0	p	80.0	8.2	10.1	1.4	p	78.3	9.7	10.4	1.4
29.	D	0.0	7.4	0.0	92.6	p	3.7	17.5	7.3	71.1	p	4.1	18.8	7.3	69.6
30.	B	0.0	100.0	0.0	0.0	p	9.3	82.4	5.4	2.9	p	8.8	81.3	6.3	3.6
31.	A	92.6	0.0	7.4	0.0	p	89.3	2.5	6.6	1.7	p	86.5	3.3	7.5	2.8
*32.	A,C	48.2	44.4	3.7	3.7	q	64.5	19.0	11.1	5.3	q	64.4	19.1	9.9	6.5
33.	A	100.0	0.0	0.0	0.0	p	97.4	1.0	0.7	0.9	p	96.3	1.2	1.3	1.2
34.	C	0.0	0.0	100.0	0.0	p	2.1	0.9	94.7	2.1	p	2.0	0.9	94.9	2.1
35.	B	7.4	92.6	0.0	0.0	p	11.3	81.6	4.3	2.8	p	12.5	79.7	4.8	3.0
36.	B	11.1	88.9	0.0	0.0	p	11.0	85.1	2.9	1.0	p	11.3	84.3	2.8	1.6
37.	C	11.1	0.0	85.2	3.7	p	9.9	1.5	79.5	9.0	p	11.7	1.7	77.4	9.0
38.	A	92.6	3.7	0.0	3.7	p	84.5	7.8	6.9	0.8	p	85.3	7.2	6.7	0.9
39.	A	100.0	0.0	0.0	0.0	p	79.2	10.4	4.4	6.0	p	76.2	11.4	5.3	7.2
40.	B	7.4	63.0	25.9	3.7	q	12.2	67.4	10.8	9.5	q	11.7	66.7	11.2	10.3
41.	A	88.9	3.7	3.7	3.7	p	78.9	1.2	5.6	14.1	p	77.3	1.2	6.7	14.7
42.	C	0.0	7.4	92.6	0.0	p	8.2	6.0	75.3	10.3	p	8.6	6.9	72.1	12.0
43.	A	96.3	3.7	0.0	0.0	p	92.8	3.2	3.1	0.9	p	91.3	3.8	4.0	0.7
44.	C	0.0	0.0	85.2	14.8	p	7.8	5.9	64.8	21.4	p	7.6	7.0	63.2	21.9
45.	A	51.9	3.7	44.4	0.0	p	48.8	6.1	27.2	17.5	p	48.6	5.7	27.6	17.6
46.	C	0.0	7.4	74.1	18.5	p	4.2	2.6	70.9	22.1	p	4.9	3.0	69.8	22.0
47.	C	0.0	0.0	100.0	0.0	p	7.8	1.8	89.6	0.8	p	8.7	2.0	88.4	0.8
48.	D	0.0	3.7	3.7	92.6	q	0.5	2.8	2.7	94.0	q	0.9	3.3	2.8	92.9
49.	B	0.0	96.3	3.7	0.0	p	14.9	77.7	6.4	0.8	p	15.1	77.3	6.4	0.9
50.	C	0.0	14.8	85.2	0.0	q	1.0	6.7	89.2	3.1	q	1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 4 - Eastern

#476 - Baccalieu Collegiate, Old Perlican

Grades: 7-12

Item	Key	School [N=15]				School Below Above District		District [N=886]				School Below Above Province		Province [N=1,381]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	D	20.0	0.0	0.0	80.0		P	17.0	1.5	2.9	78.2		P	17.1	1.7	3.8	77.2
2.	A	86.7	6.7	0.0	6.7		P	79.1	12.6	2.9	5.2		P	78.1	12.6	3.1	6.2
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A	80.0	6.7	13.3	0.0		P	60.7	8.6	18.6	12.0		P	59.9	8.2	20.6	11.3
5.	A	53.3	0.0	26.7	20.0		q	64.6	3.8	18.1	13.4		q	62.9	5.7	18.3	13.2
6.	C	13.3	0.0	80.0	6.7		P	16.3	4.4	68.6	10.6		P	15.6	4.4	67.1	12.8
7.	C	20.0	0.0	80.0	0.0		P	19.3	3.4	72.9	4.3		P	20.8	4.4	70.5	4.1
8.	C	0.0	0.0	100.0	0.0		P	0.9	0.3	97.6	1.1		P	1.0	0.5	96.5	2.0
9.	B	0.0	93.3	6.7	0.0		P	3.5	85.8	9.1	1.4		P	3.8	85.2	9.3	1.6
10.	C	0.0	26.7	53.3	20.0		P	11.1	17.7	43.6	27.3		P	12.1	16.4	44.7	26.7
11.	B	0.0	100.0	0.0	0.0		P	11.4	74.5	8.4	5.6		P	12.4	70.4	10.0	7.1
12.	C	6.7	0.0	93.3	0.0		P	5.0	3.8	85.0	5.9		P	4.5	4.4	85.2	5.7
13.	B	26.7	33.3	33.3	6.7		q	14.0	52.6	21.1	12.2		q	13.6	51.6	21.1	13.5
14.	D	46.7	0.0	13.3	40.0		q	30.3	2.5	6.9	60.4		q	32.6	2.3	8.2	56.9
15.	D	6.7	20.0	0.0	73.3		P	3.7	19.3	8.4	68.6		P	5.7	19.4	9.9	65.0
16.	A	93.3	0.0	6.7	0.0		P	77.7	4.5	13.0	4.9		P	77.3	5.0	13.0	4.8
17.	A	86.7	0.0	13.3	0.0		P	84.2	3.1	12.4	0.3		P	79.7	3.8	16.0	0.5
18.	A	86.7	0.0	6.7	6.7		P	84.9	1.6	5.1	8.5		P	84.4	1.8	5.4	8.3
19.	A	100.0	0.0	0.0	0.0		P	76.5	2.8	7.7	13.0		P	73.9	3.6	8.5	14.1
20.	C	0.0	0.0	86.7	13.3		P	6.7	5.8	74.6	12.9		P	7.0	7.5	73.6	11.8
21.	D	0.0	6.7	6.7	86.7		P	11.7	11.0	5.4	71.9		P	14.2	10.9	5.0	69.9
22.	A	100.0	0.0	0.0	0.0		P	92.4	4.0	0.9	2.7		P	91.2	4.0	1.3	3.5
23.	C	0.0	0.0	100.0	0.0		P	5.5	3.6	86.5	4.4		P	6.0	4.0	85.5	4.5
24.	C	33.3	6.7	53.3	6.7		P	36.9	8.7	38.5	15.9		P	33.6	8.6	40.2	17.6
25.	A	80.0	6.7	0.0	13.3		P	74.5	6.4	4.1	14.9		P	73.9	7.5	3.4	15.1
26.	B	0.0	93.3	0.0	6.7		P	5.2	76.1	3.2	15.6		P	6.4	74.2	3.6	15.8
27.	C	0.0	0.0	100.0	0.0		P	4.5	6.4	85.7	3.3		P	4.6	7.2	85.2	2.9
28.	A	100.0	0.0	0.0	0.0		P	80.0	8.2	10.1	1.4		P	78.3	9.7	10.4	1.4
29.	D	0.0	13.3	13.3	73.3		P	3.7	17.5	7.3	71.1		P	4.1	18.8	7.3	69.6
30.	B	0.0	100.0	0.0	0.0		P	9.3	82.4	5.4	2.9		P	8.8	81.3	6.3	3.6
31.	A	100.0	0.0	0.0	0.0		P	89.3	2.5	6.6	1.7		P	86.5	3.3	7.5	2.8
*32.	A,C	80.0	13.3	6.7	0.0		P	64.5	19.0	11.1	5.3		P	64.4	19.1	9.9	6.5
33.	A	100.0	0.0	0.0	0.0		P	97.4	1.0	0.7	0.9		P	96.3	1.2	1.3	1.2
34.	C	0.0	0.0	100.0	0.0		P	2.1	0.9	94.7	2.1		P	2.0	0.9	94.9	2.1
35.	B	13.3	86.7	0.0	0.0		P	11.3	81.6	4.3	2.8		P	12.5	79.7	4.8	3.0
36.	B	0.0	100.0	0.0	0.0		P	11.0	85.1	2.9	1.0		P	11.3	84.3	2.8	1.6
37.	C	0.0	0.0	100.0	0.0		P	9.9	1.5	79.5	9.0		P	11.7	1.7	77.4	9.0
38.	A	80.0	13.3	6.7	0.0		q	84.5	7.8	6.9	0.8		q	85.3	7.2	6.7	0.9
39.	A	93.3	0.0	6.7	0.0		P	79.2	10.4	4.4	6.0		P	76.2	11.4	5.3	7.2
40.	B	0.0	80.0	20.0	0.0		P	12.2	67.4	10.8	9.5		P	11.7	66.7	11.2	10.3
41.	A	73.3	0.0	0.0	26.7		q	78.9	1.2	5.6	14.1		q	77.3	1.2	6.7	14.7
42.	C	6.7	6.7	80.0	6.7		P	8.2	6.0	75.3	10.3		P	8.6	6.9	72.1	12.0
43.	A	100.0	0.0	0.0	0.0		P	92.8	3.2	3.1	0.9		P	91.3	3.8	4.0	0.7
44.	C	20.0	0.0	66.7	13.3		P	7.8	5.9	64.8	21.4		P	7.6	7.0	63.2	21.9
45.	A	73.3	0.0	20.0	6.7		P	48.8	6.1	27.2	17.5		P	48.6	5.7	27.6	17.6
46.	C	0.0	0.0	86.7	13.3		P	4.2	2.6	70.9	22.1		P	4.9	3.0	69.8	22.0
47.	C	0.0	0.0	100.0	0.0		P	7.8	1.8	89.6	0.8		P	8.7	2.0	88.4	0.8
48.	D	0.0	0.0	0.0	100.0		P	0.5	2.8	2.7	94.0		P	0.9	3.3	2.8	92.9
49.	B	6.7	86.7	6.7	0.0		P	14.9	77.7	6.4	0.8		P	15.1	77.3	6.4	0.9
50.	C	0.0	6.7	93.3	0.0		P	1.0	6.7	89.2	3.1		P	1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 803 - Private

#374 - Brother T. I. Murphy, St. John's

Grades: 10-12

Item	Key	School [N=11]				School Below Above District		District [N=44]				School Below Above Province		Province [N=1,381]			
		A	B	C	D			A	B	C	D	A	B	C	D		
1.	D	9.1	9.1	0.0	81.8		P	9.1	2.3	6.8	81.8		P	17.1	1.7	3.8	77.2
2.	A	81.8	18.2	0.0	0.0		P	72.7	13.6	4.6	9.1		P	78.1	12.6	3.1	6.2
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A	54.6	9.1	27.3	9.1		Q	56.8	6.8	22.7	13.6		Q	59.9	8.2	20.6	11.3
5.	A	63.6	0.0	27.3	9.1		Q	75.0	4.6	13.6	6.8		P	62.9	5.7	18.3	13.2
6.	C	9.1	18.2	54.6	18.2		Q	6.8	13.6	70.5	9.1		Q	15.6	4.4	67.1	12.8
7.	C	18.2	0.0	81.8	0.0		P	25.0	0.0	72.7	2.3		P	20.8	4.4	70.5	4.1
8.	C	0.0	0.0	100.0	0.0		P	0.0	0.0	97.7	2.3		P	1.0	0.5	96.5	2.0
9.	B	0.0	100.0	0.0	0.0		P	2.3	88.6	6.8	2.3		P	3.8	85.2	9.3	1.6
10.	C	27.3	27.3	36.4	9.1		Q	11.4	20.5	50.0	18.2		Q	12.1	16.4	44.7	26.7
11.	B	54.6	0.0	45.5	0.0		Q	25.0	54.6	18.2	2.3		Q	12.4	70.4	10.0	7.1
12.	C	9.1	0.0	81.8	9.1		Q	6.8	0.0	88.6	4.6		Q	4.5	4.4	85.2	5.7
13.	B	18.2	27.3	27.3	27.3		Q	15.9	50.0	18.2	15.9		Q	13.6	51.6	21.1	13.5
14.	D	36.4	0.0	0.0	63.6		P	29.6	2.3	4.6	63.6		P	32.6	2.3	8.2	56.9
15.	D	0.0	36.4	0.0	63.6		P	2.3	36.4	6.8	54.6		Q	5.7	19.4	9.9	65.0
16.	A	81.8	18.2	0.0	0.0		P	79.6	9.1	9.1	2.3		P	77.3	5.0	13.0	4.8
17.	A	63.6	9.1	18.2	9.1		Q	68.2	2.3	27.3	2.3		Q	79.7	3.8	16.0	0.5
18.	A	90.9	0.0	9.1	0.0		P	84.1	4.6	9.1	2.3		P	84.4	1.8	5.4	8.3
19.	A	45.5	9.1	9.1	36.4		Q	72.7	4.6	11.4	11.4		Q	73.9	3.6	8.5	14.1
20.	C	36.4	0.0	27.3	36.4		Q	13.6	2.3	65.9	18.2		Q	7.0	7.5	73.6	11.8
21.	D	27.3	36.4	27.3	9.1		Q	13.6	18.2	6.8	61.4		Q	14.2	10.9	5.0	69.9
22.	A	81.8	9.1	9.1	0.0		Q	86.4	6.8	2.3	4.6		Q	91.2	4.0	1.3	3.5
23.	C	0.0	0.0	90.9	9.1		P	4.6	2.3	86.4	6.8		P	6.0	4.0	85.5	4.5
24.	C	0.0	0.0	54.6	45.5		P	13.6	11.4	54.6	20.5		P	33.6	8.6	40.2	17.6
25.	A	81.8	0.0	0.0	18.2		P	81.8	0.0	2.3	15.9		P	73.9	7.5	3.4	15.1
26.	B	36.4	27.3	0.0	36.4		Q	20.5	63.6	2.3	13.6		Q	6.4	74.2	3.6	15.8
27.	C	0.0	18.2	81.8	0.0		Q	4.6	4.6	90.9	0.0		Q	4.6	7.2	85.2	2.9
28.	A	63.6	18.2	18.2	0.0		Q	79.6	11.4	9.1	0.0		Q	78.3	9.7	10.4	1.4
29.	D	0.0	18.2	27.3	54.6		Q	2.3	15.9	9.1	72.7		Q	4.1	18.8	7.3	69.6
30.	B	9.1	90.9	0.0	0.0		P	9.1	79.6	11.4	0.0		P	8.8	81.3	6.3	3.6
31.	A	90.9	0.0	9.1	0.0		Q	93.2	2.3	4.6	0.0		P	86.5	3.3	7.5	2.8
*32.	A,C	81.8	0.0	0.0	18.2		P	72.7	9.1	4.6	13.6		P	64.4	19.1	9.9	6.5
33.	A	100.0	0.0	0.0	0.0		P	100.0	0.0	0.0	0.0		P	96.3	1.2	1.3	1.2
34.	C	0.0	0.0	100.0	0.0		P	0.0	2.3	97.7	0.0		P	2.0	0.9	94.9	2.1
35.	B	27.3	72.7	0.0	0.0		Q	18.2	77.3	4.6	0.0		Q	12.5	79.7	4.8	3.0
36.	B	9.1	90.9	0.0	0.0		P	13.6	79.6	4.6	2.3		P	11.3	84.3	2.8	1.6
37.	C	9.1	18.2	63.6	9.1		Q	11.4	4.6	75.0	9.1		Q	11.7	1.7	77.4	9.0
38.	A	63.6	9.1	18.2	9.1		Q	79.6	6.8	11.4	2.3		Q	85.3	7.2	6.7	0.9
39.	A	36.4	9.1	18.2	36.4		Q	68.2	9.1	11.4	11.4		Q	76.2	11.4	5.3	7.2
40.	B	18.2	54.6	18.2	9.1		Q	11.4	59.1	15.9	13.6		Q	11.7	66.7	11.2	10.3
41.	A	81.8	0.0	9.1	9.1		P	79.6	0.0	11.4	9.1		P	77.3	1.2	6.7	14.7
42.	C	27.3	0.0	45.5	27.3		Q	11.4	9.1	68.2	11.4		Q	8.6	6.9	72.1	12.0
43.	A	100.0	0.0	0.0	0.0		P	97.7	0.0	2.3	0.0		P	91.3	3.8	4.0	0.7
44.	C	0.0	9.1	45.5	45.5		Q	9.1	4.6	61.4	25.0		Q	7.6	7.0	63.2	21.9
45.	A	54.6	9.1	18.2	18.2		Q	70.5	4.6	13.6	11.4		P	48.6	5.7	27.6	17.6
46.	C	0.0	0.0	90.9	9.1		P	9.1	2.3	70.5	18.2		P	4.9	3.0	69.8	22.0
47.	C	9.1	0.0	90.9	0.0		Q	2.3	0.0	97.7	0.0		P	8.7	2.0	88.4	0.8
48.	D	9.1	0.0	0.0	90.9		Q	2.3	4.6	0.0	93.2		Q	0.9	3.3	2.8	92.9
49.	B	45.5	45.5	9.1	0.0		Q	27.3	70.5	2.3	0.0		Q	15.1	77.3	6.4	0.9
50.	C	9.1	0.0	90.9	0.0		Q	2.3	0.0	95.5	2.3		P	1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 803 - Private

#450 - St. Bonaventure's College, St. John's

Grades: K-12

Item	Key	School [N=30]				School Below Above District	District [N=44]				School Below Above Province	Province [N=1,381]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	D	10.0	0.0	6.7	83.3	P	9.1	2.3	6.8	81.8	P	17.1	1.7	3.8	77.2
2.	A	73.3	6.7	6.7	13.3	P	72.7	13.6	4.6	9.1	Q	78.1	12.6	3.1	6.2
*3.	X	---	---	---	---		---	---	---	---		---	---	---	---
4.	A	53.3	6.7	23.3	16.7	Q	56.8	6.8	22.7	13.6	Q	59.9	8.2	20.6	11.3
5.	A	83.3	6.7	6.7	3.3	P	75.0	4.6	13.6	6.8	P	62.9	5.7	18.3	13.2
6.	C	6.7	10.0	80.0	3.3	P	6.8	13.6	70.5	9.1	P	15.6	4.4	67.1	12.8
7.	C	20.0	0.0	76.7	3.3	P	25.0	0.0	72.7	2.3	P	20.8	4.4	70.5	4.1
8.	C	0.0	0.0	100.0	0.0	P	0.0	0.0	97.7	2.3	P	1.0	0.5	96.5	2.0
9.	B	3.3	86.7	6.7	3.3	Q	2.3	88.6	6.8	2.3	P	3.8	85.2	9.3	1.6
10.	C	6.7	16.7	56.7	20.0	P	11.4	20.5	50.0	18.2	P	12.1	16.4	44.7	26.7
11.	B	16.7	73.3	10.0	0.0	P	25.0	54.6	18.2	2.3	P	12.4	70.4	10.0	7.1
12.	C	6.7	0.0	90.0	3.3	P	6.8	0.0	88.6	4.6	P	4.5	4.4	85.2	5.7
13.	B	13.3	63.3	13.3	10.0	P	15.9	50.0	18.2	15.9	P	13.6	51.6	21.1	13.5
14.	D	20.0	3.3	6.7	70.0	P	29.6	2.3	4.6	63.6	P	32.6	2.3	8.2	56.9
15.	D	3.3	40.0	6.7	50.0	Q	2.3	36.4	6.8	54.6	Q	5.7	19.4	9.9	65.0
16.	A	83.3	3.3	10.0	3.3	P	79.6	9.1	9.1	2.3	P	77.3	5.0	13.0	4.8
17.	A	73.3	0.0	26.7	0.0	P	68.2	2.3	27.3	2.3	Q	79.7	3.8	16.0	0.5
18.	A	83.3	6.7	6.7	3.3	Q	84.1	4.6	9.1	2.3	Q	84.4	1.8	5.4	8.3
19.	A	83.3	3.3	10.0	3.3	P	72.7	4.6	11.4	11.4	P	73.9	3.6	8.5	14.1
20.	C	3.3	3.3	83.3	10.0	P	13.6	2.3	65.9	18.2	P	7.0	7.5	73.6	11.8
21.	D	3.3	13.3	0.0	83.3	P	13.6	18.2	6.8	61.4	P	14.2	10.9	5.0	69.9
22.	A	90.0	6.7	0.0	3.3	P	86.4	6.8	2.3	4.6	Q	91.2	4.0	1.3	3.5
23.	C	3.3	3.3	86.7	6.7	P	4.6	2.3	86.4	6.8	P	6.0	4.0	85.5	4.5
24.	C	16.7	10.0	60.0	13.3	P	13.6	11.4	54.6	20.5	P	33.6	8.6	40.2	17.6
25.	A	83.3	0.0	3.3	13.3	P	81.8	0.0	2.3	15.9	P	73.9	7.5	3.4	15.1
26.	B	10.0	83.3	3.3	3.3	P	20.5	63.6	2.3	13.6	P	6.4	74.2	3.6	15.8
27.	C	3.3	0.0	96.7	0.0	P	4.6	4.6	90.9	0.0	P	4.6	7.2	85.2	2.9
28.	A	90.0	6.7	3.3	0.0	P	79.6	11.4	9.1	0.0	P	78.3	9.7	10.4	1.4
29.	D	3.3	13.3	0.0	83.3	P	2.3	15.9	9.1	72.7	P	4.1	18.8	7.3	69.6
30.	B	10.0	76.7	13.3	0.0	Q	9.1	79.6	11.4	0.0	Q	8.8	81.3	6.3	3.6
31.	A	93.3	3.3	3.3	0.0	P	93.2	2.3	4.6	0.0	P	86.5	3.3	7.5	2.8
*32.	A,C	70.0	13.3	6.7	10.0	Q	72.7	9.1	4.6	13.6	P	64.4	19.1	9.9	6.5
33.	A	100.0	0.0	0.0	0.0	P	100.0	0.0	0.0	0.0	P	96.3	1.2	1.3	1.2
34.	C	0.0	3.3	96.7	0.0	Q	0.0	2.3	97.7	0.0	P	2.0	0.9	94.9	2.1
35.	B	13.3	80.0	6.7	0.0	P	18.2	77.3	4.6	0.0	P	12.5	79.7	4.8	3.0
36.	B	13.3	76.7	6.7	3.3	Q	13.6	79.6	4.6	2.3	Q	11.3	84.3	2.8	1.6
37.	C	13.3	0.0	76.7	10.0	P	11.4	4.6	75.0	9.1	Q	11.7	1.7	77.4	9.0
38.	A	83.3	6.7	10.0	0.0	P	79.6	6.8	11.4	2.3	Q	85.3	7.2	6.7	0.9
39.	A	83.3	10.0	3.3	3.3	P	68.2	9.1	11.4	11.4	P	76.2	11.4	5.3	7.2
40.	B	10.0	60.0	16.7	13.3	P	11.4	59.1	15.9	13.6	Q	11.7	66.7	11.2	10.3
41.	A	80.0	0.0	13.3	6.7	P	79.6	0.0	11.4	9.1	P	77.3	1.2	6.7	14.7
42.	C	3.3	13.3	76.7	6.7	P	11.4	9.1	68.2	11.4	P	8.6	6.9	72.1	12.0
43.	A	100.0	0.0	0.0	0.0	P	97.7	0.0	2.3	0.0	P	91.3	3.8	4.0	0.7
44.	C	10.0	3.3	70.0	16.7	P	9.1	4.6	61.4	25.0	P	7.6	7.0	63.2	21.9
45.	A	76.7	3.3	13.3	6.7	P	70.5	4.6	13.6	11.4	P	48.6	5.7	27.6	17.6
46.	C	10.0	3.3	63.3	23.3	Q	9.1	2.3	70.5	18.2	Q	4.9	3.0	69.8	22.0
47.	C	0.0	0.0	100.0	0.0	P	2.3	0.0	97.7	0.0	P	8.7	2.0	88.4	0.8
48.	D	0.0	6.7	0.0	93.3	P	2.3	4.6	0.0	93.2	P	0.9	3.3	2.8	92.9
49.	B	20.0	80.0	0.0	0.0	P	27.3	70.5	2.3	0.0	P	15.1	77.3	6.4	0.9
50.	C	0.0	0.0	96.7	3.3	P	2.3	0.0	95.5	2.3	P	1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT

(percentage of students who selected each response)

District 902 - Institutional

#377 - NF School for the Deaf, St. John's

Grades: K-12

Item	Key	School [N=4]				District [N=4]				Province [N=1,381]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	D					P		25.0	0.0	0.0	75.0	q		17.1	1.7	3.8	77.2
2.	A					P		25.0	50.0	25.0	0.0	q		78.1	12.6	3.1	6.2
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A					P		75.0	0.0	25.0	0.0		P	59.9	8.2	20.6	11.3
5.	A					P		50.0	0.0	0.0	50.0	q		62.9	5.7	18.3	13.2
6.	C					P		75.0	0.0	25.0	0.0	q		15.6	4.4	67.1	12.8
7.	C					P		25.0	0.0	75.0	0.0		P	20.8	4.4	70.5	4.1
8.	C					P		0.0	25.0	75.0	0.0	q		1.0	0.5	96.5	2.0
9.	B					P		0.0	75.0	25.0	0.0	q		3.8	85.2	9.3	1.6
10.	C					P		0.0	0.0	75.0	25.0		P	12.1	16.4	44.7	26.7
11.	B					P		75.0	0.0	0.0	25.0	q		12.4	70.4	10.0	7.1
12.	C					P		0.0	25.0	75.0	0.0	q		4.5	4.4	85.2	5.7
13.	B					P		25.0	25.0	25.0	25.0	q		13.6	51.6	21.1	13.5
14.	D					P		75.0	0.0	0.0	25.0	q		32.6	2.3	8.2	56.9
15.	D					P		25.0	25.0	25.0	25.0	q		5.7	19.4	9.9	65.0
16.	A					P		100.0	0.0	0.0	0.0		P	77.3	5.0	13.0	4.8
17.	A					P		25.0	0.0	75.0	0.0	q		79.7	3.8	16.0	0.5
18.	A					P		75.0	0.0	25.0	0.0	q		84.4	1.8	5.4	8.3
19.	A					P		0.0	0.0	50.0	50.0	q		73.9	3.6	8.5	14.1
20.	C					P		25.0	50.0	25.0	0.0	q		7.0	7.5	73.6	11.8
21.	D					P		25.0	25.0	0.0	50.0	q		14.2	10.9	5.0	69.9
22.	A					P		75.0	0.0	0.0	25.0	q		91.2	4.0	1.3	3.5
23.	C					P		25.0	0.0	75.0	0.0	q		6.0	4.0	85.5	4.5
24.	C					P		0.0	25.0	0.0	75.0	q		33.6	8.6	40.2	17.6
25.	A					P		25.0	50.0	0.0	25.0	q		73.9	7.5	3.4	15.1
26.	B					P		25.0	75.0	0.0	0.0		P	6.4	74.2	3.6	15.8
27.	C					P		25.0	0.0	75.0	0.0	q		4.6	7.2	85.2	2.9
28.	A					P		50.0	25.0	25.0	0.0	q		78.3	9.7	10.4	1.4
29.	D					P		0.0	75.0	0.0	25.0	q		4.1	18.8	7.3	69.6
30.	B					P		0.0	75.0	0.0	25.0	q		8.8	81.3	6.3	3.6
31.	A					P		50.0	50.0	0.0	0.0	q		86.5	3.3	7.5	2.8
*32.	A,C					P		0.0	75.0	0.0	25.0	q		64.4	19.1	9.9	6.5
33.	A					P		50.0	0.0	50.0	0.0	q		96.3	1.2	1.3	1.2
34.	C					P		0.0	25.0	75.0	0.0	q		2.0	0.9	94.9	2.1
35.	B					P		25.0	25.0	50.0	0.0	q		12.5	79.7	4.8	3.0
36.	B					P		50.0	25.0	25.0	0.0	q		11.3	84.3	2.8	1.6
37.	C					P		50.0	0.0	50.0	0.0	q		11.7	1.7	77.4	9.0
38.	A					P		100.0	0.0	0.0	0.0		P	85.3	7.2	6.7	0.9
39.	A					P		50.0	50.0	0.0	0.0	q		76.2	11.4	5.3	7.2
40.	B					P		25.0	50.0	25.0	0.0	q		11.7	66.7	11.2	10.3
41.	A					P		75.0	25.0	0.0	0.0	q		77.3	1.2	6.7	14.7
42.	C					P		50.0	25.0	25.0	0.0	q		8.6	6.9	72.1	12.0
43.	A					P		75.0	0.0	25.0	0.0	q		91.3	3.8	4.0	0.7
44.	C					P		0.0	25.0	50.0	25.0	q		7.6	7.0	63.2	21.9
45.	A					P		25.0	0.0	50.0	25.0	q		48.6	5.7	27.6	17.6
46.	C					P		0.0	0.0	100.0	0.0		P	4.9	3.0	69.8	22.0
47.	C					P		25.0	25.0	50.0	0.0	q		8.7	2.0	88.4	0.8
48.	D					P		25.0	0.0	0.0	75.0	q		0.9	3.3	2.8	92.9
49.	B					P		0.0	100.0	0.0	0.0		P	15.1	77.3	6.4	0.9
50.	C					P		0.0	25.0	50.0	25.0	q		1.2	6.7	88.1	3.7

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153201\153201_R.RPT