

District 1 - Labrador

(percentage of students who selected each response)

#010 - Menihok High School, Labrador City

Grades: 8-12

Item	Key	School [N=16]				School Below Above District	District [N=16]				School Below Above Province	Province [N=330]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	D	12.5	0.0	6.3	81.3	P	12.5	0.0	6.3	81.3	q	12.4	0.9	3.0	83.6
2.	A	81.3	6.3	6.3	6.3	P	81.3	6.3	6.3	6.3	p	71.8	21.8	0.3	5.8
*3.	X	---	---	---	---		---	---	---	---		---	---	---	---
4.	A	75.0	0.0	25.0	0.0	P	75.0	0.0	25.0	0.0	q	75.8	3.3	16.4	4.6
5.	A	43.8	6.3	25.0	25.0	P	43.8	6.3	25.0	25.0	q	49.4	7.3	30.6	12.7
6.	C	31.3	12.5	25.0	31.3	P	31.3	12.5	25.0	31.3	q	29.4	5.8	51.2	13.6
7.	C	50.0	0.0	37.5	12.5	P	50.0	0.0	37.5	12.5	q	21.5	4.2	69.4	4.9
8.	C	0.0	0.0	100.0	0.0	P	0.0	0.0	100.0	0.0	p	3.9	0.3	92.7	3.0
9.	B	6.3	81.3	6.3	6.3	P	6.3	81.3	6.3	6.3	q	2.1	91.8	5.2	0.9
10.	C	31.3	6.3	37.5	25.0	P	31.3	6.3	37.5	25.0	p	12.7	34.6	31.5	21.2
11.	B	12.5	56.3	12.5	18.8	P	12.5	56.3	12.5	18.8	q	7.3	83.6	4.6	4.6
12.	C	6.3	0.0	81.3	12.5	P	6.3	0.0	81.3	12.5	q	4.9	0.3	88.8	5.8
13.	B	12.5	37.5	43.8	6.3	P	12.5	37.5	43.8	6.3	p	23.9	35.2	27.9	12.1
14.	D	50.0	0.0	0.0	50.0	P	50.0	0.0	0.0	50.0	q	38.8	1.5	4.6	55.2
15.	D	0.0	31.3	0.0	68.8	P	0.0	31.3	0.0	68.8	p	3.0	27.0	3.6	66.4
16.	A	56.3	18.8	18.8	6.3	P	56.3	18.8	18.8	6.3	q	83.0	3.9	10.0	3.0
17.	A	68.8	6.3	25.0	0.0	P	68.8	6.3	25.0	0.0	q	83.6	5.2	10.6	0.3
18.	A	68.8	0.0	18.8	12.5	P	68.8	0.0	18.8	12.5	q	84.6	1.2	6.4	7.9
19.	A	37.5	6.3	25.0	31.3	P	37.5	6.3	25.0	31.3	q	63.9	0.6	11.5	23.6
20.	C	31.3	18.8	37.5	12.5	P	31.3	18.8	37.5	12.5	q	11.8	8.2	71.5	8.2
21.	D	18.8	6.3	31.3	43.8	P	18.8	6.3	31.3	43.8	q	5.5	9.1	2.7	82.1
22.	A	37.5	0.0	18.8	43.8	P	37.5	0.0	18.8	43.8	q	90.9	3.0	2.4	3.6
23.	C	6.3	0.0	87.5	6.3	P	6.3	0.0	87.5	6.3	q	3.3	1.2	92.4	2.7
24.	C	31.3	12.5	18.8	37.5	P	31.3	12.5	18.8	37.5	q	25.2	7.9	41.2	25.2
25.	A	37.5	31.3	12.5	18.8	P	37.5	31.3	12.5	18.8	q	74.2	5.8	7.6	12.4
26.	B	6.3	62.5	6.3	25.0	P	6.3	62.5	6.3	25.0	q	6.1	77.0	4.6	12.4
27.	C	6.3	12.5	81.3	0.0	P	6.3	12.5	81.3	0.0	q	10.6	4.6	83.6	1.2
28.	A	87.5	6.3	6.3	0.0	P	87.5	6.3	6.3	0.0	q	91.2	3.3	4.2	1.2
29.	D	6.3	6.3	25.0	62.5	P	6.3	6.3	25.0	62.5	q	7.3	13.0	6.1	73.3
30.	B	12.5	75.0	12.5	0.0	P	12.5	75.0	12.5	0.0	q	4.9	88.5	6.7	0.0
31.	A	68.8	12.5	18.8	0.0	P	68.8	12.5	18.8	0.0	q	84.9	3.6	7.6	3.6
*32.	A,C	50.0	31.3	12.5	6.3	P	50.0	31.3	12.5	6.3	q	50.0	23.3	20.3	6.1
33.	A	87.5	0.0	12.5	0.0	P	87.5	0.0	12.5	0.0	q	97.9	0.9	1.2	0.0
34.	C	0.0	6.3	87.5	6.3	P	0.0	6.3	87.5	6.3	q	0.3	1.5	97.6	0.6
35.	B	6.3	68.8	25.0	0.0	P	6.3	68.8	25.0	0.0	q	12.1	80.6	4.9	2.1
36.	B	12.5	87.5	0.0	0.0	P	12.5	87.5	0.0	0.0	q	6.4	90.6	1.8	1.2
37.	C	18.8	12.5	37.5	31.3	P	18.8	12.5	37.5	31.3	q	6.7	1.2	84.9	7.3
38.	A	81.3	6.3	6.3	0.0	P	81.3	6.3	6.3	0.0	q	89.4	5.2	4.2	0.9
39.	A	56.3	6.3	25.0	12.5	P	56.3	6.3	25.0	12.5	q	80.0	6.4	7.9	5.8
40.	B	18.8	75.0	6.3	0.0	P	18.8	75.0	6.3	0.0	q	5.2	85.2	6.1	3.6
41.	A	81.3	0.0	6.3	12.5	P	81.3	0.0	6.3	12.5	p	79.7	3.3	10.3	6.7
42.	C	0.0	18.8	50.0	25.0	P	0.0	18.8	50.0	25.0	q	2.4	6.4	80.9	9.4
43.	A	87.5	12.5	0.0	0.0	P	87.5	12.5	0.0	0.0	p	87.0	4.6	7.3	1.2
44.	C	6.3	18.8	31.3	43.8	P	6.3	18.8	31.3	43.8	q	7.6	3.6	64.6	24.2
45.	A	56.3	0.0	25.0	12.5	P	56.3	0.0	25.0	12.5	p	52.4	6.7	13.0	27.3
46.	C	0.0	0.0	81.3	18.8	P	0.0	0.0	81.3	18.8	p	1.2	3.0	75.8	20.0
47.	C	25.0	12.5	62.5	0.0	P	25.0	12.5	62.5	0.0	q	10.0	1.8	87.6	0.6
48.	D	0.0	0.0	0.0	100.0	P	0.0	0.0	0.0	100.0	p	0.9	5.5	3.9	89.7
49.	B	6.3	68.8	25.0	0.0	P	6.3	68.8	25.0	0.0	q	17.3	74.6	6.7	1.5
50.	C	12.5	6.3	68.8	12.5	P	12.5	6.3	68.8	12.5	q	2.1	8.2	86.7	3.0

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153231\153231_R.RPT

District 2 - Western

(percentage of students who selected each response)

#063 - Herdman Collegiate, Corner Brook

Grades: 10-12

Item	Key	School [N=2]				District [N=19]				Province [N=330]							
		A	B	C	D	School Below District	Above District	A	B	C	D	School Below Province	Above Province	A	B	C	D
1.	D					P		5.3	0.0	0.0	94.7	P		12.4	0.9	3.0	83.6
2.	A					P		79.0	21.1	0.0	0.0	P		71.8	21.8	0.3	5.8
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A					P		100.0	0.0	0.0	0.0	P		75.8	3.3	16.4	4.6
5.	A					P		79.0	5.3	15.8	0.0	P		49.4	7.3	30.6	12.7
6.	C					P		21.1	0.0	79.0	0.0	P		29.4	5.8	51.2	13.6
7.	C					P		15.8	0.0	84.2	0.0	P		21.5	4.2	69.4	4.9
8.	C					P		0.0	0.0	94.7	5.3	P		3.9	0.3	92.7	3.0
9.	B					P		0.0	94.7	5.3	0.0	P		2.1	91.8	5.2	0.9
10.	C					q		0.0	15.8	52.6	31.6	P		12.7	34.6	31.5	21.2
11.	B					P		0.0	94.7	5.3	0.0	P		7.3	83.6	4.6	4.6
12.	C					P		0.0	0.0	94.7	5.3	P		4.9	0.3	88.8	5.8
13.	B					q		36.8	42.1	5.3	15.8	q		23.9	35.2	27.9	12.1
14.	D					P		47.4	0.0	5.3	47.4	P		38.8	1.5	4.6	55.2
15.	D					P		0.0	31.6	0.0	68.4	P		3.0	27.0	3.6	66.4
16.	A					P		89.5	5.3	5.3	0.0	P		83.0	3.9	10.0	3.0
17.	A					P		89.5	0.0	5.3	0.0	P		83.6	5.2	10.6	0.3
18.	A					P		94.7	5.3	0.0	0.0	P		84.6	1.2	6.4	7.9
19.	A					P		63.2	0.0	5.3	26.3	P		63.9	0.6	11.5	23.6
20.	C					q		31.6	0.0	57.9	10.5	q		11.8	8.2	71.5	8.2
21.	D					P		5.3	15.8	0.0	73.7	P		5.5	9.1	2.7	82.1
22.	A					P		89.5	10.5	0.0	0.0	P		90.9	3.0	2.4	3.6
23.	C					P		0.0	0.0	100.0	0.0	P		3.3	1.2	92.4	2.7
24.	C					P		31.6	0.0	57.9	5.3	P		25.2	7.9	41.2	25.2
25.	A					P		100.0	0.0	0.0	0.0	P		74.2	5.8	7.6	12.4
26.	B					P		5.3	79.0	0.0	15.8	P		6.1	77.0	4.6	12.4
27.	C					q		31.6	0.0	63.2	5.3	q		10.6	4.6	83.6	1.2
28.	A					P		89.5	0.0	10.5	0.0	P		91.2	3.3	4.2	1.2
29.	D					q		5.3	10.5	15.8	68.4	q		7.3	13.0	6.1	73.3
30.	B					P		5.3	94.7	0.0	0.0	P		4.9	88.5	6.7	0.0
31.	A					P		73.7	10.5	10.5	5.3	P		84.9	3.6	7.6	3.6
*32.	A,C					P		63.2	21.1	10.5	5.3	P		50.0	23.3	20.3	6.1
33.	A					P		94.7	5.3	0.0	0.0	P		97.9	0.9	1.2	0.0
34.	C					P		0.0	0.0	100.0	0.0	P		0.3	1.5	97.6	0.6
35.	B					P		0.0	100.0	0.0	0.0	P		12.1	80.6	4.9	2.1
36.	B					P		5.3	94.7	0.0	0.0	P		6.4	90.6	1.8	1.2
37.	C					P		0.0	0.0	84.2	15.8	P		6.7	1.2	84.9	7.3
38.	A					P		100.0	0.0	0.0	0.0	P		89.4	5.2	4.2	0.9
39.	A					q		79.0	5.3	10.5	5.3	q		80.0	6.4	7.9	5.8
40.	B					q		5.3	89.5	5.3	0.0	q		5.2	85.2	6.1	3.6
41.	A					P		94.7	0.0	5.3	0.0	P		79.7	3.3	10.3	6.7
42.	C					P		0.0	5.3	84.2	5.3	P		2.4	6.4	80.9	9.4
43.	A					P		100.0	0.0	0.0	0.0	P		87.0	4.6	7.3	1.2
44.	C					P		5.3	0.0	73.7	21.1	P		7.6	3.6	64.6	24.2
45.	A					q		89.5	0.0	5.3	5.3	q		52.4	6.7	13.0	27.3
46.	C					P		0.0	0.0	84.2	15.8	P		1.2	3.0	75.8	20.0
47.	C					P		5.3	0.0	94.7	0.0	P		10.0	1.8	87.6	0.6
48.	D					P		0.0	0.0	5.3	94.7	P		0.9	5.5	3.9	89.7
49.	B					P		5.3	94.7	0.0	0.0	P		17.3	74.6	6.7	1.5
50.	C					P		0.0	0.0	100.0	0.0	P		2.1	8.2	86.7	3.0

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153231\153231_R.RPT

District 2 - Western

(percentage of students who selected each response)

#068 - Regina High School, Corner Brook

Grades: 10-12

Item	Key	School [N=17]				School Below Above District		District [N=19]				School Below Above Province		Province [N=330]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	D	5.9	0.0	0.0	94.1		q	5.3	0.0	0.0	94.7		p	12.4	0.9	3.0	83.6
2.	A	76.5	23.5	0.0	0.0		q	79.0	21.1	0.0	0.0		p	71.8	21.8	0.3	5.8
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A	100.0	0.0	0.0	0.0		p	100.0	0.0	0.0	0.0		p	75.8	3.3	16.4	4.6
5.	A	76.5	5.9	17.7	0.0		q	79.0	5.3	15.8	0.0		p	49.4	7.3	30.6	12.7
6.	C	23.5	0.0	76.5	0.0		q	21.1	0.0	79.0	0.0		p	29.4	5.8	51.2	13.6
7.	C	17.7	0.0	82.4	0.0		q	15.8	0.0	84.2	0.0		p	21.5	4.2	69.4	4.9
8.	C	0.0	0.0	94.1	5.9		q	0.0	0.0	94.7	5.3		p	3.9	0.3	92.7	3.0
9.	B	0.0	94.1	5.9	0.0		q	0.0	94.7	5.3	0.0		p	2.1	91.8	5.2	0.9
10.	C	0.0	17.7	52.9	29.4		p	0.0	15.8	52.6	31.6		p	12.7	34.6	31.5	21.2
11.	B	0.0	94.1	5.9	0.0		q	0.0	94.7	5.3	0.0		p	7.3	83.6	4.6	4.6
12.	C	0.0	0.0	94.1	5.9		q	0.0	0.0	94.7	5.3		p	4.9	0.3	88.8	5.8
13.	B	29.4	47.1	5.9	17.7		p	36.8	42.1	5.3	15.8		p	23.9	35.2	27.9	12.1
14.	D	52.9	0.0	5.9	41.2		q	47.4	0.0	5.3	47.4		q	38.8	1.5	4.6	55.2
15.	D	0.0	35.3	0.0	64.7		q	0.0	31.6	0.0	68.4		q	3.0	27.0	3.6	66.4
16.	A	88.2	5.9	5.9	0.0		q	89.5	5.3	5.3	0.0		p	83.0	3.9	10.0	3.0
17.	A	88.2	0.0	5.9	0.0		q	89.5	0.0	5.3	0.0		p	83.6	5.2	10.6	0.3
18.	A	94.1	5.9	0.0	0.0		q	94.7	5.3	0.0	0.0		p	84.6	1.2	6.4	7.9
19.	A	58.8	0.0	5.9	29.4		q	63.2	0.0	5.3	26.3		q	63.9	0.6	11.5	23.6
20.	C	35.3	0.0	58.8	5.9		p	31.6	0.0	57.9	10.5		q	11.8	8.2	71.5	8.2
21.	D	5.9	17.7	0.0	70.6		q	5.3	15.8	0.0	73.7		q	5.5	9.1	2.7	82.1
22.	A	88.2	11.8	0.0	0.0		q	89.5	10.5	0.0	0.0		q	90.9	3.0	2.4	3.6
23.	C	0.0	0.0	100.0	0.0		p	0.0	0.0	100.0	0.0		p	3.3	1.2	92.4	2.7
24.	C	35.3	0.0	52.9	5.9		q	31.6	0.0	57.9	5.3		p	25.2	7.9	41.2	25.2
25.	A	100.0	0.0	0.0	0.0		p	100.0	0.0	0.0	0.0		p	74.2	5.8	7.6	12.4
26.	B	5.9	76.5	0.0	17.7		q	5.3	79.0	0.0	15.8		q	6.1	77.0	4.6	12.4
27.	C	29.4	0.0	64.7	5.9		p	31.6	0.0	63.2	5.3		q	10.6	4.6	83.6	1.2
28.	A	88.2	0.0	11.8	0.0		q	89.5	0.0	10.5	0.0		q	91.2	3.3	4.2	1.2
29.	D	5.9	11.8	11.8	70.6		p	5.3	10.5	15.8	68.4		q	7.3	13.0	6.1	73.3
30.	B	5.9	94.1	0.0	0.0		q	5.3	94.7	0.0	0.0		p	4.9	88.5	6.7	0.0
31.	A	70.6	11.8	11.8	5.9		q	73.7	10.5	10.5	5.3		q	84.9	3.6	7.6	3.6
*32.	A,C	58.8	23.5	11.8	5.9		q	63.2	21.1	10.5	5.3		p	50.0	23.3	20.3	6.1
33.	A	94.1	5.9	0.0	0.0		q	94.7	5.3	0.0	0.0		q	97.9	0.9	1.2	0.0
34.	C	0.0	0.0	100.0	0.0		p	0.0	0.0	100.0	0.0		p	0.3	1.5	97.6	0.6
35.	B	0.0	100.0	0.0	0.0		p	0.0	100.0	0.0	0.0		p	12.1	80.6	4.9	2.1
36.	B	5.9	94.1	0.0	0.0		q	5.3	94.7	0.0	0.0		p	6.4	90.6	1.8	1.2
37.	C	0.0	0.0	82.4	17.7		q	0.0	0.0	84.2	15.8		q	6.7	1.2	84.9	7.3
38.	A	100.0	0.0	0.0	0.0		p	100.0	0.0	0.0	0.0		p	89.4	5.2	4.2	0.9
39.	A	82.4	5.9	11.8	0.0		p	79.0	5.3	10.5	5.3		p	80.0	6.4	7.9	5.8
40.	B	0.0	94.1	5.9	0.0		p	5.3	89.5	5.3	0.0		p	5.2	85.2	6.1	3.6
41.	A	94.1	0.0	5.9	0.0		q	94.7	0.0	5.3	0.0		p	79.7	3.3	10.3	6.7
42.	C	0.0	5.9	82.4	5.9		q	0.0	5.3	84.2	5.3		p	2.4	6.4	80.9	9.4
43.	A	100.0	0.0	0.0	0.0		p	100.0	0.0	0.0	0.0		p	87.0	4.6	7.3	1.2
44.	C	5.9	0.0	70.6	23.5		q	5.3	0.0	73.7	21.1		p	7.6	3.6	64.6	24.2
45.	A	94.1	0.0	0.0	5.9		p	89.5	0.0	5.3	5.3		p	52.4	6.7	13.0	27.3
46.	C	0.0	0.0	82.4	17.7		q	0.0	0.0	84.2	15.8		p	1.2	3.0	75.8	20.0
47.	C	5.9	0.0	94.1	0.0		q	5.3	0.0	94.7	0.0		p	10.0	1.8	87.6	0.6
48.	D	0.0	0.0	5.9	94.1		q	0.0	0.0	5.3	94.7		p	0.9	5.5	3.9	89.7
49.	B	5.9	94.1	0.0	0.0		q	5.3	94.7	0.0	0.0		p	17.3	74.6	6.7	1.5
50.	C	0.0	0.0	100.0	0.0		p	0.0	0.0	100.0	0.0		p	2.1	8.2	86.7	3.0

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153231\153231_R.RPT

District 3 - Nova Central

(percentage of students who selected each response)

Grades: 10-12

#480 - Exploits Valley High, Grand Falls-Windsor

Item	Key	School [N=21]				School Below Above District	District [N=21]				School Below Above Province	Province [N=330]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	D	14.3	0.0	14.3	71.4	P	14.3	0.0	14.3	71.4	q	12.4	0.9	3.0	83.6
2.	A	33.3	57.1	0.0	9.5	P	33.3	57.1	0.0	9.5	q	71.8	21.8	0.3	5.8
*3.	X	---	---	---	---		---	---	---	---		---	---	---	---
4.	A	71.4	0.0	23.8	4.8	P	71.4	0.0	23.8	4.8	q	75.8	3.3	16.4	4.6
5.	A	33.3	19.1	38.1	9.5	P	33.3	19.1	38.1	9.5	q	49.4	7.3	30.6	12.7
6.	C	33.3	19.1	28.6	19.1	P	33.3	19.1	28.6	19.1	q	29.4	5.8	51.2	13.6
7.	C	23.8	4.8	61.9	9.5	P	23.8	4.8	61.9	9.5	q	21.5	4.2	69.4	4.9
8.	C	9.5	0.0	85.7	4.8	P	9.5	0.0	85.7	4.8	q	3.9	0.3	92.7	3.0
9.	B	14.3	85.7	0.0	0.0	P	14.3	85.7	0.0	0.0	q	2.1	91.8	5.2	0.9
10.	C	14.3	47.6	19.1	19.1	P	14.3	47.6	19.1	19.1	q	12.7	34.6	31.5	21.2
11.	B	9.5	57.1	9.5	23.8	P	9.5	57.1	9.5	23.8	q	7.3	83.6	4.6	4.6
12.	C	4.8	0.0	81.0	14.3	P	4.8	0.0	81.0	14.3	q	4.9	0.3	88.8	5.8
13.	B	19.1	33.3	38.1	9.5	P	19.1	33.3	38.1	9.5	q	23.9	35.2	27.9	12.1
14.	D	57.1	0.0	0.0	42.9	P	57.1	0.0	0.0	42.9	q	38.8	1.5	4.6	55.2
15.	D	19.1	52.4	0.0	28.6	P	19.1	52.4	0.0	28.6	q	3.0	27.0	3.6	66.4
16.	A	81.0	0.0	19.1	0.0	P	81.0	0.0	19.1	0.0	q	83.0	3.9	10.0	3.0
17.	A	85.7	0.0	14.3	0.0	P	85.7	0.0	14.3	0.0	P	83.6	5.2	10.6	0.3
18.	A	81.0	0.0	14.3	4.8	P	81.0	0.0	14.3	4.8	q	84.6	1.2	6.4	7.9
19.	A	85.7	4.8	4.8	4.8	P	85.7	4.8	4.8	4.8	P	63.9	0.6	11.5	23.6
20.	C	23.8	0.0	71.4	4.8	P	23.8	0.0	71.4	4.8	q	11.8	8.2	71.5	8.2
21.	D	19.1	9.5	0.0	71.4	P	19.1	9.5	0.0	71.4	q	5.5	9.1	2.7	82.1
22.	A	85.7	4.8	0.0	9.5	P	85.7	4.8	0.0	9.5	q	90.9	3.0	2.4	3.6
23.	C	4.8	0.0	95.2	0.0	P	4.8	0.0	95.2	0.0	P	3.3	1.2	92.4	2.7
24.	C	23.8	14.3	52.4	9.5	P	23.8	14.3	52.4	9.5	P	25.2	7.9	41.2	25.2
25.	A	81.0	4.8	0.0	14.3	P	81.0	4.8	0.0	14.3	P	74.2	5.8	7.6	12.4
26.	B	9.5	76.2	4.8	9.5	P	9.5	76.2	4.8	9.5	q	6.1	77.0	4.6	12.4
27.	C	19.1	4.8	66.7	9.5	P	19.1	4.8	66.7	9.5	q	10.6	4.6	83.6	1.2
28.	A	90.5	0.0	9.5	0.0	P	90.5	0.0	9.5	0.0	q	91.2	3.3	4.2	1.2
29.	D	9.5	19.1	9.5	61.9	P	9.5	19.1	9.5	61.9	q	7.3	13.0	6.1	73.3
30.	B	9.5	85.7	4.8	0.0	P	9.5	85.7	4.8	0.0	q	4.9	88.5	6.7	0.0
31.	A	85.7	9.5	4.8	0.0	P	85.7	9.5	4.8	0.0	P	84.9	3.6	7.6	3.6
*32.	A,C	33.3	19.1	23.8	23.8	P	33.3	19.1	23.8	23.8	q	50.0	23.3	20.3	6.1
33.	A	95.2	4.8	0.0	0.0	P	95.2	4.8	0.0	0.0	q	97.9	0.9	1.2	0.0
34.	C	0.0	0.0	100.0	0.0	P	0.0	0.0	100.0	0.0	P	0.3	1.5	97.6	0.6
35.	B	4.8	95.2	0.0	0.0	P	4.8	95.2	0.0	0.0	P	12.1	80.6	4.9	2.1
36.	B	4.8	95.2	0.0	0.0	P	4.8	95.2	0.0	0.0	P	6.4	90.6	1.8	1.2
37.	C	4.8	0.0	95.2	0.0	P	4.8	0.0	95.2	0.0	P	6.7	1.2	84.9	7.3
38.	A	81.0	9.5	9.5	0.0	P	81.0	9.5	9.5	0.0	q	89.4	5.2	4.2	0.9
39.	A	42.9	14.3	28.6	14.3	P	42.9	14.3	28.6	14.3	q	80.0	6.4	7.9	5.8
40.	B	14.3	71.4	4.8	9.5	P	14.3	71.4	4.8	9.5	q	5.2	85.2	6.1	3.6
41.	A	52.4	14.3	4.8	28.6	P	52.4	14.3	4.8	28.6	q	79.7	3.3	10.3	6.7
42.	C	4.8	14.3	81.0	0.0	P	4.8	14.3	81.0	0.0	P	2.4	6.4	80.9	9.4
43.	A	81.0	4.8	14.3	0.0	P	81.0	4.8	14.3	0.0	q	87.0	4.6	7.3	1.2
44.	C	19.1	0.0	57.1	23.8	P	19.1	0.0	57.1	23.8	q	7.6	3.6	64.6	24.2
45.	A	38.1	4.8	42.9	14.3	P	38.1	4.8	42.9	14.3	q	52.4	6.7	13.0	27.3
46.	C	0.0	0.0	90.5	9.5	P	0.0	0.0	90.5	9.5	P	1.2	3.0	75.8	20.0
47.	C	28.6	4.8	61.9	4.8	P	28.6	4.8	61.9	4.8	q	10.0	1.8	87.6	0.6
48.	D	9.5	9.5	0.0	81.0	P	9.5	9.5	0.0	81.0	q	0.9	5.5	3.9	89.7
49.	B	4.8	85.7	0.0	9.5	P	4.8	85.7	0.0	9.5	P	17.3	74.6	6.7	1.5
50.	C	4.8	9.5	81.0	4.8	P	4.8	9.5	81.0	4.8	q	2.1	8.2	86.7	3.0

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153231\153231_R.RPT

District 4 - Eastern

(percentage of students who selected each response)

#249 - Ascension Collegiate, Bay Roberts

Grades: 10-12

Item	Key	School [N=11]				School Below Above District		District [N=270]				School Below Above Province		Province [N=330]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	D	9.1	0.0	0.0	90.9		P	12.2	0.7	2.2	84.8		P	12.4	0.9	3.0	83.6
2.	A	81.8	18.2	0.0	0.0		P	74.1	19.6	0.0	5.9		P	71.8	21.8	0.3	5.8
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A	63.6	36.4	0.0	0.0		Q	74.8	4.1	16.3	4.8		Q	75.8	3.3	16.4	4.6
5.	A	18.2	27.3	36.4	18.2		Q	48.9	6.7	31.5	13.0		Q	49.4	7.3	30.6	12.7
6.	C	9.1	0.0	72.7	18.2		P	29.6	4.4	52.6	13.3		P	29.4	5.8	51.2	13.6
7.	C	9.1	0.0	72.7	18.2		P	19.6	4.8	71.1	4.4		P	21.5	4.2	69.4	4.9
8.	C	0.0	0.0	100.0	0.0		P	3.7	0.4	93.0	3.0		P	3.9	0.3	92.7	3.0
9.	B	0.0	90.9	9.1	0.0		Q	1.1	93.0	5.2	0.7		Q	2.1	91.8	5.2	0.9
10.	C	9.1	36.4	36.4	18.2		P	11.9	36.7	31.1	20.4		P	12.7	34.6	31.5	21.2
11.	B	0.0	100.0	0.0	0.0		P	6.7	87.8	3.3	2.2		P	7.3	83.6	4.6	4.6
12.	C	9.1	0.0	90.9	0.0		P	5.2	0.4	89.6	4.4		P	4.9	0.3	88.8	5.8
13.	B	18.2	72.7	9.1	0.0		P	23.3	35.2	27.8	12.6		P	23.9	35.2	27.9	12.1
14.	D	45.5	0.0	9.1	45.5		Q	35.9	1.9	5.2	57.0		Q	38.8	1.5	4.6	55.2
15.	D	0.0	0.0	9.1	90.9		P	2.2	24.8	4.4	68.5		P	3.0	27.0	3.6	66.4
16.	A	72.7	0.0	27.3	0.0		Q	85.2	3.0	8.5	3.3		Q	83.0	3.9	10.0	3.0
17.	A	100.0	0.0	0.0	0.0		P	84.1	5.6	10.0	0.4		P	83.6	5.2	10.6	0.3
18.	A	90.9	0.0	0.0	9.1		P	84.8	1.1	5.6	8.5		P	84.6	1.2	6.4	7.9
19.	A	36.4	0.0	18.2	45.5		Q	64.1	0.0	11.9	24.1		Q	63.9	0.6	11.5	23.6
20.	C	27.3	9.1	63.6	0.0		Q	7.8	8.5	75.2	8.2		Q	11.8	8.2	71.5	8.2
21.	D	9.1	0.0	0.0	90.9		P	3.3	8.9	1.5	85.9		P	5.5	9.1	2.7	82.1
22.	A	90.9	0.0	0.0	9.1		Q	94.8	2.2	1.9	1.1		P	90.9	3.0	2.4	3.6
23.	C	0.0	0.0	100.0	0.0		P	3.3	1.5	91.9	3.0		P	3.3	1.2	92.4	2.7
24.	C	63.6	0.0	18.2	18.2		Q	24.8	7.0	40.4	27.4		Q	25.2	7.9	41.2	25.2
25.	A	72.7	0.0	9.1	18.2		Q	73.7	4.8	8.5	13.0		Q	74.2	5.8	7.6	12.4
26.	B	0.0	81.8	9.1	9.1		P	5.6	77.8	4.8	11.9		P	6.1	77.0	4.6	12.4
27.	C	9.1	9.1	81.8	0.0		Q	8.5	4.1	87.0	0.4		Q	10.6	4.6	83.6	1.2
28.	A	81.8	18.2	0.0	0.0		Q	91.5	3.7	3.3	1.5		Q	91.2	3.3	4.2	1.2
29.	D	9.1	27.3	0.0	63.6		Q	7.0	13.0	4.1	75.6		Q	7.3	13.0	6.1	73.3
30.	B	0.0	100.0	0.0	0.0		P	4.1	88.9	7.0	0.0		P	4.9	88.5	6.7	0.0
31.	A	90.9	0.0	0.0	9.1		P	86.7	2.2	7.0	3.7		P	84.9	3.6	7.6	3.6
*32.	A,C	54.6	18.2	18.2	9.1		P	50.7	23.0	21.1	4.8		P	50.0	23.3	20.3	6.1
33.	A	100.0	0.0	0.0	0.0		P	99.3	0.4	0.4	0.0		P	97.9	0.9	1.2	0.0
34.	C	0.0	0.0	100.0	0.0		P	0.4	1.5	97.8	0.4		P	0.3	1.5	97.6	0.6
35.	B	45.5	45.5	9.1	0.0		Q	14.1	78.5	4.4	2.6		Q	12.1	80.6	4.9	2.1
36.	B	0.0	100.0	0.0	0.0		P	5.9	90.4	2.2	1.5		P	6.4	90.6	1.8	1.2
37.	C	9.1	0.0	90.9	0.0		P	6.7	0.7	86.7	5.9		P	6.7	1.2	84.9	7.3
38.	A	100.0	0.0	0.0	0.0		P	89.6	5.2	4.1	1.1		P	89.4	5.2	4.2	0.9
39.	A	72.7	18.2	0.0	9.1		Q	84.8	5.9	4.4	4.8		Q	80.0	6.4	7.9	5.8
40.	B	0.0	81.8	9.1	9.1		Q	3.3	86.7	6.3	3.7		Q	5.2	85.2	6.1	3.6
41.	A	100.0	0.0	0.0	0.0		P	81.1	3.0	10.7	5.2		P	79.7	3.3	10.3	6.7
42.	C	0.0	0.0	90.9	9.1		P	2.6	5.2	82.2	9.6		P	2.4	6.4	80.9	9.4
43.	A	81.8	9.1	0.0	9.1		Q	86.3	4.4	7.8	1.5		Q	87.0	4.6	7.3	1.2
44.	C	9.1	0.0	81.8	9.1		P	7.0	3.3	66.7	23.0		P	7.6	3.6	64.6	24.2
45.	A	36.4	9.1	18.2	36.4		Q	51.1	7.8	9.6	31.1		Q	52.4	6.7	13.0	27.3
46.	C	0.0	0.0	81.8	18.2		P	1.5	3.3	73.7	21.5		P	1.2	3.0	75.8	20.0
47.	C	0.0	0.0	100.0	0.0		P	7.4	1.1	91.1	0.4		P	10.0	1.8	87.6	0.6
48.	D	0.0	0.0	0.0	100.0		P	0.4	5.9	4.4	89.3		P	0.9	5.5	3.9	89.7
49.	B	9.1	81.8	9.1	0.0		P	20.0	72.6	6.7	0.7		P	17.3	74.6	6.7	1.5
50.	C	0.0	0.0	100.0	0.0		P	1.1	8.9	87.4	2.6		P	2.1	8.2	86.7	3.0

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153231\153231_R.RPT

District 4 - Eastern

(percentage of students who selected each response)

#302 - Queen Elizabeth Regional High School, Conception Bay South (Foxt

Grades: 10-12

Item	Key	School [N=32]				School Below Above District	District [N=270]				School Below Above Province	Province [N=330]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	D	15.6	0.0	3.1	81.3	q	12.2	0.7	2.2	84.8	q	12.4	0.9	3.0	83.6
2.	A	68.8	6.3	0.0	25.0	q	74.1	19.6	0.0	5.9	q	71.8	21.8	0.3	5.8
*3.	X	---	---	---	---		---	---	---	---		---	---	---	---
4.	A	46.9	3.1	40.6	9.4	q	74.8	4.1	16.3	4.8	q	75.8	3.3	16.4	4.6
5.	A	46.9	3.1	28.1	21.9	q	48.9	6.7	31.5	13.0	q	49.4	7.3	30.6	12.7
6.	C	37.5	3.1	43.8	15.6	q	29.6	4.4	52.6	13.3	q	29.4	5.8	51.2	13.6
7.	C	37.5	9.4	46.9	6.3	q	19.6	4.8	71.1	4.4	q	21.5	4.2	69.4	4.9
8.	C	0.0	0.0	96.9	3.1	p	3.7	0.4	93.0	3.0	p	3.9	0.3	92.7	3.0
9.	B	0.0	87.5	12.5	0.0	q	1.1	93.0	5.2	0.7	q	2.1	91.8	5.2	0.9
10.	C	15.6	43.8	15.6	25.0	q	11.9	36.7	31.1	20.4	q	12.7	34.6	31.5	21.2
11.	B	18.8	59.4	15.6	6.3	q	6.7	87.8	3.3	2.2	q	7.3	83.6	4.6	4.6
12.	C	6.3	0.0	90.6	3.1	p	5.2	0.4	89.6	4.4	p	4.9	0.3	88.8	5.8
13.	B	18.8	37.5	40.6	3.1	p	23.3	35.2	27.8	12.6	p	23.9	35.2	27.9	12.1
14.	D	50.0	3.1	9.4	37.5	q	35.9	1.9	5.2	57.0	q	38.8	1.5	4.6	55.2
15.	D	3.1	37.5	15.6	43.8	q	2.2	24.8	4.4	68.5	q	3.0	27.0	3.6	66.4
16.	A	81.3	6.3	9.4	3.1	q	85.2	3.0	8.5	3.3	q	83.0	3.9	10.0	3.0
17.	A	75.0	0.0	25.0	0.0	q	84.1	5.6	10.0	0.4	q	83.6	5.2	10.6	0.3
18.	A	75.0	3.1	3.1	18.8	q	84.8	1.1	5.6	8.5	q	84.6	1.2	6.4	7.9
19.	A	34.4	0.0	18.8	46.9	q	64.1	0.0	11.9	24.1	q	63.9	0.6	11.5	23.6
20.	C	15.6	15.6	56.3	12.5	q	7.8	8.5	75.2	8.2	q	11.8	8.2	71.5	8.2
21.	D	0.0	18.8	0.0	81.3	q	3.3	8.9	1.5	85.9	q	5.5	9.1	2.7	82.1
22.	A	87.5	9.4	0.0	3.1	q	94.8	2.2	1.9	1.1	q	90.9	3.0	2.4	3.6
23.	C	0.0	0.0	96.9	3.1	p	3.3	1.5	91.9	3.0	p	3.3	1.2	92.4	2.7
24.	C	37.5	9.4	15.6	37.5	q	24.8	7.0	40.4	27.4	q	25.2	7.9	41.2	25.2
25.	A	81.3	6.3	3.1	9.4	p	73.7	4.8	8.5	13.0	p	74.2	5.8	7.6	12.4
26.	B	12.5	68.8	0.0	18.8	q	5.6	77.8	4.8	11.9	q	6.1	77.0	4.6	12.4
27.	C	15.6	6.3	75.0	3.1	q	8.5	4.1	87.0	0.4	q	10.6	4.6	83.6	1.2
28.	A	87.5	3.1	9.4	0.0	q	91.5	3.7	3.3	1.5	q	91.2	3.3	4.2	1.2
29.	D	15.6	18.8	0.0	65.6	q	7.0	13.0	4.1	75.6	q	7.3	13.0	6.1	73.3
30.	B	6.3	87.5	6.3	0.0	q	4.1	88.9	7.0	0.0	q	4.9	88.5	6.7	0.0
31.	A	87.5	0.0	6.3	6.3	p	86.7	2.2	7.0	3.7	p	84.9	3.6	7.6	3.6
*32.	A,C	34.4	37.5	28.1	0.0	q	50.7	23.0	21.1	4.8	q	50.0	23.3	20.3	6.1
33.	A	100.0	0.0	0.0	0.0	p	99.3	0.4	0.4	0.0	p	97.9	0.9	1.2	0.0
34.	C	3.1	0.0	96.9	0.0	q	0.4	1.5	97.8	0.4	q	0.3	1.5	97.6	0.6
35.	B	21.9	65.6	9.4	3.1	q	14.1	78.5	4.4	2.6	q	12.1	80.6	4.9	2.1
36.	B	6.3	90.6	3.1	0.0	p	5.9	90.4	2.2	1.5	p	6.4	90.6	1.8	1.2
37.	C	12.5	3.1	81.3	3.1	q	6.7	0.7	86.7	5.9	q	6.7	1.2	84.9	7.3
38.	A	90.6	3.1	3.1	3.1	p	89.6	5.2	4.1	1.1	p	89.4	5.2	4.2	0.9
39.	A	75.0	3.1	3.1	18.8	q	84.8	5.9	4.4	4.8	q	80.0	6.4	7.9	5.8
40.	B	6.3	90.6	0.0	3.1	p	3.3	86.7	6.3	3.7	p	5.2	85.2	6.1	3.6
41.	A	78.1	0.0	15.6	6.3	q	81.1	3.0	10.7	5.2	q	79.7	3.3	10.3	6.7
42.	C	12.5	6.3	62.5	15.6	q	2.6	5.2	82.2	9.6	q	2.4	6.4	80.9	9.4
43.	A	78.1	3.1	18.8	0.0	q	86.3	4.4	7.8	1.5	q	87.0	4.6	7.3	1.2
44.	C	0.0	6.3	56.3	37.5	q	7.0	3.3	66.7	23.0	q	7.6	3.6	64.6	24.2
45.	A	40.6	6.3	3.1	46.9	q	51.1	7.8	9.6	31.1	q	52.4	6.7	13.0	27.3
46.	C	0.0	3.1	75.0	21.9	p	1.5	3.3	73.7	21.5	q	1.2	3.0	75.8	20.0
47.	C	9.4	0.0	90.6	0.0	q	7.4	1.1	91.1	0.4	p	10.0	1.8	87.6	0.6
48.	D	0.0	12.5	3.1	84.4	q	0.4	5.9	4.4	89.3	q	0.9	5.5	3.9	89.7
49.	B	18.8	62.5	18.8	0.0	q	20.0	72.6	6.7	0.7	q	17.3	74.6	6.7	1.5
50.	C	0.0	15.6	81.3	3.1	q	1.1	8.9	87.4	2.6	q	2.1	8.2	86.7	3.0

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153231\153231_R.RPT

District 4 - Eastern

(percentage of students who selected each response)

#304 - Holy Spirit High, Conception Bay South (Manuels)

Grades: 10-12

Item	Key	School [N=16]				School Below Above District	District [N=270]				School Below Above Province	Province [N=330]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	D	31.3	0.0	0.0	68.8	q	12.2	0.7	2.2	84.8	q	12.4	0.9	3.0	83.6
2.	A	62.5	37.5	0.0	0.0	q	74.1	19.6	0.0	5.9	q	71.8	21.8	0.3	5.8
*3.	X	---	---	---	---		---	---	---	---		---	---	---	---
4.	A	68.8	0.0	18.8	12.5	q	74.8	4.1	16.3	4.8	q	75.8	3.3	16.4	4.6
5.	A	50.0	12.5	18.8	18.8	p	48.9	6.7	31.5	13.0	p	49.4	7.3	30.6	12.7
6.	C	43.8	6.3	37.5	12.5	q	29.6	4.4	52.6	13.3	q	29.4	5.8	51.2	13.6
7.	C	37.5	6.3	56.3	0.0	q	19.6	4.8	71.1	4.4	q	21.5	4.2	69.4	4.9
8.	C	6.3	0.0	93.8	0.0	p	3.7	0.4	93.0	3.0	p	3.9	0.3	92.7	3.0
9.	B	6.3	87.5	6.3	0.0	q	1.1	93.0	5.2	0.7	q	2.1	91.8	5.2	0.9
10.	C	31.3	37.5	18.8	12.5	q	11.9	36.7	31.1	20.4	q	12.7	34.6	31.5	21.2
11.	B	31.3	56.3	12.5	0.0	q	6.7	87.8	3.3	2.2	q	7.3	83.6	4.6	4.6
12.	C	12.5	0.0	87.5	0.0	q	5.2	0.4	89.6	4.4	q	4.9	0.3	88.8	5.8
13.	B	37.5	25.0	18.8	18.8	q	23.3	35.2	27.8	12.6	q	23.9	35.2	27.9	12.1
14.	D	50.0	6.3	0.0	43.8	q	35.9	1.9	5.2	57.0	q	38.8	1.5	4.6	55.2
15.	D	0.0	62.5	6.3	31.3	q	2.2	24.8	4.4	68.5	q	3.0	27.0	3.6	66.4
16.	A	87.5	0.0	12.5	0.0	p	85.2	3.0	8.5	3.3	p	83.0	3.9	10.0	3.0
17.	A	81.3	0.0	12.5	6.3	q	84.1	5.6	10.0	0.4	q	83.6	5.2	10.6	0.3
18.	A	100.0	0.0	0.0	0.0	p	84.8	1.1	5.6	8.5	p	84.6	1.2	6.4	7.9
19.	A	50.0	0.0	25.0	25.0	q	64.1	0.0	11.9	24.1	q	63.9	0.6	11.5	23.6
20.	C	12.5	31.3	37.5	18.8	q	7.8	8.5	75.2	8.2	q	11.8	8.2	71.5	8.2
21.	D	6.3	25.0	0.0	68.8	q	3.3	8.9	1.5	85.9	q	5.5	9.1	2.7	82.1
22.	A	100.0	0.0	0.0	0.0	p	94.8	2.2	1.9	1.1	p	90.9	3.0	2.4	3.6
23.	C	0.0	0.0	100.0	0.0	p	3.3	1.5	91.9	3.0	p	3.3	1.2	92.4	2.7
24.	C	25.0	12.5	37.5	25.0	q	24.8	7.0	40.4	27.4	q	25.2	7.9	41.2	25.2
25.	A	62.5	6.3	18.8	12.5	q	73.7	4.8	8.5	13.0	q	74.2	5.8	7.6	12.4
26.	B	6.3	75.0	6.3	12.5	q	5.6	77.8	4.8	11.9	q	6.1	77.0	4.6	12.4
27.	C	12.5	6.3	81.3	0.0	q	8.5	4.1	87.0	0.4	q	10.6	4.6	83.6	1.2
28.	A	81.3	6.3	0.0	12.5	q	91.5	3.7	3.3	1.5	q	91.2	3.3	4.2	1.2
29.	D	18.8	37.5	12.5	31.3	q	7.0	13.0	4.1	75.6	q	7.3	13.0	6.1	73.3
30.	B	0.0	87.5	12.5	0.0	q	4.1	88.9	7.0	0.0	q	4.9	88.5	6.7	0.0
31.	A	81.3	6.3	12.5	0.0	q	86.7	2.2	7.0	3.7	q	84.9	3.6	7.6	3.6
*32.	A,C	68.8	18.8	6.3	6.3	p	50.7	23.0	21.1	4.8	p	50.0	23.3	20.3	6.1
33.	A	100.0	0.0	0.0	0.0	p	99.3	0.4	0.4	0.0	p	97.9	0.9	1.2	0.0
34.	C	0.0	0.0	100.0	0.0	p	0.4	1.5	97.8	0.4	p	0.3	1.5	97.6	0.6
35.	B	6.3	87.5	0.0	6.3	p	14.1	78.5	4.4	2.6	p	12.1	80.6	4.9	2.1
36.	B	12.5	68.8	12.5	6.3	q	5.9	90.4	2.2	1.5	q	6.4	90.6	1.8	1.2
37.	C	6.3	0.0	81.3	12.5	q	6.7	0.7	86.7	5.9	q	6.7	1.2	84.9	7.3
38.	A	87.5	6.3	6.3	0.0	q	89.6	5.2	4.1	1.1	q	89.4	5.2	4.2	0.9
39.	A	75.0	18.8	0.0	6.3	q	84.8	5.9	4.4	4.8	q	80.0	6.4	7.9	5.8
40.	B	0.0	75.0	18.8	6.3	q	3.3	86.7	6.3	3.7	q	5.2	85.2	6.1	3.6
41.	A	93.8	6.3	0.0	0.0	p	81.1	3.0	10.7	5.2	p	79.7	3.3	10.3	6.7
42.	C	0.0	6.3	87.5	6.3	p	2.6	5.2	82.2	9.6	p	2.4	6.4	80.9	9.4
43.	A	75.0	0.0	18.8	6.3	q	86.3	4.4	7.8	1.5	q	87.0	4.6	7.3	1.2
44.	C	18.8	6.3	50.0	25.0	q	7.0	3.3	66.7	23.0	q	7.6	3.6	64.6	24.2
45.	A	75.0	6.3	0.0	18.8	p	51.1	7.8	9.6	31.1	p	52.4	6.7	13.0	27.3
46.	C	0.0	12.5	75.0	12.5	p	1.5	3.3	73.7	21.5	q	1.2	3.0	75.8	20.0
47.	C	0.0	6.3	93.8	0.0	p	7.4	1.1	91.1	0.4	p	10.0	1.8	87.6	0.6
48.	D	0.0	0.0	6.3	93.8	p	0.4	5.9	4.4	89.3	p	0.9	5.5	3.9	89.7
49.	B	50.0	43.8	6.3	0.0	q	20.0	72.6	6.7	0.7	q	17.3	74.6	6.7	1.5
50.	C	0.0	12.5	87.5	0.0	p	1.1	8.9	87.4	2.6	p	2.1	8.2	86.7	3.0

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153231\153231_R.RPT

District 4 - Eastern

(percentage of students who selected each response)

#311 - Mount Pearl Senior High, Mount Pearl

Grades: 10-12

Item	Key	School [N=53]				School Below Above District		District [N=270]				School Below Above Province		Province [N=330]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	D	11.3	1.9	3.8	83.0			12.2	0.7	2.2	84.8			12.4	0.9	3.0	83.6
2.	A	52.8	34.0	0.0	11.3			74.1	19.6	0.0	5.9			71.8	21.8	0.3	5.8
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A	79.3	0.0	18.9	1.9		P	74.8	4.1	16.3	4.8			75.8	3.3	16.4	4.6
5.	A	50.9	5.7	28.3	15.1		P	48.9	6.7	31.5	13.0			49.4	7.3	30.6	12.7
6.	C	26.4	9.4	50.9	13.2		Q	29.6	4.4	52.6	13.3			29.4	5.8	51.2	13.6
7.	C	15.1	1.9	75.5	7.6		P	19.6	4.8	71.1	4.4			21.5	4.2	69.4	4.9
8.	C	17.0	0.0	81.1	1.9		Q	3.7	0.4	93.0	3.0			3.9	0.3	92.7	3.0
9.	B	0.0	94.3	5.7	0.0		P	1.1	93.0	5.2	0.7			2.1	91.8	5.2	0.9
10.	C	22.6	35.9	34.0	7.6		P	11.9	36.7	31.1	20.4			12.7	34.6	31.5	21.2
11.	B	5.7	92.5	0.0	1.9		P	6.7	87.8	3.3	2.2			7.3	83.6	4.6	4.6
12.	C	3.8	1.9	81.1	13.2		Q	5.2	0.4	89.6	4.4			4.9	0.3	88.8	5.8
13.	B	13.2	37.7	32.1	15.1		P	23.3	35.2	27.8	12.6			23.9	35.2	27.9	12.1
14.	D	43.4	5.7	9.4	41.5		Q	35.9	1.9	5.2	57.0			38.8	1.5	4.6	55.2
15.	D	7.6	32.1	1.9	58.5		Q	2.2	24.8	4.4	68.5			3.0	27.0	3.6	66.4
16.	A	77.4	7.6	3.8	11.3		Q	85.2	3.0	8.5	3.3			83.0	3.9	10.0	3.0
17.	A	75.5	11.3	13.2	0.0		Q	84.1	5.6	10.0	0.4			83.6	5.2	10.6	0.3
18.	A	90.6	0.0	5.7	3.8		P	84.8	1.1	5.6	8.5			84.6	1.2	6.4	7.9
19.	A	49.1	0.0	18.9	32.1		Q	64.1	0.0	11.9	24.1			63.9	0.6	11.5	23.6
20.	C	15.1	5.7	66.0	13.2		Q	7.8	8.5	75.2	8.2			11.8	8.2	71.5	8.2
21.	D	1.9	7.6	5.7	84.9		Q	3.3	8.9	1.5	85.9			5.5	9.1	2.7	82.1
22.	A	94.3	1.9	3.8	0.0		Q	94.8	2.2	1.9	1.1			90.9	3.0	2.4	3.6
23.	C	9.4	0.0	86.8	3.8		Q	3.3	1.5	91.9	3.0			3.3	1.2	92.4	2.7
24.	C	30.2	7.6	20.8	41.5		Q	24.8	7.0	40.4	27.4			25.2	7.9	41.2	25.2
25.	A	52.8	9.4	13.2	24.5		Q	73.7	4.8	8.5	13.0			74.2	5.8	7.6	12.4
26.	B	3.8	64.2	7.6	24.5		Q	5.6	77.8	4.8	11.9			6.1	77.0	4.6	12.4
27.	C	9.4	5.7	84.9	0.0		Q	8.5	4.1	87.0	0.4			10.6	4.6	83.6	1.2
28.	A	88.7	5.7	3.8	1.9		Q	91.5	3.7	3.3	1.5			91.2	3.3	4.2	1.2
29.	D	1.9	15.1	3.8	79.3		P	7.0	13.0	4.1	75.6			7.3	13.0	6.1	73.3
30.	B	9.4	79.3	11.3	0.0		Q	4.1	88.9	7.0	0.0			4.9	88.5	6.7	0.0
31.	A	75.5	3.8	13.2	5.7		Q	86.7	2.2	7.0	3.7			84.9	3.6	7.6	3.6
*32.	A,C	39.6	22.6	28.3	9.4		Q	50.7	23.0	21.1	4.8			50.0	23.3	20.3	6.1
33.	A	98.1	0.0	1.9	0.0		Q	99.3	0.4	0.4	0.0			97.9	0.9	1.2	0.0
34.	C	0.0	1.9	96.2	1.9		Q	0.4	1.5	97.8	0.4			0.3	1.5	97.6	0.6
35.	B	11.3	79.3	5.7	3.8		P	14.1	78.5	4.4	2.6			12.1	80.6	4.9	2.1
36.	B	11.3	83.0	0.0	5.7		Q	5.9	90.4	2.2	1.5			6.4	90.6	1.8	1.2
37.	C	5.7	1.9	86.8	5.7		P	6.7	0.7	86.7	5.9			6.7	1.2	84.9	7.3
38.	A	84.9	5.7	5.7	3.8		Q	89.6	5.2	4.1	1.1			89.4	5.2	4.2	0.9
39.	A	77.4	5.7	13.2	3.8		Q	84.8	5.9	4.4	4.8			80.0	6.4	7.9	5.8
40.	B	9.4	81.1	5.7	3.8		Q	3.3	86.7	6.3	3.7			5.2	85.2	6.1	3.6
41.	A	71.7	3.8	22.6	1.9		Q	81.1	3.0	10.7	5.2			79.7	3.3	10.3	6.7
42.	C	3.8	9.4	71.7	15.1		Q	2.6	5.2	82.2	9.6			2.4	6.4	80.9	9.4
43.	A	83.0	7.6	7.6	1.9		Q	86.3	4.4	7.8	1.5			87.0	4.6	7.3	1.2
44.	C	9.4	5.7	56.6	28.3		Q	7.0	3.3	66.7	23.0			7.6	3.6	64.6	24.2
45.	A	50.9	17.0	15.1	17.0		Q	51.1	7.8	9.6	31.1			52.4	6.7	13.0	27.3
46.	C	0.0	0.0	84.9	15.1		P	1.5	3.3	73.7	21.5			1.2	3.0	75.8	20.0
47.	C	11.3	0.0	86.8	1.9		Q	7.4	1.1	91.1	0.4			10.0	1.8	87.6	0.6
48.	D	1.9	5.7	9.4	83.0		Q	0.4	5.9	4.4	89.3			0.9	5.5	3.9	89.7
49.	B	17.0	73.6	7.6	1.9		P	20.0	72.6	6.7	0.7			17.3	74.6	6.7	1.5
50.	C	1.9	15.1	79.3	3.8		Q	1.1	8.9	87.4	2.6			2.1	8.2	86.7	3.0

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153231\153231_R.RPT

District 4 - Eastern

(percentage of students who selected each response)

#313 - O'Donel High, Mount Pearl

Grades: 10-12

Item	Key	School [N=12]				School Below Above District		District [N=270]				School Below Above Province		Province [N=330]			
		A	B	C	D			A	B	C	D	A	B	C	D		
1.	D	16.7	0.0	0.0	83.3	q		12.2	0.7	2.2	84.8	q		12.4	0.9	3.0	83.6
2.	A	91.7	8.3	0.0	0.0		p	74.1	19.6	0.0	5.9		p	71.8	21.8	0.3	5.8
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A	100.0	0.0	0.0	0.0		p	74.8	4.1	16.3	4.8		p	75.8	3.3	16.4	4.6
5.	A	50.0	16.7	16.7	16.7		p	48.9	6.7	31.5	13.0		p	49.4	7.3	30.6	12.7
6.	C	33.3	8.3	58.3	0.0		p	29.6	4.4	52.6	13.3		p	29.4	5.8	51.2	13.6
7.	C	25.0	0.0	75.0	0.0		p	19.6	4.8	71.1	4.4		p	21.5	4.2	69.4	4.9
8.	C	0.0	0.0	100.0	0.0		p	3.7	0.4	93.0	3.0		p	3.9	0.3	92.7	3.0
9.	B	0.0	91.7	8.3	0.0	q		1.1	93.0	5.2	0.7	q		2.1	91.8	5.2	0.9
10.	C	0.0	41.7	33.3	25.0		p	11.9	36.7	31.1	20.4		p	12.7	34.6	31.5	21.2
11.	B	0.0	91.7	0.0	8.3		p	6.7	87.8	3.3	2.2		p	7.3	83.6	4.6	4.6
12.	C	25.0	0.0	75.0	0.0	q		5.2	0.4	89.6	4.4	q		4.9	0.3	88.8	5.8
13.	B	33.3	16.7	41.7	8.3	q		23.3	35.2	27.8	12.6	q		23.9	35.2	27.9	12.1
14.	D	50.0	0.0	0.0	50.0	q		35.9	1.9	5.2	57.0	q		38.8	1.5	4.6	55.2
15.	D	0.0	33.3	16.7	50.0	q		2.2	24.8	4.4	68.5	q		3.0	27.0	3.6	66.4
16.	A	100.0	0.0	0.0	0.0		p	85.2	3.0	8.5	3.3		p	83.0	3.9	10.0	3.0
17.	A	66.7	25.0	8.3	0.0	q		84.1	5.6	10.0	0.4	q		83.6	5.2	10.6	0.3
18.	A	75.0	8.3	16.7	0.0	q		84.8	1.1	5.6	8.5	q		84.6	1.2	6.4	7.9
19.	A	41.7	0.0	16.7	41.7	q		64.1	0.0	11.9	24.1	q		63.9	0.6	11.5	23.6
20.	C	0.0	8.3	83.3	8.3		p	7.8	8.5	75.2	8.2		p	11.8	8.2	71.5	8.2
21.	D	0.0	0.0	0.0	100.0		p	3.3	8.9	1.5	85.9		p	5.5	9.1	2.7	82.1
22.	A	91.7	8.3	0.0	0.0	q		94.8	2.2	1.9	1.1		p	90.9	3.0	2.4	3.6
23.	C	0.0	0.0	91.7	8.3	q		3.3	1.5	91.9	3.0	q		3.3	1.2	92.4	2.7
24.	C	16.7	0.0	58.3	25.0		p	24.8	7.0	40.4	27.4		p	25.2	7.9	41.2	25.2
25.	A	66.7	0.0	16.7	16.7	q		73.7	4.8	8.5	13.0	q		74.2	5.8	7.6	12.4
26.	B	8.3	75.0	0.0	16.7	q		5.6	77.8	4.8	11.9	q		6.1	77.0	4.6	12.4
27.	C	0.0	0.0	100.0	0.0		p	8.5	4.1	87.0	0.4		p	10.6	4.6	83.6	1.2
28.	A	100.0	0.0	0.0	0.0		p	91.5	3.7	3.3	1.5		p	91.2	3.3	4.2	1.2
29.	D	8.3	8.3	8.3	75.0	q		7.0	13.0	4.1	75.6		p	7.3	13.0	6.1	73.3
30.	B	0.0	91.7	8.3	0.0		p	4.1	88.9	7.0	0.0		p	4.9	88.5	6.7	0.0
31.	A	91.7	0.0	0.0	8.3		p	86.7	2.2	7.0	3.7		p	84.9	3.6	7.6	3.6
*32.	A,C	66.7	0.0	25.0	8.3		p	50.7	23.0	21.1	4.8		p	50.0	23.3	20.3	6.1
33.	A	100.0	0.0	0.0	0.0		p	99.3	0.4	0.4	0.0		p	97.9	0.9	1.2	0.0
34.	C	0.0	8.3	91.7	0.0	q		0.4	1.5	97.8	0.4	q		0.3	1.5	97.6	0.6
35.	B	33.3	58.3	0.0	0.0	q		14.1	78.5	4.4	2.6	q		12.1	80.6	4.9	2.1
36.	B	0.0	91.7	8.3	0.0		p	5.9	90.4	2.2	1.5		p	6.4	90.6	1.8	1.2
37.	C	8.3	0.0	91.7	0.0		p	6.7	0.7	86.7	5.9		p	6.7	1.2	84.9	7.3
38.	A	91.7	8.3	0.0	0.0		p	89.6	5.2	4.1	1.1		p	89.4	5.2	4.2	0.9
39.	A	75.0	16.7	8.3	0.0	q		84.8	5.9	4.4	4.8	q		80.0	6.4	7.9	5.8
40.	B	0.0	83.3	8.3	8.3	q		3.3	86.7	6.3	3.7	q		5.2	85.2	6.1	3.6
41.	A	83.3	8.3	8.3	0.0		p	81.1	3.0	10.7	5.2		p	79.7	3.3	10.3	6.7
42.	C	0.0	8.3	83.3	8.3		p	2.6	5.2	82.2	9.6		p	2.4	6.4	80.9	9.4
43.	A	91.7	0.0	8.3	0.0		p	86.3	4.4	7.8	1.5		p	87.0	4.6	7.3	1.2
44.	C	0.0	0.0	91.7	8.3		p	7.0	3.3	66.7	23.0		p	7.6	3.6	64.6	24.2
45.	A	50.0	0.0	8.3	41.7	q		51.1	7.8	9.6	31.1	q		52.4	6.7	13.0	27.3
46.	C	0.0	8.3	58.3	33.3	q		1.5	3.3	73.7	21.5	q		1.2	3.0	75.8	20.0
47.	C	8.3	0.0	91.7	0.0		p	7.4	1.1	91.1	0.4		p	10.0	1.8	87.6	0.6
48.	D	0.0	25.0	0.0	75.0	q		0.4	5.9	4.4	89.3	q		0.9	5.5	3.9	89.7
49.	B	16.7	83.3	0.0	0.0		p	20.0	72.6	6.7	0.7		p	17.3	74.6	6.7	1.5
50.	C	0.0	0.0	100.0	0.0		p	1.1	8.9	87.4	2.6		p	2.1	8.2	86.7	3.0

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153231\153231_R.RPT

District 4 - Eastern

(percentage of students who selected each response)

#327 - Bishops College, St. John's

Grades: 10-12

Item	Key	School [N=12]				School Below Above District	District [N=270]				School Below Above Province	Province [N=330]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	D	16.7	0.0	8.3	75.0	q	12.2	0.7	2.2	84.8	q	12.4	0.9	3.0	83.6
2.	A	66.7	33.3	0.0	0.0	q	74.1	19.6	0.0	5.9	q	71.8	21.8	0.3	5.8
*3.	X	---	---	---	---		---	---	---	---		---	---	---	---
4.	A	91.7	0.0	0.0	8.3	p	74.8	4.1	16.3	4.8	p	75.8	3.3	16.4	4.6
5.	A	83.3	0.0	8.3	8.3	p	48.9	6.7	31.5	13.0	p	49.4	7.3	30.6	12.7
6.	C	25.0	0.0	75.0	0.0	p	29.6	4.4	52.6	13.3	p	29.4	5.8	51.2	13.6
7.	C	58.3	16.7	25.0	0.0	q	19.6	4.8	71.1	4.4	q	21.5	4.2	69.4	4.9
8.	C	0.0	0.0	100.0	0.0	p	3.7	0.4	93.0	3.0	p	3.9	0.3	92.7	3.0
9.	B	8.3	91.7	0.0	0.0	q	1.1	93.0	5.2	0.7	q	2.1	91.8	5.2	0.9
10.	C	8.3	33.3	25.0	33.3	q	11.9	36.7	31.1	20.4	q	12.7	34.6	31.5	21.2
11.	B	8.3	91.7	0.0	0.0	p	6.7	87.8	3.3	2.2	p	7.3	83.6	4.6	4.6
12.	C	8.3	0.0	83.3	0.0	q	5.2	0.4	89.6	4.4	q	4.9	0.3	88.8	5.8
13.	B	16.7	58.3	25.0	0.0	p	23.3	35.2	27.8	12.6	p	23.9	35.2	27.9	12.1
14.	D	8.3	0.0	0.0	91.7	p	35.9	1.9	5.2	57.0	p	38.8	1.5	4.6	55.2
15.	D	0.0	16.7	8.3	75.0	p	2.2	24.8	4.4	68.5	p	3.0	27.0	3.6	66.4
16.	A	91.7	0.0	0.0	8.3	p	85.2	3.0	8.5	3.3	p	83.0	3.9	10.0	3.0
17.	A	83.3	0.0	16.7	0.0	q	84.1	5.6	10.0	0.4	q	83.6	5.2	10.6	0.3
18.	A	91.7	0.0	0.0	8.3	p	84.8	1.1	5.6	8.5	p	84.6	1.2	6.4	7.9
19.	A	66.7	0.0	25.0	8.3	p	64.1	0.0	11.9	24.1	p	63.9	0.6	11.5	23.6
20.	C	8.3	0.0	83.3	8.3	p	7.8	8.5	75.2	8.2	p	11.8	8.2	71.5	8.2
21.	D	0.0	8.3	0.0	91.7	p	3.3	8.9	1.5	85.9	p	5.5	9.1	2.7	82.1
22.	A	100.0	0.0	0.0	0.0	p	94.8	2.2	1.9	1.1	p	90.9	3.0	2.4	3.6
23.	C	0.0	0.0	100.0	0.0	p	3.3	1.5	91.9	3.0	p	3.3	1.2	92.4	2.7
24.	C	16.7	16.7	33.3	33.3	q	24.8	7.0	40.4	27.4	q	25.2	7.9	41.2	25.2
25.	A	91.7	0.0	8.3	0.0	p	73.7	4.8	8.5	13.0	p	74.2	5.8	7.6	12.4
26.	B	8.3	91.7	0.0	0.0	p	5.6	77.8	4.8	11.9	p	6.1	77.0	4.6	12.4
27.	C	0.0	0.0	100.0	0.0	p	8.5	4.1	87.0	0.4	p	10.6	4.6	83.6	1.2
28.	A	91.7	8.3	0.0	0.0	p	91.5	3.7	3.3	1.5	p	91.2	3.3	4.2	1.2
29.	D	16.7	8.3	0.0	75.0	q	7.0	13.0	4.1	75.6	p	7.3	13.0	6.1	73.3
30.	B	0.0	100.0	0.0	0.0	p	4.1	88.9	7.0	0.0	p	4.9	88.5	6.7	0.0
31.	A	83.3	0.0	8.3	8.3	q	86.7	2.2	7.0	3.7	q	84.9	3.6	7.6	3.6
*32.	A,C	66.7	25.0	8.3	0.0	p	50.7	23.0	21.1	4.8	p	50.0	23.3	20.3	6.1
33.	A	100.0	0.0	0.0	0.0	p	99.3	0.4	0.4	0.0	p	97.9	0.9	1.2	0.0
34.	C	0.0	0.0	100.0	0.0	p	0.4	1.5	97.8	0.4	p	0.3	1.5	97.6	0.6
35.	B	16.7	83.3	0.0	0.0	p	14.1	78.5	4.4	2.6	p	12.1	80.6	4.9	2.1
36.	B	0.0	100.0	0.0	0.0	p	5.9	90.4	2.2	1.5	p	6.4	90.6	1.8	1.2
37.	C	8.3	0.0	91.7	0.0	p	6.7	0.7	86.7	5.9	p	6.7	1.2	84.9	7.3
38.	A	91.7	0.0	8.3	0.0	p	89.6	5.2	4.1	1.1	p	89.4	5.2	4.2	0.9
39.	A	91.7	8.3	0.0	0.0	p	84.8	5.9	4.4	4.8	p	80.0	6.4	7.9	5.8
40.	B	8.3	75.0	16.7	0.0	q	3.3	86.7	6.3	3.7	q	5.2	85.2	6.1	3.6
41.	A	75.0	0.0	25.0	0.0	q	81.1	3.0	10.7	5.2	q	79.7	3.3	10.3	6.7
42.	C	0.0	0.0	91.7	8.3	p	2.6	5.2	82.2	9.6	p	2.4	6.4	80.9	9.4
43.	A	83.3	8.3	8.3	0.0	q	86.3	4.4	7.8	1.5	q	87.0	4.6	7.3	1.2
44.	C	8.3	0.0	66.7	25.0	p	7.0	3.3	66.7	23.0	p	7.6	3.6	64.6	24.2
45.	A	50.0	8.3	8.3	33.3	q	51.1	7.8	9.6	31.1	q	52.4	6.7	13.0	27.3
46.	C	0.0	0.0	58.3	41.7	q	1.5	3.3	73.7	21.5	q	1.2	3.0	75.8	20.0
47.	C	16.7	0.0	83.3	0.0	q	7.4	1.1	91.1	0.4	q	10.0	1.8	87.6	0.6
48.	D	0.0	0.0	8.3	91.7	p	0.4	5.9	4.4	89.3	p	0.9	5.5	3.9	89.7
49.	B	33.3	58.3	8.3	0.0	q	20.0	72.6	6.7	0.7	q	17.3	74.6	6.7	1.5
50.	C	0.0	0.0	100.0	0.0	p	1.1	8.9	87.4	2.6	p	2.1	8.2	86.7	3.0

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153231\153231_R.RPT

District 4 - Eastern

(percentage of students who selected each response)

#328 - Booth Memorial High School, St. John's

Grades: 10-12

Item	Key	School [N=17]				School Below Above District	District [N=270]				School Below Above Province	Province [N=330]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	D	17.7	5.9	0.0	76.5	q	12.2	0.7	2.2	84.8	q	12.4	0.9	3.0	83.6
2.	A	88.2	11.8	0.0	0.0	p	74.1	19.6	0.0	5.9	p	71.8	21.8	0.3	5.8
*3.	X	---	---	---	---		---	---	---	---		---	---	---	---
4.	A	82.4	0.0	17.7	0.0	p	74.8	4.1	16.3	4.8	p	75.8	3.3	16.4	4.6
5.	A	47.1	0.0	41.2	11.8	q	48.9	6.7	31.5	13.0	q	49.4	7.3	30.6	12.7
6.	C	35.3	5.9	35.3	23.5	q	29.6	4.4	52.6	13.3	q	29.4	5.8	51.2	13.6
7.	C	17.7	5.9	76.5	0.0	p	19.6	4.8	71.1	4.4	p	21.5	4.2	69.4	4.9
8.	C	0.0	0.0	100.0	0.0	p	3.7	0.4	93.0	3.0	p	3.9	0.3	92.7	3.0
9.	B	5.9	94.1	0.0	0.0	p	1.1	93.0	5.2	0.7	p	2.1	91.8	5.2	0.9
10.	C	0.0	35.3	17.7	47.1	q	11.9	36.7	31.1	20.4	q	12.7	34.6	31.5	21.2
11.	B	0.0	88.2	11.8	0.0	p	6.7	87.8	3.3	2.2	p	7.3	83.6	4.6	4.6
12.	C	5.9	0.0	94.1	0.0	p	5.2	0.4	89.6	4.4	p	4.9	0.3	88.8	5.8
13.	B	35.3	23.5	23.5	17.7	q	23.3	35.2	27.8	12.6	q	23.9	35.2	27.9	12.1
14.	D	52.9	0.0	0.0	47.1	q	35.9	1.9	5.2	57.0	q	38.8	1.5	4.6	55.2
15.	D	0.0	5.9	0.0	94.1	p	2.2	24.8	4.4	68.5	p	3.0	27.0	3.6	66.4
16.	A	100.0	0.0	0.0	0.0	p	85.2	3.0	8.5	3.3	p	83.0	3.9	10.0	3.0
17.	A	94.1	0.0	5.9	0.0	p	84.1	5.6	10.0	0.4	p	83.6	5.2	10.6	0.3
18.	A	82.4	0.0	11.8	5.9	q	84.8	1.1	5.6	8.5	q	84.6	1.2	6.4	7.9
19.	A	64.7	0.0	11.8	23.5	p	64.1	0.0	11.9	24.1	p	63.9	0.6	11.5	23.6
20.	C	0.0	5.9	82.4	5.9	p	7.8	8.5	75.2	8.2	p	11.8	8.2	71.5	8.2
21.	D	5.9	0.0	0.0	88.2	p	3.3	8.9	1.5	85.9	p	5.5	9.1	2.7	82.1
22.	A	94.1	0.0	5.9	0.0	q	94.8	2.2	1.9	1.1	p	90.9	3.0	2.4	3.6
23.	C	0.0	0.0	100.0	0.0	p	3.3	1.5	91.9	3.0	p	3.3	1.2	92.4	2.7
24.	C	41.2	5.9	35.3	17.7	q	24.8	7.0	40.4	27.4	q	25.2	7.9	41.2	25.2
25.	A	88.2	5.9	0.0	5.9	p	73.7	4.8	8.5	13.0	p	74.2	5.8	7.6	12.4
26.	B	23.5	64.7	5.9	5.9	q	5.6	77.8	4.8	11.9	q	6.1	77.0	4.6	12.4
27.	C	0.0	0.0	100.0	0.0	p	8.5	4.1	87.0	0.4	p	10.6	4.6	83.6	1.2
28.	A	94.1	0.0	5.9	0.0	p	91.5	3.7	3.3	1.5	p	91.2	3.3	4.2	1.2
29.	D	11.8	11.8	5.9	70.6	q	7.0	13.0	4.1	75.6	q	7.3	13.0	6.1	73.3
30.	B	0.0	88.2	11.8	0.0	q	4.1	88.9	7.0	0.0	q	4.9	88.5	6.7	0.0
31.	A	88.2	5.9	0.0	5.9	p	86.7	2.2	7.0	3.7	p	84.9	3.6	7.6	3.6
*32.	A,C	52.9	23.5	11.8	5.9	q	50.7	23.0	21.1	4.8	q	50.0	23.3	20.3	6.1
33.	A	100.0	0.0	0.0	0.0	p	99.3	0.4	0.4	0.0	p	97.9	0.9	1.2	0.0
34.	C	0.0	0.0	100.0	0.0	p	0.4	1.5	97.8	0.4	p	0.3	1.5	97.6	0.6
35.	B	11.8	88.2	0.0	0.0	p	14.1	78.5	4.4	2.6	p	12.1	80.6	4.9	2.1
36.	B	0.0	100.0	0.0	0.0	p	5.9	90.4	2.2	1.5	p	6.4	90.6	1.8	1.2
37.	C	0.0	0.0	88.2	11.8	p	6.7	0.7	86.7	5.9	p	6.7	1.2	84.9	7.3
38.	A	88.2	5.9	5.9	0.0	q	89.6	5.2	4.1	1.1	q	89.4	5.2	4.2	0.9
39.	A	100.0	0.0	0.0	0.0	p	84.8	5.9	4.4	4.8	p	80.0	6.4	7.9	5.8
40.	B	0.0	88.2	11.8	0.0	p	3.3	86.7	6.3	3.7	p	5.2	85.2	6.1	3.6
41.	A	88.2	0.0	11.8	0.0	p	81.1	3.0	10.7	5.2	p	79.7	3.3	10.3	6.7
42.	C	0.0	0.0	88.2	11.8	p	2.6	5.2	82.2	9.6	p	2.4	6.4	80.9	9.4
43.	A	100.0	0.0	0.0	0.0	p	86.3	4.4	7.8	1.5	p	87.0	4.6	7.3	1.2
44.	C	0.0	5.9	64.7	29.4	q	7.0	3.3	66.7	23.0	p	7.6	3.6	64.6	24.2
45.	A	23.5	0.0	17.7	58.8	q	51.1	7.8	9.6	31.1	q	52.4	6.7	13.0	27.3
46.	C	5.9	0.0	64.7	29.4	q	1.5	3.3	73.7	21.5	q	1.2	3.0	75.8	20.0
47.	C	0.0	0.0	100.0	0.0	p	7.4	1.1	91.1	0.4	p	10.0	1.8	87.6	0.6
48.	D	0.0	0.0	0.0	100.0	p	0.4	5.9	4.4	89.3	p	0.9	5.5	3.9	89.7
49.	B	17.7	82.4	0.0	0.0	p	20.0	72.6	6.7	0.7	p	17.3	74.6	6.7	1.5
50.	C	0.0	11.8	88.2	0.0	p	1.1	8.9	87.4	2.6	p	2.1	8.2	86.7	3.0

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153231\153231_R.RPT

District 4 - Eastern

(percentage of students who selected each response)

#336 - Gonzaga High School, St. John's

Grades: 10-12

Item	Key	School [N=34]				School Below Above District		District [N=270]				School Below Above Province		Province [N=330]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	D	8.8	0.0	0.0	91.2		P	12.2	0.7	2.2	84.8		P	12.4	0.9	3.0	83.6
2.	A	85.3	14.7	0.0	0.0		P	74.1	19.6	0.0	5.9		P	71.8	21.8	0.3	5.8
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A	73.5	5.9	11.8	8.8		Q	74.8	4.1	16.3	4.8		Q	75.8	3.3	16.4	4.6
5.	A	41.2	5.9	47.1	5.9		Q	48.9	6.7	31.5	13.0		Q	49.4	7.3	30.6	12.7
6.	C	14.7	5.9	73.5	5.9		P	29.6	4.4	52.6	13.3		P	29.4	5.8	51.2	13.6
7.	C	17.7	2.9	79.4	0.0		P	19.6	4.8	71.1	4.4		P	21.5	4.2	69.4	4.9
8.	C	0.0	0.0	100.0	0.0		P	3.7	0.4	93.0	3.0		P	3.9	0.3	92.7	3.0
9.	B	0.0	100.0	0.0	0.0		P	1.1	93.0	5.2	0.7		P	2.1	91.8	5.2	0.9
10.	C	2.9	38.2	38.2	20.6		P	11.9	36.7	31.1	20.4		P	12.7	34.6	31.5	21.2
11.	B	0.0	97.1	0.0	2.9		P	6.7	87.8	3.3	2.2		P	7.3	83.6	4.6	4.6
12.	C	0.0	0.0	91.2	8.8		P	5.2	0.4	89.6	4.4		P	4.9	0.3	88.8	5.8
13.	B	17.7	35.3	41.2	2.9		P	23.3	35.2	27.8	12.6		P	23.9	35.2	27.9	12.1
14.	D	26.5	0.0	0.0	73.5		P	35.9	1.9	5.2	57.0		P	38.8	1.5	4.6	55.2
15.	D	0.0	11.8	0.0	88.2		P	2.2	24.8	4.4	68.5		P	3.0	27.0	3.6	66.4
16.	A	91.2	2.9	5.9	0.0		P	85.2	3.0	8.5	3.3		P	83.0	3.9	10.0	3.0
17.	A	97.1	0.0	2.9	0.0		P	84.1	5.6	10.0	0.4		P	83.6	5.2	10.6	0.3
18.	A	88.2	0.0	2.9	8.8		P	84.8	1.1	5.6	8.5		P	84.6	1.2	6.4	7.9
19.	A	79.4	0.0	0.0	20.6		P	64.1	0.0	11.9	24.1		P	63.9	0.6	11.5	23.6
20.	C	0.0	0.0	100.0	0.0		P	7.8	8.5	75.2	8.2		P	11.8	8.2	71.5	8.2
21.	D	0.0	17.7	0.0	82.4		Q	3.3	8.9	1.5	85.9		P	5.5	9.1	2.7	82.1
22.	A	100.0	0.0	0.0	0.0		P	94.8	2.2	1.9	1.1		P	90.9	3.0	2.4	3.6
23.	C	5.9	0.0	91.2	2.9		Q	3.3	1.5	91.9	3.0		Q	3.3	1.2	92.4	2.7
24.	C	32.4	2.9	41.2	20.6		P	24.8	7.0	40.4	27.4		Q	25.2	7.9	41.2	25.2
25.	A	73.5	2.9	5.9	17.7		Q	73.7	4.8	8.5	13.0		Q	74.2	5.8	7.6	12.4
26.	B	2.9	91.2	0.0	5.9		P	5.6	77.8	4.8	11.9		P	6.1	77.0	4.6	12.4
27.	C	5.9	5.9	88.2	0.0		P	8.5	4.1	87.0	0.4		P	10.6	4.6	83.6	1.2
28.	A	97.1	2.9	0.0	0.0		P	91.5	3.7	3.3	1.5		P	91.2	3.3	4.2	1.2
29.	D	2.9	5.9	5.9	82.4		P	7.0	13.0	4.1	75.6		P	7.3	13.0	6.1	73.3
30.	B	5.9	85.3	8.8	0.0		Q	4.1	88.9	7.0	0.0		Q	4.9	88.5	6.7	0.0
31.	A	91.2	2.9	5.9	0.0		P	86.7	2.2	7.0	3.7		P	84.9	3.6	7.6	3.6
*32.	A,C	64.7	11.8	17.7	5.9		P	50.7	23.0	21.1	4.8		P	50.0	23.3	20.3	6.1
33.	A	100.0	0.0	0.0	0.0		P	99.3	0.4	0.4	0.0		P	97.9	0.9	1.2	0.0
34.	C	0.0	2.9	97.1	0.0		Q	0.4	1.5	97.8	0.4		Q	0.3	1.5	97.6	0.6
35.	B	17.7	79.4	2.9	0.0		P	14.1	78.5	4.4	2.6		Q	12.1	80.6	4.9	2.1
36.	B	5.9	91.2	2.9	0.0		P	5.9	90.4	2.2	1.5		P	6.4	90.6	1.8	1.2
37.	C	0.0	0.0	100.0	0.0		P	6.7	0.7	86.7	5.9		P	6.7	1.2	84.9	7.3
38.	A	97.1	2.9	0.0	0.0		P	89.6	5.2	4.1	1.1		P	89.4	5.2	4.2	0.9
39.	A	94.1	0.0	5.9	0.0		P	84.8	5.9	4.4	4.8		P	80.0	6.4	7.9	5.8
40.	B	0.0	97.1	0.0	2.9		P	3.3	86.7	6.3	3.7		P	5.2	85.2	6.1	3.6
41.	A	85.3	2.9	5.9	5.9		P	81.1	3.0	10.7	5.2		P	79.7	3.3	10.3	6.7
42.	C	2.9	5.9	82.4	8.8		P	2.6	5.2	82.2	9.6		P	2.4	6.4	80.9	9.4
43.	A	94.1	5.9	0.0	0.0		P	86.3	4.4	7.8	1.5		P	87.0	4.6	7.3	1.2
44.	C	11.8	2.9	85.3	0.0		P	7.0	3.3	66.7	23.0		P	7.6	3.6	64.6	24.2
45.	A	52.9	0.0	8.8	38.2		P	51.1	7.8	9.6	31.1		P	52.4	6.7	13.0	27.3
46.	C	2.9	11.8	55.9	29.4		Q	1.5	3.3	73.7	21.5		Q	1.2	3.0	75.8	20.0
47.	C	17.7	2.9	79.4	0.0		Q	7.4	1.1	91.1	0.4		Q	10.0	1.8	87.6	0.6
48.	D	0.0	5.9	5.9	88.2		Q	0.4	5.9	4.4	89.3		Q	0.9	5.5	3.9	89.7
49.	B	5.9	88.2	2.9	2.9		P	20.0	72.6	6.7	0.7		P	17.3	74.6	6.7	1.5
50.	C	2.9	11.8	85.3	0.0		Q	1.1	8.9	87.4	2.6		Q	2.1	8.2	86.7	3.0

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153231\153231_R.RPT

District 4 - Eastern

(percentage of students who selected each response)

#340 - Holy Heart High School, St. John's

Grades: 10-12

Item	Key	School [N=55]				School Below Above District	District [N=270]				School Below Above Province	Province [N=330]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	D	9.1	0.0	3.6	87.3	P	12.2	0.7	2.2	84.8	P	12.4	0.9	3.0	83.6
2.	A	87.3	12.7	0.0	0.0	P	74.1	19.6	0.0	5.9	P	71.8	21.8	0.3	5.8
*3.	X	---	---	---	---		---	---	---	---		---	---	---	---
4.	A	81.8	1.8	10.9	5.5	P	74.8	4.1	16.3	4.8	P	75.8	3.3	16.4	4.6
5.	A	52.7	9.1	34.6	3.6	P	48.9	6.7	31.5	13.0	P	49.4	7.3	30.6	12.7
6.	C	36.4	0.0	52.7	10.9	P	29.6	4.4	52.6	13.3	P	29.4	5.8	51.2	13.6
7.	C	5.5	5.5	85.5	3.6	P	19.6	4.8	71.1	4.4	P	21.5	4.2	69.4	4.9
8.	C	0.0	0.0	92.7	7.3	q	3.7	0.4	93.0	3.0	P	3.9	0.3	92.7	3.0
9.	B	0.0	94.6	3.6	1.8	P	1.1	93.0	5.2	0.7	P	2.1	91.8	5.2	0.9
10.	C	7.3	29.1	43.6	20.0	P	11.9	36.7	31.1	20.4	P	12.7	34.6	31.5	21.2
11.	B	3.6	96.4	0.0	0.0	P	6.7	87.8	3.3	2.2	P	7.3	83.6	4.6	4.6
12.	C	0.0	0.0	100.0	0.0	P	5.2	0.4	89.6	4.4	P	4.9	0.3	88.8	5.8
13.	B	32.7	36.4	12.7	16.4	P	23.3	35.2	27.8	12.6	P	23.9	35.2	27.9	12.1
14.	D	10.9	0.0	3.6	85.5	P	35.9	1.9	5.2	57.0	P	38.8	1.5	4.6	55.2
15.	D	1.8	18.2	0.0	80.0	P	2.2	24.8	4.4	68.5	P	3.0	27.0	3.6	66.4
16.	A	90.9	0.0	9.1	0.0	P	85.2	3.0	8.5	3.3	P	83.0	3.9	10.0	3.0
17.	A	87.3	7.3	5.5	0.0	P	84.1	5.6	10.0	0.4	P	83.6	5.2	10.6	0.3
18.	A	85.5	1.8	7.3	5.5	P	84.8	1.1	5.6	8.5	P	84.6	1.2	6.4	7.9
19.	A	98.2	0.0	0.0	1.8	P	64.1	0.0	11.9	24.1	P	63.9	0.6	11.5	23.6
20.	C	0.0	3.6	92.7	3.6	P	7.8	8.5	75.2	8.2	P	11.8	8.2	71.5	8.2
21.	D	1.8	3.6	1.8	92.7	P	3.3	8.9	1.5	85.9	P	5.5	9.1	2.7	82.1
22.	A	96.4	1.8	1.8	0.0	P	94.8	2.2	1.9	1.1	P	90.9	3.0	2.4	3.6
23.	C	0.0	7.3	87.3	3.6	q	3.3	1.5	91.9	3.0	q	3.3	1.2	92.4	2.7
24.	C	0.0	3.6	80.0	16.4	P	24.8	7.0	40.4	27.4	P	25.2	7.9	41.2	25.2
25.	A	90.9	3.6	5.5	0.0	P	73.7	4.8	8.5	13.0	P	74.2	5.8	7.6	12.4
26.	B	1.8	92.7	0.0	5.5	P	5.6	77.8	4.8	11.9	P	6.1	77.0	4.6	12.4
27.	C	7.3	0.0	92.7	0.0	P	8.5	4.1	87.0	0.4	P	10.6	4.6	83.6	1.2
28.	A	98.2	1.8	0.0	0.0	P	91.5	3.7	3.3	1.5	P	91.2	3.3	4.2	1.2
29.	D	1.8	5.5	1.8	90.9	P	7.0	13.0	4.1	75.6	P	7.3	13.0	6.1	73.3
30.	B	3.6	90.9	5.5	0.0	P	4.1	88.9	7.0	0.0	P	4.9	88.5	6.7	0.0
31.	A	89.1	1.8	7.3	1.8	P	86.7	2.2	7.0	3.7	P	84.9	3.6	7.6	3.6
*32.	A,C	49.1	23.6	23.6	3.6	P	50.7	23.0	21.1	4.8	P	50.0	23.3	20.3	6.1
33.	A	98.2	1.8	0.0	0.0	q	99.3	0.4	0.4	0.0	P	97.9	0.9	1.2	0.0
34.	C	0.0	1.8	98.2	0.0	P	0.4	1.5	97.8	0.4	P	0.3	1.5	97.6	0.6
35.	B	3.6	90.9	1.8	3.6	P	14.1	78.5	4.4	2.6	P	12.1	80.6	4.9	2.1
36.	B	5.5	92.7	1.8	0.0	P	5.9	90.4	2.2	1.5	P	6.4	90.6	1.8	1.2
37.	C	5.5	0.0	81.8	12.7	q	6.7	0.7	86.7	5.9	q	6.7	1.2	84.9	7.3
38.	A	89.1	5.5	5.5	0.0	q	89.6	5.2	4.1	1.1	q	89.4	5.2	4.2	0.9
39.	A	100.0	0.0	0.0	0.0	P	84.8	5.9	4.4	4.8	P	80.0	6.4	7.9	5.8
40.	B	0.0	94.6	5.5	0.0	P	3.3	86.7	6.3	3.7	P	5.2	85.2	6.1	3.6
41.	A	85.5	3.6	3.6	7.3	P	81.1	3.0	10.7	5.2	P	79.7	3.3	10.3	6.7
42.	C	0.0	1.8	96.4	1.8	P	2.6	5.2	82.2	9.6	P	2.4	6.4	80.9	9.4
43.	A	94.6	1.8	3.6	0.0	P	86.3	4.4	7.8	1.5	P	87.0	4.6	7.3	1.2
44.	C	3.6	1.8	87.3	7.3	P	7.0	3.3	66.7	23.0	P	7.6	3.6	64.6	24.2
45.	A	65.5	5.5	5.5	23.6	P	51.1	7.8	9.6	31.1	P	52.4	6.7	13.0	27.3
46.	C	3.6	1.8	80.0	14.6	P	1.5	3.3	73.7	21.5	P	1.2	3.0	75.8	20.0
47.	C	1.8	0.0	98.2	0.0	P	7.4	1.1	91.1	0.4	P	10.0	1.8	87.6	0.6
48.	D	0.0	3.6	1.8	94.6	P	0.4	5.9	4.4	89.3	P	0.9	5.5	3.9	89.7
49.	B	34.6	61.8	3.6	0.0	q	20.0	72.6	6.7	0.7	q	17.3	74.6	6.7	1.5
50.	C	0.0	1.8	92.7	5.5	P	1.1	8.9	87.4	2.6	P	2.1	8.2	86.7	3.0

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153231\153231_R.RPT

District 4 - Eastern

(percentage of students who selected each response)

#368 - Holy Trinity High School, Torbay

Grades: 7-12

Item	Key	School [N=13]				School Below Above District		District [N=270]				School Below Above Province		Province [N=330]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	D	0.0	0.0	0.0	100.0		P	12.2	0.7	2.2	84.8		P	12.4	0.9	3.0	83.6
2.	A	69.2	15.4	0.0	15.4		Q	74.1	19.6	0.0	5.9		Q	71.8	21.8	0.3	5.8
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A	61.5	23.1	15.4	0.0		Q	74.8	4.1	16.3	4.8		Q	75.8	3.3	16.4	4.6
5.	A	69.2	0.0	15.4	15.4		P	48.9	6.7	31.5	13.0		P	49.4	7.3	30.6	12.7
6.	C	30.8	0.0	30.8	38.5		Q	29.6	4.4	52.6	13.3		Q	29.4	5.8	51.2	13.6
7.	C	15.4	0.0	69.2	15.4		Q	19.6	4.8	71.1	4.4		Q	21.5	4.2	69.4	4.9
8.	C	0.0	0.0	100.0	0.0		P	3.7	0.4	93.0	3.0		P	3.9	0.3	92.7	3.0
9.	B	0.0	92.3	7.7	0.0		Q	1.1	93.0	5.2	0.7		P	2.1	91.8	5.2	0.9
10.	C	15.4	38.5	30.8	15.4		Q	11.9	36.7	31.1	20.4		Q	12.7	34.6	31.5	21.2
11.	B	7.7	84.6	0.0	7.7		Q	6.7	87.8	3.3	2.2		P	7.3	83.6	4.6	4.6
12.	C	15.4	0.0	76.9	7.7		Q	5.2	0.4	89.6	4.4		Q	4.9	0.3	88.8	5.8
13.	B	23.1	23.1	30.8	23.1		Q	23.3	35.2	27.8	12.6		Q	23.9	35.2	27.9	12.1
14.	D	38.5	0.0	23.1	38.5		Q	35.9	1.9	5.2	57.0		Q	38.8	1.5	4.6	55.2
15.	D	0.0	23.1	7.7	69.2		P	2.2	24.8	4.4	68.5		P	3.0	27.0	3.6	66.4
16.	A	76.9	7.7	15.4	0.0		Q	85.2	3.0	8.5	3.3		Q	83.0	3.9	10.0	3.0
17.	A	76.9	7.7	15.4	0.0		Q	84.1	5.6	10.0	0.4		Q	83.6	5.2	10.6	0.3
18.	A	76.9	0.0	15.4	7.7		Q	84.8	1.1	5.6	8.5		Q	84.6	1.2	6.4	7.9
19.	A	61.5	0.0	15.4	23.1		Q	64.1	0.0	11.9	24.1		Q	63.9	0.6	11.5	23.6
20.	C	7.7	23.1	53.9	15.4		Q	7.8	8.5	75.2	8.2		Q	11.8	8.2	71.5	8.2
21.	D	7.7	0.0	0.0	92.3		P	3.3	8.9	1.5	85.9		P	5.5	9.1	2.7	82.1
22.	A	84.6	0.0	7.7	7.7		Q	94.8	2.2	1.9	1.1		Q	90.9	3.0	2.4	3.6
23.	C	15.4	0.0	76.9	7.7		Q	3.3	1.5	91.9	3.0		Q	3.3	1.2	92.4	2.7
24.	C	30.8	23.1	30.8	15.4		Q	24.8	7.0	40.4	27.4		Q	25.2	7.9	41.2	25.2
25.	A	69.2	0.0	7.7	23.1		Q	73.7	4.8	8.5	13.0		Q	74.2	5.8	7.6	12.4
26.	B	0.0	61.5	23.1	15.4		Q	5.6	77.8	4.8	11.9		Q	6.1	77.0	4.6	12.4
27.	C	23.1	7.7	69.2	0.0		Q	8.5	4.1	87.0	0.4		Q	10.6	4.6	83.6	1.2
28.	A	76.9	0.0	15.4	7.7		Q	91.5	3.7	3.3	1.5		Q	91.2	3.3	4.2	1.2
29.	D	0.0	15.4	0.0	84.6		P	7.0	13.0	4.1	75.6		P	7.3	13.0	6.1	73.3
30.	B	0.0	100.0	0.0	0.0		P	4.1	88.9	7.0	0.0		P	4.9	88.5	6.7	0.0
31.	A	92.3	0.0	7.7	0.0		P	86.7	2.2	7.0	3.7		P	84.9	3.6	7.6	3.6
*32.	A,C	61.5	30.8	7.7	0.0		Q	50.7	23.0	21.1	4.8		Q	50.0	23.3	20.3	6.1
33.	A	100.0	0.0	0.0	0.0		P	99.3	0.4	0.4	0.0		P	97.9	0.9	1.2	0.0
34.	C	0.0	0.0	100.0	0.0		P	0.4	1.5	97.8	0.4		P	0.3	1.5	97.6	0.6
35.	B	7.7	84.6	7.7	0.0		P	14.1	78.5	4.4	2.6		P	12.1	80.6	4.9	2.1
36.	B	0.0	100.0	0.0	0.0		P	5.9	90.4	2.2	1.5		P	6.4	90.6	1.8	1.2
37.	C	15.4	0.0	84.6	0.0		Q	6.7	0.7	86.7	5.9		Q	6.7	1.2	84.9	7.3
38.	A	76.9	15.4	7.7	0.0		Q	89.6	5.2	4.1	1.1		Q	89.4	5.2	4.2	0.9
39.	A	46.2	30.8	0.0	23.1		Q	84.8	5.9	4.4	4.8		Q	80.0	6.4	7.9	5.8
40.	B	0.0	84.6	0.0	15.4		Q	3.3	86.7	6.3	3.7		Q	5.2	85.2	6.1	3.6
41.	A	69.2	0.0	15.4	15.4		Q	81.1	3.0	10.7	5.2		Q	79.7	3.3	10.3	6.7
42.	C	0.0	7.7	69.2	23.1		Q	2.6	5.2	82.2	9.6		Q	2.4	6.4	80.9	9.4
43.	A	76.9	0.0	15.4	7.7		Q	86.3	4.4	7.8	1.5		Q	87.0	4.6	7.3	1.2
44.	C	15.4	0.0	30.8	53.9		Q	7.0	3.3	66.7	23.0		Q	7.6	3.6	64.6	24.2
45.	A	30.8	7.7	7.7	53.9		Q	51.1	7.8	9.6	31.1		Q	52.4	6.7	13.0	27.3
46.	C	0.0	0.0	84.6	15.4		P	1.5	3.3	73.7	21.5		P	1.2	3.0	75.8	20.0
47.	C	0.0	0.0	100.0	0.0		P	7.4	1.1	91.1	0.4		P	10.0	1.8	87.6	0.6
48.	D	0.0	7.7	7.7	84.6		Q	0.4	5.9	4.4	89.3		Q	0.9	5.5	3.9	89.7
49.	B	0.0	92.3	7.7	0.0		P	20.0	72.6	6.7	0.7		P	17.3	74.6	6.7	1.5
50.	C	7.7	7.7	76.9	7.7		Q	1.1	8.9	87.4	2.6		Q	2.1	8.2	86.7	3.0

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153231\153231_R.RPT

District 4 - Eastern

(percentage of students who selected each response)

#464 - Crescent Collegiate, Blaketown

Grades: 7-12

Item	Key	School [N=15]				School Below Above District		District [N=270]				School Below Above Province		Province [N=330]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	D	6.7	0.0	0.0	93.3		P	12.2	0.7	2.2	84.8		P	12.4	0.9	3.0	83.6
2.	A	73.3	26.7	0.0	0.0		Q	74.1	19.6	0.0	5.9		P	71.8	21.8	0.3	5.8
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A	80.0	0.0	20.0	0.0		P	74.8	4.1	16.3	4.8		P	75.8	3.3	16.4	4.6
5.	A	26.7	0.0	46.7	26.7		Q	48.9	6.7	31.5	13.0		Q	49.4	7.3	30.6	12.7
6.	C	26.7	6.7	46.7	20.0		Q	29.6	4.4	52.6	13.3		Q	29.4	5.8	51.2	13.6
7.	C	13.3	6.7	80.0	0.0		P	19.6	4.8	71.1	4.4		P	21.5	4.2	69.4	4.9
8.	C	0.0	6.7	80.0	13.3		Q	3.7	0.4	93.0	3.0		Q	3.9	0.3	92.7	3.0
9.	B	0.0	86.7	6.7	6.7		Q	1.1	93.0	5.2	0.7		Q	2.1	91.8	5.2	0.9
10.	C	6.7	46.7	20.0	26.7		Q	11.9	36.7	31.1	20.4		Q	12.7	34.6	31.5	21.2
11.	B	0.0	100.0	0.0	0.0		P	6.7	87.8	3.3	2.2		P	7.3	83.6	4.6	4.6
12.	C	0.0	0.0	100.0	0.0		P	5.2	0.4	89.6	4.4		P	4.9	0.3	88.8	5.8
13.	B	20.0	20.0	26.7	33.3		Q	23.3	35.2	27.8	12.6		Q	23.9	35.2	27.9	12.1
14.	D	60.0	0.0	0.0	40.0		Q	35.9	1.9	5.2	57.0		Q	38.8	1.5	4.6	55.2
15.	D	0.0	26.7	0.0	73.3		P	2.2	24.8	4.4	68.5		P	3.0	27.0	3.6	66.4
16.	A	66.7	0.0	26.7	6.7		Q	85.2	3.0	8.5	3.3		Q	83.0	3.9	10.0	3.0
17.	A	93.3	6.7	0.0	0.0		P	84.1	5.6	10.0	0.4		P	83.6	5.2	10.6	0.3
18.	A	66.7	0.0	0.0	33.3		Q	84.8	1.1	5.6	8.5		Q	84.6	1.2	6.4	7.9
19.	A	73.3	0.0	6.7	20.0		P	64.1	0.0	11.9	24.1		P	63.9	0.6	11.5	23.6
20.	C	6.7	13.3	73.3	6.7		Q	7.8	8.5	75.2	8.2		P	11.8	8.2	71.5	8.2
21.	D	20.0	6.7	0.0	73.3		Q	3.3	8.9	1.5	85.9		Q	5.5	9.1	2.7	82.1
22.	A	100.0	0.0	0.0	0.0		P	94.8	2.2	1.9	1.1		P	90.9	3.0	2.4	3.6
23.	C	0.0	0.0	100.0	0.0		P	3.3	1.5	91.9	3.0		P	3.3	1.2	92.4	2.7
24.	C	13.3	6.7	40.0	40.0		Q	24.8	7.0	40.4	27.4		Q	25.2	7.9	41.2	25.2
25.	A	60.0	6.7	13.3	20.0		Q	73.7	4.8	8.5	13.0		Q	74.2	5.8	7.6	12.4
26.	B	0.0	80.0	20.0	0.0		P	5.6	77.8	4.8	11.9		P	6.1	77.0	4.6	12.4
27.	C	6.7	6.7	86.7	0.0		Q	8.5	4.1	87.0	0.4		P	10.6	4.6	83.6	1.2
28.	A	93.3	0.0	6.7	0.0		P	91.5	3.7	3.3	1.5		P	91.2	3.3	4.2	1.2
29.	D	13.3	6.7	13.3	66.7		Q	7.0	13.0	4.1	75.6		Q	7.3	13.0	6.1	73.3
30.	B	0.0	100.0	0.0	0.0		P	4.1	88.9	7.0	0.0		P	4.9	88.5	6.7	0.0
31.	A	100.0	0.0	0.0	0.0		P	86.7	2.2	7.0	3.7		P	84.9	3.6	7.6	3.6
*32.	A,C	40.0	33.3	26.7	0.0		Q	50.7	23.0	21.1	4.8		Q	50.0	23.3	20.3	6.1
33.	A	100.0	0.0	0.0	0.0		P	99.3	0.4	0.4	0.0		P	97.9	0.9	1.2	0.0
34.	C	0.0	0.0	100.0	0.0		P	0.4	1.5	97.8	0.4		P	0.3	1.5	97.6	0.6
35.	B	13.3	66.7	13.3	6.7		Q	14.1	78.5	4.4	2.6		Q	12.1	80.6	4.9	2.1
36.	B	6.7	93.3	0.0	0.0		P	5.9	90.4	2.2	1.5		P	6.4	90.6	1.8	1.2
37.	C	13.3	0.0	80.0	6.7		Q	6.7	0.7	86.7	5.9		Q	6.7	1.2	84.9	7.3
38.	A	93.3	6.7	0.0	0.0		P	89.6	5.2	4.1	1.1		P	89.4	5.2	4.2	0.9
39.	A	93.3	0.0	6.7	0.0		P	84.8	5.9	4.4	4.8		P	80.0	6.4	7.9	5.8
40.	B	6.7	73.3	13.3	6.7		Q	3.3	86.7	6.3	3.7		Q	5.2	85.2	6.1	3.6
41.	A	73.3	6.7	0.0	20.0		Q	81.1	3.0	10.7	5.2		Q	79.7	3.3	10.3	6.7
42.	C	0.0	6.7	93.3	0.0		P	2.6	5.2	82.2	9.6		P	2.4	6.4	80.9	9.4
43.	A	73.3	13.3	13.3	0.0		Q	86.3	4.4	7.8	1.5		Q	87.0	4.6	7.3	1.2
44.	C	6.7	0.0	26.7	66.7		Q	7.0	3.3	66.7	23.0		Q	7.6	3.6	64.6	24.2
45.	A	53.3	20.0	20.0	6.7		P	51.1	7.8	9.6	31.1		P	52.4	6.7	13.0	27.3
46.	C	0.0	0.0	66.7	33.3		Q	1.5	3.3	73.7	21.5		Q	1.2	3.0	75.8	20.0
47.	C	6.7	6.7	86.7	0.0		Q	7.4	1.1	91.1	0.4		Q	10.0	1.8	87.6	0.6
48.	D	0.0	6.7	0.0	93.3		P	0.4	5.9	4.4	89.3		P	0.9	5.5	3.9	89.7
49.	B	0.0	93.3	6.7	0.0		P	20.0	72.6	6.7	0.7		P	17.3	74.6	6.7	1.5
50.	C	0.0	6.7	93.3	0.0		P	1.1	8.9	87.4	2.6		P	2.1	8.2	86.7	3.0

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153231\153231_R.RPT

District 5 - Conseil scolaire francophone

(percentage of students who selected each response)

#107 - École Ste-Anne, La Grand'Terre

Grades: K-10,12

Item	Key	School [N=1]				District [N=4]				Province [N=330]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	D						P	50.0	25.0	0.0	25.0		P	12.4	0.9	3.0	83.6
2.	A						q	50.0	50.0	0.0	0.0		q	71.8	21.8	0.3	5.8
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A						P	50.0	0.0	25.0	25.0		P	75.8	3.3	16.4	4.6
5.	A						q	50.0	0.0	25.0	25.0		q	49.4	7.3	30.6	12.7
6.	C						P	25.0	25.0	50.0	0.0		P	29.4	5.8	51.2	13.6
7.	C						q	50.0	0.0	50.0	0.0		q	21.5	4.2	69.4	4.9
8.	C						P	25.0	0.0	75.0	0.0		P	3.9	0.3	92.7	3.0
9.	B						P	0.0	75.0	25.0	0.0		P	2.1	91.8	5.2	0.9
10.	C						P	50.0	25.0	0.0	25.0		q	12.7	34.6	31.5	21.2
11.	B						P	50.0	0.0	25.0	25.0		q	7.3	83.6	4.6	4.6
12.	C						P	0.0	0.0	75.0	25.0		P	4.9	0.3	88.8	5.8
13.	B						P	75.0	0.0	25.0	0.0		q	23.9	35.2	27.9	12.1
14.	D						P	50.0	0.0	0.0	50.0		P	38.8	1.5	4.6	55.2
15.	D						P	0.0	0.0	0.0	100.0		P	3.0	27.0	3.6	66.4
16.	A						P	25.0	25.0	50.0	0.0		P	83.0	3.9	10.0	3.0
17.	A						P	75.0	25.0	0.0	0.0		P	83.6	5.2	10.6	0.3
18.	A						P	100.0	0.0	0.0	0.0		P	84.6	1.2	6.4	7.9
19.	A						P	50.0	0.0	0.0	50.0		P	63.9	0.6	11.5	23.6
20.	C						q	50.0	25.0	25.0	0.0		q	11.8	8.2	71.5	8.2
21.	D						P	25.0	0.0	0.0	75.0		P	5.5	9.1	2.7	82.1
22.	A						P	75.0	25.0	0.0	0.0		P	90.9	3.0	2.4	3.6
23.	C						P	0.0	0.0	100.0	0.0		P	3.3	1.2	92.4	2.7
24.	C						P	0.0	50.0	50.0	0.0		P	25.2	7.9	41.2	25.2
25.	A						P	100.0	0.0	0.0	0.0		P	74.2	5.8	7.6	12.4
26.	B						P	25.0	75.0	0.0	0.0		P	6.1	77.0	4.6	12.4
27.	C						P	25.0	25.0	50.0	0.0		P	10.6	4.6	83.6	1.2
28.	A						P	100.0	0.0	0.0	0.0		P	91.2	3.3	4.2	1.2
29.	D						P	25.0	25.0	0.0	50.0		P	7.3	13.0	6.1	73.3
30.	B						P	0.0	100.0	0.0	0.0		P	4.9	88.5	6.7	0.0
31.	A						P	75.0	0.0	0.0	25.0		P	84.9	3.6	7.6	3.6
*32.	A,C						P	25.0	50.0	25.0	0.0		P	50.0	23.3	20.3	6.1
33.	A						P	75.0	0.0	25.0	0.0		P	97.9	0.9	1.2	0.0
34.	C						P	0.0	0.0	100.0	0.0		P	0.3	1.5	97.6	0.6
35.	B						P	0.0	100.0	0.0	0.0		P	12.1	80.6	4.9	2.1
36.	B						P	25.0	75.0	0.0	0.0		P	6.4	90.6	1.8	1.2
37.	C						P	0.0	0.0	100.0	0.0		P	6.7	1.2	84.9	7.3
38.	A						P	100.0	0.0	0.0	0.0		P	89.4	5.2	4.2	0.9
39.	A						P	50.0	0.0	50.0	0.0		P	80.0	6.4	7.9	5.8
40.	B						P	25.0	75.0	0.0	0.0		P	5.2	85.2	6.1	3.6
41.	A						P	50.0	0.0	50.0	0.0		P	79.7	3.3	10.3	6.7
42.	C						P	0.0	0.0	100.0	0.0		P	2.4	6.4	80.9	9.4
43.	A						P	100.0	0.0	0.0	0.0		P	87.0	4.6	7.3	1.2
44.	C						P	0.0	0.0	50.0	50.0		P	7.6	3.6	64.6	24.2
45.	A						P	25.0	0.0	75.0	0.0		P	52.4	6.7	13.0	27.3
46.	C						P	0.0	25.0	75.0	0.0		P	1.2	3.0	75.8	20.0
47.	C						P	50.0	0.0	50.0	0.0		P	10.0	1.8	87.6	0.6
48.	D						P	0.0	0.0	0.0	100.0		P	0.9	5.5	3.9	89.7
49.	B						P	0.0	75.0	0.0	25.0		P	17.3	74.6	6.7	1.5
50.	C						P	25.0	0.0	75.0	0.0		P	2.1	8.2	86.7	3.0

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153231\153231_R.RPT

District 5 - Conseil scolaire francophone

(percentage of students who selected each response)

#459 - Centre éducatif l'ENVOL, Labrador City

Grades: K-7,9,11

Item	Key	School [N=2]				District [N=4]				Province [N=330]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	D					q		50.0	25.0	0.0	25.0	q		12.4	0.9	3.0	83.6
2.	A						p	50.0	50.0	0.0	0.0	q		71.8	21.8	0.3	5.8
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A						p	50.0	0.0	25.0	25.0	q		75.8	3.3	16.4	4.6
5.	A						p	50.0	0.0	25.0	25.0		p	49.4	7.3	30.6	12.7
6.	C					q		25.0	25.0	50.0	0.0	q		29.4	5.8	51.2	13.6
7.	C						p	50.0	0.0	50.0	0.0	q		21.5	4.2	69.4	4.9
8.	C					q		25.0	0.0	75.0	0.0	q		3.9	0.3	92.7	3.0
9.	B					q		0.0	75.0	25.0	0.0	q		2.1	91.8	5.2	0.9
10.	C						p	50.0	25.0	0.0	25.0	q		12.7	34.6	31.5	21.2
11.	B						p	50.0	0.0	25.0	25.0	q		7.3	83.6	4.6	4.6
12.	C					q		0.0	0.0	75.0	25.0	q		4.9	0.3	88.8	5.8
13.	B						p	75.0	0.0	25.0	0.0	q		23.9	35.2	27.9	12.1
14.	D					q		50.0	0.0	0.0	50.0	q		38.8	1.5	4.6	55.2
15.	D						p	0.0	0.0	0.0	100.0		p	3.0	27.0	3.6	66.4
16.	A					q		25.0	25.0	50.0	0.0	q		83.0	3.9	10.0	3.0
17.	A					q		75.0	25.0	0.0	0.0	q		83.6	5.2	10.6	0.3
18.	A						p	100.0	0.0	0.0	0.0		p	84.6	1.2	6.4	7.9
19.	A					q		50.0	0.0	0.0	50.0	q		63.9	0.6	11.5	23.6
20.	C						p	50.0	25.0	25.0	0.0	q		11.8	8.2	71.5	8.2
21.	D					q		25.0	0.0	0.0	75.0	q		5.5	9.1	2.7	82.1
22.	A					q		75.0	25.0	0.0	0.0	q		90.9	3.0	2.4	3.6
23.	C						p	0.0	0.0	100.0	0.0		p	3.3	1.2	92.4	2.7
24.	C					q		0.0	50.0	50.0	0.0	q		25.2	7.9	41.2	25.2
25.	A						p	100.0	0.0	0.0	0.0		p	74.2	5.8	7.6	12.4
26.	B					q		25.0	75.0	0.0	0.0	q		6.1	77.0	4.6	12.4
27.	C						p	25.0	25.0	50.0	0.0	q		10.6	4.6	83.6	1.2
28.	A						p	100.0	0.0	0.0	0.0		p	91.2	3.3	4.2	1.2
29.	D					q		25.0	25.0	0.0	50.0	q		7.3	13.0	6.1	73.3
30.	B						p	0.0	100.0	0.0	0.0		p	4.9	88.5	6.7	0.0
31.	A					q		75.0	0.0	0.0	25.0	q		84.9	3.6	7.6	3.6
*32.	A,C					q		25.0	50.0	25.0	0.0	q		50.0	23.3	20.3	6.1
33.	A					q		75.0	0.0	25.0	0.0	q		97.9	0.9	1.2	0.0
34.	C						p	0.0	0.0	100.0	0.0		p	0.3	1.5	97.6	0.6
35.	B						p	0.0	100.0	0.0	0.0		p	12.1	80.6	4.9	2.1
36.	B					q		25.0	75.0	0.0	0.0	q		6.4	90.6	1.8	1.2
37.	C						p	0.0	0.0	100.0	0.0		p	6.7	1.2	84.9	7.3
38.	A						p	100.0	0.0	0.0	0.0		p	89.4	5.2	4.2	0.9
39.	A					q		50.0	0.0	50.0	0.0	q		80.0	6.4	7.9	5.8
40.	B					q		25.0	75.0	0.0	0.0	q		5.2	85.2	6.1	3.6
41.	A					q		50.0	0.0	50.0	0.0	q		79.7	3.3	10.3	6.7
42.	C						p	0.0	0.0	100.0	0.0		p	2.4	6.4	80.9	9.4
43.	A						p	100.0	0.0	0.0	0.0		p	87.0	4.6	7.3	1.2
44.	C					q		0.0	0.0	50.0	50.0	q		7.6	3.6	64.6	24.2
45.	A					q		25.0	0.0	75.0	0.0	q		52.4	6.7	13.0	27.3
46.	C					q		0.0	25.0	75.0	0.0	q		1.2	3.0	75.8	20.0
47.	C					q		50.0	0.0	50.0	0.0	q		10.0	1.8	87.6	0.6
48.	D						p	0.0	0.0	0.0	100.0		p	0.9	5.5	3.9	89.7
49.	B					q		0.0	75.0	0.0	25.0	q		17.3	74.6	6.7	1.5
50.	C					q		25.0	0.0	75.0	0.0	q		2.1	8.2	86.7	3.0

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153231\153231_R.RPT

District 5 - Conseil scolaire francophone

(percentage of students who selected each response)

#460 - Centre scolaire et communautaire des Grands-Vents, St. John's

Grades: K-5,7-10,12

Item	Key	School [N=1]				District [N=4]				Province [N=330]							
		A	B	C	D	Below District	Above District	A	B	C	D	Below Province	Above Province	A	B	C	D
1.	D					q		50.0	25.0	0.0	25.0	q		12.4	0.9	3.0	83.6
2.	A						p	50.0	50.0	0.0	0.0		p	71.8	21.8	0.3	5.8
*3.	X	---	---	---	---			---	---	---	---			---	---	---	---
4.	A					q		50.0	0.0	25.0	25.0	q		75.8	3.3	16.4	4.6
5.	A						p	50.0	0.0	25.0	25.0		p	49.4	7.3	30.6	12.7
6.	C						p	25.0	25.0	50.0	0.0		p	29.4	5.8	51.2	13.6
7.	C						p	50.0	0.0	50.0	0.0		p	21.5	4.2	69.4	4.9
8.	C						p	25.0	0.0	75.0	0.0		p	3.9	0.3	92.7	3.0
9.	B						p	0.0	75.0	25.0	0.0		p	2.1	91.8	5.2	0.9
10.	C						p	50.0	25.0	0.0	25.0	q		12.7	34.6	31.5	21.2
11.	B						p	50.0	0.0	25.0	25.0	q		7.3	83.6	4.6	4.6
12.	C						p	0.0	0.0	75.0	25.0		p	4.9	0.3	88.8	5.8
13.	B						p	75.0	0.0	25.0	0.0	q		23.9	35.2	27.9	12.1
14.	D						p	50.0	0.0	0.0	50.0		p	38.8	1.5	4.6	55.2
15.	D						p	0.0	0.0	0.0	100.0		p	3.0	27.0	3.6	66.4
16.	A					q		25.0	25.0	50.0	0.0	q		83.0	3.9	10.0	3.0
17.	A						p	75.0	25.0	0.0	0.0		p	83.6	5.2	10.6	0.3
18.	A						p	100.0	0.0	0.0	0.0		p	84.6	1.2	6.4	7.9
19.	A						p	50.0	0.0	0.0	50.0		p	63.9	0.6	11.5	23.6
20.	C					q		50.0	25.0	25.0	0.0	q		11.8	8.2	71.5	8.2
21.	D						p	25.0	0.0	0.0	75.0		p	5.5	9.1	2.7	82.1
22.	A						p	75.0	25.0	0.0	0.0		p	90.9	3.0	2.4	3.6
23.	C						p	0.0	0.0	100.0	0.0		p	3.3	1.2	92.4	2.7
24.	C						p	0.0	50.0	50.0	0.0		p	25.2	7.9	41.2	25.2
25.	A						p	100.0	0.0	0.0	0.0		p	74.2	5.8	7.6	12.4
26.	B						p	25.0	75.0	0.0	0.0		p	6.1	77.0	4.6	12.4
27.	C					q		25.0	25.0	50.0	0.0	q		10.6	4.6	83.6	1.2
28.	A						p	100.0	0.0	0.0	0.0		p	91.2	3.3	4.2	1.2
29.	D						p	25.0	25.0	0.0	50.0		p	7.3	13.0	6.1	73.3
30.	B						p	0.0	100.0	0.0	0.0		p	4.9	88.5	6.7	0.0
31.	A						p	75.0	0.0	0.0	25.0		p	84.9	3.6	7.6	3.6
*32.	A,C						p	25.0	50.0	25.0	0.0		p	50.0	23.3	20.3	6.1
33.	A						p	75.0	0.0	25.0	0.0		p	97.9	0.9	1.2	0.0
34.	C						p	0.0	0.0	100.0	0.0		p	0.3	1.5	97.6	0.6
35.	B						p	0.0	100.0	0.0	0.0		p	12.1	80.6	4.9	2.1
36.	B						p	25.0	75.0	0.0	0.0		p	6.4	90.6	1.8	1.2
37.	C						p	0.0	0.0	100.0	0.0		p	6.7	1.2	84.9	7.3
38.	A						p	100.0	0.0	0.0	0.0		p	89.4	5.2	4.2	0.9
39.	A						p	50.0	0.0	50.0	0.0		p	80.0	6.4	7.9	5.8
40.	B						p	25.0	75.0	0.0	0.0		p	5.2	85.2	6.1	3.6
41.	A						p	50.0	0.0	50.0	0.0		p	79.7	3.3	10.3	6.7
42.	C						p	0.0	0.0	100.0	0.0		p	2.4	6.4	80.9	9.4
43.	A						p	100.0	0.0	0.0	0.0		p	87.0	4.6	7.3	1.2
44.	C						p	0.0	0.0	50.0	50.0		p	7.6	3.6	64.6	24.2
45.	A					q		25.0	0.0	75.0	0.0	q		52.4	6.7	13.0	27.3
46.	C						p	0.0	25.0	75.0	0.0		p	1.2	3.0	75.8	20.0
47.	C						p	50.0	0.0	50.0	0.0		p	10.0	1.8	87.6	0.6
48.	D						p	0.0	0.0	0.0	100.0		p	0.9	5.5	3.9	89.7
49.	B						p	0.0	75.0	0.0	25.0		p	17.3	74.6	6.7	1.5
50.	C						p	25.0	0.0	75.0	0.0		p	2.1	8.2	86.7	3.0

Test scored out of 49 instead of 50 (Item 3 excluded).

Item 32 answer is A and C.

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE06\PART1\153231\153231_R.RPT