

District 1 - Labrador

(percentage of students who selected each response)

#010 - Menihék High School, Labrador City

Grades: 8-12

Item	Key	School [N=8]				School Below Above District	District [N=8]				School Below Above Province	Province [N=397]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	A	62.5	37.5	0.0	0.0	P	62.5	37.5	0.0	0.0	q	84.1	12.1	0.3	3.3
2.	C	0.0	62.5	37.5	0.0	P	0.0	62.5	37.5	0.0	q	2.3	22.7	66.5	8.3
3.	A	100.0	0.0	0.0	0.0	P	100.0	0.0	0.0	0.0	P	97.7	0.0	2.3	0.0
4.	C	0.0	0.0	100.0	0.0	P	0.0	0.0	100.0	0.0	P	1.8	0.8	97.2	0.3
5.	B	62.5	25.0	0.0	12.5	P	62.5	25.0	0.0	12.5	q	31.2	66.5	1.3	1.0
6.	D	0.0	0.0	25.0	75.0	P	0.0	0.0	25.0	75.0	P	7.1	8.6	9.3	74.8
7.	A	75.0	25.0	0.0	0.0	P	75.0	25.0	0.0	0.0	P	59.5	15.4	9.8	15.4
8.	D	0.0	0.0	0.0	100.0	P	0.0	0.0	0.0	100.0	P	2.8	12.1	1.5	83.6
9.	B	0.0	100.0	0.0	0.0	P	0.0	100.0	0.0	0.0	P	2.8	90.2	5.3	1.8
10.	A	50.0	37.5	0.0	12.5	P	50.0	37.5	0.0	12.5	q	62.0	14.9	12.6	10.6
11.	A	75.0	0.0	25.0	0.0	P	75.0	0.0	25.0	0.0	q	84.4	1.8	11.3	2.5
12.	B	0.0	62.5	25.0	12.5	P	0.0	62.5	25.0	12.5	q	5.0	67.5	24.9	2.5
13.	C	12.5	0.0	87.5	0.0	P	12.5	0.0	87.5	0.0	P	13.4	6.6	77.3	2.8
14.	D	0.0	25.0	0.0	75.0	P	0.0	25.0	0.0	75.0	P	3.8	22.7	5.0	68.5
15.	C	12.5	12.5	75.0	0.0	P	12.5	12.5	75.0	0.0	P	17.6	8.6	63.2	10.6
16.	C	0.0	25.0	37.5	37.5	P	0.0	25.0	37.5	37.5	q	8.1	19.7	49.9	22.4
17.	D	0.0	0.0	25.0	75.0	P	0.0	0.0	25.0	75.0	P	9.6	5.5	14.9	70.0
18.	D	12.5	25.0	0.0	62.5	P	12.5	25.0	0.0	62.5	q	10.1	24.2	1.5	64.0
19.	D	12.5	0.0	0.0	87.5	P	12.5	0.0	0.0	87.5	P	7.1	15.1	14.9	63.0
20.	A	87.5	12.5	0.0	0.0	P	87.5	12.5	0.0	0.0	P	87.4	8.6	1.8	2.3
21.	C	0.0	0.0	87.5	12.5	P	0.0	0.0	87.5	12.5	P	2.3	6.6	84.9	6.3
22.	A	87.5	12.5	0.0	0.0	P	87.5	12.5	0.0	0.0	P	87.2	9.1	2.8	1.0
23.	C	25.0	25.0	37.5	12.5	P	25.0	25.0	37.5	12.5	q	20.9	13.4	50.9	14.9
24.	D	0.0	0.0	0.0	100.0	P	0.0	0.0	0.0	100.0	P	5.5	0.8	2.5	91.2
25.	B	0.0	100.0	0.0	0.0	P	0.0	100.0	0.0	0.0	P	4.0	91.7	3.3	1.0
26.	D	12.5	0.0	12.5	75.0	P	12.5	0.0	12.5	75.0	P	6.6	10.1	19.9	63.5
27.	A	87.5	0.0	12.5	0.0	P	87.5	0.0	12.5	0.0	P	60.5	17.4	13.6	8.6
28.	B	0.0	62.5	12.5	25.0	P	0.0	62.5	12.5	25.0	P	10.6	59.5	4.3	25.7
29.	A	100.0	0.0	0.0	0.0	P	100.0	0.0	0.0	0.0	P	89.4	2.5	1.0	7.1
30.	B	0.0	87.5	0.0	12.5	P	0.0	87.5	0.0	12.5	q	0.5	94.2	1.8	3.5
31.	C	0.0	0.0	87.5	12.5	P	0.0	0.0	87.5	12.5	q	5.0	1.5	89.7	3.8
32.	C	12.5	0.0	87.5	0.0	P	12.5	0.0	87.5	0.0	q	1.8	2.5	92.7	3.0
33.	A	87.5	0.0	12.5	0.0	P	87.5	0.0	12.5	0.0	P	84.4	4.8	1.0	9.6
34.	C	25.0	25.0	50.0	0.0	P	25.0	25.0	50.0	0.0	P	18.6	36.8	43.8	0.8
35.	D	0.0	12.5	0.0	87.5	P	0.0	12.5	0.0	87.5	P	8.6	10.3	13.4	67.5
36.	B	0.0	100.0	0.0	0.0	P	0.0	100.0	0.0	0.0	P	9.8	81.1	3.8	5.3
37.	B	25.0	75.0	0.0	0.0	P	25.0	75.0	0.0	0.0	q	15.9	78.8	3.3	2.0
38.	A	75.0	0.0	25.0	0.0	P	75.0	0.0	25.0	0.0	P	64.7	14.1	7.3	13.6
39.	D	12.5	0.0	0.0	87.5	P	12.5	0.0	0.0	87.5	q	3.3	0.5	2.0	94.2
40.	A	87.5	0.0	12.5	0.0	P	87.5	0.0	12.5	0.0	P	85.6	2.3	11.1	1.0
41.	C	12.5	0.0	87.5	0.0	P	12.5	0.0	87.5	0.0	P	6.3	3.3	85.9	4.5
42.	A	37.5	0.0	12.5	50.0	P	37.5	0.0	12.5	50.0	q	48.4	6.1	16.6	29.0
43.	D	0.0	0.0	25.0	75.0	P	0.0	0.0	25.0	75.0	q	5.0	2.3	5.0	87.7
44.	A	100.0	0.0	0.0	0.0	P	100.0	0.0	0.0	0.0	P	93.0	0.5	5.8	0.8
45.	B	12.5	87.5	0.0	0.0	P	12.5	87.5	0.0	0.0	q	3.0	93.5	2.5	1.0
46.	A	75.0	0.0	12.5	12.5	P	75.0	0.0	12.5	12.5	q	79.6	5.8	8.1	6.6
47.	C	12.5	12.5	62.5	12.5	P	12.5	12.5	62.5	12.5	q	10.1	5.8	69.3	14.9
48.	C	0.0	12.5	87.5	0.0	P	0.0	12.5	87.5	0.0	P	9.8	10.6	70.8	8.6
49.	D	0.0	12.5	12.5	75.0	P	0.0	12.5	12.5	75.0	q	9.8	3.5	10.6	75.8
50.	A	87.5	0.0	0.0	12.5	P	87.5	0.0	0.0	12.5	P	80.1	8.3	9.8	1.5

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE08\PART1\153231\153231_R.RPT

District 2 - Western

(percentage of students who selected each response)

#485 - Corner Brook Regional High, Corner Brook

Grades: 10-12

Item	Key	School [N=18]				School Below Above District	District [N=18]				School Below Above Province	Province [N=397]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	A	72.2	27.8	0.0	0.0	P	72.2	27.8	0.0	0.0	q	84.1	12.1	0.3	3.3
2.	C	0.0	22.2	66.7	11.1	P	0.0	22.2	66.7	11.1	p	2.3	22.7	66.5	8.3
3.	A	100.0	0.0	0.0	0.0	P	100.0	0.0	0.0	0.0	p	97.7	0.0	2.3	0.0
4.	C	0.0	0.0	100.0	0.0	P	0.0	0.0	100.0	0.0	p	1.8	0.8	97.2	0.3
5.	B	22.2	77.8	0.0	0.0	P	22.2	77.8	0.0	0.0	p	31.2	66.5	1.3	1.0
6.	D	5.6	5.6	11.1	77.8	P	5.6	5.6	11.1	77.8	p	7.1	8.6	9.3	74.8
7.	A	44.4	5.6	33.3	16.7	P	44.4	5.6	33.3	16.7	q	59.5	15.4	9.8	15.4
8.	D	5.6	27.8	5.6	61.1	P	5.6	27.8	5.6	61.1	q	2.8	12.1	1.5	83.6
9.	B	5.6	88.9	5.6	0.0	P	5.6	88.9	5.6	0.0	q	2.8	90.2	5.3	1.8
10.	A	33.3	27.8	38.9	0.0	P	33.3	27.8	38.9	0.0	q	62.0	14.9	12.6	10.6
11.	A	72.2	0.0	22.2	5.6	P	72.2	0.0	22.2	5.6	q	84.4	1.8	11.3	2.5
12.	B	16.7	55.6	22.2	5.6	P	16.7	55.6	22.2	5.6	q	5.0	67.5	24.9	2.5
13.	C	16.7	11.1	61.1	11.1	P	16.7	11.1	61.1	11.1	q	13.4	6.6	77.3	2.8
14.	D	0.0	11.1	0.0	88.9	P	0.0	11.1	0.0	88.9	p	3.8	22.7	5.0	68.5
15.	C	27.8	11.1	50.0	11.1	P	27.8	11.1	50.0	11.1	q	17.6	8.6	63.2	10.6
16.	C	22.2	27.8	11.1	38.9	P	22.2	27.8	11.1	38.9	q	8.1	19.7	49.9	22.4
17.	D	16.7	11.1	22.2	50.0	P	16.7	11.1	22.2	50.0	q	9.6	5.5	14.9	70.0
18.	D	22.2	38.9	0.0	38.9	P	22.2	38.9	0.0	38.9	q	10.1	24.2	1.5	64.0
19.	D	5.6	11.1	11.1	72.2	P	5.6	11.1	11.1	72.2	p	7.1	15.1	14.9	63.0
20.	A	72.2	11.1	5.6	11.1	P	72.2	11.1	5.6	11.1	q	87.4	8.6	1.8	2.3
21.	C	11.1	5.6	66.7	16.7	P	11.1	5.6	66.7	16.7	q	2.3	6.6	84.9	6.3
22.	A	88.9	11.1	0.0	0.0	P	88.9	11.1	0.0	0.0	p	87.2	9.1	2.8	1.0
23.	C	16.7	16.7	61.1	5.6	P	16.7	16.7	61.1	5.6	p	20.9	13.4	50.9	14.9
24.	D	0.0	0.0	0.0	100.0	P	0.0	0.0	0.0	100.0	p	5.5	0.8	2.5	91.2
25.	B	0.0	100.0	0.0	0.0	P	0.0	100.0	0.0	0.0	p	4.0	91.7	3.3	1.0
26.	D	5.6	16.7	27.8	50.0	P	5.6	16.7	27.8	50.0	q	6.6	10.1	19.9	63.5
27.	A	66.7	16.7	5.6	11.1	P	66.7	16.7	5.6	11.1	p	60.5	17.4	13.6	8.6
28.	B	5.6	61.1	0.0	33.3	P	5.6	61.1	0.0	33.3	p	10.6	59.5	4.3	25.7
29.	A	100.0	0.0	0.0	0.0	P	100.0	0.0	0.0	0.0	p	89.4	2.5	1.0	7.1
30.	B	0.0	100.0	0.0	0.0	P	0.0	100.0	0.0	0.0	p	0.5	94.2	1.8	3.5
31.	C	5.6	0.0	94.4	0.0	P	5.6	0.0	94.4	0.0	p	5.0	1.5	89.7	3.8
32.	C	0.0	0.0	94.4	5.6	P	0.0	0.0	94.4	5.6	p	1.8	2.5	92.7	3.0
33.	A	94.4	5.6	0.0	0.0	P	94.4	5.6	0.0	0.0	p	84.4	4.8	1.0	9.6
34.	C	0.0	27.8	72.2	0.0	P	0.0	27.8	72.2	0.0	p	18.6	36.8	43.8	0.8
35.	D	0.0	11.1	16.7	72.2	P	0.0	11.1	16.7	72.2	p	8.6	10.3	13.4	67.5
36.	B	0.0	77.8	16.7	5.6	P	0.0	77.8	16.7	5.6	q	9.8	81.1	3.8	5.3
37.	B	27.8	66.7	0.0	5.6	P	27.8	66.7	0.0	5.6	q	15.9	78.8	3.3	2.0
38.	A	61.1	27.8	5.6	5.6	P	61.1	27.8	5.6	5.6	q	64.7	14.1	7.3	13.6
39.	D	0.0	5.6	0.0	94.4	P	0.0	5.6	0.0	94.4	p	3.3	0.5	2.0	94.2
40.	A	94.4	0.0	5.6	0.0	P	94.4	0.0	5.6	0.0	p	85.6	2.3	11.1	1.0
41.	C	5.6	0.0	94.4	0.0	P	5.6	0.0	94.4	0.0	p	6.3	3.3	85.9	4.5
42.	A	66.7	0.0	16.7	16.7	P	66.7	0.0	16.7	16.7	p	48.4	6.1	16.6	29.0
43.	D	0.0	0.0	0.0	100.0	P	0.0	0.0	0.0	100.0	p	5.0	2.3	5.0	87.7
44.	A	100.0	0.0	0.0	0.0	P	100.0	0.0	0.0	0.0	p	93.0	0.5	5.8	0.8
45.	B	0.0	94.4	5.6	0.0	P	0.0	94.4	5.6	0.0	p	3.0	93.5	2.5	1.0
46.	A	66.7	11.1	11.1	11.1	P	66.7	11.1	11.1	11.1	q	79.6	5.8	8.1	6.6
47.	C	16.7	5.6	72.2	5.6	P	16.7	5.6	72.2	5.6	p	10.1	5.8	69.3	14.9
48.	C	0.0	5.6	72.2	22.2	P	0.0	5.6	72.2	22.2	p	9.8	10.6	70.8	8.6
49.	D	16.7	11.1	33.3	38.9	P	16.7	11.1	33.3	38.9	q	9.8	3.5	10.6	75.8
50.	A	72.2	22.2	5.6	0.0	P	72.2	22.2	5.6	0.0	q	80.1	8.3	9.8	1.5

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE08\PART1\153231\153231_R.RPT

(percentage of students who selected each response)

District 3 - Nova Central

#480 - Exploits Valley High, Grand Falls-Windsor

Grades: 10-12

Item	Key	School [N=13]				School Below Above District	District [N=13]				School Below Above Province	Province [N=397]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	A	69.2	15.4	7.7	7.7	P	69.2	15.4	7.7	7.7	q	84.1	12.1	0.3	3.3
2.	C	0.0	61.5	38.5	0.0	P	0.0	61.5	38.5	0.0	q	2.3	22.7	66.5	8.3
3.	A	92.3	0.0	7.7	0.0	P	92.3	0.0	7.7	0.0	q	97.7	0.0	2.3	0.0
4.	C	0.0	0.0	100.0	0.0	P	0.0	0.0	100.0	0.0	P	1.8	0.8	97.2	0.3
5.	B	46.2	53.9	0.0	0.0	P	46.2	53.9	0.0	0.0	q	31.2	66.5	1.3	1.0
6.	D	7.7	7.7	7.7	76.9	P	7.7	7.7	7.7	76.9	P	7.1	8.6	9.3	74.8
7.	A	23.1	23.1	0.0	53.9	P	23.1	23.1	0.0	53.9	q	59.5	15.4	9.8	15.4
8.	D	0.0	15.4	0.0	84.6	P	0.0	15.4	0.0	84.6	P	2.8	12.1	1.5	83.6
9.	B	7.7	92.3	0.0	0.0	P	7.7	92.3	0.0	0.0	P	2.8	90.2	5.3	1.8
10.	A	30.8	15.4	0.0	53.9	P	30.8	15.4	0.0	53.9	q	62.0	14.9	12.6	10.6
11.	A	84.6	7.7	7.7	0.0	P	84.6	7.7	7.7	0.0	P	84.4	1.8	11.3	2.5
12.	B	0.0	53.9	46.2	0.0	P	0.0	53.9	46.2	0.0	q	5.0	67.5	24.9	2.5
13.	C	7.7	0.0	92.3	0.0	P	7.7	0.0	92.3	0.0	P	13.4	6.6	77.3	2.8
14.	D	0.0	30.8	0.0	69.2	P	0.0	30.8	0.0	69.2	P	3.8	22.7	5.0	68.5
15.	C	30.8	0.0	61.5	7.7	P	30.8	0.0	61.5	7.7	q	17.6	8.6	63.2	10.6
16.	C	15.4	23.1	61.5	0.0	P	15.4	23.1	61.5	0.0	P	8.1	19.7	49.9	22.4
17.	D	23.1	0.0	30.8	46.2	P	23.1	0.0	30.8	46.2	q	9.6	5.5	14.9	70.0
18.	D	23.1	30.8	0.0	46.2	P	23.1	30.8	0.0	46.2	q	10.1	24.2	1.5	64.0
19.	D	23.1	7.7	23.1	46.2	P	23.1	7.7	23.1	46.2	q	7.1	15.1	14.9	63.0
20.	A	69.2	15.4	15.4	0.0	P	69.2	15.4	15.4	0.0	q	87.4	8.6	1.8	2.3
21.	C	7.7	0.0	84.6	7.7	P	7.7	0.0	84.6	7.7	q	2.3	6.6	84.9	6.3
22.	A	84.6	7.7	7.7	0.0	P	84.6	7.7	7.7	0.0	q	87.2	9.1	2.8	1.0
23.	C	7.7	23.1	53.9	15.4	P	7.7	23.1	53.9	15.4	P	20.9	13.4	50.9	14.9
24.	D	15.4	0.0	0.0	84.6	P	15.4	0.0	0.0	84.6	q	5.5	0.8	2.5	91.2
25.	B	0.0	92.3	0.0	7.7	P	0.0	92.3	0.0	7.7	P	4.0	91.7	3.3	1.0
26.	D	0.0	7.7	15.4	76.9	P	0.0	7.7	15.4	76.9	P	6.6	10.1	19.9	63.5
27.	A	76.9	0.0	23.1	0.0	P	76.9	0.0	23.1	0.0	P	60.5	17.4	13.6	8.6
28.	B	7.7	92.3	0.0	0.0	P	7.7	92.3	0.0	0.0	P	10.6	59.5	4.3	25.7
29.	A	84.6	0.0	0.0	15.4	P	84.6	0.0	0.0	15.4	q	89.4	2.5	1.0	7.1
30.	B	0.0	100.0	0.0	0.0	P	0.0	100.0	0.0	0.0	P	0.5	94.2	1.8	3.5
31.	C	0.0	7.7	84.6	7.7	P	0.0	7.7	84.6	7.7	q	5.0	1.5	89.7	3.8
32.	C	0.0	0.0	84.6	15.4	P	0.0	0.0	84.6	15.4	q	1.8	2.5	92.7	3.0
33.	A	100.0	0.0	0.0	0.0	P	100.0	0.0	0.0	0.0	P	84.4	4.8	1.0	9.6
34.	C	7.7	53.9	38.5	0.0	P	7.7	53.9	38.5	0.0	q	18.6	36.8	43.8	0.8
35.	D	0.0	23.1	7.7	69.2	P	0.0	23.1	7.7	69.2	P	8.6	10.3	13.4	67.5
36.	B	38.5	46.2	0.0	15.4	P	38.5	46.2	0.0	15.4	q	9.8	81.1	3.8	5.3
37.	B	23.1	61.5	0.0	15.4	P	23.1	61.5	0.0	15.4	q	15.9	78.8	3.3	2.0
38.	A	53.9	15.4	23.1	7.7	P	53.9	15.4	23.1	7.7	q	64.7	14.1	7.3	13.6
39.	D	0.0	0.0	0.0	100.0	P	0.0	0.0	0.0	100.0	P	3.3	0.5	2.0	94.2
40.	A	92.3	0.0	7.7	0.0	P	92.3	0.0	7.7	0.0	P	85.6	2.3	11.1	1.0
41.	C	0.0	0.0	84.6	15.4	P	0.0	0.0	84.6	15.4	q	6.3	3.3	85.9	4.5
42.	A	53.9	0.0	23.1	23.1	P	53.9	0.0	23.1	23.1	P	48.4	6.1	16.6	29.0
43.	D	0.0	0.0	15.4	84.6	P	0.0	0.0	15.4	84.6	q	5.0	2.3	5.0	87.7
44.	A	84.6	0.0	15.4	0.0	P	84.6	0.0	15.4	0.0	q	93.0	0.5	5.8	0.8
45.	B	0.0	92.3	0.0	7.7	P	0.0	92.3	0.0	7.7	q	3.0	93.5	2.5	1.0
46.	A	69.2	23.1	0.0	7.7	P	69.2	23.1	0.0	7.7	q	79.6	5.8	8.1	6.6
47.	C	30.8	15.4	38.5	15.4	P	30.8	15.4	38.5	15.4	q	10.1	5.8	69.3	14.9
48.	C	7.7	0.0	84.6	7.7	P	7.7	0.0	84.6	7.7	P	9.8	10.6	70.8	8.6
49.	D	7.7	15.4	7.7	69.2	P	7.7	15.4	7.7	69.2	q	9.8	3.5	10.6	75.8
50.	A	69.2	15.4	15.4	0.0	P	69.2	15.4	15.4	0.0	q	80.1	8.3	9.8	1.5

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE08\PART1\153231\153231_R.RPT

(percentage of students who selected each response)

District 4 - Eastern

#249 - Ascension Collegiate, Bay Roberts

Grades: 10-12

Item	Key	School [N=10]				School Below Above District	District [N=358]				School Below Above Province	Province [N=397]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	A	90.0	10.0	0.0	0.0	P	85.8	10.6	0.0	3.4	P	84.1	12.1	0.3	3.3
2.	C	0.0	30.0	70.0	0.0	P	2.5	20.4	68.2	8.7	P	2.3	22.7	66.5	8.3
3.	A	100.0	0.0	0.0	0.0	P	97.8	0.0	2.2	0.0	P	97.7	0.0	2.3	0.0
4.	C	0.0	0.0	100.0	0.0	P	2.0	0.8	96.9	0.3	P	1.8	0.8	97.2	0.3
5.	B	60.0	30.0	0.0	10.0	q	30.5	67.3	1.4	0.8	q	31.2	66.5	1.3	1.0
6.	D	0.0	0.0	0.0	100.0	P	7.3	8.9	8.9	74.6	P	7.1	8.6	9.3	74.8
7.	A	40.0	30.0	0.0	30.0	q	61.2	15.4	9.2	14.3	q	59.5	15.4	9.8	15.4
8.	D	0.0	10.0	10.0	80.0	q	2.8	11.5	1.4	84.4	q	2.8	12.1	1.5	83.6
9.	B	0.0	100.0	0.0	0.0	P	2.5	89.9	5.6	2.0	P	2.8	90.2	5.3	1.8
10.	A	30.0	0.0	20.0	50.0	q	64.8	13.7	12.0	9.5	q	62.0	14.9	12.6	10.6
11.	A	90.0	0.0	10.0	0.0	P	85.2	1.7	10.6	2.5	P	84.4	1.8	11.3	2.5
12.	B	10.0	70.0	20.0	0.0	P	4.8	68.7	24.3	2.2	P	5.0	67.5	24.9	2.5
13.	C	0.0	10.0	90.0	0.0	P	13.4	6.7	77.4	2.5	P	13.4	6.6	77.3	2.8
14.	D	10.0	10.0	0.0	80.0	P	4.2	22.9	5.6	67.3	P	3.8	22.7	5.0	68.5
15.	C	10.0	20.0	70.0	0.0	P	16.8	8.7	63.7	10.9	P	17.6	8.6	63.2	10.6
16.	C	0.0	30.0	60.0	10.0	P	7.3	19.0	51.7	22.1	P	8.1	19.7	49.9	22.4
17.	D	0.0	0.0	10.0	90.0	P	8.9	5.6	13.7	71.8	P	9.6	5.5	14.9	70.0
18.	D	10.0	0.0	0.0	90.0	P	8.9	23.2	1.7	65.9	P	10.1	24.2	1.5	64.0
19.	D	0.0	20.0	0.0	80.0	P	6.4	15.9	15.1	62.6	P	7.1	15.1	14.9	63.0
20.	A	100.0	0.0	0.0	0.0	P	88.8	8.1	1.1	2.0	P	87.4	8.6	1.8	2.3
21.	C	0.0	0.0	100.0	0.0	P	1.7	7.0	85.8	5.6	P	2.3	6.6	84.9	6.3
22.	A	80.0	0.0	20.0	0.0	q	87.2	8.9	2.8	1.1	q	87.2	9.1	2.8	1.0
23.	C	10.0	0.0	70.0	20.0	P	21.5	12.6	50.6	15.4	P	20.9	13.4	50.9	14.9
24.	D	0.0	0.0	0.0	100.0	P	5.6	0.8	2.8	90.8	P	5.5	0.8	2.5	91.2
25.	B	0.0	100.0	0.0	0.0	P	4.5	91.1	3.6	0.8	P	4.0	91.7	3.3	1.0
26.	D	10.0	0.0	0.0	90.0	P	6.7	10.1	19.8	63.4	P	6.6	10.1	19.9	63.5
27.	A	90.0	0.0	0.0	10.0	P	58.9	18.4	13.7	8.9	P	60.5	17.4	13.6	8.6
28.	B	10.0	80.0	0.0	10.0	P	11.2	58.1	4.5	26.3	P	10.6	59.5	4.3	25.7
29.	A	100.0	0.0	0.0	0.0	P	88.8	2.8	1.1	7.3	P	89.4	2.5	1.0	7.1
30.	B	0.0	100.0	0.0	0.0	P	0.6	93.9	2.0	3.6	P	0.5	94.2	1.8	3.5
31.	C	10.0	10.0	70.0	10.0	q	5.3	1.4	89.7	3.6	q	5.0	1.5	89.7	3.8
32.	C	0.0	10.0	90.0	0.0	q	1.7	2.8	93.0	2.5	q	1.8	2.5	92.7	3.0
33.	A	90.0	10.0	0.0	0.0	P	83.2	5.0	0.8	10.6	P	84.4	4.8	1.0	9.6
34.	C	30.0	30.0	40.0	0.0	q	19.8	36.9	42.5	0.8	q	18.6	36.8	43.8	0.8
35.	D	0.0	0.0	10.0	90.0	P	9.5	9.8	13.7	66.8	P	8.6	10.3	13.4	67.5
36.	B	0.0	90.0	0.0	10.0	P	9.5	82.1	3.4	5.0	P	9.8	81.1	3.8	5.3
37.	B	10.0	80.0	0.0	10.0	q	14.8	80.2	3.6	1.4	P	15.9	78.8	3.3	2.0
38.	A	80.0	10.0	10.0	0.0	P	65.1	13.7	6.4	14.5	P	64.7	14.1	7.3	13.6
39.	D	0.0	0.0	0.0	100.0	P	3.4	0.3	2.2	94.1	P	3.3	0.5	2.0	94.2
40.	A	70.0	10.0	10.0	10.0	q	84.9	2.5	11.5	1.1	q	85.6	2.3	11.1	1.0
41.	C	0.0	0.0	100.0	0.0	P	6.4	3.6	85.5	4.5	P	6.3	3.3	85.9	4.5
42.	A	60.0	0.0	10.0	30.0	P	47.5	6.7	16.5	29.3	P	48.4	6.1	16.6	29.0
43.	D	10.0	0.0	0.0	90.0	P	5.6	2.5	4.5	87.4	P	5.0	2.3	5.0	87.7
44.	A	90.0	0.0	10.0	0.0	q	92.7	0.6	5.9	0.8	q	93.0	0.5	5.8	0.8
45.	B	0.0	100.0	0.0	0.0	P	3.1	93.6	2.5	0.8	P	3.0	93.5	2.5	1.0
46.	A	90.0	0.0	0.0	10.0	P	80.7	5.0	8.1	6.2	P	79.6	5.8	8.1	6.6
47.	C	0.0	20.0	70.0	10.0	q	8.9	5.3	70.4	15.4	P	10.1	5.8	69.3	14.9
48.	C	10.0	10.0	80.0	0.0	P	10.6	11.2	69.8	8.1	P	9.8	10.6	70.8	8.6
49.	D	10.0	0.0	10.0	80.0	P	9.8	2.5	9.5	77.9	P	9.8	3.5	10.6	75.8
50.	A	90.0	0.0	10.0	0.0	P	80.7	7.5	10.1	1.4	P	80.1	8.3	9.8	1.5

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANALJUNE08\PART1\153231\153231_R.RPT

(percentage of students who selected each response)

District 4 - Eastern

#253 - Carbonear Collegiate, Carbonear

Grades: 10-12

Item	Key	School [N=1]				District [N=358]				School Below Above District Province [N=397]				
		A	B	C	D	A	B	C	D	A	B	C	D	
1.	A	School data with 5 or fewer students withheld for reasons of confidentiality.				85.8	10.6	0.0	3.4	p	84.1	12.1	0.3	3.3
2.	C	School data with 5 or fewer students withheld for reasons of confidentiality.				2.5	20.4	68.2	8.7	p	2.3	22.7	66.5	8.3
3.	A	School data with 5 or fewer students withheld for reasons of confidentiality.				97.8	0.0	2.2	0.0	p	97.7	0.0	2.3	0.0
4.	C	School data with 5 or fewer students withheld for reasons of confidentiality.				2.0	0.8	96.9	0.3	p	1.8	0.8	97.2	0.3
5.	B	School data with 5 or fewer students withheld for reasons of confidentiality.				30.5	67.3	1.4	0.8	p	31.2	66.5	1.3	1.0
6.	D	School data with 5 or fewer students withheld for reasons of confidentiality.				7.3	8.9	8.9	74.6	q	7.1	8.6	9.3	74.8
7.	A	School data with 5 or fewer students withheld for reasons of confidentiality.				61.2	15.4	9.2	14.3	q	59.5	15.4	9.8	15.4
8.	D	School data with 5 or fewer students withheld for reasons of confidentiality.				2.8	11.5	1.4	84.4	p	2.8	12.1	1.5	83.6
9.	B	School data with 5 or fewer students withheld for reasons of confidentiality.				2.5	89.9	5.6	2.0	q	2.8	90.2	5.3	1.8
10.	A	School data with 5 or fewer students withheld for reasons of confidentiality.				64.8	13.7	12.0	9.5	q	62.0	14.9	12.6	10.6
11.	A	School data with 5 or fewer students withheld for reasons of confidentiality.				85.2	1.7	10.6	2.5	q	84.4	1.8	11.3	2.5
12.	B	School data with 5 or fewer students withheld for reasons of confidentiality.				4.8	68.7	24.3	2.2	q	5.0	67.5	24.9	2.5
13.	C	School data with 5 or fewer students withheld for reasons of confidentiality.				13.4	6.7	77.4	2.5	q	13.4	6.6	77.3	2.8
14.	D	School data with 5 or fewer students withheld for reasons of confidentiality.				4.2	22.9	5.6	67.3	p	3.8	22.7	5.0	68.5
15.	C	School data with 5 or fewer students withheld for reasons of confidentiality.				16.8	8.7	63.7	10.9	p	17.6	8.6	63.2	10.6
16.	C	School data with 5 or fewer students withheld for reasons of confidentiality.				7.3	19.0	51.7	22.1	p	8.1	19.7	49.9	22.4
17.	D	School data with 5 or fewer students withheld for reasons of confidentiality.				8.9	5.6	13.7	71.8	p	9.6	5.5	14.9	70.0
18.	D	School data with 5 or fewer students withheld for reasons of confidentiality.				8.9	23.2	1.7	65.9	p	10.1	24.2	1.5	64.0
19.	D	School data with 5 or fewer students withheld for reasons of confidentiality.				6.4	15.9	15.1	62.6	q	7.1	15.1	14.9	63.0
20.	A	School data with 5 or fewer students withheld for reasons of confidentiality.				88.8	8.1	1.1	2.0	p	87.4	8.6	1.8	2.3
21.	C	School data with 5 or fewer students withheld for reasons of confidentiality.				1.7	7.0	85.8	5.6	p	2.3	6.6	84.9	6.3
22.	A	School data with 5 or fewer students withheld for reasons of confidentiality.				87.2	8.9	2.8	1.1	q	87.2	9.1	2.8	1.0
23.	C	School data with 5 or fewer students withheld for reasons of confidentiality.				21.5	12.6	50.6	15.4	q	20.9	13.4	50.9	14.9
24.	D	School data with 5 or fewer students withheld for reasons of confidentiality.				5.6	0.8	2.8	90.8	p	5.5	0.8	2.5	91.2
25.	B	School data with 5 or fewer students withheld for reasons of confidentiality.				4.5	91.1	3.6	0.8	p	4.0	91.7	3.3	1.0
26.	D	School data with 5 or fewer students withheld for reasons of confidentiality.				6.7	10.1	19.8	63.4	p	6.6	10.1	19.9	63.5
27.	A	School data with 5 or fewer students withheld for reasons of confidentiality.				58.9	18.4	13.7	8.9	p	60.5	17.4	13.6	8.6
28.	B	School data with 5 or fewer students withheld for reasons of confidentiality.				11.2	58.1	4.5	26.3	p	10.6	59.5	4.3	25.7
29.	A	School data with 5 or fewer students withheld for reasons of confidentiality.				88.8	2.8	1.1	7.3	q	89.4	2.5	1.0	7.1
30.	B	School data with 5 or fewer students withheld for reasons of confidentiality.				0.6	93.9	2.0	3.6	p	0.5	94.2	1.8	3.5
31.	C	School data with 5 or fewer students withheld for reasons of confidentiality.				5.3	1.4	89.7	3.6	q	5.0	1.5	89.7	3.8
32.	C	School data with 5 or fewer students withheld for reasons of confidentiality.				1.7	2.8	93.0	2.5	q	1.8	2.5	92.7	3.0
33.	A	School data with 5 or fewer students withheld for reasons of confidentiality.				83.2	5.0	0.8	10.6	q	84.4	4.8	1.0	9.6
34.	C	School data with 5 or fewer students withheld for reasons of confidentiality.				19.8	36.9	42.5	0.8	p	18.6	36.8	43.8	0.8
35.	D	School data with 5 or fewer students withheld for reasons of confidentiality.				9.5	9.8	13.7	66.8	q	8.6	10.3	13.4	67.5
36.	B	School data with 5 or fewer students withheld for reasons of confidentiality.				9.5	82.1	3.4	5.0	p	9.8	81.1	3.8	5.3
37.	B	School data with 5 or fewer students withheld for reasons of confidentiality.				14.8	80.2	3.6	1.4	p	15.9	78.8	3.3	2.0
38.	A	School data with 5 or fewer students withheld for reasons of confidentiality.				65.1	13.7	6.4	14.5	p	64.7	14.1	7.3	13.6
39.	D	School data with 5 or fewer students withheld for reasons of confidentiality.				3.4	0.3	2.2	94.1	p	3.3	0.5	2.0	94.2
40.	A	School data with 5 or fewer students withheld for reasons of confidentiality.				84.9	2.5	11.5	1.1	p	85.6	2.3	11.1	1.0
41.	C	School data with 5 or fewer students withheld for reasons of confidentiality.				6.4	3.6	85.5	4.5	p	6.3	3.3	85.9	4.5
42.	A	School data with 5 or fewer students withheld for reasons of confidentiality.				47.5	6.7	16.5	29.3	q	48.4	6.1	16.6	29.0
43.	D	School data with 5 or fewer students withheld for reasons of confidentiality.				5.6	2.5	4.5	87.4	p	5.0	2.3	5.0	87.7
44.	A	School data with 5 or fewer students withheld for reasons of confidentiality.				92.7	0.6	5.9	0.8	p	93.0	0.5	5.8	0.8
45.	B	School data with 5 or fewer students withheld for reasons of confidentiality.				3.1	93.6	2.5	0.8	p	3.0	93.5	2.5	1.0
46.	A	School data with 5 or fewer students withheld for reasons of confidentiality.				80.7	5.0	8.1	6.2	p	79.6	5.8	8.1	6.6
47.	C	School data with 5 or fewer students withheld for reasons of confidentiality.				8.9	5.3	70.4	15.4	p	10.1	5.8	69.3	14.9
48.	C	School data with 5 or fewer students withheld for reasons of confidentiality.				10.6	11.2	69.8	8.1	q	9.8	10.6	70.8	8.6
49.	D	School data with 5 or fewer students withheld for reasons of confidentiality.				9.8	2.5	9.5	77.9	q	9.8	3.5	10.6	75.8
50.	A	School data with 5 or fewer students withheld for reasons of confidentiality.				80.7	7.5	10.1	1.4	q	80.1	8.3	9.8	1.5

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANAL\JUNE08\PART1\153231\153231_R.RPT

(percentage of students who selected each response)

District 4 - Eastern

#302 - Queen Elizabeth Regional High, Conception Bay South (Foxtra

Grades: 10-12

Item	Key	School [N=21]				School Below Above District		District [N=358]				School Below Above Province		Province [N=397]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	85.7	14.3	0.0	0.0	q		85.8	10.6	0.0	3.4	p		84.1	12.1	0.3	3.3
2.	C	0.0	19.1	52.4	28.6	q		2.5	20.4	68.2	8.7	q		2.3	22.7	66.5	8.3
3.	A	95.2	0.0	4.8	0.0	q		97.8	0.0	2.2	0.0	q		97.7	0.0	2.3	0.0
4.	C	0.0	0.0	100.0	0.0		p	2.0	0.8	96.9	0.3		p	1.8	0.8	97.2	0.3
5.	B	52.4	42.9	4.8	0.0	q		30.5	67.3	1.4	0.8	q		31.2	66.5	1.3	1.0
6.	D	4.8	19.1	4.8	71.4	q		7.3	8.9	8.9	74.6	q		7.1	8.6	9.3	74.8
7.	A	52.4	4.8	19.1	23.8	q		61.2	15.4	9.2	14.3	q		59.5	15.4	9.8	15.4
8.	D	9.5	38.1	0.0	52.4	q		2.8	11.5	1.4	84.4	q		2.8	12.1	1.5	83.6
9.	B	0.0	85.7	14.3	0.0	q		2.5	89.9	5.6	2.0	q		2.8	90.2	5.3	1.8
10.	A	42.9	28.6	19.1	9.5	q		64.8	13.7	12.0	9.5	q		62.0	14.9	12.6	10.6
11.	A	100.0	0.0	0.0	0.0		p	85.2	1.7	10.6	2.5		p	84.4	1.8	11.3	2.5
12.	B	4.8	52.4	33.3	9.5	q		4.8	68.7	24.3	2.2	q		5.0	67.5	24.9	2.5
13.	C	14.3	9.5	66.7	9.5	q		13.4	6.7	77.4	2.5	q		13.4	6.6	77.3	2.8
14.	D	4.8	38.1	14.3	42.9	q		4.2	22.9	5.6	67.3	q		3.8	22.7	5.0	68.5
15.	C	19.1	9.5	47.6	23.8	q		16.8	8.7	63.7	10.9	q		17.6	8.6	63.2	10.6
16.	C	19.1	23.8	33.3	23.8	q		7.3	19.0	51.7	22.1	q		8.1	19.7	49.9	22.4
17.	D	9.5	14.3	23.8	52.4	q		8.9	5.6	13.7	71.8	q		9.6	5.5	14.9	70.0
18.	D	23.8	14.3	0.0	61.9	q		8.9	23.2	1.7	65.9	q		10.1	24.2	1.5	64.0
19.	D	9.5	9.5	38.1	42.9	q		6.4	15.9	15.1	62.6	q		7.1	15.1	14.9	63.0
20.	A	61.9	28.6	4.8	4.8	q		88.8	8.1	1.1	2.0	q		87.4	8.6	1.8	2.3
21.	C	4.8	4.8	71.4	19.1	q		1.7	7.0	85.8	5.6	q		2.3	6.6	84.9	6.3
22.	A	71.4	23.8	0.0	4.8	q		87.2	8.9	2.8	1.1	q		87.2	9.1	2.8	1.0
23.	C	19.1	14.3	38.1	28.6	q		21.5	12.6	50.6	15.4	q		20.9	13.4	50.9	14.9
24.	D	23.8	4.8	9.5	61.9	q		5.6	0.8	2.8	90.8	q		5.5	0.8	2.5	91.2
25.	B	9.5	85.7	4.8	0.0	q		4.5	91.1	3.6	0.8	q		4.0	91.7	3.3	1.0
26.	D	4.8	9.5	14.3	71.4		p	6.7	10.1	19.8	63.4		p	6.6	10.1	19.9	63.5
27.	A	61.9	9.5	14.3	14.3		p	58.9	18.4	13.7	8.9		p	60.5	17.4	13.6	8.6
28.	B	4.8	66.7	9.5	19.1		p	11.2	58.1	4.5	26.3		p	10.6	59.5	4.3	25.7
29.	A	76.2	4.8	0.0	19.1	q		88.8	2.8	1.1	7.3	q		89.4	2.5	1.0	7.1
30.	B	0.0	90.5	0.0	9.5	q		0.6	93.9	2.0	3.6	q		0.5	94.2	1.8	3.5
31.	C	4.8	4.8	85.7	4.8	q		5.3	1.4	89.7	3.6	q		5.0	1.5	89.7	3.8
32.	C	4.8	0.0	90.5	4.8	q		1.7	2.8	93.0	2.5	q		1.8	2.5	92.7	3.0
33.	A	85.7	0.0	0.0	14.3		p	83.2	5.0	0.8	10.6		p	84.4	4.8	1.0	9.6
34.	C	14.3	38.1	47.6	0.0		p	19.8	36.9	42.5	0.8		p	18.6	36.8	43.8	0.8
35.	D	14.3	4.8	14.3	66.7	q		9.5	9.8	13.7	66.8	q		8.6	10.3	13.4	67.5
36.	B	4.8	85.7	4.8	4.8		p	9.5	82.1	3.4	5.0		p	9.8	81.1	3.8	5.3
37.	B	9.5	76.2	14.3	0.0	q		14.8	80.2	3.6	1.4	q		15.9	78.8	3.3	2.0
38.	A	61.9	14.3	9.5	14.3	q		65.1	13.7	6.4	14.5	q		64.7	14.1	7.3	13.6
39.	D	0.0	4.8	0.0	95.2		p	3.4	0.3	2.2	94.1		p	3.3	0.5	2.0	94.2
40.	A	66.7	4.8	28.6	0.0	q		84.9	2.5	11.5	1.1	q		85.6	2.3	11.1	1.0
41.	C	0.0	0.0	90.5	9.5		p	6.4	3.6	85.5	4.5		p	6.3	3.3	85.9	4.5
42.	A	47.6	4.8	23.8	23.8		p	47.5	6.7	16.5	29.3	q		48.4	6.1	16.6	29.0
43.	D	9.5	0.0	9.5	81.0	q		5.6	2.5	4.5	87.4	q		5.0	2.3	5.0	87.7
44.	A	81.0	0.0	19.1	0.0	q		92.7	0.6	5.9	0.8	q		93.0	0.5	5.8	0.8
45.	B	9.5	81.0	4.8	4.8	q		3.1	93.6	2.5	0.8	q		3.0	93.5	2.5	1.0
46.	A	52.4	4.8	33.3	9.5	q		80.7	5.0	8.1	6.2	q		79.6	5.8	8.1	6.6
47.	C	14.3	14.3	42.9	28.6	q		8.9	5.3	70.4	15.4	q		10.1	5.8	69.3	14.9
48.	C	23.8	4.8	71.4	0.0		p	10.6	11.2	69.8	8.1		p	9.8	10.6	70.8	8.6
49.	D	19.1	0.0	9.5	71.4	q		9.8	2.5	9.5	77.9	q		9.8	3.5	10.6	75.8
50.	A	81.0	9.5	4.8	4.8		p	80.7	7.5	10.1	1.4		p	80.1	8.3	9.8	1.5

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANALJUNE08\PART1\153231\153231_R.RPT

(percentage of students who selected each response)

District 4 - Eastern

#304 - Holy Spirit High, Conception Bay South (Manuels)

Grades: 9-12

Item	Key	School [N=25]				School Below Above District	District [N=358]				School Below Above Province	Province [N=397]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	A	96.0	4.0	0.0	0.0	P	85.8	10.6	0.0	3.4	P	84.1	12.1	0.3	3.3
2.	C	0.0	20.0	64.0	16.0	q	2.5	20.4	68.2	8.7	q	2.3	22.7	66.5	8.3
3.	A	100.0	0.0	0.0	0.0	P	97.8	0.0	2.2	0.0	P	97.7	0.0	2.3	0.0
4.	C	0.0	0.0	100.0	0.0	P	2.0	0.8	96.9	0.3	P	1.8	0.8	97.2	0.3
5.	B	40.0	56.0	4.0	0.0	q	30.5	67.3	1.4	0.8	q	31.2	66.5	1.3	1.0
6.	D	4.0	12.0	8.0	76.0	P	7.3	8.9	8.9	74.6	P	7.1	8.6	9.3	74.8
7.	A	52.0	4.0	16.0	28.0	q	61.2	15.4	9.2	14.3	q	59.5	15.4	9.8	15.4
8.	D	0.0	16.0	0.0	84.0	q	2.8	11.5	1.4	84.4	P	2.8	12.1	1.5	83.6
9.	B	0.0	92.0	8.0	0.0	P	2.5	89.9	5.6	2.0	P	2.8	90.2	5.3	1.8
10.	A	76.0	4.0	12.0	8.0	P	64.8	13.7	12.0	9.5	P	62.0	14.9	12.6	10.6
11.	A	84.0	0.0	4.0	12.0	q	85.2	1.7	10.6	2.5	q	84.4	1.8	11.3	2.5
12.	B	4.0	64.0	32.0	0.0	q	4.8	68.7	24.3	2.2	q	5.0	67.5	24.9	2.5
13.	C	24.0	0.0	68.0	8.0	q	13.4	6.7	77.4	2.5	q	13.4	6.6	77.3	2.8
14.	D	0.0	36.0	4.0	60.0	q	4.2	22.9	5.6	67.3	q	3.8	22.7	5.0	68.5
15.	C	20.0	8.0	60.0	12.0	q	16.8	8.7	63.7	10.9	q	17.6	8.6	63.2	10.6
16.	C	8.0	16.0	60.0	16.0	P	7.3	19.0	51.7	22.1	P	8.1	19.7	49.9	22.4
17.	D	0.0	0.0	8.0	92.0	P	8.9	5.6	13.7	71.8	P	9.6	5.5	14.9	70.0
18.	D	12.0	32.0	0.0	56.0	q	8.9	23.2	1.7	65.9	q	10.1	24.2	1.5	64.0
19.	D	8.0	20.0	8.0	64.0	P	6.4	15.9	15.1	62.6	P	7.1	15.1	14.9	63.0
20.	A	80.0	20.0	0.0	0.0	q	88.8	8.1	1.1	2.0	q	87.4	8.6	1.8	2.3
21.	C	0.0	0.0	100.0	0.0	P	1.7	7.0	85.8	5.6	P	2.3	6.6	84.9	6.3
22.	A	88.0	12.0	0.0	0.0	P	87.2	8.9	2.8	1.1	P	87.2	9.1	2.8	1.0
23.	C	12.0	12.0	52.0	24.0	P	21.5	12.6	50.6	15.4	P	20.9	13.4	50.9	14.9
24.	D	4.0	0.0	0.0	96.0	P	5.6	0.8	2.8	90.8	P	5.5	0.8	2.5	91.2
25.	B	8.0	92.0	0.0	0.0	P	4.5	91.1	3.6	0.8	P	4.0	91.7	3.3	1.0
26.	D	12.0	16.0	24.0	48.0	q	6.7	10.1	19.8	63.4	q	6.6	10.1	19.9	63.5
27.	A	64.0	8.0	20.0	8.0	P	58.9	18.4	13.7	8.9	P	60.5	17.4	13.6	8.6
28.	B	0.0	68.0	8.0	24.0	P	11.2	58.1	4.5	26.3	P	10.6	59.5	4.3	25.7
29.	A	96.0	4.0	0.0	0.0	P	88.8	2.8	1.1	7.3	P	89.4	2.5	1.0	7.1
30.	B	0.0	96.0	0.0	4.0	P	0.6	93.9	2.0	3.6	P	0.5	94.2	1.8	3.5
31.	C	4.0	4.0	88.0	4.0	q	5.3	1.4	89.7	3.6	q	5.0	1.5	89.7	3.8
32.	C	0.0	4.0	96.0	0.0	P	1.7	2.8	93.0	2.5	P	1.8	2.5	92.7	3.0
33.	A	84.0	0.0	0.0	16.0	P	83.2	5.0	0.8	10.6	q	84.4	4.8	1.0	9.6
34.	C	44.0	32.0	24.0	0.0	q	19.8	36.9	42.5	0.8	q	18.6	36.8	43.8	0.8
35.	D	8.0	4.0	12.0	76.0	P	9.5	9.8	13.7	66.8	P	8.6	10.3	13.4	67.5
36.	B	28.0	64.0	0.0	8.0	q	9.5	82.1	3.4	5.0	q	9.8	81.1	3.8	5.3
37.	B	8.0	92.0	0.0	0.0	P	14.8	80.2	3.6	1.4	P	15.9	78.8	3.3	2.0
38.	A	48.0	24.0	4.0	24.0	q	65.1	13.7	6.4	14.5	q	64.7	14.1	7.3	13.6
39.	D	4.0	0.0	4.0	92.0	q	3.4	0.3	2.2	94.1	q	3.3	0.5	2.0	94.2
40.	A	84.0	4.0	8.0	4.0	q	84.9	2.5	11.5	1.1	q	85.6	2.3	11.1	1.0
41.	C	4.0	0.0	88.0	8.0	P	6.4	3.6	85.5	4.5	P	6.3	3.3	85.9	4.5
42.	A	40.0	4.0	16.0	40.0	q	47.5	6.7	16.5	29.3	q	48.4	6.1	16.6	29.0
43.	D	0.0	8.0	0.0	92.0	P	5.6	2.5	4.5	87.4	P	5.0	2.3	5.0	87.7
44.	A	88.0	0.0	12.0	0.0	q	92.7	0.6	5.9	0.8	q	93.0	0.5	5.8	0.8
45.	B	0.0	100.0	0.0	0.0	P	3.1	93.6	2.5	0.8	P	3.0	93.5	2.5	1.0
46.	A	92.0	4.0	4.0	0.0	P	80.7	5.0	8.1	6.2	P	79.6	5.8	8.1	6.6
47.	C	12.0	4.0	72.0	12.0	P	8.9	5.3	70.4	15.4	P	10.1	5.8	69.3	14.9
48.	C	20.0	8.0	60.0	12.0	q	10.6	11.2	69.8	8.1	q	9.8	10.6	70.8	8.6
49.	D	12.0	4.0	12.0	72.0	q	9.8	2.5	9.5	77.9	q	9.8	3.5	10.6	75.8
50.	A	80.0	8.0	12.0	0.0	q	80.7	7.5	10.1	1.4	q	80.1	8.3	9.8	1.5

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANALJUNE08\PART1\153231\153231_R.RPT

(percentage of students who selected each response)

District 4 - Eastern

#311 - Mount Pearl Senior High, Mount Pearl

Grades: 10-12

Item	Key	School [N=46]				School Below Above District		District [N=358]				School Below Above Province		Province [N=397]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	97.8	0.0	0.0	2.2		P	85.8	10.6	0.0	3.4		P	84.1	12.1	0.3	3.3
2.	C	10.9	17.4	47.8	21.7		q	2.5	20.4	68.2	8.7		q	2.3	22.7	66.5	8.3
3.	A	97.8	0.0	2.2	0.0		P	97.8	0.0	2.2	0.0		P	97.7	0.0	2.3	0.0
4.	C	4.4	2.2	93.5	0.0		q	2.0	0.8	96.9	0.3		q	1.8	0.8	97.2	0.3
5.	B	43.5	56.5	0.0	0.0		q	30.5	67.3	1.4	0.8		q	31.2	66.5	1.3	1.0
6.	D	8.7	6.5	17.4	67.4		q	7.3	8.9	8.9	74.6		q	7.1	8.6	9.3	74.8
7.	A	76.1	6.5	6.5	10.9		P	61.2	15.4	9.2	14.3		P	59.5	15.4	9.8	15.4
8.	D	0.0	13.0	4.4	82.6		q	2.8	11.5	1.4	84.4		q	2.8	12.1	1.5	83.6
9.	B	2.2	91.3	4.4	2.2		P	2.5	89.9	5.6	2.0		P	2.8	90.2	5.3	1.8
10.	A	50.0	23.9	13.0	13.0		q	64.8	13.7	12.0	9.5		q	62.0	14.9	12.6	10.6
11.	A	76.1	0.0	17.4	6.5		q	85.2	1.7	10.6	2.5		q	84.4	1.8	11.3	2.5
12.	B	6.5	65.2	26.1	2.2		q	4.8	68.7	24.3	2.2		q	5.0	67.5	24.9	2.5
13.	C	13.0	2.2	80.4	4.4		P	13.4	6.7	77.4	2.5		P	13.4	6.6	77.3	2.8
14.	D	6.5	19.6	0.0	73.9		P	4.2	22.9	5.6	67.3		P	3.8	22.7	5.0	68.5
15.	C	19.6	2.2	54.4	23.9		q	16.8	8.7	63.7	10.9		q	17.6	8.6	63.2	10.6
16.	C	6.5	23.9	54.4	15.2		P	7.3	19.0	51.7	22.1		P	8.1	19.7	49.9	22.4
17.	D	19.6	6.5	17.4	56.5		q	8.9	5.6	13.7	71.8		q	9.6	5.5	14.9	70.0
18.	D	2.2	26.1	0.0	69.6		P	8.9	23.2	1.7	65.9		P	10.1	24.2	1.5	64.0
19.	D	6.5	19.6	4.4	69.6		P	6.4	15.9	15.1	62.6		P	7.1	15.1	14.9	63.0
20.	A	84.8	8.7	4.4	2.2		q	88.8	8.1	1.1	2.0		q	87.4	8.6	1.8	2.3
21.	C	0.0	10.9	84.8	4.4		q	1.7	7.0	85.8	5.6		q	2.3	6.6	84.9	6.3
22.	A	93.5	6.5	0.0	0.0		P	87.2	8.9	2.8	1.1		P	87.2	9.1	2.8	1.0
23.	C	34.8	2.2	47.8	15.2		q	21.5	12.6	50.6	15.4		q	20.9	13.4	50.9	14.9
24.	D	2.2	2.2	2.2	93.5		P	5.6	0.8	2.8	90.8		P	5.5	0.8	2.5	91.2
25.	B	4.4	93.5	2.2	0.0		P	4.5	91.1	3.6	0.8		P	4.0	91.7	3.3	1.0
26.	D	13.0	8.7	23.9	54.4		q	6.7	10.1	19.8	63.4		q	6.6	10.1	19.9	63.5
27.	A	69.6	10.9	13.0	6.5		P	58.9	18.4	13.7	8.9		P	60.5	17.4	13.6	8.6
28.	B	4.4	76.1	2.2	17.4		P	11.2	58.1	4.5	26.3		P	10.6	59.5	4.3	25.7
29.	A	89.1	2.2	2.2	6.5		P	88.8	2.8	1.1	7.3		q	89.4	2.5	1.0	7.1
30.	B	0.0	100.0	0.0	0.0		P	0.6	93.9	2.0	3.6		P	0.5	94.2	1.8	3.5
31.	C	8.7	0.0	89.1	2.2		q	5.3	1.4	89.7	3.6		q	5.0	1.5	89.7	3.8
32.	C	4.4	2.2	91.3	2.2		q	1.7	2.8	93.0	2.5		q	1.8	2.5	92.7	3.0
33.	A	93.5	0.0	0.0	6.5		P	83.2	5.0	0.8	10.6		P	84.4	4.8	1.0	9.6
34.	C	6.5	56.5	37.0	0.0		q	19.8	36.9	42.5	0.8		q	18.6	36.8	43.8	0.8
35.	D	10.9	8.7	15.2	65.2		q	9.5	9.8	13.7	66.8		q	8.6	10.3	13.4	67.5
36.	B	6.5	89.1	0.0	4.4		P	9.5	82.1	3.4	5.0		P	9.8	81.1	3.8	5.3
37.	B	17.4	73.9	6.5	2.2		q	14.8	80.2	3.6	1.4		q	15.9	78.8	3.3	2.0
38.	A	71.7	10.9	2.2	15.2		P	65.1	13.7	6.4	14.5		P	64.7	14.1	7.3	13.6
39.	D	6.5	0.0	4.4	89.1		q	3.4	0.3	2.2	94.1		q	3.3	0.5	2.0	94.2
40.	A	87.0	2.2	10.9	0.0		P	84.9	2.5	11.5	1.1		P	85.6	2.3	11.1	1.0
41.	C	10.9	13.0	76.1	0.0		q	6.4	3.6	85.5	4.5		q	6.3	3.3	85.9	4.5
42.	A	41.3	13.0	13.0	32.6		q	47.5	6.7	16.5	29.3		q	48.4	6.1	16.6	29.0
43.	D	8.7	0.0	17.4	73.9		q	5.6	2.5	4.5	87.4		q	5.0	2.3	5.0	87.7
44.	A	95.7	0.0	4.4	0.0		P	92.7	0.6	5.9	0.8		P	93.0	0.5	5.8	0.8
45.	B	0.0	95.7	4.4	0.0		P	3.1	93.6	2.5	0.8		P	3.0	93.5	2.5	1.0
46.	A	76.1	8.7	6.5	8.7		q	80.7	5.0	8.1	6.2		q	79.6	5.8	8.1	6.6
47.	C	15.2	10.9	63.0	10.9		q	8.9	5.3	70.4	15.4		q	10.1	5.8	69.3	14.9
48.	C	8.7	10.9	71.7	8.7		P	10.6	11.2	69.8	8.1		P	9.8	10.6	70.8	8.6
49.	D	13.0	2.2	8.7	76.1		q	9.8	2.5	9.5	77.9		P	9.8	3.5	10.6	75.8
50.	A	87.0	4.4	8.7	0.0		P	80.7	7.5	10.1	1.4		P	80.1	8.3	9.8	1.5

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANALJUNE08\PART1\153231\153231_R.RPT

District 4 - Eastern

(percentage of students who selected each response)

#313 - O'Donel High School, Mount Pearl

Grades: 10-12

Item	Key	School [N=10]				School Below Above District	District [N=358]				School Below Above Province	Province [N=397]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	A	90.0	10.0	0.0	0.0	P	85.8	10.6	0.0	3.4	P	84.1	12.1	0.3	3.3
2.	C	0.0	30.0	70.0	0.0	P	2.5	20.4	68.2	8.7	P	2.3	22.7	66.5	8.3
3.	A	100.0	0.0	0.0	0.0	P	97.8	0.0	2.2	0.0	P	97.7	0.0	2.3	0.0
4.	C	0.0	0.0	100.0	0.0	P	2.0	0.8	96.9	0.3	P	1.8	0.8	97.2	0.3
5.	B	40.0	60.0	0.0	0.0	q	30.5	67.3	1.4	0.8	q	31.2	66.5	1.3	1.0
6.	D	10.0	30.0	0.0	60.0	q	7.3	8.9	8.9	74.6	q	7.1	8.6	9.3	74.8
7.	A	60.0	30.0	0.0	10.0	q	61.2	15.4	9.2	14.3	P	59.5	15.4	9.8	15.4
8.	D	0.0	0.0	0.0	100.0	P	2.8	11.5	1.4	84.4	P	2.8	12.1	1.5	83.6
9.	B	0.0	100.0	0.0	0.0	P	2.5	89.9	5.6	2.0	P	2.8	90.2	5.3	1.8
10.	A	60.0	0.0	40.0	0.0	q	64.8	13.7	12.0	9.5	q	62.0	14.9	12.6	10.6
11.	A	80.0	0.0	20.0	0.0	q	85.2	1.7	10.6	2.5	q	84.4	1.8	11.3	2.5
12.	B	0.0	70.0	30.0	0.0	P	4.8	68.7	24.3	2.2	P	5.0	67.5	24.9	2.5
13.	C	0.0	0.0	100.0	0.0	P	13.4	6.7	77.4	2.5	P	13.4	6.6	77.3	2.8
14.	D	0.0	20.0	0.0	80.0	P	4.2	22.9	5.6	67.3	P	3.8	22.7	5.0	68.5
15.	C	0.0	0.0	90.0	10.0	P	16.8	8.7	63.7	10.9	P	17.6	8.6	63.2	10.6
16.	C	0.0	0.0	40.0	60.0	q	7.3	19.0	51.7	22.1	q	8.1	19.7	49.9	22.4
17.	D	10.0	10.0	10.0	70.0	q	8.9	5.6	13.7	71.8	P	9.6	5.5	14.9	70.0
18.	D	10.0	40.0	0.0	50.0	q	8.9	23.2	1.7	65.9	q	10.1	24.2	1.5	64.0
19.	D	0.0	10.0	20.0	70.0	P	6.4	15.9	15.1	62.6	P	7.1	15.1	14.9	63.0
20.	A	80.0	20.0	0.0	0.0	q	88.8	8.1	1.1	2.0	q	87.4	8.6	1.8	2.3
21.	C	0.0	10.0	80.0	10.0	q	1.7	7.0	85.8	5.6	q	2.3	6.6	84.9	6.3
22.	A	90.0	0.0	10.0	0.0	P	87.2	8.9	2.8	1.1	P	87.2	9.1	2.8	1.0
23.	C	20.0	10.0	60.0	10.0	P	21.5	12.6	50.6	15.4	P	20.9	13.4	50.9	14.9
24.	D	0.0	0.0	0.0	100.0	P	5.6	0.8	2.8	90.8	P	5.5	0.8	2.5	91.2
25.	B	0.0	100.0	0.0	0.0	P	4.5	91.1	3.6	0.8	P	4.0	91.7	3.3	1.0
26.	D	0.0	20.0	10.0	70.0	P	6.7	10.1	19.8	63.4	P	6.6	10.1	19.9	63.5
27.	A	80.0	20.0	0.0	0.0	P	58.9	18.4	13.7	8.9	P	60.5	17.4	13.6	8.6
28.	B	10.0	80.0	0.0	10.0	P	11.2	58.1	4.5	26.3	P	10.6	59.5	4.3	25.7
29.	A	100.0	0.0	0.0	0.0	P	88.8	2.8	1.1	7.3	P	89.4	2.5	1.0	7.1
30.	B	0.0	90.0	10.0	0.0	q	0.6	93.9	2.0	3.6	q	0.5	94.2	1.8	3.5
31.	C	0.0	0.0	100.0	0.0	P	5.3	1.4	89.7	3.6	P	5.0	1.5	89.7	3.8
32.	C	0.0	0.0	100.0	0.0	P	1.7	2.8	93.0	2.5	P	1.8	2.5	92.7	3.0
33.	A	100.0	0.0	0.0	0.0	P	83.2	5.0	0.8	10.6	P	84.4	4.8	1.0	9.6
34.	C	0.0	40.0	60.0	0.0	P	19.8	36.9	42.5	0.8	P	18.6	36.8	43.8	0.8
35.	D	0.0	0.0	0.0	100.0	P	9.5	9.8	13.7	66.8	P	8.6	10.3	13.4	67.5
36.	B	0.0	90.0	0.0	10.0	P	9.5	82.1	3.4	5.0	P	9.8	81.1	3.8	5.3
37.	B	10.0	70.0	20.0	0.0	q	14.8	80.2	3.6	1.4	q	15.9	78.8	3.3	2.0
38.	A	80.0	10.0	10.0	0.0	P	65.1	13.7	6.4	14.5	P	64.7	14.1	7.3	13.6
39.	D	0.0	0.0	0.0	100.0	P	3.4	0.3	2.2	94.1	P	3.3	0.5	2.0	94.2
40.	A	80.0	0.0	20.0	0.0	q	84.9	2.5	11.5	1.1	q	85.6	2.3	11.1	1.0
41.	C	10.0	0.0	90.0	0.0	P	6.4	3.6	85.5	4.5	P	6.3	3.3	85.9	4.5
42.	A	70.0	10.0	10.0	10.0	P	47.5	6.7	16.5	29.3	P	48.4	6.1	16.6	29.0
43.	D	0.0	0.0	10.0	90.0	P	5.6	2.5	4.5	87.4	P	5.0	2.3	5.0	87.7
44.	A	80.0	0.0	20.0	0.0	q	92.7	0.6	5.9	0.8	q	93.0	0.5	5.8	0.8
45.	B	0.0	100.0	0.0	0.0	P	3.1	93.6	2.5	0.8	P	3.0	93.5	2.5	1.0
46.	A	90.0	0.0	10.0	0.0	P	80.7	5.0	8.1	6.2	P	79.6	5.8	8.1	6.6
47.	C	10.0	0.0	90.0	0.0	P	8.9	5.3	70.4	15.4	P	10.1	5.8	69.3	14.9
48.	C	0.0	0.0	100.0	0.0	P	10.6	11.2	69.8	8.1	P	9.8	10.6	70.8	8.6
49.	D	0.0	10.0	30.0	60.0	q	9.8	2.5	9.5	77.9	q	9.8	3.5	10.6	75.8
50.	A	90.0	0.0	10.0	0.0	P	80.7	7.5	10.1	1.4	P	80.1	8.3	9.8	1.5

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANALJUNE08\PART1\153231\153231_R.RPT

(percentage of students who selected each response)

District 4 - Eastern

#327 - Bishops College High, St. John's

Grades: 10-12

Item	Key	School [N=37]				School Below Above District		District [N=358]				School Below Above Province		Province [N=397]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	83.8	13.5	0.0	2.7	q		85.8	10.6	0.0	3.4	q		84.1	12.1	0.3	3.3
2.	C	2.7	46.0	40.5	10.8	q		2.5	20.4	68.2	8.7	q		2.3	22.7	66.5	8.3
3.	A	100.0	0.0	0.0	0.0		p	97.8	0.0	2.2	0.0		p	97.7	0.0	2.3	0.0
4.	C	2.7	0.0	94.6	2.7	q		2.0	0.8	96.9	0.3	q		1.8	0.8	97.2	0.3
5.	B	32.4	64.9	2.7	0.0	q		30.5	67.3	1.4	0.8	q		31.2	66.5	1.3	1.0
6.	D	13.5	10.8	8.1	67.6	q		7.3	8.9	8.9	74.6	q		7.1	8.6	9.3	74.8
7.	A	35.1	27.0	18.9	18.9	q		61.2	15.4	9.2	14.3	q		59.5	15.4	9.8	15.4
8.	D	13.5	5.4	0.0	81.1	q		2.8	11.5	1.4	84.4	q		2.8	12.1	1.5	83.6
9.	B	5.4	81.1	8.1	5.4	q		2.5	89.9	5.6	2.0	q		2.8	90.2	5.3	1.8
10.	A	62.2	21.6	8.1	8.1	q		64.8	13.7	12.0	9.5		p	62.0	14.9	12.6	10.6
11.	A	75.7	8.1	16.2	0.0	q		85.2	1.7	10.6	2.5	q		84.4	1.8	11.3	2.5
12.	B	10.8	56.8	32.4	0.0	q		4.8	68.7	24.3	2.2	q		5.0	67.5	24.9	2.5
13.	C	21.6	21.6	56.8	0.0	q		13.4	6.7	77.4	2.5	q		13.4	6.6	77.3	2.8
14.	D	2.7	24.3	24.3	48.7	q		4.2	22.9	5.6	67.3	q		3.8	22.7	5.0	68.5
15.	C	13.5	8.1	62.2	16.2	q		16.8	8.7	63.7	10.9	q		17.6	8.6	63.2	10.6
16.	C	10.8	29.7	40.5	18.9	q		7.3	19.0	51.7	22.1	q		8.1	19.7	49.9	22.4
17.	D	5.4	10.8	21.6	62.2	q		8.9	5.6	13.7	71.8	q		9.6	5.5	14.9	70.0
18.	D	5.4	24.3	0.0	70.3		p	8.9	23.2	1.7	65.9		p	10.1	24.2	1.5	64.0
19.	D	10.8	21.6	29.7	37.8	q		6.4	15.9	15.1	62.6	q		7.1	15.1	14.9	63.0
20.	A	91.9	2.7	2.7	2.7		p	88.8	8.1	1.1	2.0		p	87.4	8.6	1.8	2.3
21.	C	2.7	27.0	59.5	10.8	q		1.7	7.0	85.8	5.6	q		2.3	6.6	84.9	6.3
22.	A	83.8	10.8	2.7	2.7	q		87.2	8.9	2.8	1.1	q		87.2	9.1	2.8	1.0
23.	C	29.7	16.2	46.0	8.1	q		21.5	12.6	50.6	15.4	q		20.9	13.4	50.9	14.9
24.	D	8.1	0.0	8.1	83.8	q		5.6	0.8	2.8	90.8	q		5.5	0.8	2.5	91.2
25.	B	2.7	75.7	16.2	5.4	q		4.5	91.1	3.6	0.8	q		4.0	91.7	3.3	1.0
26.	D	13.5	10.8	51.4	24.3	q		6.7	10.1	19.8	63.4	q		6.6	10.1	19.9	63.5
27.	A	54.1	32.4	10.8	2.7	q		58.9	18.4	13.7	8.9	q		60.5	17.4	13.6	8.6
28.	B	16.2	43.2	8.1	32.4	q		11.2	58.1	4.5	26.3	q		10.6	59.5	4.3	25.7
29.	A	83.8	8.1	2.7	5.4	q		88.8	2.8	1.1	7.3	q		89.4	2.5	1.0	7.1
30.	B	2.7	78.4	8.1	10.8	q		0.6	93.9	2.0	3.6	q		0.5	94.2	1.8	3.5
31.	C	13.5	2.7	73.0	10.8	q		5.3	1.4	89.7	3.6	q		5.0	1.5	89.7	3.8
32.	C	0.0	2.7	94.6	2.7		p	1.7	2.8	93.0	2.5		p	1.8	2.5	92.7	3.0
33.	A	62.2	5.4	2.7	29.7	q		83.2	5.0	0.8	10.6	q		84.4	4.8	1.0	9.6
34.	C	35.1	27.0	35.1	2.7	q		19.8	36.9	42.5	0.8	q		18.6	36.8	43.8	0.8
35.	D	16.2	16.2	24.3	43.2	q		9.5	9.8	13.7	66.8	q		8.6	10.3	13.4	67.5
36.	B	16.2	62.2	13.5	8.1	q		9.5	82.1	3.4	5.0	q		9.8	81.1	3.8	5.3
37.	B	8.1	86.5	0.0	5.4		p	14.8	80.2	3.6	1.4		p	15.9	78.8	3.3	2.0
38.	A	32.4	24.3	10.8	32.4	q		65.1	13.7	6.4	14.5	q		64.7	14.1	7.3	13.6
39.	D	10.8	0.0	10.8	78.4	q		3.4	0.3	2.2	94.1	q		3.3	0.5	2.0	94.2
40.	A	73.0	2.7	24.3	0.0	q		84.9	2.5	11.5	1.1	q		85.6	2.3	11.1	1.0
41.	C	10.8	5.4	64.9	18.9	q		6.4	3.6	85.5	4.5	q		6.3	3.3	85.9	4.5
42.	A	35.1	8.1	24.3	32.4	q		47.5	6.7	16.5	29.3	q		48.4	6.1	16.6	29.0
43.	D	5.4	5.4	5.4	83.8	q		5.6	2.5	4.5	87.4	q		5.0	2.3	5.0	87.7
44.	A	89.2	2.7	8.1	0.0	q		92.7	0.6	5.9	0.8	q		93.0	0.5	5.8	0.8
45.	B	8.1	86.5	5.4	0.0	q		3.1	93.6	2.5	0.8	q		3.0	93.5	2.5	1.0
46.	A	59.5	13.5	16.2	10.8	q		80.7	5.0	8.1	6.2	q		79.6	5.8	8.1	6.6
47.	C	18.9	2.7	59.5	18.9	q		8.9	5.3	70.4	15.4	q		10.1	5.8	69.3	14.9
48.	C	13.5	27.0	48.7	10.8	q		10.6	11.2	69.8	8.1	q		9.8	10.6	70.8	8.6
49.	D	10.8	5.4	18.9	64.9	q		9.8	2.5	9.5	77.9	q		9.8	3.5	10.6	75.8
50.	A	78.4	8.1	13.5	0.0	q		80.7	7.5	10.1	1.4	q		80.1	8.3	9.8	1.5

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANALJUNE08\PART1\153231\153231_R.RPT

(percentage of students who selected each response)

District 4 - Eastern

#328 - Booth Memorial High School, St. John's

Grades: 10-12

Item	Key	School [N=22]				School Below Above District		District [N=358]				School Below Above Province		Province [N=397]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	77.3	9.1	0.0	13.6	q		85.8	10.6	0.0	3.4	q		84.1	12.1	0.3	3.3
2.	C	0.0	13.6	81.8	4.6		p	2.5	20.4	68.2	8.7		p	2.3	22.7	66.5	8.3
3.	A	90.9	0.0	9.1	0.0	q		97.8	0.0	2.2	0.0	q		97.7	0.0	2.3	0.0
4.	C	0.0	4.6	95.5	0.0	q		2.0	0.8	96.9	0.3	q		1.8	0.8	97.2	0.3
5.	B	27.3	72.7	0.0	0.0		p	30.5	67.3	1.4	0.8		p	31.2	66.5	1.3	1.0
6.	D	18.2	9.1	27.3	45.5	q		7.3	8.9	8.9	74.6	q		7.1	8.6	9.3	74.8
7.	A	40.9	13.6	27.3	18.2	q		61.2	15.4	9.2	14.3	q		59.5	15.4	9.8	15.4
8.	D	0.0	13.6	0.0	86.4		p	2.8	11.5	1.4	84.4		p	2.8	12.1	1.5	83.6
9.	B	0.0	90.9	4.6	4.6		p	2.5	89.9	5.6	2.0		p	2.8	90.2	5.3	1.8
10.	A	68.2	22.7	4.6	4.6		p	64.8	13.7	12.0	9.5		p	62.0	14.9	12.6	10.6
11.	A	90.9	0.0	4.6	4.6		p	85.2	1.7	10.6	2.5		p	84.4	1.8	11.3	2.5
12.	B	4.6	45.5	40.9	9.1	q		4.8	68.7	24.3	2.2	q		5.0	67.5	24.9	2.5
13.	C	13.6	13.6	72.7	0.0	q		13.4	6.7	77.4	2.5	q		13.4	6.6	77.3	2.8
14.	D	13.6	27.3	9.1	50.0	q		4.2	22.9	5.6	67.3	q		3.8	22.7	5.0	68.5
15.	C	31.8	18.2	40.9	9.1	q		16.8	8.7	63.7	10.9	q		17.6	8.6	63.2	10.6
16.	C	13.6	22.7	40.9	22.7	q		7.3	19.0	51.7	22.1	q		8.1	19.7	49.9	22.4
17.	D	9.1	4.6	0.0	86.4		p	8.9	5.6	13.7	71.8		p	9.6	5.5	14.9	70.0
18.	D	13.6	22.7	4.6	59.1	q		8.9	23.2	1.7	65.9	q		10.1	24.2	1.5	64.0
19.	D	4.6	13.6	27.3	54.6	q		6.4	15.9	15.1	62.6	q		7.1	15.1	14.9	63.0
20.	A	95.5	0.0	0.0	4.6		p	88.8	8.1	1.1	2.0		p	87.4	8.6	1.8	2.3
21.	C	0.0	13.6	63.6	22.7	q		1.7	7.0	85.8	5.6	q		2.3	6.6	84.9	6.3
22.	A	86.4	4.6	9.1	0.0	q		87.2	8.9	2.8	1.1	q		87.2	9.1	2.8	1.0
23.	C	27.3	18.2	40.9	13.6	q		21.5	12.6	50.6	15.4	q		20.9	13.4	50.9	14.9
24.	D	4.6	0.0	4.6	90.9		p	5.6	0.8	2.8	90.8	q		5.5	0.8	2.5	91.2
25.	B	13.6	81.8	4.6	0.0	q		4.5	91.1	3.6	0.8	q		4.0	91.7	3.3	1.0
26.	D	9.1	4.6	13.6	72.7		p	6.7	10.1	19.8	63.4		p	6.6	10.1	19.9	63.5
27.	A	50.0	27.3	9.1	13.6	q		58.9	18.4	13.7	8.9	q		60.5	17.4	13.6	8.6
28.	B	18.2	50.0	9.1	22.7	q		11.2	58.1	4.5	26.3	q		10.6	59.5	4.3	25.7
29.	A	81.8	4.6	0.0	13.6	q		88.8	2.8	1.1	7.3	q		89.4	2.5	1.0	7.1
30.	B	0.0	86.4	0.0	13.6	q		0.6	93.9	2.0	3.6	q		0.5	94.2	1.8	3.5
31.	C	4.6	0.0	90.9	4.6		p	5.3	1.4	89.7	3.6		p	5.0	1.5	89.7	3.8
32.	C	4.6	9.1	86.4	0.0	q		1.7	2.8	93.0	2.5	q		1.8	2.5	92.7	3.0
33.	A	59.1	13.6	4.6	22.7	q		83.2	5.0	0.8	10.6	q		84.4	4.8	1.0	9.6
34.	C	22.7	27.3	50.0	0.0		p	19.8	36.9	42.5	0.8		p	18.6	36.8	43.8	0.8
35.	D	4.6	9.1	13.6	72.7		p	9.5	9.8	13.7	66.8		p	8.6	10.3	13.4	67.5
36.	B	18.2	68.2	4.6	9.1	q		9.5	82.1	3.4	5.0	q		9.8	81.1	3.8	5.3
37.	B	31.8	54.6	9.1	4.6	q		14.8	80.2	3.6	1.4	q		15.9	78.8	3.3	2.0
38.	A	59.1	18.2	13.6	9.1	q		65.1	13.7	6.4	14.5	q		64.7	14.1	7.3	13.6
39.	D	0.0	0.0	4.6	95.5		p	3.4	0.3	2.2	94.1		p	3.3	0.5	2.0	94.2
40.	A	90.9	0.0	9.1	0.0		p	84.9	2.5	11.5	1.1		p	85.6	2.3	11.1	1.0
41.	C	0.0	0.0	90.9	9.1		p	6.4	3.6	85.5	4.5		p	6.3	3.3	85.9	4.5
42.	A	13.6	13.6	18.2	54.6	q		47.5	6.7	16.5	29.3	q		48.4	6.1	16.6	29.0
43.	D	9.1	9.1	0.0	81.8	q		5.6	2.5	4.5	87.4	q		5.0	2.3	5.0	87.7
44.	A	95.5	0.0	4.6	0.0		p	92.7	0.6	5.9	0.8		p	93.0	0.5	5.8	0.8
45.	B	4.6	86.4	4.6	4.6	q		3.1	93.6	2.5	0.8	q		3.0	93.5	2.5	1.0
46.	A	86.4	4.6	9.1	0.0		p	80.7	5.0	8.1	6.2		p	79.6	5.8	8.1	6.6
47.	C	4.6	9.1	77.3	9.1		p	8.9	5.3	70.4	15.4		p	10.1	5.8	69.3	14.9
48.	C	18.2	9.1	54.6	18.2	q		10.6	11.2	69.8	8.1	q		9.8	10.6	70.8	8.6
49.	D	9.1	4.6	18.2	68.2	q		9.8	2.5	9.5	77.9	q		9.8	3.5	10.6	75.8
50.	A	77.3	4.6	18.2	0.0	q		80.7	7.5	10.1	1.4	q		80.1	8.3	9.8	1.5

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANALJUNE08\PART1\153231\153231_R.RPT

(percentage of students who selected each response)

District 4 - Eastern

#336 - Gonzaga Regional High, St. John's

Grades: 10-12

Item	Key	School [N=59]				School Below Above District	District [N=358]				School Below Above Province	Province [N=397]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	A	84.8	13.6	0.0	1.7	q	85.8	10.6	0.0	3.4	p	84.1	12.1	0.3	3.3
2.	C	1.7	10.2	81.4	6.8	p	2.5	20.4	68.2	8.7	p	2.3	22.7	66.5	8.3
3.	A	98.3	0.0	1.7	0.0	p	97.8	0.0	2.2	0.0	p	97.7	0.0	2.3	0.0
4.	C	0.0	0.0	100.0	0.0	p	2.0	0.8	96.9	0.3	p	1.8	0.8	97.2	0.3
5.	B	27.1	71.2	1.7	0.0	p	30.5	67.3	1.4	0.8	p	31.2	66.5	1.3	1.0
6.	D	3.4	5.1	3.4	88.1	p	7.3	8.9	8.9	74.6	p	7.1	8.6	9.3	74.8
7.	A	57.6	22.0	5.1	15.3	q	61.2	15.4	9.2	14.3	q	59.5	15.4	9.8	15.4
8.	D	0.0	11.9	0.0	88.1	p	2.8	11.5	1.4	84.4	p	2.8	12.1	1.5	83.6
9.	B	1.7	93.2	5.1	0.0	p	2.5	89.9	5.6	2.0	p	2.8	90.2	5.3	1.8
10.	A	76.3	1.7	13.6	8.5	p	64.8	13.7	12.0	9.5	p	62.0	14.9	12.6	10.6
11.	A	88.1	3.4	5.1	3.4	p	85.2	1.7	10.6	2.5	p	84.4	1.8	11.3	2.5
12.	B	1.7	71.2	23.7	3.4	p	4.8	68.7	24.3	2.2	p	5.0	67.5	24.9	2.5
13.	C	10.2	1.7	84.8	3.4	p	13.4	6.7	77.4	2.5	p	13.4	6.6	77.3	2.8
14.	D	3.4	22.0	3.4	71.2	p	4.2	22.9	5.6	67.3	p	3.8	22.7	5.0	68.5
15.	C	15.3	10.2	67.8	6.8	p	16.8	8.7	63.7	10.9	p	17.6	8.6	63.2	10.6
16.	C	3.4	15.3	57.6	23.7	p	7.3	19.0	51.7	22.1	p	8.1	19.7	49.9	22.4
17.	D	10.2	3.4	8.5	78.0	p	8.9	5.6	13.7	71.8	p	9.6	5.5	14.9	70.0
18.	D	6.8	27.1	5.1	61.0	q	8.9	23.2	1.7	65.9	q	10.1	24.2	1.5	64.0
19.	D	1.7	11.9	6.8	79.7	p	6.4	15.9	15.1	62.6	p	7.1	15.1	14.9	63.0
20.	A	93.2	3.4	0.0	3.4	p	88.8	8.1	1.1	2.0	p	87.4	8.6	1.8	2.3
21.	C	0.0	1.7	96.6	1.7	p	1.7	7.0	85.8	5.6	p	2.3	6.6	84.9	6.3
22.	A	94.9	5.1	0.0	0.0	p	87.2	8.9	2.8	1.1	p	87.2	9.1	2.8	1.0
23.	C	23.7	8.5	55.9	11.9	p	21.5	12.6	50.6	15.4	p	20.9	13.4	50.9	14.9
24.	D	3.4	1.7	0.0	94.9	p	5.6	0.8	2.8	90.8	p	5.5	0.8	2.5	91.2
25.	B	10.2	88.1	1.7	0.0	q	4.5	91.1	3.6	0.8	q	4.0	91.7	3.3	1.0
26.	D	1.7	18.6	13.6	66.1	p	6.7	10.1	19.8	63.4	p	6.6	10.1	19.9	63.5
27.	A	59.3	11.9	17.0	11.9	p	58.9	18.4	13.7	8.9	q	60.5	17.4	13.6	8.6
28.	B	13.6	57.6	3.4	25.4	q	11.2	58.1	4.5	26.3	q	10.6	59.5	4.3	25.7
29.	A	91.5	0.0	0.0	8.5	p	88.8	2.8	1.1	7.3	p	89.4	2.5	1.0	7.1
30.	B	0.0	98.3	0.0	1.7	p	0.6	93.9	2.0	3.6	p	0.5	94.2	1.8	3.5
31.	C	3.4	0.0	96.6	0.0	p	5.3	1.4	89.7	3.6	p	5.0	1.5	89.7	3.8
32.	C	1.7	0.0	94.9	3.4	p	1.7	2.8	93.0	2.5	p	1.8	2.5	92.7	3.0
33.	A	94.9	1.7	0.0	3.4	p	83.2	5.0	0.8	10.6	p	84.4	4.8	1.0	9.6
34.	C	15.3	27.1	57.6	0.0	p	19.8	36.9	42.5	0.8	p	18.6	36.8	43.8	0.8
35.	D	3.4	5.1	20.3	71.2	p	9.5	9.8	13.7	66.8	p	8.6	10.3	13.4	67.5
36.	B	6.8	86.4	1.7	5.1	p	9.5	82.1	3.4	5.0	p	9.8	81.1	3.8	5.3
37.	B	11.9	88.1	0.0	0.0	p	14.8	80.2	3.6	1.4	p	15.9	78.8	3.3	2.0
38.	A	66.1	15.3	6.8	11.9	p	65.1	13.7	6.4	14.5	p	64.7	14.1	7.3	13.6
39.	D	1.7	0.0	0.0	98.3	p	3.4	0.3	2.2	94.1	p	3.3	0.5	2.0	94.2
40.	A	96.6	0.0	3.4	0.0	p	84.9	2.5	11.5	1.1	p	85.6	2.3	11.1	1.0
41.	C	8.5	5.1	86.4	0.0	p	6.4	3.6	85.5	4.5	p	6.3	3.3	85.9	4.5
42.	A	78.0	1.7	10.2	10.2	p	47.5	6.7	16.5	29.3	p	48.4	6.1	16.6	29.0
43.	D	5.1	1.7	1.7	91.5	p	5.6	2.5	4.5	87.4	p	5.0	2.3	5.0	87.7
44.	A	93.2	0.0	5.1	1.7	p	92.7	0.6	5.9	0.8	p	93.0	0.5	5.8	0.8
45.	B	1.7	96.6	1.7	0.0	p	3.1	93.6	2.5	0.8	p	3.0	93.5	2.5	1.0
46.	A	83.1	3.4	6.8	6.8	p	80.7	5.0	8.1	6.2	p	79.6	5.8	8.1	6.6
47.	C	3.4	0.0	76.3	20.3	p	8.9	5.3	70.4	15.4	p	10.1	5.8	69.3	14.9
48.	C	8.5	3.4	88.1	0.0	p	10.6	11.2	69.8	8.1	p	9.8	10.6	70.8	8.6
49.	D	13.6	1.7	5.1	79.7	p	9.8	2.5	9.5	77.9	p	9.8	3.5	10.6	75.8
50.	A	88.1	8.5	3.4	0.0	p	80.7	7.5	10.1	1.4	p	80.1	8.3	9.8	1.5

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANALJUNE08\PART1\153231\153231_R.RPT

(percentage of students who selected each response)

District 4 - Eastern

#340 - Holy Heart of Mary Regional High, St. John's

Grades: 10-12

Item	Key	School [N=61]				School Below District	District [N=358]				School Below Province	Province [N=397]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	A	86.9	8.2	0.0	3.3	P	85.8	10.6	0.0	3.4	P	84.1	12.1	0.3	3.3
2.	C	1.6	9.8	86.9	1.6	P	2.5	20.4	68.2	8.7	P	2.3	22.7	66.5	8.3
3.	A	100.0	0.0	0.0	0.0	P	97.8	0.0	2.2	0.0	P	97.7	0.0	2.3	0.0
4.	C	4.9	0.0	95.1	0.0	q	2.0	0.8	96.9	0.3	q	1.8	0.8	97.2	0.3
5.	B	13.1	83.6	0.0	3.3	P	30.5	67.3	1.4	0.8	P	31.2	66.5	1.3	1.0
6.	D	1.6	4.9	4.9	86.9	P	7.3	8.9	8.9	74.6	P	7.1	8.6	9.3	74.8
7.	A	86.9	9.8	1.6	1.6	P	61.2	15.4	9.2	14.3	P	59.5	15.4	9.8	15.4
8.	D	0.0	4.9	0.0	95.1	P	2.8	11.5	1.4	84.4	P	2.8	12.1	1.5	83.6
9.	B	0.0	93.4	6.6	0.0	P	2.5	89.9	5.6	2.0	P	2.8	90.2	5.3	1.8
10.	A	73.8	16.4	8.2	1.6	P	64.8	13.7	12.0	9.5	P	62.0	14.9	12.6	10.6
11.	A	98.4	0.0	1.6	0.0	P	85.2	1.7	10.6	2.5	P	84.4	1.8	11.3	2.5
12.	B	1.6	98.4	0.0	0.0	P	4.8	68.7	24.3	2.2	P	5.0	67.5	24.9	2.5
13.	C	11.5	6.6	80.3	1.6	P	13.4	6.7	77.4	2.5	P	13.4	6.6	77.3	2.8
14.	D	6.6	9.8	1.6	82.0	P	4.2	22.9	5.6	67.3	P	3.8	22.7	5.0	68.5
15.	C	13.1	4.9	78.7	3.3	P	16.8	8.7	63.7	10.9	P	17.6	8.6	63.2	10.6
16.	C	4.9	13.1	60.7	21.3	P	7.3	19.0	51.7	22.1	P	8.1	19.7	49.9	22.4
17.	D	13.1	0.0	9.8	77.1	P	8.9	5.6	13.7	71.8	P	9.6	5.5	14.9	70.0
18.	D	11.5	21.3	0.0	67.2	P	8.9	23.2	1.7	65.9	P	10.1	24.2	1.5	64.0
19.	D	4.9	14.8	6.6	73.8	P	6.4	15.9	15.1	62.6	P	7.1	15.1	14.9	63.0
20.	A	96.7	3.3	0.0	0.0	P	88.8	8.1	1.1	2.0	P	87.4	8.6	1.8	2.3
21.	C	0.0	3.3	93.4	3.3	P	1.7	7.0	85.8	5.6	P	2.3	6.6	84.9	6.3
22.	A	95.1	4.9	0.0	0.0	P	87.2	8.9	2.8	1.1	P	87.2	9.1	2.8	1.0
23.	C	18.0	9.8	67.2	4.9	P	21.5	12.6	50.6	15.4	P	20.9	13.4	50.9	14.9
24.	D	3.3	0.0	3.3	93.4	P	5.6	0.8	2.8	90.8	P	5.5	0.8	2.5	91.2
25.	B	0.0	100.0	0.0	0.0	P	4.5	91.1	3.6	0.8	P	4.0	91.7	3.3	1.0
26.	D	3.3	9.8	14.8	72.1	P	6.7	10.1	19.8	63.4	P	6.6	10.1	19.9	63.5
27.	A	49.2	24.6	13.1	13.1	q	58.9	18.4	13.7	8.9	q	60.5	17.4	13.6	8.6
28.	B	18.0	47.5	3.3	31.2	q	11.2	58.1	4.5	26.3	q	10.6	59.5	4.3	25.7
29.	A	86.9	1.6	0.0	11.5	q	88.8	2.8	1.1	7.3	q	89.4	2.5	1.0	7.1
30.	B	0.0	93.4	3.3	3.3	q	0.6	93.9	2.0	3.6	q	0.5	94.2	1.8	3.5
31.	C	1.6	0.0	96.7	1.6	P	5.3	1.4	89.7	3.6	P	5.0	1.5	89.7	3.8
32.	C	0.0	3.3	95.1	1.6	P	1.7	2.8	93.0	2.5	P	1.8	2.5	92.7	3.0
33.	A	78.7	9.8	0.0	9.8	q	83.2	5.0	0.8	10.6	q	84.4	4.8	1.0	9.6
34.	C	23.0	41.0	34.4	1.6	q	19.8	36.9	42.5	0.8	q	18.6	36.8	43.8	0.8
35.	D	19.7	4.9	6.6	68.9	P	9.5	9.8	13.7	66.8	P	8.6	10.3	13.4	67.5
36.	B	6.6	88.5	1.6	3.3	P	9.5	82.1	3.4	5.0	P	9.8	81.1	3.8	5.3
37.	B	18.0	80.3	1.6	0.0	P	14.8	80.2	3.6	1.4	P	15.9	78.8	3.3	2.0
38.	A	80.3	8.2	1.6	8.2	P	65.1	13.7	6.4	14.5	P	64.7	14.1	7.3	13.6
39.	D	0.0	0.0	0.0	100.0	P	3.4	0.3	2.2	94.1	P	3.3	0.5	2.0	94.2
40.	A	85.3	3.3	8.2	3.3	P	84.9	2.5	11.5	1.1	q	85.6	2.3	11.1	1.0
41.	C	0.0	1.6	98.4	0.0	P	6.4	3.6	85.5	4.5	P	6.3	3.3	85.9	4.5
42.	A	54.1	3.3	9.8	32.8	P	47.5	6.7	16.5	29.3	P	48.4	6.1	16.6	29.0
43.	D	0.0	1.6	0.0	98.4	P	5.6	2.5	4.5	87.4	P	5.0	2.3	5.0	87.7
44.	A	96.7	1.6	0.0	1.6	P	92.7	0.6	5.9	0.8	P	93.0	0.5	5.8	0.8
45.	B	1.6	98.4	0.0	0.0	P	3.1	93.6	2.5	0.8	P	3.0	93.5	2.5	1.0
46.	A	96.7	0.0	1.6	1.6	P	80.7	5.0	8.1	6.2	P	79.6	5.8	8.1	6.6
47.	C	6.6	0.0	83.6	9.8	P	8.9	5.3	70.4	15.4	P	10.1	5.8	69.3	14.9
48.	C	4.9	9.8	77.1	6.6	P	10.6	11.2	69.8	8.1	P	9.8	10.6	70.8	8.6
49.	D	0.0	1.6	1.6	96.7	P	9.8	2.5	9.5	77.9	P	9.8	3.5	10.6	75.8
50.	A	73.8	14.8	9.8	1.6	q	80.7	7.5	10.1	1.4	q	80.1	8.3	9.8	1.5

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANALJUNE08\PART1\153231\153231_R.RPT

(percentage of students who selected each response)

District 4 - Eastern

#347 - Prince of Wales Collegiate, St. John's

Grades: 10-12

Item	Key	School [N=33]				School Below Above District	District [N=358]				School Below Above Province	Province [N=397]			
		A	B	C	D		A	B	C	D		A	B	C	D
1.	A	75.8	21.2	0.0	3.0	q	85.8	10.6	0.0	3.4	q	84.1	12.1	0.3	3.3
2.	C	0.0	24.2	75.8	0.0	p	2.5	20.4	68.2	8.7	p	2.3	22.7	66.5	8.3
3.	A	100.0	0.0	0.0	0.0	p	97.8	0.0	2.2	0.0	p	97.7	0.0	2.3	0.0
4.	C	0.0	3.0	97.0	0.0	p	2.0	0.8	96.9	0.3	q	1.8	0.8	97.2	0.3
5.	B	21.2	78.8	0.0	0.0	p	30.5	67.3	1.4	0.8	p	31.2	66.5	1.3	1.0
6.	D	6.1	3.0	15.2	75.8	p	7.3	8.9	8.9	74.6	p	7.1	8.6	9.3	74.8
7.	A	75.8	15.2	3.0	6.1	p	61.2	15.4	9.2	14.3	p	59.5	15.4	9.8	15.4
8.	D	0.0	9.1	0.0	90.9	p	2.8	11.5	1.4	84.4	p	2.8	12.1	1.5	83.6
9.	B	6.1	84.9	0.0	9.1	q	2.5	89.9	5.6	2.0	q	2.8	90.2	5.3	1.8
10.	A	60.6	9.1	12.1	18.2	q	64.8	13.7	12.0	9.5	q	62.0	14.9	12.6	10.6
11.	A	69.7	0.0	30.3	0.0	q	85.2	1.7	10.6	2.5	q	84.4	1.8	11.3	2.5
12.	B	6.1	72.7	18.2	3.0	p	4.8	68.7	24.3	2.2	p	5.0	67.5	24.9	2.5
13.	C	12.1	6.1	81.8	0.0	p	13.4	6.7	77.4	2.5	p	13.4	6.6	77.3	2.8
14.	D	0.0	21.2	3.0	75.8	p	4.2	22.9	5.6	67.3	p	3.8	22.7	5.0	68.5
15.	C	15.2	9.1	63.6	12.1	q	16.8	8.7	63.7	10.9	p	17.6	8.6	63.2	10.6
16.	C	3.0	6.1	66.7	24.2	p	7.3	19.0	51.7	22.1	p	8.1	19.7	49.9	22.4
17.	D	0.0	6.1	15.2	78.8	p	8.9	5.6	13.7	71.8	p	9.6	5.5	14.9	70.0
18.	D	0.0	21.2	0.0	78.8	p	8.9	23.2	1.7	65.9	p	10.1	24.2	1.5	64.0
19.	D	6.1	27.3	15.2	51.5	q	6.4	15.9	15.1	62.6	q	7.1	15.1	14.9	63.0
20.	A	87.9	12.1	0.0	0.0	q	88.8	8.1	1.1	2.0	p	87.4	8.6	1.8	2.3
21.	C	3.0	0.0	93.9	3.0	p	1.7	7.0	85.8	5.6	p	2.3	6.6	84.9	6.3
22.	A	93.9	3.0	3.0	0.0	p	87.2	8.9	2.8	1.1	p	87.2	9.1	2.8	1.0
23.	C	9.1	21.2	48.5	21.2	q	21.5	12.6	50.6	15.4	q	20.9	13.4	50.9	14.9
24.	D	0.0	0.0	0.0	100.0	p	5.6	0.8	2.8	90.8	p	5.5	0.8	2.5	91.2
25.	B	0.0	97.0	3.0	0.0	p	4.5	91.1	3.6	0.8	p	4.0	91.7	3.3	1.0
26.	D	3.0	3.0	9.1	84.9	p	6.7	10.1	19.8	63.4	p	6.6	10.1	19.9	63.5
27.	A	66.7	15.2	12.1	6.1	p	58.9	18.4	13.7	8.9	p	60.5	17.4	13.6	8.6
28.	B	9.1	60.6	3.0	27.3	p	11.2	58.1	4.5	26.3	p	10.6	59.5	4.3	25.7
29.	A	100.0	0.0	0.0	0.0	p	88.8	2.8	1.1	7.3	p	89.4	2.5	1.0	7.1
30.	B	0.0	100.0	0.0	0.0	p	0.6	93.9	2.0	3.6	p	0.5	94.2	1.8	3.5
31.	C	3.0	0.0	93.9	3.0	p	5.3	1.4	89.7	3.6	p	5.0	1.5	89.7	3.8
32.	C	0.0	3.0	97.0	0.0	p	1.7	2.8	93.0	2.5	p	1.8	2.5	92.7	3.0
33.	A	93.9	0.0	0.0	6.1	p	83.2	5.0	0.8	10.6	p	84.4	4.8	1.0	9.6
34.	C	18.2	36.4	45.5	0.0	p	19.8	36.9	42.5	0.8	p	18.6	36.8	43.8	0.8
35.	D	3.0	18.2	3.0	75.8	p	9.5	9.8	13.7	66.8	p	8.6	10.3	13.4	67.5
36.	B	9.1	87.9	3.0	0.0	p	9.5	82.1	3.4	5.0	p	9.8	81.1	3.8	5.3
37.	B	12.1	84.9	3.0	0.0	p	14.8	80.2	3.6	1.4	p	15.9	78.8	3.3	2.0
38.	A	81.8	15.2	0.0	3.0	p	65.1	13.7	6.4	14.5	p	64.7	14.1	7.3	13.6
39.	D	0.0	0.0	0.0	100.0	p	3.4	0.3	2.2	94.1	p	3.3	0.5	2.0	94.2
40.	A	93.9	0.0	6.1	0.0	p	84.9	2.5	11.5	1.1	p	85.6	2.3	11.1	1.0
41.	C	9.1	0.0	90.9	0.0	p	6.4	3.6	85.5	4.5	p	6.3	3.3	85.9	4.5
42.	A	39.4	12.1	21.2	27.3	q	47.5	6.7	16.5	29.3	q	48.4	6.1	16.6	29.0
43.	D	9.1	0.0	3.0	87.9	p	5.6	2.5	4.5	87.4	p	5.0	2.3	5.0	87.7
44.	A	97.0	0.0	0.0	3.0	p	92.7	0.6	5.9	0.8	p	93.0	0.5	5.8	0.8
45.	B	0.0	100.0	0.0	0.0	p	3.1	93.6	2.5	0.8	p	3.0	93.5	2.5	1.0
46.	A	84.9	9.1	0.0	6.1	p	80.7	5.0	8.1	6.2	p	79.6	5.8	8.1	6.6
47.	C	0.0	6.1	81.8	12.1	p	8.9	5.3	70.4	15.4	p	10.1	5.8	69.3	14.9
48.	C	3.0	21.2	63.6	12.1	q	10.6	11.2	69.8	8.1	q	9.8	10.6	70.8	8.6
49.	D	3.0	0.0	6.1	87.9	p	9.8	2.5	9.5	77.9	p	9.8	3.5	10.6	75.8
50.	A	90.9	3.0	3.0	0.0	p	80.7	7.5	10.1	1.4	p	80.1	8.3	9.8	1.5

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANALJUNE08\PART1\153231\153231_R.RPT

(percentage of students who selected each response)

District 4 - Eastern

#368 - Holy Trinity High, Torbay

Grades: 7-12

Item	Key	School [N=14]				School Below Above District		District [N=358]				School Below Above Province		Province [N=397]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	71.4	21.4	0.0	7.1	q		85.8	10.6	0.0	3.4	q		84.1	12.1	0.3	3.3
2.	C	7.1	14.3	78.6	0.0		p	2.5	20.4	68.2	8.7		p	2.3	22.7	66.5	8.3
3.	A	85.7	0.0	14.3	0.0	q		97.8	0.0	2.2	0.0	q		97.7	0.0	2.3	0.0
4.	C	0.0	0.0	100.0	0.0		p	2.0	0.8	96.9	0.3		p	1.8	0.8	97.2	0.3
5.	B	14.3	85.7	0.0	0.0		p	30.5	67.3	1.4	0.8		p	31.2	66.5	1.3	1.0
6.	D	7.1	28.6	7.1	57.1	q		7.3	8.9	8.9	74.6	q		7.1	8.6	9.3	74.8
7.	A	64.3	21.4	0.0	14.3		p	61.2	15.4	9.2	14.3		p	59.5	15.4	9.8	15.4
8.	D	14.3	21.4	7.1	57.1	q		2.8	11.5	1.4	84.4	q		2.8	12.1	1.5	83.6
9.	B	0.0	92.9	7.1	0.0		p	2.5	89.9	5.6	2.0		p	2.8	90.2	5.3	1.8
10.	A	71.4	14.3	0.0	14.3		p	64.8	13.7	12.0	9.5		p	62.0	14.9	12.6	10.6
11.	A	100.0	0.0	0.0	0.0		p	85.2	1.7	10.6	2.5		p	84.4	1.8	11.3	2.5
12.	B	7.1	50.0	42.9	0.0	q		4.8	68.7	24.3	2.2	q		5.0	67.5	24.9	2.5
13.	C	7.1	7.1	85.7	0.0		p	13.4	6.7	77.4	2.5		p	13.4	6.6	77.3	2.8
14.	D	0.0	21.4	0.0	78.6		p	4.2	22.9	5.6	67.3		p	3.8	22.7	5.0	68.5
15.	C	28.6	28.6	35.7	7.1	q		16.8	8.7	63.7	10.9	q		17.6	8.6	63.2	10.6
16.	C	0.0	42.9	14.3	42.9	q		7.3	19.0	51.7	22.1	q		8.1	19.7	49.9	22.4
17.	D	0.0	21.4	28.6	50.0	q		8.9	5.6	13.7	71.8	q		9.6	5.5	14.9	70.0
18.	D	28.6	28.6	0.0	42.9	q		8.9	23.2	1.7	65.9	q		10.1	24.2	1.5	64.0
19.	D	14.3	0.0	42.9	42.9	q		6.4	15.9	15.1	62.6	q		7.1	15.1	14.9	63.0
20.	A	92.9	7.1	0.0	0.0		p	88.8	8.1	1.1	2.0		p	87.4	8.6	1.8	2.3
21.	C	0.0	7.1	92.9	0.0		p	1.7	7.0	85.8	5.6		p	2.3	6.6	84.9	6.3
22.	A	35.7	35.7	14.3	14.3	q		87.2	8.9	2.8	1.1	q		87.2	9.1	2.8	1.0
23.	C	7.1	35.7	21.4	35.7	q		21.5	12.6	50.6	15.4	q		20.9	13.4	50.9	14.9
24.	D	21.4	0.0	7.1	71.4	q		5.6	0.8	2.8	90.8	q		5.5	0.8	2.5	91.2
25.	B	0.0	92.9	7.1	0.0		p	4.5	91.1	3.6	0.8		p	4.0	91.7	3.3	1.0
26.	D	7.1	7.1	35.7	50.0	q		6.7	10.1	19.8	63.4	q		6.6	10.1	19.9	63.5
27.	A	42.9	35.7	14.3	7.1	q		58.9	18.4	13.7	8.9	q		60.5	17.4	13.6	8.6
28.	B	7.1	35.7	0.0	57.1	q		11.2	58.1	4.5	26.3	q		10.6	59.5	4.3	25.7
29.	A	85.7	14.3	0.0	0.0	q		88.8	2.8	1.1	7.3	q		89.4	2.5	1.0	7.1
30.	B	7.1	85.7	7.1	0.0	q		0.6	93.9	2.0	3.6	q		0.5	94.2	1.8	3.5
31.	C	7.1	7.1	85.7	0.0	q		5.3	1.4	89.7	3.6	q		5.0	1.5	89.7	3.8
32.	C	0.0	0.0	100.0	0.0		p	1.7	2.8	93.0	2.5		p	1.8	2.5	92.7	3.0
33.	A	85.7	7.1	0.0	7.1		p	83.2	5.0	0.8	10.6		p	84.4	4.8	1.0	9.6
34.	C	0.0	57.1	35.7	7.1	q		19.8	36.9	42.5	0.8	q		18.6	36.8	43.8	0.8
35.	D	0.0	28.6	21.4	50.0	q		9.5	9.8	13.7	66.8	q		8.6	10.3	13.4	67.5
36.	B	7.1	85.7	0.0	7.1		p	9.5	82.1	3.4	5.0		p	9.8	81.1	3.8	5.3
37.	B	14.3	85.7	0.0	0.0		p	14.8	80.2	3.6	1.4		p	15.9	78.8	3.3	2.0
38.	A	50.0	0.0	21.4	28.6	q		65.1	13.7	6.4	14.5	q		64.7	14.1	7.3	13.6
39.	D	7.1	0.0	0.0	92.9	q		3.4	0.3	2.2	94.1	q		3.3	0.5	2.0	94.2
40.	A	92.9	0.0	7.1	0.0		p	84.9	2.5	11.5	1.1		p	85.6	2.3	11.1	1.0
41.	C	7.1	7.1	78.6	7.1	q		6.4	3.6	85.5	4.5	q		6.3	3.3	85.9	4.5
42.	A	35.7	7.1	21.4	35.7	q		47.5	6.7	16.5	29.3	q		48.4	6.1	16.6	29.0
43.	D	21.4	0.0	0.0	78.6	q		5.6	2.5	4.5	87.4	q		5.0	2.3	5.0	87.7
44.	A	85.7	0.0	14.3	0.0	q		92.7	0.6	5.9	0.8	q		93.0	0.5	5.8	0.8
45.	B	7.1	85.7	0.0	7.1	q		3.1	93.6	2.5	0.8	q		3.0	93.5	2.5	1.0
46.	A	71.4	7.1	7.1	14.3	q		80.7	5.0	8.1	6.2	q		79.6	5.8	8.1	6.6
47.	C	21.4	0.0	50.0	28.6	q		8.9	5.3	70.4	15.4	q		10.1	5.8	69.3	14.9
48.	C	7.1	7.1	71.4	14.3		p	10.6	11.2	69.8	8.1		p	9.8	10.6	70.8	8.6
49.	D	21.4	0.0	14.3	64.3	q		9.8	2.5	9.5	77.9	q		9.8	3.5	10.6	75.8
50.	A	64.3	0.0	28.6	7.1	q		80.7	7.5	10.1	1.4	q		80.1	8.3	9.8	1.5

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANALJUNE08\PART1\153231\153231_R.RPT

(percentage of students who selected each response)

District 4 - Eastern

#464 - Crescent Collegiate, Blaketown

Grades: 7-12

Item	Key	School [N=19]				School Below Above District		District [N=358]				School Below Above Province		Province [N=397]			
		A	B	C	D			A	B	C	D			A	B	C	D
1.	A	79.0	10.5	0.0	10.5	q		85.8	10.6	0.0	3.4	q		84.1	12.1	0.3	3.3
2.	C	0.0	42.1	52.6	5.3	q		2.5	20.4	68.2	8.7	q		2.3	22.7	66.5	8.3
3.	A	94.7	0.0	5.3	0.0	q		97.8	0.0	2.2	0.0	q		97.7	0.0	2.3	0.0
4.	C	5.3	0.0	94.7	0.0	q		2.0	0.8	96.9	0.3	q		1.8	0.8	97.2	0.3
5.	B	36.8	57.9	5.3	0.0	q		30.5	67.3	1.4	0.8	q		31.2	66.5	1.3	1.0
6.	D	21.1	5.3	5.3	68.4	q		7.3	8.9	8.9	74.6	q		7.1	8.6	9.3	74.8
7.	A	36.8	15.8	21.1	26.3	q		61.2	15.4	9.2	14.3	q		59.5	15.4	9.8	15.4
8.	D	5.3	5.3	5.3	84.2	q		2.8	11.5	1.4	84.4		p	2.8	12.1	1.5	83.6
9.	B	15.8	84.2	0.0	0.0	q		2.5	89.9	5.6	2.0	q		2.8	90.2	5.3	1.8
10.	A	73.7	10.5	15.8	0.0		p	64.8	13.7	12.0	9.5		p	62.0	14.9	12.6	10.6
11.	A	73.7	5.3	21.1	0.0	q		85.2	1.7	10.6	2.5	q		84.4	1.8	11.3	2.5
12.	B	0.0	57.9	42.1	0.0	q		4.8	68.7	24.3	2.2	q		5.0	67.5	24.9	2.5
13.	C	15.8	5.3	79.0	0.0		p	13.4	6.7	77.4	2.5		p	13.4	6.6	77.3	2.8
14.	D	0.0	47.4	5.3	47.4	q		4.2	22.9	5.6	67.3	q		3.8	22.7	5.0	68.5
15.	C	15.8	5.3	79.0	0.0		p	16.8	8.7	63.7	10.9		p	17.6	8.6	63.2	10.6
16.	C	21.1	21.1	42.1	15.8	q		7.3	19.0	51.7	22.1	q		8.1	19.7	49.9	22.4
17.	D	10.5	5.3	21.1	63.2	q		8.9	5.6	13.7	71.8	q		9.6	5.5	14.9	70.0
18.	D	5.3	10.5	10.5	73.7		p	8.9	23.2	1.7	65.9		p	10.1	24.2	1.5	64.0
19.	D	10.5	10.5	21.1	57.9	q		6.4	15.9	15.1	62.6	q		7.1	15.1	14.9	63.0
20.	A	84.2	10.5	0.0	5.3	q		88.8	8.1	1.1	2.0	q		87.4	8.6	1.8	2.3
21.	C	15.8	5.3	79.0	0.0	q		1.7	7.0	85.8	5.6	q		2.3	6.6	84.9	6.3
22.	A	79.0	15.8	5.3	0.0	q		87.2	8.9	2.8	1.1	q		87.2	9.1	2.8	1.0
23.	C	26.3	21.1	31.6	21.1	q		21.5	12.6	50.6	15.4	q		20.9	13.4	50.9	14.9
24.	D	10.5	0.0	0.0	89.5	q		5.6	0.8	2.8	90.8	q		5.5	0.8	2.5	91.2
25.	B	0.0	89.5	5.3	5.3	q		4.5	91.1	3.6	0.8	q		4.0	91.7	3.3	1.0
26.	D	5.3	0.0	15.8	79.0		p	6.7	10.1	19.8	63.4		p	6.6	10.1	19.9	63.5
27.	A	42.1	26.3	26.3	5.3	q		58.9	18.4	13.7	8.9	q		60.5	17.4	13.6	8.6
28.	B	10.5	52.6	5.3	31.6	q		11.2	58.1	4.5	26.3	q		10.6	59.5	4.3	25.7
29.	A	84.2	0.0	10.5	5.3	q		88.8	2.8	1.1	7.3	q		89.4	2.5	1.0	7.1
30.	B	0.0	100.0	0.0	0.0		p	0.6	93.9	2.0	3.6		p	0.5	94.2	1.8	3.5
31.	C	5.3	0.0	89.5	5.3	q		5.3	1.4	89.7	3.6	q		5.0	1.5	89.7	3.8
32.	C	5.3	0.0	79.0	15.8	q		1.7	2.8	93.0	2.5	q		1.8	2.5	92.7	3.0
33.	A	73.7	15.8	5.3	5.3	q		83.2	5.0	0.8	10.6	q		84.4	4.8	1.0	9.6
34.	C	21.1	31.6	47.4	0.0		p	19.8	36.9	42.5	0.8		p	18.6	36.8	43.8	0.8
35.	D	5.3	26.3	15.8	47.4	q		9.5	9.8	13.7	66.8	q		8.6	10.3	13.4	67.5
36.	B	5.3	84.2	10.5	0.0		p	9.5	82.1	3.4	5.0		p	9.8	81.1	3.8	5.3
37.	B	26.3	68.4	5.3	0.0	q		14.8	80.2	3.6	1.4	q		15.9	78.8	3.3	2.0
38.	A	57.9	5.3	10.5	26.3	q		65.1	13.7	6.4	14.5	q		64.7	14.1	7.3	13.6
39.	D	10.5	0.0	0.0	89.5	q		3.4	0.3	2.2	94.1	q		3.3	0.5	2.0	94.2
40.	A	68.4	10.5	21.1	0.0	q		84.9	2.5	11.5	1.1	q		85.6	2.3	11.1	1.0
41.	C	15.8	0.0	73.7	10.5	q		6.4	3.6	85.5	4.5	q		6.3	3.3	85.9	4.5
42.	A	26.3	5.3	31.6	36.8	q		47.5	6.7	16.5	29.3	q		48.4	6.1	16.6	29.0
43.	D	0.0	5.3	5.3	89.5		p	5.6	2.5	4.5	87.4		p	5.0	2.3	5.0	87.7
44.	A	100.0	0.0	0.0	0.0		p	92.7	0.6	5.9	0.8		p	93.0	0.5	5.8	0.8
45.	B	10.5	79.0	10.5	0.0	q		3.1	93.6	2.5	0.8	q		3.0	93.5	2.5	1.0
46.	A	73.7	0.0	15.8	10.5	q		80.7	5.0	8.1	6.2	q		79.6	5.8	8.1	6.6
47.	C	5.3	15.8	52.6	26.3	q		8.9	5.3	70.4	15.4	q		10.1	5.8	69.3	14.9
48.	C	15.8	15.8	47.4	21.1	q		10.6	11.2	69.8	8.1	q		9.8	10.6	70.8	8.6
49.	D	15.8	0.0	10.5	73.7	q		9.8	2.5	9.5	77.9	q		9.8	3.5	10.6	75.8
50.	A	63.2	10.5	15.8	10.5	q		80.7	7.5	10.1	1.4	q		80.1	8.3	9.8	1.5

Note: percentages may not add to 100% due to missing values.

Source: Division of Evaluation and Research, Department of Education

H:\ELEM_SEC\ITEMANALJUNE08\PART1\153231\153231_R.RPT